
Armando Luis Negri

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7776248/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Role of overweight and obesity on the urinary excretion of promoters and inhibitors of stone formation in stone formers. Urological Research, 2008, 36, 303-307.	1.5	86
2	Is chronic hyponatremia a novel risk factor for hip fracture in the elderly?. Nephrology Dialysis Transplantation, 2012, 27, 3725-3731.	0.7	62
3	Proximal tubule endocytic apparatus as the specific renal uptake mechanism for vitamin D-binding protein/25-(OH)D3 complex (Review Article). Nephrology, 2006, 11, 510-515.	1.6	52
4	Mild prolonged chronic hyponatremia and risk of hip fracture in the elderly. Nephrology Dialysis Transplantation, 2016, 31, 1662-1669.	0.7	52
5	Prevention of progressive fibrosis in chronic renal diseases: antifibrotic agents. Journal of Nephrology, 2004, 17, 496-503.	2.0	52
6	Evaluation of bone microarchitecture by high-resolution peripheral quantitative computed tomography (HR-pQCT) in hemodialysis patients. Osteoporosis International, 2012, 23, 2543-2550.	3.1	41
7	Bone Mineral Density in Patients with Hypercalciuric Nephrolithiasis. Nephron, 1996, 73, 557-560.	1.8	38
8	Clinical and biochemical profile of patients with "pure―uric acid nephrolithiasis compared with "pure―calcium oxalate stone formers. Urological Research, 2007, 35, 247-251.	1.5	37
9	Iron-based phosphate binders: do they offer advantages over currently available phosphate binders?. CKJ: Clinical Kidney Journal, 2015, 8, 161-167.	2.9	27
10	Hyponatremia and bone disease. Reviews in Endocrine and Metabolic Disorders, 2017, 18, 67-78.	5.7	26
11	Evaluation of cortical bone by peripheral quantitative computed tomography in continuous ambulatory peritoneal dialysis patients. Hemodialysis International, 2006, 10, 351-355.	0.9	25
12	Biomechanical impact of aluminum accumulation on the pre- and post-yield behavior of rat cortical bone. Journal of Bone and Mineral Metabolism, 2005, 23, 15-23.	2.7	18
13	Evaluation of Cortical Bone by Peripheral Quantitative Computed Tomography in Renal Transplant Recipients. Transplantation Proceedings, 2005, 37, 1020-1022.	0.6	18
14	Calcitriol resistance in hemodialysis patients with secondary hyperparathyroidism. International Urology and Nephrology, 2014, 46, 1145-1151.	1.4	17
15	Metabolic diagnosis in stone formers in relation to body mass index. Urological Research, 2012, 40, 47-52.	1.5	16
16	Biochemical diagnosis in 3040 kidney stone formers in Argentina. Urolithiasis, 2015, 43, 323-330.	2.0	15
17	Hyponatremia and fractures: should hyponatremia be further studied as a potential biochemical risk factor to be included in FRAX algorithms?. Osteoporosis International, 2017, 28, 1543-1548.	3.1	15
18	Chronic prolonged hyponatremia and risk of hip fracture in elderly patients with chronic kidney disease. Bone, 2019, 127, 556-562,	2.9	14

Armando Luis Negri

#	Article	IF	CITATIONS
19	Lean Mass Estimation by Creatinine Kinetics and Dual-Energy X-Ray Absorptiometry in Peritoneal Dialysis. Nephron Clinical Practice, 2003, 95, c9-c14.	2.3	13
20	Vascular Calcifications in Chronic Kidney Disease: Are There New Treatments?. Current Vascular Pharmacology, 2005, 3, 181-184.	1.7	13
21	Fibroblast growth factor 23: associations with cardiovascular disease and mortality in chronic kidney disease. International Urology and Nephrology, 2014, 46, 9-17.	1.4	13
22	Weekly highâ€dose ergocalciferol to correct vitamin <scp>D</scp> deficiency/insufficiency in hemodialysis patients: A pilot trial. Hemodialysis International, 2015, 19, 60-65.	0.9	12
23	The role of zinc in urinary stone disease. International Urology and Nephrology, 2018, 50, 879-883.	1.4	11
24	Chronicity of Uncorrected Hyponatremia and Clinical Outcomes in Older Patients Undergoing Hip Fracture Repair. Frontiers in Medicine, 2020, 7, 263.	2.6	11
25	Persistence of hypercalciuria after successful surgical treatment for primary hyperparathyroidism. International Urology and Nephrology, 2012, 44, 857-863.	1.4	10
26	Bone densitometry in a patient with hypophosphatemic osteomalacia. Journal of Bone and Mineral Metabolism, 2004, 22, 514-7.	2.7	9
27	Sevelamer carbonate reduces the risk of hypomagnesemia in hemodialysis-requiring end-stage renal disease patients. CKJ: Clinical Kidney Journal, 2016, 9, 481-485.	2.9	9
28	Serum CrossLaps as Bone Resorption Marker in Peritoneal Dialysis. Peritoneal Dialysis International, 2002, 22, 628-630.	2.3	8
29	Hypercalcemia secondary to granulomatous disease caused by the injection of methacrylate: a case series. Clinical Cases in Mineral and Bone Metabolism, 0, , .	1.0	8
30	Rol de las claudinas en el manejo renal del calcio. Nefrologia, 2015, 35, 347-352.	0.4	7
31	Renal phosphate leak in patients with idiopathic hypercalciuria and calcium nephrolithiasis. Urological Research, 2003, 31, 378-381.	1.5	6
32	Sarcopenia in hemodialysis patients from Buenos Aires, Argentina. Osteoporosis and Sarcopenia, 2021, 7, 75-80.	1.9	6
33	Upper Gastrointestinal Bleeding in Patients in Chronic Hemodialysis. Nephron, 1994, 67, 130-130.	1.8	4
34	Accelerated Recovery from Toxic Acute Renal Failure with Thyroxin: Stimulation of Renal Phospholipid Biosynthesis. Renal Failure, 1994, 16, 19-26.	2.1	3
35	Lean Body Mass Estimation by Densitometry and Creatinine Kinetics in Chronic Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2000, 20, 575-576.	2.3	3
36	Role of claudins in idiopathic hypercalciuria and renal lithiasis. International Urology and Nephrology, 2022, 54, 2197-2204.	1.4	3

#	Article	IF	CITATIONS
37	Comparison of amlodipine and enalapril in the treatment of isolated systolic hypertension in the elderly: an open-label, randomized, parallel-group study. Current Therapeutic Research, 2002, 63, 153-164.	1.2	2
38	Risks of Hip and Nonvertebral Fractures in Patients With CKD. American Journal of Kidney Diseases, 2021, 77, 546.	1.9	2
39	Is the renal kallikrein-kinin system a factor that modulates hypercalciuria?. Nefrologia, 2017, 37, 5-8.	0.4	1
40	Serum crosslaps as bone resorption marker in peritoneal dialysis. Peritoneal Dialysis International, 2002, 22, 628-30.	2.3	1
41	¿Es el sistema calicreÃna/quinina renal un factor modulador de la calciuria?. Nefrologia, 2017, 37, 5-8.	0.4	0
42	Hyponatremia and falls. Osteoporosis International, 2021, 32, 393-394.	3.1	0
43	Comment on "A smaller proportion of circulating biologically active parathyroid hormone in peritoneal dialysis does not allow inter-method adjustment of established parathyroid hormone for haemodialysis". Nefrologia, 2015, 35, 117.	0.4	0