

Daewon Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7777600/daewon-kim-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

2,178
citations

26
h-index

44
g-index

90
ext. papers

2,785
ext. citations

10.8
avg, IF

5.48
L-index

#	Paper	IF	Citations
81	Rational design of cobalt-iron bimetal layered hydroxide on conductive fabric as a flexible battery-type electrode for enhancing the performance of hybrid supercapacitor. <i>Journal of Alloys and Compounds</i> , 2022 , 904, 164082	5.7	2
80	A waterwheel hybrid generator with disk triboelectric nanogenerator and electromagnetic generator as a power source for an electrocoagulation system. <i>Nano Energy</i> , 2022 , 107048	17.1	4
79	All-polymer waterproof triboelectric nanogenerator towards blue energy harvesting and self-powered human motion detection. <i>Energy</i> , 2022 , 247, 123422	7.9	1
78	Robust and flexible triboelectric nanogenerator using non-Newtonian fluid characteristics towards smart traffic and human-motion detecting system. <i>Nano Energy</i> , 2022 , 107246	17.1	4
77	Hybridized generator to simultaneously harvest tribo-thermal energy induced by vibration of fluorine rich-beads. <i>Nano Energy</i> , 2022 , 97, 107211	17.1	1
76	Clay-assisted hierarchical growth of metal-telluride nanostructures as an anode material for hybrid supercapacitors. <i>Applied Clay Science</i> , 2022 , 225, 106539	5.2	3
75	ZnO nanorods@conductive carbon black nanocomposite based flexible integrated system for energy conversion and storage through triboelectric nanogenerator and supercapacitor. <i>Nano Energy</i> , 2021 , 82, 105726	17.1	12
74	Novel Conductive Ag-Decorated NiFe Mixed Metal Telluride Hierarchical Nanorods for High-Performance Hybrid Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 19938-19949	8.5	9
73	Disk Triboelectric Nanogenerator-Based Nonvolatile Memory toward Smart Identification System. <i>Advanced Functional Materials</i> , 2021 , 31, 2102536	15.6	4
72	CuCo LDHs Coated CuCoTe Honeycomb-Like Nanosheets as a Novel Anode Material for Hybrid Supercapacitors. <i>Small</i> , 2021 , 17, e2102369	11	6
71	Boosting a Power Performance of a Hybrid Nanogenerator via Frictional Heat Combining a Triboelectricity and Thermoelectricity toward Advanced Smart Sensors. <i>Advanced Materials Technologies</i> , 2021 , 6, 2000752	6.8	6
70	Hybrid tribo-thermoelectric generator for effectively harvesting thermal energy activated by the shape memory alloy. <i>Nano Energy</i> , 2021 , 82, 105696	17.1	5
69	Preparation of NiO decorated CNT/ZnO core-shell hybrid nanocomposites with the aid of ultrasonication for enhancing the performance of hybrid supercapacitors. <i>Ultrasonics Sonochemistry</i> , 2021 , 71, 105374	8.9	10
68	Smart Sensors: Boosting a Power Performance of a Hybrid Nanogenerator via Frictional Heat Combining a Triboelectricity and Thermoelectricity toward Advanced Smart Sensors (Adv. Mater. Technol. 1/2021). <i>Advanced Materials Technologies</i> , 2021 , 6, 2170005	6.8	
67	Air-gap embedded triboelectric nanogenerator surface modification of non-contact layer using sandpapers. <i>Nanoscale</i> , 2021 , 13, 8837-8847	7.7	7
66	Film-Sponge-Coupled Triboelectric Nanogenerator with Enhanced Contact Area Based on Direct Ultraviolet Laser Ablation. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 48281-48291	9.5	2
65	Paint based triboelectric nanogenerator using facile spray deposition towards smart traffic system and security application. <i>Nano Energy</i> , 2021 , 88, 106236	17.1	8

64	Liquid-metal embedded sponge-typed triboelectric nanogenerator for omnidirectionally detectable self-powered motion sensor. <i>Nano Energy</i> , 2021 , 89, 106442	17.1	3
63	Co/Zn bimetal organic framework elliptical nanosheets on flexible conductive fabric for energy harvesting and environmental monitoring via triboelectricity. <i>Nano Energy</i> , 2021 , 89, 106355	17.1	2
62	Hybrid energy harvesting system based on Stirling engine towards next-generation heat recovery system in industrial fields. <i>Nano Energy</i> , 2021 , 90, 106508	17.1	4
61	Facile Fabrication of Double-Layered Electrodes for a Self-Powered Energy Conversion and Storage System. <i>Nanomaterials</i> , 2020 , 10,	5.4	2
60	Levitating oscillator-based triboelectric nanogenerator for harvesting from rotational motion and sensing seismic oscillation. <i>Nano Energy</i> , 2020 , 72, 104674	17.1	19
59	Antibacterial and Soluble Paper-Based Skin-Attachable Human Motion Sensor Using Triboelectricity. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 ,	8.3	4
58	Dual output from unitary input for a hybrid coaxial triboelectric nanogenerator inspired by a crank engine. <i>Nano Energy</i> , 2020 , 71, 104599	17.1	5
57	Ultrathin unified harvesting module capable of generating electrical energy during rainy, windy, and sunny conditions. <i>Nano Energy</i> , 2020 , 70, 104515	17.1	31
56	Omnidirectional Triboelectric Nanogenerator Operated by Weak Wind Towards a Self-Powered Anemoscope. <i>Micromachines</i> , 2020 , 11,	3.3	13
55	Self-powered transparent and flexible touchpad based on triboelectricity towards artificial intelligence. <i>Nano Energy</i> , 2020 , 78, 105325	17.1	30
54	Performance-Enhanced Triboelectric Nanogenerator Based on the Double-Layered Electrode Effect. <i>Polymers</i> , 2020 , 12,	4.5	1
53	Hybridized generator: Freely movable ferromagnetic nanoparticle-embedded balls for a self-powered tilt and direction sensor. <i>Extreme Mechanics Letters</i> , 2020 , 41, 101063	3.9	1
52	Boron Nitride Nanotube-Based Contact Electrification-Assisted Piezoelectric Nanogenerator as a Kinematic Sensor for Detecting the Flexion/Extension Motion of a Robot Finger. <i>ACS Energy Letters</i> , 2020 , 5, 1577-1585	20.1	16
51	Dynamic Analysis to Enhance the Performance of a Rotating-Disk-Based Triboelectric Nanogenerator by Injected Gas. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 25170-25178	9.5	14
50	A study of the charge distribution and output characteristics of an ultra-thin tribo-dielectric layer. <i>Nano Energy</i> , 2019 , 62, 458-464	17.1	5
49	Bioinspired Polydopamine-Based Resistive-Switching Memory on Cotton Fabric for Wearable Neuromorphic Device Applications. <i>Advanced Materials Technologies</i> , 2019 , 4, 1900151	6.8	17
48	Reduced Graphene Oxide/ZnO Nanorods Nanocomposite: Structural, Electrical and Electrochemical Properties. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2019 , 29, 2282-2290	3.2	13
47	Self-powered wearable touchpad composed of all commercial fabrics utilizing a crossline array of triboelectric generators. <i>Nano Energy</i> , 2019 , 65, 103994	17.1	22

46	rGO/ZnO nanorods/Cu based nanocomposite having flower shaped morphology: AC conductivity and humidity sensing response studies at room temperature. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 15544-15552	2.1	5
45	Willow-like portable triboelectric respiration sensor based on polyethylenimine-assisted CO2 capture. <i>Nano Energy</i> , 2019 , 65, 103990	17.1	14
44	Facile Process for Surface Passivation Using (NH)S for the InP MOS Capacitor with ALD AlO. <i>Materials</i> , 2019 , 12,	3.5	4
43	Enhancing humidity sensing performance of polyaniline/water soluble graphene oxide composite. <i>Talanta</i> , 2019 , 196, 337-344	6.2	43
42	Self-sustainable wind speed sensor system with omni-directional wind based triboelectric generator. <i>Nano Energy</i> , 2019 , 55, 115-122	17.1	23
41	Copper ferrite-yttrium oxide (CFYO) nanocomposite as remarkable humidity sensor. <i>Inorganic Chemistry Communication</i> , 2019 , 99, 180-188	3.1	13
40	Multidirection and Multiamplitude Triboelectric Nanogenerator Composed of Porous Conductive Polymer with Prolonged Time of Current Generation. <i>Advanced Energy Materials</i> , 2018 , 8, 1800654	21.8	17
39	Enhanced transconductance in a double-gate graphene field-effect transistor. <i>Solid-State Electronics</i> , 2018 , 141, 65-68	1.7	5
38	A multi-directional wind based triboelectric generator with investigation of frequency effects. <i>Extreme Mechanics Letters</i> , 2018 , 19, 46-53	3.9	7
37	Self-powered data erasing of nanoscale flash memory by triboelectricity. <i>Nano Energy</i> , 2018 , 52, 63-70	17.1	9
36	A triboelectric nanogenerator using silica-based powder for appropriate technology. <i>Sensors and Actuators A: Physical</i> , 2018 , 280, 85-91	3.9	11
35	Triboelectric nanogenerator based on rolling motion of beads for harvesting wind energy as active wind speed sensor. <i>Nano Energy</i> , 2018 , 52, 256-263	17.1	46
34	Self-Power Dynamic Sensor Based on Triboelectrification for Tilt of Direction and Angle. <i>Sensors</i> , 2018 , 18,	3.8	7
33	Ferromagnetic nanoparticle-embedded hybrid nanogenerator for harvesting omnidirectional vibration energy. <i>Nanoscale</i> , 2018 , 10, 12276-12283	7.7	15
32	Ternary Nanocomposite for Solar Light Photocatalytic Degradation of Methyl Orange. <i>Inorganic Chemistry Communication</i> , 2018 , 97, 191-195	3.1	14
31	Conducting polymer nanocomposite based temperature sensors: A review. <i>Inorganic Chemistry Communication</i> , 2018 , 98, 11-28	3.1	34
30	All-in-one cellulose based triboelectric nanogenerator for electronic paper using simple filtration process. <i>Nano Energy</i> , 2018 , 53, 975-981	17.1	78
29	Role of molybdenum trioxide in enhancing the humidity sensing performance of magnesium ferrite/molybdenum trioxide composite. <i>Inorganic Chemistry Communication</i> , 2018 , 98, 68-74	3.1	11

28	Self-powered wearable keyboard with fabric based triboelectric nanogenerator. <i>Nano Energy</i> , 2018 , 53, 596-603	17.1	44
27	Disk-based triboelectric nanogenerator operated by rotational force converted from linear force by a gear system. <i>Nano Energy</i> , 2018 , 50, 489-496	17.1	35
26	Triboelectrification driven fin-fact (flip-flop actuated channel transistor) for security application 2017 ,		1
25	Direct-laser-patterned friction layer for the output enhancement of a triboelectric nanogenerator. <i>Nano Energy</i> , 2017 , 35, 379-386	17.1	48
24	Large-sized sandpaper coated with solution-processed aluminum for a triboelectric nanogenerator with reliable durability. <i>RSC Advances</i> , 2017 , 7, 137-144	3.7	16
23	Surface structural analysis of a friction layer for a triboelectric nanogenerator. <i>Nano Energy</i> , 2017 , 42, 34-42	17.1	52
22	Self-powered fall detection system using pressure sensing triboelectric nanogenerators. <i>Nano Energy</i> , 2017 , 41, 139-147	17.1	39
21	3D Carbon Electrode Based Triboelectric Nanogenerator. <i>Advanced Materials Technologies</i> , 2016 , 1, 1600150	15.0	13
20	A Superamphiphobic Sponge with Mechanical Durability and a Self-Cleaning Effect. <i>Scientific Reports</i> , 2016 , 6, 29993	4.9	22
19	Multilayer Graphene with a Rippled Structure as a Spacer for Improving Plasmonic Coupling. <i>Advanced Functional Materials</i> , 2016 , 26, 5093-5101	15.6	28
18	A Triboelectric Sponge Fabricated from a Cube Sugar Template by 3D Soft Lithography for Superhydrophobicity and Elasticity. <i>Advanced Electronic Materials</i> , 2016 , 2, 1500331	6.4	52
17	Triboelectric Nanogenerator Based on the Internal Motion of Powder with a Package Structure Design. <i>ACS Nano</i> , 2016 , 10, 1017-24	16.7	39
16	Self-Powered Ion Concentration Sensor with Triboelectricity from Liquid-Solid Contact Electrification. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600006	6.4	42
15	Physically Transient Memory on a Rapidly Dissolvable Paper for Security Application. <i>Scientific Reports</i> , 2016 , 6, 38324	4.9	30
14	Triboelectric energy harvester with an ultra-thin tribo-dielectric layer by initiated CVD and investigation of underlying physics in the triboelectricity 2016 ,		1
13	Triboelectric nanogenerator with nanostructured metal surface using water-assisted oxidation. <i>Nano Energy</i> , 2016 , 21, 258-264	17.1	42
12	Controlled anisotropic wetting of scalloped silicon nanogroove. <i>RSC Advances</i> , 2016 , 6, 41914-41918	3.7	14
11	Self-powered electro-coagulation system driven by a wind energy harvesting triboelectric nanogenerator for decentralized water treatment. <i>Nano Energy</i> , 2016 , 28, 288-295	17.1	46

10	Performance-enhanced triboelectric nanogenerator using the glass transition of polystyrene. <i>Nano Energy</i> , 2016 , 27, 306-312	17.1	23
9	Vertically stacked thin triboelectric nanogenerator for wind energy harvesting. <i>Nano Energy</i> , 2015 , 14, 201-208	17.1	132
8	Impact of contact pressure on output voltage of triboelectric nanogenerator based on deformation of interfacial structures. <i>Nano Energy</i> , 2015 , 17, 63-71	17.1	88
7	3-Dimensional broadband energy harvester based on internal hydrodynamic oscillation with a package structure. <i>Nano Energy</i> , 2015 , 17, 82-90	17.1	47
6	Surface Engineering of Triboelectric Nanogenerator with an Electrodeposited Gold Nanoflower Structure. <i>Scientific Reports</i> , 2015 , 5, 13866	4.9	40
5	Self-cleaning hybrid energy harvester to generate power from raindrop and sunlight. <i>Nano Energy</i> , 2015 , 12, 636-645	17.1	118
4	High-performance nanopattern triboelectric generator by block copolymer lithography. <i>Nano Energy</i> , 2015 , 12, 331-338	17.1	101
3	Design strategy for a piezoelectric nanogenerator with a well-ordered nanoshell array. <i>ACS Nano</i> , 2013 , 7, 10773-9	16.7	51
2	Simultaneous Reduction and Surface Functionalization of Graphene Oxide by Mussel-Inspired Chemistry. <i>Advanced Functional Materials</i> , 2011 , 21, 108-112	15.6	368
1	Flexible Hybrid Nanogenerator for Self-Powered Weather and Healthcare Monitoring Sensor. <i>Advanced Electronic Materials</i> , 2100785	6.4	3