

# Xiaoli Yu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7778197/publications.pdf>

Version: 2024-02-01

38  
papers

592  
citations

840776

11  
h-index

677142

22  
g-index

39  
all docs

39  
docs citations

39  
times ranked

1116  
citing authors

#	ARTICLE	IF	CITATIONS
1	Targeting deubiquitinase USP28 for cancer therapy. <i>Cell Death and Disease</i> , 2018, 9, 186.	6.3	81
2	Pancreatic ductal adenocarcinoma: a radiomics nomogram outperforms clinical model and TNM staging for survival estimation after curative resection. <i>European Radiology</i> , 2020, 30, 2513-2524.	4.5	59
3	HER2 reduces breast cancer radiosensitivity by activating focal adhesion kinase <i>in vitro</i> and <i>in vivo</i> . <i>Oncotarget</i> , 2016, 7, 45186-45198.	1.8	58
4	Is it possible for knowledge-based planning to improve intensity modulated radiation therapy plan quality for planners with different planning experiences in left-sided breast cancer patients?. <i>Radiation Oncology</i> , 2017, 12, 85.	2.7	49
5	Stanniocalcin 2 Suppresses Breast Cancer Cell Migration and Invasion via the PKC/Claudin-1-Mediated Signaling. <i>PLoS ONE</i> , 2015, 10, e0122179.	2.5	42
6	CDK4/6 inhibitors: a novel strategy for tumor radiosensitization. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 188.	8.6	35
7	Radiomics predicts the prognosis of patients with locally advanced breast cancer by reflecting the heterogeneity of tumor cells and the tumor microenvironment. <i>Breast Cancer Research</i> , 2022, 24, 20.	5.0	34
8	Radiosensitization by the investigational NEDD8-activating enzyme inhibitor MLN4924 (pevonedistat) in hormone-resistant prostate cancer cells. <i>Oncotarget</i> , 2016, 7, 38380-38391.	1.8	25
9	Survival benefit of anti-HER2 therapy after whole-brain radiotherapy in HER2-positive breast cancer patients with brain metastasis. <i>Breast Cancer</i> , 2016, 23, 732-739.	2.9	22
10	Estrogen Receptor Mediates the Radiosensitivity of Triple-Negative Breast Cancer Cells. <i>Medical Science Monitor</i> , 2017, 23, 2674-2683.	1.1	22
11	Internal Mammary Node Irradiation (IMNI) Improves Survival Outcome for Patients With Clinical Stage II-III Breast Cancer After Preoperative Systemic Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 103, 895-904.	0.8	17
12	Local recurrence is correlated with decreased overall survival in patients with intermediate high-grade localized primary soft tissue sarcoma of extremity and abdominothoracic wall. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018, 14, e109-e115.	1.1	10
13	Postmastectomy radiotherapy reduces locoregional and disease recurrence in patients with stage II&ndash;III triple-negative breast cancer treated with neoadjuvant chemotherapy and mastectomy. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 1973-1980.	2.0	10
14	The Impact of Radiotherapy on Reoperation Rates in Patients Undergoing Mastectomy and Breast Reconstruction. <i>Annals of Surgical Oncology</i> , 2019, 26, 961-968.	1.5	10
15	Adjuvant breast inversely planned intensity-modulated radiotherapy with simultaneous integrated boost for early stage breast cancer. <i>Strahlentherapie Und Onkologie</i> , 2020, 196, 764-770.	2.0	9
16	Characteristics, prognosis, risk factors, and management of recently diagnosed ductal carcinoma in situ with microinvasion. <i>Cancer Medicine</i> , 2021, 10, 7203-7212.	2.8	9
17	Intensity modulated radiotherapy with fixed collimator jaws for locoregional left-sided breast cancer irradiation. <i>Oncotarget</i> , 2017, 8, 33276-33284.	1.8	8
18	Comparison of 4th ESO&ndash;ESMO international consensus guidelines for advance breast cancer and Chinese anti-cancer association committee of Breast Cancer Society guideline. <i>Breast</i> , 2019, 45, 36-42.	2.2	8

#	ARTICLE	IF	CITATIONS
19	The survival benefit of radiotherapy in localized primary adult rhabdomyosarcoma. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020, 16, 266-272.	1.1	7
20	Biological subtype predicts locoregional recurrence after postmastectomy radiotherapy in Chinese breast cancer patients. <i>Cancer Medicine</i> , 2020, 9, 2427-2434.	2.8	7
21	Internal mammary node irradiation improves 8-year survival in breast cancer patients: results from a retrospective cohort study in real-world setting. <i>Breast Cancer</i> , 2020, 27, 252-260.	2.9	6
22	Postoperative radiotherapy improves overall survival in patients with primary squamous cell carcinoma of the breast. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020, 17, 454-461.	1.1	6
23	Impact of clinical-pathological factors on locoregional recurrence in mastectomy patients with T1-2N1 breast cancer: who can omit adjuvant radiotherapy?. <i>Breast Cancer Research and Treatment</i> , 2021, 190, 277-286.	2.5	6
24	Multibeam inverse intensity-modulated radiotherapy (IMRT) for whole breast irradiation: a single center experience in China. <i>Oncotarget</i> , 2015, 6, 35063-35072.	1.8	6
25	Isolated locoregional recurrence patterns of breast cancer after mastectomy and adjuvant systemic therapies in the contemporary era. <i>Oncotarget</i> , 2015, 6, 36860-36869.	1.8	6
26	Does the protocol-required uniform margin around the CTV adequately account for setup inaccuracies in whole breast irradiation?. <i>Radiation Oncology</i> , 2021, 16, 143.	2.7	5
27	Complete response after chemotherapy and radiotherapy of a tonsillar histiocytic sarcoma with regional lymph node involvement: a case report and review of the literature. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 16808-12.	1.3	5
28	Outcomes Following Salvage Radiation and Systemic Therapy for Isolated Locoregional Recurrence of Breast Cancer after Mastectomy: Impact of Constructed Biologic Subtype. <i>Journal of Oncology</i> , 2018, 2018, 1-10.	1.3	4
29	<p>Single institution experience of split course radiotherapy in patients with desmoid tumors</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 1741-1748.	2.0	4
30	Delayed initiation of radiation therapy is associated with inferior outcomes for breast cancer patients with hormone receptor-negative tumors after breast-conserving surgery. <i>Gland Surgery</i> , 2021, 10, 2631-2643.	1.1	4
31	The influence of anatomic location on outcomes in patients with localized primary soft tissue sarcoma. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 799-805.	1.3	3
32	Symptoms Related to Brachial Plexus Neuropathy After Supraclavicular Irradiation and Boost in Breast Cancer. <i>Practical Radiation Oncology</i> , 2021, , .	2.1	3
33	Passive breath gating equipment for cone beam CT-guided RapidArc gastric cancer treatments. <i>Radiotherapy and Oncology</i> , 2015, 114, 104-108.	0.6	2
34	Clinicopathological Characteristics of Breast Ductal Carcinoma In Situ: An Analysis of Chinese Population of 617 Patients. <i>Journal of Oncology</i> , 2021, 2021, 1-6.	1.3	2
35	Outcomes in Patients with pT3N0M0 Breast Cancer with and without Postmastectomy Radiotherapy. <i>Cancer Management and Research</i> , 2021, Volume 13, 3889-3899.	1.9	2
36	Prospective evaluation of skin toxicities in patients receiving post-mastectomy irradiation of chest wall, supra/infraclavicular and internal mammary nodes delivered by conventional versus intensity-modulated radiotherapy technique. <i>Oncotarget</i> , 2017, 8, 80012-80019.	1.8	2

#	ARTICLE	IF	CITATIONS
37	Prognostic value of metabolic signature on 18F-FDG uptake in breast cancer patients after radiotherapy. <i>Molecular Therapy - Oncolytics</i> , 2021, 23, 412-419.	4.4	2
38	Molecular subtypes predict second breast events of ductal carcinoma in situ after breast-conserving surgery. <i>Cancer Medicine</i> , 0, , .	2.8	2