

Merete Haedersdal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7779358/publications.pdf>

Version: 2024-02-01

218
papers

7,115
citations

66250

44
h-index

87275

74
g-index

226
all docs

226
docs citations

226
times ranked

4317
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessing Light and Energy-Based Therapy by Optical Coherence Tomography and Reflectance Confocal Microscopy: A Randomized Trial of Photoaged Skin. <i>Dermatology</i> , 2022, 238, 422-429.	0.9	5
2	Off-Label 9-Valent Human Papillomavirus Vaccination for Actinic Keratosis: A Case Series. <i>Case Reports in Dermatology</i> , 2022, 13, 457-463.	0.3	9
3	Energy-based devices for the treatment of Acne Scars: 2022 International consensus recommendations. <i>Lasers in Surgery and Medicine</i> , 2022, 54, 10-26.	1.1	33
4	Clinical endpoints of needle-free jet injector treatment: An in depth understanding of immediate skin responses. <i>Lasers in Surgery and Medicine</i> , 2022, 54, 693-701.	1.1	10
5	In vivo dermal delivery of bleomycin with electronic pneumatic injection: drug visualization and quantification with mass spectrometry. <i>Expert Opinion on Drug Delivery</i> , 2022, 19, 213-219.	2.4	2
6	2021 international consensus statement on optical coherence tomography for basal cell carcinoma: image characteristics, terminology and educational needs. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 772-778.	1.3	15
7	A one-time pneumatic jet injection of 5-fluorouracil and triamcinolone acetonide for treatment of hypertrophic scars—A blinded randomized controlled trial. <i>Lasers in Surgery and Medicine</i> , 2022, 54, 663-671.	1.1	2
8	Imaging of the nail unit in psoriatic patients: A systematic scoping review of techniques and terminology. <i>Experimental Dermatology</i> , 2022, 31, 828-840.	1.4	7
9	Needle-free jet injection-induced small droplet aerosol formation during intralesional bleomycin therapy. <i>Lasers in Surgery and Medicine</i> , 2022, 54, 572-579.	1.1	3
10	Efficacy and safety of laser-assisted combination chemotherapy: A follow-up study of treatment with 5-fluorouracil and cisplatin for basal cell carcinoma. <i>Lasers in Surgery and Medicine</i> , 2022, 54, 113-120.	1.1	8
11	Topical delivery of PD-1 inhibitors with laser-assisted passive diffusion and active intradermal injection: Investigation of cutaneous pharmacokinetics and biodistribution patterns. <i>Lasers in Surgery and Medicine</i> , 2022, 54, 170-181.	1.1	4
12	Anal Human Papillomavirus Infection in Kidney Transplant Recipients Compared With Immunocompetent Controls. <i>Clinical Infectious Diseases</i> , 2022, 75, 1993-1999.	2.9	4
13	Fractional CO ₂ laser ablation leads to enhanced permeation of a fluorescent dye in healthy and mycotic nails—An imaging investigation of laser tissue effects and their impact on unguinal drug delivery. <i>Lasers in Surgery and Medicine</i> , 2022, , .	1.1	3
14	Development of a core outcome set for basal cell carcinoma. <i>Journal of the American Academy of Dermatology</i> , 2022, 87, 573-581.	0.6	5
15	Local vasoregulative interventions impact drug concentrations in the skin after topical laser-assisted delivery. <i>Lasers in Surgery and Medicine</i> , 2022, , .	1.1	3
16	Thermo-Mechanical Fractional Injury Enhances Skin Surface and Epidermis Protoporphyrin IX Fluorescence: Comparison of 5-Aminolevulinic Acid in Cream and Gel Vehicles. <i>Lasers in Surgery and Medicine</i> , 2021, 53, 622-629.	1.1	6
17	Morphometric Optical Imaging of Microporated Nail Tissue: An Investigation of Intermethod Agreement, Reliability, and Technical Limitations. <i>Lasers in Surgery and Medicine</i> , 2021, 53, 838-848.	1.1	5
18	Risk of Anal High-grade Squamous Intraepithelial Lesions Among Renal Transplant Recipients Compared With Immunocompetent Controls. <i>Clinical Infectious Diseases</i> , 2021, 73, 21-29.	2.9	13

#	ARTICLE	IF	CITATIONS
19	Noninvasive Assessment of Mycotic Nail Tissue Using an Ultraviolet Fluorescence Excitation Imaging System. <i>Lasers in Surgery and Medicine</i> , 2021, 53, 245-251.	1.1	2
20	Electronic Pneumatic Injection-Assisted Dermal Drug Delivery Visualized by Ex Vivo Confocal Microscopy. <i>Lasers in Surgery and Medicine</i> , 2021, 53, 141-147.	1.1	15
21	A Comparison of Human and Porcine Skin in Laser-Assisted Drug Delivery of Chemotherapeutics. <i>Lasers in Surgery and Medicine</i> , 2021, 53, 162-170.	1.1	10
22	Impregnation of healthy nail tissue with optical clearing agents for improved optical coherence tomography imaging. <i>Skin Research and Technology</i> , 2021, 27, 178-182.	0.8	2
23	Efficacy and Safety of Laser-Assisted Combination Chemotherapy: An Explorative Imaging-Guided Treatment With 5-Fluorouracil and Cisplatin for Basal Cell Carcinoma. <i>Lasers in Surgery and Medicine</i> , 2021, 53, 119-128.	1.1	10
24	Exploring the utility of Deep Red Anthraquinone 5 for digital staining of ex vivo confocal micrographs of optically sectioned skin. <i>Journal of Biophotonics</i> , 2021, 14, e202000207.	1.1	5
25	Assessment of laser-induced thermal damage in fresh skin with ex vivo confocal microscopy. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, e19-e21.	0.6	3
26	Risk of Anogenital Warts in Renal Transplant Recipients Compared with Immunocompetent Controls: A Cross-sectional Clinical Study. <i>Acta Dermato-Venereologica</i> , 2021, 101, adv00497.	0.6	0
27	Dermatologic Scar Assessment With Stereoscopic Imaging and Digital Three-Dimensional Models: A Validation Study. <i>Lasers in Surgery and Medicine</i> , 2021, 53, 1043-1049.	1.1	4
28	Bleomycin administered by laser-assisted drug delivery or intradermal needle-injection results in distinct biodistribution patterns in skin: <i>in vivo</i> investigations with mass spectrometry imaging. <i>Drug Delivery</i> , 2021, 28, 1141-1149.	2.5	9
29	Establishment of a Nationwide Patient Database for Clinical Trial Recruitment in Dermatology: Concept and Patient Characteristics. <i>Acta Dermato-Venereologica</i> , 2021, 101, adv00461.	0.6	0
30	Subclinical effects of adapalene-benzoyl peroxide: a prospective <i>in vivo</i> imaging study on acne micromorphology and transfollicular delivery. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 1377-1385.	1.3	5
31	Tumor Clearance and Immune Cell Recruitment in UV-Induced Murine Squamous Cell Carcinoma Exposed to Ablative Fractional Laser and Imiquimod Treatment. <i>Lasers in Surgery and Medicine</i> , 2021, 53, 1227-1237.	1.1	9
32	Development of a core outcome domain set for clinical research on capillary malformations (the Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2 1888-1895.	1.3	2
33	Electrochemotherapy with bleomycin for basal cell carcinomas: a systematic review. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 2208-2215.	1.3	11
34	Keratinocyte Carcinoma and Photoprevention: The Protective Actions of Repurposed Pharmaceuticals, Phytochemicals and Vitamins. <i>Cancers</i> , 2021, 13, 3684.	1.7	10
35	Delineating papillary dermis around basal cell carcinomas by high and ultrahigh resolution optical coherence tomography-A pilot study. <i>Journal of Biophotonics</i> , 2021, 14, e202100083.	1.1	1
36	Novel application of optical coherence tomography and capillaroscopy in psoriatic arthritis in relationship to psoriasis and hand osteoarthritis. <i>Rheumatology Advances in Practice</i> , 2021, 5, rkab065.	0.3	5

#	ARTICLE	IF	CITATIONS
37	Topical Zinc Oxide Assessed in Two Human Wound-healing Models. <i>Acta Dermato-Venereologica</i> , 2021, 101, adv00465.	0.6	5
38	Topical Delivery of Nivolumab, a Therapeutic Antibody, by Fractional Laser and Pneumatic Injection. <i>Lasers in Surgery and Medicine</i> , 2021, 53, 154-161.	1.1	10
39	Laser Immunotherapy: A Potential Treatment Modality for Keratinocyte Carcinoma. <i>Cancers</i> , 2021, 13, 5405.	1.7	6
40	A 12-month follow-up split-scalp study comparing calcipotriol-assisted MAL-PDT with conventional MAL-PDT for the treatment of actinic keratosis: a randomized controlled trial. <i>European Journal of Dermatology</i> , 2021, 31, 638-644.	0.3	8
41	Anti-PD-1 Therapy with Adjuvant Ablative Fractional Laser Improves Anti-Tumor Response in Basal Cell Carcinomas. <i>Cancers</i> , 2021, 13, 6326.	1.7	4
42	Fundamentals of fractional laser-assisted drug delivery: An in-depth guide to experimental methodology and data interpretation. <i>Advanced Drug Delivery Reviews</i> , 2020, 153, 169-184.	6.6	58
43	Human papillomavirus-related anogenital premalignancies and cancer in renal transplant recipients: A Danish nationwide, registry-based cohort study. <i>International Journal of Cancer</i> , 2020, 146, 2413-2422.	2.3	29
44	Basal cell carcinoma treated with combined ablative fractional laser and ingenol mebutate – an exploratory study monitored by optical coherence tomography and reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 502-509.	1.3	12
45	In Vivo Reflectance Confocal Microscopy of Gold Microparticles Deposited in the Skin. A Case Report on Cutaneous Chrysiasis. <i>Lasers in Surgery and Medicine</i> , 2020, 52, 13-16.	1.1	6
46	A systematic review of outcome reporting in laser treatments for dermatological diseases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 47-53.	1.3	3
47	Ablative fractional laser-assisted treatments for keratinocyte carcinomas and its precursors – Clinical review and future perspectives. <i>Advanced Drug Delivery Reviews</i> , 2020, 153, 185-194.	6.6	16
48	Fractional 1,927-nm Thulium Laser Plus Photodynamic Therapy Compared and Combined for Photodamaged Sun-Damaged Skin: A Side-by-Side Randomized Controlled Trial. <i>Lasers in Surgery and Medicine</i> , 2020, 52, 44-52.	1.1	6
49	European Dermatology Forum guidelines on topical photodynamic therapy 2019 Part 2: emerging indications – field cancerization, photorejuvenation and inflammatory/infective dermatoses. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 17-29.	1.3	78
50	Needle-Free Injection Assisted Drug Delivery – Histological Characterization of Cutaneous Deposition. <i>Lasers in Surgery and Medicine</i> , 2020, 52, 33-37.	1.1	15
51	Laser Treatment of Traumatic Scars and Contractures: 2020 International Consensus Recommendations. <i>Lasers in Surgery and Medicine</i> , 2020, 52, 96-116.	1.1	89
52	Prevalence, type distribution and risk factors for oral HPV in Danish renal transplant recipients. <i>Oral Diseases</i> , 2020, 26, 484-488.	1.5	6
53	Response to: Comment on “Diagnosis and treatment of basal cell carcinoma: European consensus-based interdisciplinary guidelines”™. <i>European Journal of Cancer</i> , 2020, 140, 154-157.	1.3	1
54	Sustained improvement of surgical scar appearance 1 year after early intervention with nonablative fractional laser treatment: a randomized controlled split-wound trial. <i>British Journal of Dermatology</i> , 2020, 183, 1138-1140.	1.4	3

#	ARTICLE	IF	CITATIONS
55	Nonprescription acne vulgaris treatments: Their role in our treatment armamentarium—An international panel discussion. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 2201-2211.	0.8	13
56	Generic outcome set for the international registry on Laser treatments in Dermatology (LEAD): a protocol for a Delphi study to achieve consensus on what to measure. <i>BMJ Open</i> , 2020, 10, e038145.	0.8	3
57	Skin surface Protoporphyrin IX fluorescence is associated with epidermal but not dermal fluorescence intensities. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020, 30, 101681.	1.3	2
58	Enhanced and Sustained Cutaneous Delivery of Vismodegib by Ablative Fractional Laser and Microemulsion Formulation. <i>Journal of Investigative Dermatology</i> , 2020, 140, 2051-2059.	0.3	15
59	Efficacy and tolerability of intralesional bleomycin in dermatology: A systematic review. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 888-903.	0.6	40
60	Comment on “Diagnosis and treatment of basal cell carcinoma: European consensus-based interdisciplinary guidelines™. <i>European Journal of Cancer</i> , 2020, 131, 100-103.	1.3	4
61	Reduction in actinic keratoses following 9-valent human papilloma virus vaccination. <i>Dermatologic Therapy</i> , 2020, 33, e13454.	0.8	3
62	Acne vulgaris severity graded by in vivo reflectance confocal microscopy and optical coherence tomography. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 104-113.	1.1	22
63	Efficacy and safety of daylight photodynamic therapy after tailored pretreatment with ablative fractional laser or microdermabrasion: a randomized, side-by-side, single-blind trial in patients with actinic keratosis and large-area field cancerization. <i>British Journal of Dermatology</i> , 2019, 180, 756-764.	1.4	27
64	Risk of genital warts in renal transplant recipients—A registry-based, prospective cohort study. <i>American Journal of Transplantation</i> , 2019, 19, 156-165.	2.6	27
65	Advancement through epidermis using tape stripping technique and Reflectance Confocal Microscopy. <i>Scientific Reports</i> , 2019, 9, 12217.	1.6	38
66	Efficacy of laser treatment for onychomycotic nails: a systematic review and meta-analysis of prospective clinical trials. <i>Lasers in Medical Science</i> , 2019, 34, 1513-1525.	1.0	7
67	Diagnosis and treatment of basal cell carcinoma: European consensus-based interdisciplinary guidelines. <i>European Journal of Cancer</i> , 2019, 118, 10-34.	1.3	345
68	Supercontinuum Applications in High Resolution Non-Invasive Optical Imaging. , 2019, , .		0
69	Microneedle fractional radiofrequency-induced micropores evaluated by in vivo reflectance confocal microscopy, optical coherence tomography, and histology. <i>Skin Research and Technology</i> , 2019, 25, 482-488.	0.8	7
70	Acne Treatment With Light Absorbing Gold Microparticles and Optical Pulses: An Open-Label European Multi-Centered Study in Moderate to Moderately Severe Acne Vulgaris Patients. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 686-693.	1.1	12
71	Fractional laser-assisted topical delivery of bleomycin quantified by LC-MS and visualized by MALDI mass spectrometry imaging. <i>Drug Delivery</i> , 2019, 26, 244-251.	2.5	25
72	Transfollicular delivery of gold microparticles in healthy skin and acne vulgaris, assessed by in vivo reflectance confocal microscopy and optical coherence tomography. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 430-438.	1.1	25

#	ARTICLE	IF	CITATIONS
73	Potential of contrast agents to enhance in vivo confocal microscopy and optical coherence tomography in dermatology: A review. <i>Journal of Biophotonics</i> , 2019, 12, e201800462.	1.1	9
74	European Dermatology Forum guidelines on topical photodynamic therapy 2019 Part 1: treatment delivery and established indications – actinic keratoses, Bowen's disease and basal cell carcinomas. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 2225-2238.	1.3	118
75	Use of 5-Aminolevulinic Acid and Daylight Photodynamic Therapy for the Treatment of Actinic Keratoses. <i>Dermatologic Surgery</i> , 2019, 45, 529-535.	0.4	6
76	Criteria for site selection in industry-sponsored clinical trials: a survey among decision-makers in biopharmaceutical companies and clinical research organizations. <i>Trials</i> , 2019, 20, 708.	0.7	24
77	Topical delivery of vismodegib using ablative fractional laser and microemulsion formulation in vitro. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 79-87.	1.1	25
78	The ablative fractional coagulation zone influences skin fluorescence intensities of topically applied test molecules – An in vitro study with fluorescence microscopy and fluorescence confocal microscopy. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 68-78.	1.1	17
79	A randomized split-scalp study comparing calcipotriol-assisted methyl aminolaevulinate photodynamic therapy (MAL-PDT) with conventional MAL-PDT for the treatment of actinic keratosis. <i>British Journal of Dermatology</i> , 2018, 179, 829-835.	1.4	33
80	In vivo characterization of pustules in Malassezia Folliculitis by reflectance confocal microscopy and optical coherence tomography. A case series study. <i>Skin Research and Technology</i> , 2018, 24, 535-541.	0.8	13
81	Two optical coherence tomography systems detect topical gold nanoshells in hair follicles, sweat ducts and measure epidermis. <i>Journal of Biophotonics</i> , 2018, 11, e201700348.	1.1	15
82	Laser-assisted delivery of synergistic combination chemotherapy in in vivo skin. <i>Journal of Controlled Release</i> , 2018, 275, 242-253.	4.8	30
83	Early laser intervention to reduce scar formation – a systematic review. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1099-1110.	1.3	65
84	Intense phototoxic reactions to photodynamic therapy in immunosuppressed renal transplant patients. <i>Photodiagnosis and Photodynamic Therapy</i> , 2018, 21, 63-65.	1.3	1
85	An exploratory, prospective, open-label trial of ingenol mebutate gel 0.05% for the treatment of external anogenital warts. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 825-831.	1.3	8
86	Early intervention with non-ablative fractional laser to improve cutaneous scarring – A randomized controlled trial on the impact of intervention time and fluence levels. <i>Lasers in Surgery and Medicine</i> , 2018, 50, 28-36.	1.1	30
87	Skin autofluorescence reflects individual seasonal UV exposure, skin photodamage and skin cancer development in organ transplant recipients. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2018, 178, 577-583.	1.7	7
88	The fractional laser-induced coagulation zone characterized over time by laser scanning confocal microscopy – A proof of concept study. <i>Lasers in Surgery and Medicine</i> , 2018, 50, 70-77.	1.1	20
89	Challenges to laser-assisted drug delivery: Applying theory to clinical practice. <i>Lasers in Surgery and Medicine</i> , 2018, 50, 20-27.	1.1	38
90	Photodynamic therapy is more effective than imiquimod for actinic keratosis in organ transplant recipients: a randomized intraindividual controlled trial. <i>British Journal of Dermatology</i> , 2018, 178, 903-909.	1.4	37

#	ARTICLE	IF	CITATIONS
91	Mal-PDT for actinic keratosis. <i>British Journal of Dermatology</i> , 2018, 179, e256-e256.		0
92	Mal-PDT for actinic keratosis. <i>British Journal of Dermatology</i> , 2018, 179, e256-e256.		0
93	Laser-assisted delivery enhances topical uptake of the anticancer agent cisplatin. <i>Drug Delivery</i> , 2018, 25, 1877-1885.	2.5	22
94	Calcipotriol-assisted vs. conventional MAL-PDT in actinic keratosis. <i>British Journal of Dermatology</i> , 2018, 179, e171-e171.	1.4	0
95	Organ transplant recipients express enhanced skin autofluorescence and pigmentation at skin cancer sites. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2018, 188, 1-5.	1.7	2
96	The value of ultrahigh resolution OCT in dermatology - delineating the dermo-epidermal junction, capillaries in the dermal papillae and vellus hairs. <i>Biomedical Optics Express</i> , 2018, 9, 2240.	1.5	40
97	Laser treatments in early wound healing improve scar appearance: a randomized split-wound trial with nonablative fractional laser exposures vs. untreated controls. <i>British Journal of Dermatology</i> , 2018, 179, 1307-1314.	1.4	28
98	Topical brimonidine reduces IPL-induced erythema without affecting efficacy: A randomized controlled trial in patients with facial telangiectasias. <i>Lasers in Surgery and Medicine</i> , 2018, 50, 1002-1009.	1.1	12
99	Transepidermal Drug Delivery: Overview, Concept, and Applications. <i>Clinical Approaches and Procedures in Cosmetic Dermatology</i> , 2018, , 447-461.	0.0	1
100	A randomized side-by-side study comparing alexandrite laser at different pulse durations for port wine stains. <i>Lasers in Surgery and Medicine</i> , 2017, 49, 97-103.	1.1	14
101	Comparison of Physical Pretreatment Regimens to Enhance Protoporphyrin IX Uptake in Photodynamic Therapy. <i>JAMA Dermatology</i> , 2017, 153, 270.	2.0	74
102	Vehicle type affects filling of fractional laser-ablated channels imaged by optical coherence tomography. <i>Lasers in Medical Science</i> , 2017, 32, 679-684.	1.0	32
103	Laser-induced thermal coagulation enhances skin uptake of topically applied compounds. <i>Lasers in Surgery and Medicine</i> , 2017, 49, 582-591.	1.1	43
104	Structured Expert Consensus on Actinic Keratosis: Treatment Algorithm Focusing on Daylight PDT. <i>Journal of Cutaneous Medicine and Surgery</i> , 2017, 21, 3S-16S.	0.6	33
105	New lasers and light sources – old and new risks?. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017, 15, 487-496.	0.4	9
106	Neue Laser und Strahlquellen – alte und neue Risiken?. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017, 15, 487-497.	0.4	17
107	Skin reactions after photodynamic therapy are unaffected by 839-nm photobiomodulation therapy: A randomized, double-blind, placebo-controlled, clinical trial. <i>Lasers in Surgery and Medicine</i> , 2017, 49, 810-818.	1.1	7
108	Clinical trial allocation in multinational pharmaceutical companies – a qualitative study on influential factors. <i>Pharmacology Research and Perspectives</i> , 2017, 5, e00317.	1.1	10

#	ARTICLE	IF	CITATIONS
109	Fractional laser-assisted drug uptake: Impact of time-related topical application to achieve enhanced delivery. <i>Lasers in Surgery and Medicine</i> , 2017, 49, 348-354.	1.1	43
110	Anticancer drugs and the regulation of Hedgehog genes GLI1 and PTCH1, a comparative study in nonmelanoma skin cancer cell lines. <i>Anti-Cancer Drugs</i> , 2017, 28, 1106-1117.	0.7	14
111	Development in the number of clinical trial applications in Western Europe from 2007 to 2015: retrospective study of data from national competent authorities. <i>BMJ Open</i> , 2017, 7, e015579.	0.8	10
112	Fractional laser-assisted topical delivery leads to enhanced, accelerated and deeper cutaneous 5-fluorouracil uptake. <i>Expert Opinion on Drug Delivery</i> , 2017, 14, 307-317.	2.4	64
113	Side effects from intense pulsed light: Importance of skin pigmentation, fluence level and ultraviolet radiation – A randomized controlled trial. <i>Lasers in Surgery and Medicine</i> , 2017, 49, 88-96.	1.1	22
114	Fractional CO ₂ laser treatment of caesarean section scars – A randomized controlled split-scar trial with long term follow-up assessment. <i>Lasers in Surgery and Medicine</i> , 2017, 49, 189-197.	1.1	24
115	Opportunities for laser-assisted drug delivery in the treatment of cutaneous disorders. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2017, 36, 192-201.	1.6	23
116	The Danish Nonmelanoma Skin Cancer Dermatology Database. <i>Clinical Epidemiology</i> , 2016, Volume 8, 633-636.	1.5	2
117	Fractional laser-assisted drug delivery: Active filling of laser channels with pressure and vacuum alteration. <i>Lasers in Surgery and Medicine</i> , 2016, 48, 116-124.	1.1	38
118	Fractional laser-assisted drug delivery: Laser channel depth influences biodistribution and skin deposition of methotrexate. <i>Lasers in Surgery and Medicine</i> , 2016, 48, 519-529.	1.1	56
119	Adjuvant eflornithine to maintain IPL-induced hair reduction in women with facial hirsutism: a randomized controlled trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 314-319.	1.3	18
120	Repeated treatments with ingenol mebutate for prophylaxis of UV-induced squamous cell carcinoma in hairless mice. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2016, 163, 144-149.	1.7	5
121	European evidence-based (S3) guideline for the treatment of acne – update 2016 – short version. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1261-1268.	1.3	247
122	Spatiotemporal closure of fractional laser-ablated channels imaged by optical coherence tomography and reflectance confocal microscopy. <i>Lasers in Surgery and Medicine</i> , 2016, 48, 157-165.	1.1	44
123	Early non-ablative fractional laser improves the appearance of punch biopsy scars – a clinical report. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 550-552.	1.3	3
124	Ablative fractional laser intensifies treatment outcome of scalp actinic keratoses with ingenol mebutate: a case report. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 854-855.	1.3	13
125	Topical corticosteroid has no influence on inflammation or efficacy after ingenol mebutate treatment of grade I to III actinic keratoses (AK): A randomized clinical trial. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 709-715.	0.6	13
126	Ablative fractional laser enhances MAL-induced PpIX accumulation: Impact of laser channel density, incubation time and drug concentration. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2016, 159, 42-48.	1.7	37

#	ARTICLE	IF	CITATIONS
127	Actinic keratosis: a cross-sectional study of disease characteristics and treatment patterns in Danish dermatology clinics. <i>International Journal of Dermatology</i> , 2016, 55, 309-316.	0.5	6
128	Translational medicine in the field of ablative fractional laser (AFXL)-assisted drug delivery: A critical review from basics to current clinical status. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 981-1004.	0.6	131
129	Skin tumor development after UV irradiation and photodynamic therapy is unaffected by short-term pretreatment with 5-fluorouracil, imiquimod and calcipotriol. An experimental hairless mouse study. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2016, 154, 34-39.	1.7	6
130	Skin Cancer Risk in Hematopoietic Stem-Cell Transplant Recipients Compared With Background Population and Renal Transplant Recipients. <i>JAMA Dermatology</i> , 2016, 152, 177.	2.0	73
131	Repeated Treatments with Ingenol Mebutate Prevents Progression of UV-Induced Photodamage in Hairless Mice. <i>PLoS ONE</i> , 2016, 11, e0162597.	1.1	6
132	Transepidermal Drug Delivery: Overview, Concept, and Applications. <i>Clinical Approaches and Procedures in Cosmetic Dermatology</i> , 2016, , 1-15.	0.0	1
133	Office-based transurethral devascularisation of low grade non-invasive urothelial cancer using diode laser. A feasibility study. <i>Lasers in Surgery and Medicine</i> , 2015, 47, 620-625.	1.1	9
134	Primary Prevention of Skin Dysplasia in Renal Transplant Recipients With Photodynamic Therapy: A Randomized Controlled Trial. <i>American Journal of Transplantation</i> , 2015, 15, 2986-2990.	2.6	49
135	Non-ablative fractional laser provides long-term improvement of mature burn scars: A randomized controlled trial with histological assessment. <i>Lasers in Surgery and Medicine</i> , 2015, 47, 141-147.	1.1	58
136	Topically applied methotrexate is rapidly delivered into skin by fractional laser ablation. <i>Expert Opinion on Drug Delivery</i> , 2015, 12, 1059-1069.	2.4	45
137	Ablative fractional laser alters biodistribution of ingenol mebutate in the skin. <i>Archives of Dermatological Research</i> , 2015, 307, 515-522.	1.1	41
138	Quantitative assessment of growing hair counts, thickness and colour during and after treatments with a low-fluence, home-device laser: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2015, 172, 151-159.	1.4	11
139	Ultraviolet radiation after exposure to a low-fluence IPL home-use device: a randomized clinical trial. <i>Lasers in Medical Science</i> , 2015, 30, 2171-2177.	1.0	4
140	Fractional laser-mediated photodynamic therapy of high-risk basal cell carcinomas - a randomized clinical trial. <i>British Journal of Dermatology</i> , 2015, 172, 215-222.	1.4	82
141	Combination of ablative fractional laser and daylight-mediated photodynamic therapy for actinic keratosis in organ transplant recipients - a randomized controlled trial. <i>British Journal of Dermatology</i> , 2015, 172, 467-474.	1.4	112
142	Calcipotriol pretreatment enhances methyl aminolevulinate-induced protoporphyrin IX: an <i>in vivo</i> study in hairless mice. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2015, 31, 57-60.	0.7	7
143	The role of natural and UV-induced skin pigmentation on low-fluence IPL-induced side effects: A randomized controlled trial. <i>Lasers in Surgery and Medicine</i> , 2014, 46, 104-111.	1.1	6
144	Consensus recommendations for the treatment of basal cell carcinomas in <i>G</i> orlin syndrome with topical methylaminolaevulinate-photodynamic therapy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014, 28, 626-632.	1.3	44

#	ARTICLE	IF	CITATIONS
145	Synergistic skin heat shock protein expression in response to combined laser treatment with a diode laser and ablative fractional lasers. <i>International Journal of Hyperthermia</i> , 2014, 30, 245-249.	1.1	17
146	Melasma and laser treatment: an evidenced-based analysis. <i>Lasers in Medical Science</i> , 2014, 29, 589-598.	1.0	13
147	Pretreatment with ablative fractional laser changes kinetics and biodistribution of topical 5-aminolevulinic acid (ALA) and methyl aminolevulinate (MAL). <i>Lasers in Surgery and Medicine</i> , 2014, 46, 462-469.	1.1	58
148	Fractional ablative erbium YAG laser: Histological characterization of relationships between laser settings and micropore dimensions. <i>Lasers in Surgery and Medicine</i> , 2014, 46, 281-289.	1.1	53
149	Photodynamic therapy for actinic keratosis in organ transplant patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 57-66.	1.3	50
150	Metastases from malignant melanoma after laser treatment of undiagnosed pigmented skin lesions. <i>Lasers in Medical Science</i> , 2013, 28, 1403-1404.	1.0	10
151	Intensified fractional CO ₂ laser-assisted photodynamic therapy vs. laser alone for organ transplant recipients with multiple actinic keratoses and wart-like lesions: a randomized half-side comparative trial on dorsal hands. <i>British Journal of Dermatology</i> , 2013, 169, 1087-1092.	1.4	78
152	Artificial daylight photodynamic therapy with non-inflammatory doses of hexyl aminolevulinate only marginally delays SCC development in UV-exposed hairless mice. <i>Photochemical and Photobiological Sciences</i> , 2013, 12, 2130.	1.6	7
153	Protoporphyrin IX formation and photobleaching in different layers of normal human skin: Methyl and hexylaminolevulinate and different light sources. <i>Experimental Dermatology</i> , 2012, 21, 745-750.	1.4	25
154	Fractional laser-assisted delivery of methyl aminolevulinate: Impact of laser channel depth and incubation time. <i>Lasers in Surgery and Medicine</i> , 2012, 44, 787-795.	1.1	68
155	Case reports on the potential of fractional laser-assisted photodynamic therapy for basal cell carcinomas. <i>Lasers in Medical Science</i> , 2012, 27, 1091-1093.	1.0	22
156	The impact of treatment density and molecular weight for fractional laser-assisted drug delivery. <i>Journal of Controlled Release</i> , 2012, 163, 335-341.	4.8	57
157	Fractional CO ₂ laser resurfacing for atrophic acne scars: A randomized controlled trial with blinded response evaluation. <i>Lasers in Surgery and Medicine</i> , 2012, 44, 447-452.	1.1	80
158	Lesion dimensions following ablative fractional laser treatment in non-melanoma skin cancer and premalignant lesions. <i>Lasers in Medical Science</i> , 2012, 27, 675-679.	1.0	13
159	A systematic review of light-based home-use devices for hair removal and considerations on human safety. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 545-553.	1.3	35
160	European Evidence-based (S3) Guidelines for the Treatment of Acne. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 1-29.	1.3	317
161	Guidelines on the safety of light-based home-use hair removal devices from the European Society for Laser Dermatology. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 799-811.	1.3	23
162	Porphyrin biodistribution in UV-exposed murine skin after methyl and hexylaminolevulinate incubation. <i>Experimental Dermatology</i> , 2012, 21, 260-264.	1.4	13

#	ARTICLE	IF	CITATIONS
163	Daylight-mediated photodynamic therapy of moderate to thick actinic keratoses of the face and scalp: a randomized multicentre study. <i>British Journal of Dermatology</i> , 2012, 166, 1327-1332.	1.4	131
164	Laser systems for ablative fractional resurfacing. <i>Expert Review of Medical Devices</i> , 2011, 8, 67-83.	1.4	64
165	A randomized, multicentre study of directed daylight exposure times of 1½ vs. 2½ h in daylight-mediated photodynamic therapy with methyl aminolaevulinate in patients with multiple thin actinic keratoses of the face and scalp. <i>British Journal of Dermatology</i> , 2011, 164, 1083-1090.	1.4	157
166	Laser and intense pulsed light hair removal technologies: from professional to home use. <i>British Journal of Dermatology</i> , 2011, 165, 31-36.	1.4	45
167	Histological evaluation of vertical laser channels from ablative fractional resurfacing: an ex vivo pig skin model. <i>Lasers in Medical Science</i> , 2011, 26, 465-471.	1.0	53
168	Enhanced uptake and photoactivation of topical methyl aminolevulinate after fractional CO ₂ laser pretreatment. <i>Lasers in Surgery and Medicine</i> , 2011, 43, 804-813.	1.1	101
169	Fractional nonablative 1,540-nm laser resurfacing of atrophic acne scars. A randomized controlled trial with blinded response evaluation. <i>Lasers in Medical Science</i> , 2010, 25, 749-754.	1.0	57
170	Fractional CO ₂ laser-assisted drug delivery. <i>Lasers in Surgery and Medicine</i> , 2010, 42, 113-122.	1.1	241
171	Long-pulsed dye laser vs. intense pulsed light for the treatment of facial telangiectasias: a randomized controlled trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010, 24, 143-146.	1.3	56
172	Sun protection factor persistence on human skin during a day without physical activity or ultraviolet exposure. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2010, 26, 22-27.	0.7	21
173	Photodynamic therapy with topical methyl- and hexylaminolevulinate for prophylaxis and treatment of UV-induced SCC in hairless mice. <i>Experimental Dermatology</i> , 2010, 19, e166-72.	1.4	24
174	Clothing reduces the sun protection factor of sunscreens. <i>British Journal of Dermatology</i> , 2010, 162, 415-419.	1.4	8
175	Hair removal in hirsute women with normal testosterone levels: a randomized controlled trial of long-pulsed diode laser vs. intense pulsed light. <i>British Journal of Dermatology</i> , 2010, 163, 1007-1013.	1.4	40
176	Sun protective behaviour in renal transplant recipients. A qualitative study based on individual interviews and the Health Belief Model. <i>Journal of Dermatological Treatment</i> , 2010, 21, 331-336.	1.1	23
177	Fractional nonablative 1540 nm laser resurfacing for thermal burn scars: A randomized controlled trial. <i>Lasers in Surgery and Medicine</i> , 2009, 41, 189-195.	1.1	95
178	Pulsed dye laser vs. intense pulsed light for port-wine stains: a randomized side-by-side trial with blinded response evaluation. <i>British Journal of Dermatology</i> , 2009, 160, 359-364.	1.4	87
179	Intense pulsed light vs. long-pulsed dye laser treatment of telangiectasia after radiotherapy for breast cancer: a randomized split-lesion trial of two different treatments. <i>British Journal of Dermatology</i> , 2009, 160, 1237-1241.	1.4	42
180	Photodynamic therapy of actinic keratoses with 8% and 16% methyl aminolaevulinate and home-based daylight exposure: a double-blinded randomized clinical trial. <i>British Journal of Dermatology</i> , 2009, 160, 1308-1314.	1.4	158

#	ARTICLE	IF	CITATIONS
181	Reduced ultraviolet irradiation delays subsequent squamous cell carcinomas in hairless mice. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2009, 25, 305-309.	0.7	3
182	Short and limited effect of long-pulsed dye laser alone and in combination with photodynamic therapy for inflammatory rosacea. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009, 23, 200-201.	1.3	12
183	Evidence-based review of lasers, light sources and photodynamic therapy in the treatment of acne vulgaris. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2008, 22, 267-278.	1.3	111
184	Continuous activation of PpIX by daylight is as effective as and less painful than conventional photodynamic therapy for actinic keratoses; a randomized, controlled, single-blinded study. <i>British Journal of Dermatology</i> , 2008, 158, 740-746.	1.4	313
185	Experimental guinea pig model of dermatophytosis: a simple and useful tool for the evaluation of new diagnostics and antifungals. <i>Medical Mycology</i> , 2008, 46, 303-313.	0.3	39
186	Long-pulsed dye laser versus long-pulsed dye laser-assisted photodynamic therapy for acne vulgaris: A randomized controlled trial. <i>Journal of the American Academy of Dermatology</i> , 2008, 58, 387-394.	0.6	71
187	Immediate Whealing Urticaria in Red Light Exposed Areas During Photodynamic Therapy. <i>Acta Dermato-Venereologica</i> , 2008, 88, 480-483.	0.6	15
188	Cold Water and Pauses in Illumination Reduces Pain During Photodynamic Therapy: A Randomized Clinical Study. <i>Acta Dermato-Venereologica</i> , 2008, 89, 145-149.	0.6	46
189	In Vivo Efficacy and Pharmacokinetics of Voriconazole in an Animal Model of Dermatophytosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 3317-3321.	1.4	28
190	Effect of UV Irradiation on Cutaneous Cicatrices: A Randomized, Controlled Trial with Clinical, Skin Reflectance, Histological, Immunohistochemical and Biochemical Evaluations. <i>Acta Dermato-Venereologica</i> , 2007, 87, 27-32.	0.6	35
191	Squamous cell carcinoma induced by ultraviolet radiation originates from cells of the hair follicle in mice. <i>Experimental Dermatology</i> , 2007, 16, 485-489.	1.4	35
192	Laser and photoepilation for unwanted hair growth. <i>The Cochrane Library</i> , 2006, , CD004684.	1.5	60
193	Evidence-based review of hair removal using lasers and light sources. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006, 20, 9-20.	1.3	138
194	Carcinogenesis related to intense pulsed light and UV exposure: an experimental animal study. <i>Lasers in Medical Science</i> , 2006, 21, 198-201.	1.0	23
195	Skin Rejuvenation Using Intense Pulsed Light. <i>Archives of Dermatology</i> , 2006, 142, 985-90.	1.7	50
196	Prevalence of Toe Nail Onychomycosis in Diabetic Patients. <i>Acta Dermato-Venereologica</i> , 2006, 86, 425-428.	0.6	58
197	The Prevalence of Onychomycosis in Patients with Psoriasis and other Skin Diseases. <i>Acta Dermato-Venereologica</i> , 2003, 83, 206-209.	0.6	48
198	An outbreak of tinea capitis in a child care centre. <i>Danish Medical Bulletin</i> , 2003, 50, 83-4.	0.1	1

#	ARTICLE	IF	CITATIONS
199	Pityriasis rubra pilaris: a retrospective study of 12 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2000, 14, 514-515.	1.3	17
200	Immunotherapy with Diphenylcyclopropenone of Recalcitrant Warts: A Retrospective Analysis. <i>Acta Dermato-Venereologica</i> , 2000, 80, 217-218.	0.6	9
201	Syphilitic Chancre Despite Use of Condoms: "Condom Chancre". <i>Acta Dermato-Venereologica</i> , 2000, 80, 235-236.	0.6	3
202	Skin Pigmentation and Texture Changes after Hair Removal with the Normal-mode Ruby Laser: Evaluations by Skin Reflectance, Profilometry, and Ultrasonography. <i>Acta Dermato-Venereologica</i> , 1999, 79, 465-468.	0.6	20
203	Minimal erythema dose in UV-shielded and UV-exposed skin predicted by skin reflectance measured pigmentation. <i>Skin Research and Technology</i> , 1999, 5, 88-95.	0.8	14
204	Cutaneous side effects from laser treatment of the skin: skin cancer, scars, wounds, pigmentary changes, and purpura--use of pulsed dye laser, copper vapor laser, and argon laser. <i>Acta Dermato-venereologica Supplementum</i> , 1999, 207, 1-32.	0.0	3
205	Epidermal thickness measured by light microscopy: a methodological study. <i>Skin Research and Technology</i> , 1998, 4, 174-179.	0.8	47
206	Impact of epidermal thickness on purpura from the pulsed dye laser. , 1998, 22, 159-164.		2
207	Side Effects from the Pulsed Dye Laser: The Importance of Skin Pigmentation and Skin Redness. <i>Acta Dermato-Venereologica</i> , 1998, 78, 445-450.	0.6	18
208	Changes in Skin Redness, Pigmentation, Echostructure, Thickness, and Surface Contour After 1 Pulsed Dye Laser Treatment of Port-wine Stains in Children. <i>Archives of Dermatology</i> , 1998, 134, 175.	1.7	38
209	Ultraviolet Exposure Influences Laser-Induced Wounds, Scars, and Hyperpigmentation: A Murine Study. <i>Plastic and Reconstructive Surgery</i> , 1998, 101, 1315-1322.	0.7	14
210	Risk assessment of side effects from copper vapor and argon laser treatment: The importance of skin pigmentation. <i>Lasers in Surgery and Medicine</i> , 1997, 20, 84-89.	1.1	12
211	Side effects from dermatological laser treatment related to UV exposure and epidermal thickness: A murine experiment with the copper vapor laser. , 1997, 20, 233-241.		6
212	Risk assessment of side effects from copper vapor and argon laser treatment: The importance of skin pigmentation. , 1997, 20, 84.		1
213	Pigmentation-dependent side effects to copper vapor laser and argon laser treatment. <i>Lasers in Surgery and Medicine</i> , 1995, 16, 351-358.	1.1	11
214	Effects of systemic indomethacin on photocarcinogenesis in hairless mice. <i>Journal of Cancer Research and Clinical Oncology</i> , 1995, 121, 257-261.	1.2	8
215	Pigmentation dependent, short time skin reactions to copper vapour laser and argon laser treatment. <i>Burns</i> , 1994, 20, 195-199.	1.1	8
216	Scratching and ultraviolet irradiation: an experimental animal model. <i>Photodermatology Photoimmunology and Photomedicine</i> , 1994, 10, 38-41.	0.7	8

#	ARTICLE	IF	CITATIONS
217	Laser induced wounds and scarring modified by antiinflammatory drugs: A murine model. Lasers in Surgery and Medicine, 1993, 13, 55-61.	1.1	23
218	Side effects of laser therapy, modified by ultraviolet irradiation and para-aminobenzoic acid in mice. Burns, 1993, 19, 113-117.	1.1	3