

# Chuan Seng Tan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7779703/publications.pdf>

Version: 2024-02-01

335  
papers

4,151  
citations

136740

32  
h-index

205818

48  
g-index

339  
all docs

339  
docs citations

339  
times ranked

2661  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cu-Cu diffusion bonding enhancement at low temperature by surface passivation using self-assembled monolayer of alkane-thiol. Applied Physics Letters, 2009, 95, .	1.5	147
2	Morphology and Bond Strength of Copper Wafer Bonding. Electrochemical and Solid-State Letters, 2004, 7, G14.	2.2	135
3	Low-threshold optically pumped lasing in highly strained germanium nanowires. Nature Communications, 2017, 8, 1845.	5.8	131
4	Technology, performance, and computer-aided design of three-dimensional integrated circuits. , 2004, , .		113
5	Microstructure evolution and abnormal grain growth during copper wafer bonding. Applied Physics Letters, 2002, 81, 3774-3776.	1.5	96
6	Silicon Multilayer Stacking Based on Copper Wafer Bonding. Electrochemical and Solid-State Letters, 2005, 8, G147.	2.2	69
7	High-efficiency GeSn/Ge multiple-quantum-well photodetectors with photon-trapping microstructures operating at 2 Åµm. Optics Express, 2020, 28, 10280.	1.7	67
8	Germanium-on-silicon nitride waveguides for mid-infrared integrated photonics. Applied Physics Letters, 2016, 109, .	1.5	66
9	Copper bonded layers analysis and effects of copper surface conditions on bonding quality for three-dimensional integration. Journal of Electronic Materials, 2005, 34, 1464-1467.	1.0	64
10	Bonding parameters of blanket copper wafer bonding. Journal of Electronic Materials, 2006, 35, 230-234.	1.0	61
11	Online Condition Monitoring System for DC-Link Capacitor in Industrial Power Converters. IEEE Transactions on Industry Applications, 2018, 54, 4775-4785.	3.3	58
12	Growth and characterization of germanium epitaxial film on silicon (001) using reduced pressure chemical vapor deposition. Thin Solid Films, 2012, 520, 2711-2716.	0.8	52
13	High-efficiency normal-incidence vertical p-i-n photodetectors on a germanium-on-insulator platform. Photonics Research, 2017, 5, 702.	3.4	52
14	Condition Monitoring of DC-Link Capacitors Using Goertzel Algorithm for Failure Precursor Parameter and Temperature Estimation. IEEE Transactions on Power Electronics, 2020, 35, 6386-6396.	5.4	52
15	Fabrication and characterization of germanium-on-insulator through epitaxy, bonding, and layer transfer. Journal of Applied Physics, 2014, 116, .	1.1	49
16	Low-temperature thermal oxide to plasma-enhanced chemical vapor deposition oxide wafer bonding for thin-film transfer application. Applied Physics Letters, 2003, 82, 2649-2651.	1.5	47
17	Effects of nanowire texturing on the performance of Si/organic hybrid solar cells fabricated with a 2.2-Åµm thin-film Si absorber. Applied Physics Letters, 2012, 100, 103104.	1.5	47
18	Growth and characterization of germanium epitaxial film on silicon (001) with germane precursor in metal organic chemical vapour deposition (MOCVD) chamber. AIP Advances, 2013, 3, .	0.6	47

#	ARTICLE	IF	CITATIONS
19	Reduction of threading dislocation density in Ge/Si using a heavily As-doped Ge seed layer. AIP Advances, 2016, 6, .	0.6	47
20	Achieving Stable Through-Silicon Via (TSV) Capacitance with Oxide Fixed Charge. IEEE Electron Device Letters, 2011, 32, 668-670.	2.2	45
21	Defects reduction of Ge epitaxial film in a germanium-on-insulator wafer by annealing in oxygen ambient. APL Materials, 2015, 3, .	2.2	43
22	Three-Dimensional Wafer Stacking Using Cu-Cu Bonding for Simultaneous Formation of Electrical, Mechanical, and Hermetic Bonds. IEEE Transactions on Device and Materials Reliability, 2012, 12, 194-200.	1.5	40
23	Abnormal contact resistance reduction of bonded copper interconnects in three-dimensional integration during current stressing. Applied Physics Letters, 2005, 86, 011903.	1.5	39
24	Temperature and duration effects on microstructure evolution during copper wafer bonding. Journal of Electronic Materials, 2003, 32, 1371-1374.	1.0	38
25	Observation of interfacial void formation in bonded copper layers. Applied Physics Letters, 2005, 87, 201909.	1.5	38
26	Effects of surface treatment on the bonding quality of wafer-level Cu-to-Cu thermo-compression bonding for 3D integration. Journal of Micromechanics and Microengineering, 2013, 23, 045025.	1.5	38
27	Reliable 3-D Clock-Tree Synthesis Considering Nonlinear Capacitive TSV Model With Electrical-Thermal-Mechanical Coupling. IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems, 2013, 32, 1734-1747.	1.9	38
28	High Performance Flexible Visible-Blind Ultraviolet Photodetectors with Two-Dimensional Electron Gas Based on Unconventional Release Strategy. ACS Nano, 2021, 15, 8386-8396.	7.3	38
29	Enhanced copper micro/nano-particle mixed paste sintered at low temperature for 3D interconnects. Applied Physics Letters, 2016, 108, .	1.5	35
30	Dark current analysis of germanium-on-insulator vertical <i>p-i-n</i> photodetectors with varying threading dislocation density. Journal of Applied Physics, 2020, 127, .	1.1	35
31	A review of silicon-based wafer bonding processes, an approach to realize the monolithic integration of Si-CMOS and <i>V</i> -on-Si wafers. Journal of Semiconductors, 2021, 42, 023106.	2.0	34
32	High-Density 3-D Interconnect of Cu-Cu Contacts With Enhanced Contact Resistance by Self-Assembled Monolayer (SAM) Passivation. IEEE Transactions on Electron Devices, 2011, 58, 2500-2506.	1.6	33
33	Ultrafine Pitch (6 $\mu\text{m}$ ) of Recessed and Bonded Cu-Cu Interconnects by Three-Dimensional Wafer Stacking. IEEE Electron Device Letters, 2012, 33, 1747-1749.	2.2	33
34	Integration of GaAs, GaN, and Si-CMOS on a common 200 mm Si substrate through multilayer transfer process. Applied Physics Express, 2016, 9, 086501.	1.1	33
35	GeSn lateral <i>p-i-n</i> photodetector on insulating substrate. Optics Express, 2018, 26, 17312.	1.7	33
36	Overview of Wafer-Level 3D ICs. Integrated Circuits and Systems, 2008, , 1-11.	0.2	33

#	ARTICLE	IF	CITATIONS
37	GeSn-on-insulator substrate formed by direct wafer bonding. Applied Physics Letters, 2016, 109, .	1.5	31
38	Low Temperature Cu-to-Cu Bonding for Wafer-Level Hermetic Encapsulation of 3D Microsystems. Electrochemical and Solid-State Letters, 2011, 14, H470.	2.2	30
39	Single-mode surface-emitting concentric-circular-grating terahertz quantum cascade lasers. Applied Physics Letters, 2013, 102, 031119.	1.5	29
40	Novel three-dimensional carbon nanotube networks as high performance thermal interface materials. Carbon, 2018, 132, 359-369.	5.4	29
41	The role of AsH <sub>3</sub> partial pressure on anti-phase boundary in GaAs-on-Ge grown by MOCVD “ Application to a 200mm GaAs virtual substrate. Journal of Crystal Growth, 2015, 421, 58-65.	0.7	28
42	Optimization and thermal characterization of uniform silicon micropillar based evaporators. International Journal of Heat and Mass Transfer, 2018, 127, 51-60.	2.5	28
43	Integrating GeSn photodiode on a 200 mm Ge-on-insulator photonics platform with Ge CMOS devices for advanced OEIC operating at 2 $\mu$ m band. Optics Express, 2019, 27, 26924.	1.7	28
44	Low temperature wafer-level bonding for hermetic packaging of 3D microsystems. Journal of Micromechanics and Microengineering, 2011, 21, 075006.	1.5	27
45	Comparative Studies of the Growth and Characterization of Germanium Epitaxial Film on Silicon (001) with 0 $\text{\AA}^\circ$ and 6 $\text{\AA}^\circ$ Offcut. Journal of Electronic Materials, 2013, 42, 1133-1139.	1.0	26
46	Germanium-Tin (GeSn) P-Channel Fin Field-Effect Transistor Fabricated on a Novel GeSn-on-Insulator Substrate. IEEE Transactions on Electron Devices, 2018, 65, 3754-3761.	1.6	26
47	1D photonic crystal direct bandgap GeSn-on-insulator laser. Applied Physics Letters, 2021, 119, .	1.5	26
48	Force-induced optical nonlinearity and Kerr-like coefficient in opto-mechanical ring resonators. Optics Express, 2012, 20, 18005.	1.7	25
49	High-performance GeSn photodetector and fin field-effect transistor (FinFET) on an advanced GeSn-on-insulator platform. Optics Express, 2018, 26, 10305.	1.7	25
50	Process development and bonding quality investigations of silicon layer stacking based on copper wafer bonding. Applied Physics Letters, 2005, 87, 031909.	1.5	24
51	Band structure of Ge <sub>1-x</sub> Sn <sub>x</sub> alloy: a full-zone 30-band k $\cdot$ p model. New Journal of Physics, 2019, 21, 073037.	1.2	24
52	Metal-Semiconductor-Metal GeSn Photodetectors on Silicon for Short-Wave Infrared Applications. Micromachines, 2020, 11, 795.	1.4	24
53	Thin Film Silicon Nanowire/PEDOT:PSS Hybrid Solar Cells with Surface Treatment. Nanoscale Research Letters, 2016, 11, 311.	3.1	23
54	Fabrication and characterization of single junction GaAs solar cells on Si with As-doped Ge buffer. Solar Energy Materials and Solar Cells, 2017, 172, 140-144.	3.0	23

#	ARTICLE	IF	CITATIONS
55	Spiral Waveguides on Germanium-on-Silicon Nitride Platform for Mid-IR Sensing Applications. IEEE Photonics Journal, 2018, 10, 1-7.	1.0	23
56	High speed and ultra-low dark current Ge vertical p-i-n photodetectors on an oxygen-annealed Ge-on-insulator platform with GeO <sub>x</sub> surface passivation. Optics Express, 2020, 28, 23978.	1.7	23
57	Photo detection and modulation from 1,550 to 2,000 nm realized by a GeSn/Ge multiple-quantum-well photodiode on a 300-mm Si substrate. Optics Express, 2020, 28, 34772.	1.7	23
58	Low-Temperature Direct CVD Oxides to Thermal Oxide Wafer Bonding in Silicon Layer Transfer. Electrochemical and Solid-State Letters, 2005, 8, G1.	2.2	22
59	Resonant-cavity-enhanced responsivity in germanium-on-insulator photodetectors. Optics Express, 2020, 28, 23739.	1.7	22
60	Carrierless design for handling and processing of ultrathin wafers. , 2010, , .		21
61	Integration of III-V materials and Si-CMOS through double layer transfer process. Japanese Journal of Applied Physics, 2015, 54, 030209.	0.8	21
62	The GaAs/GaAs/Si solar cell – Towards current matching in an integrated two terminal tandem. Solar Energy Materials and Solar Cells, 2017, 160, 94-100.	3.0	21
63	Modulation of light absorption in flexible GeSn metal-semiconductor-metal photodetectors by mechanical bending. Journal of Materials Chemistry C, 2020, 8, 13557-13562.	2.7	21
64	Enhancing Cu-Cu Diffusion Bonding at Low Temperature Via Application of Self-assembled Monolayer Passivation. Journal of the Electrochemical Society, 2011, 158, H1057.	1.3	19
65	(Invited) Cu Surface Passivation with Self-Assembled Monolayer (SAM) and Its Application for Wafer Bonding at Moderately Low Temperature. ECS Transactions, 2013, 50, 115-123.	0.3	19
66	Monolithic Integration of Si-CMOS and III-V-on-Si Through Direct Wafer Bonding Process. IEEE Journal of the Electron Devices Society, 2018, 6, 571-578.	1.2	19
67	Thermal design optimization of evaporator micropillar wicks. International Journal of Thermal Sciences, 2018, 134, 179-187.	2.6	19
68	The effect of forming gas anneal on the oxygen content in bonded copper layer. Journal of Electronic Materials, 2005, 34, 1598-1602.	1.0	18
69	The first GeSn FinFET on a novel GeSnOI substrate achieving lowest S of 79 mV/decade and record high G <sub>m, int</sub> of 807 $\frac{1}{4}S/\frac{1}{4}m$ for GeSn P-FETs. , 2017, , .		18
70	Thermal mitigation using thermal through silicon via (TTSV) in 3-D ICs. , 2009, , .		17
71	Low temperature bump-less Cu-Cu bonding enhancement with self assembled monolayer (SAM) passivation for 3-D integration. , 2010, , .		17
72	Color tunable hybrid AC powder electroluminescent devices with organic fluorescent materials. Optical Materials Express, 2016, 6, 2879.	1.6	17

#	ARTICLE	IF	CITATIONS
73	Cu-Cu Bonding in Ambient Environment by Ar/N <sub>2</sub> Plasma Surface Activation and Its Characterization. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2019, 9, 596-605.	1.4	17
74	TSV-integrated surface electrode ion trap for scalable quantum information processing. Applied Physics Letters, 2021, 118, .	1.5	17
75	Biaxially strained germanium crossbeam with a high-quality optical cavity for on-chip laser applications. Optics Express, 2021, 29, 14174.	1.7	17
76	Low Temperature PE-TEOS Oxide Bonding Assisted by a Thin Layer of High- $\epsilon$ Dielectric. Electrochemical and Solid-State Letters, 2009, 12, H408.	2.2	16
77	Thermal reliability of fine pitch Cu-Cu bonding with self assembled monolayer (SAM) passivation for Wafer-on-Wafer 3D-Stacking. , 2011, , .		16
78	(Invited) SiGe and III-V Materials and Devices: New HEMT and LED Elements in 0.18-Micron CMOS Process and Design. ECS Transactions, 2016, 75, 439-446.	0.3	16
79	Graphene-CNT hetero-structure for next generation interconnects. RSC Advances, 2016, 6, 53054-53061.	1.7	16
80	Wafer-on-Wafer Stacking by Bumpless Cu-Cu Bonding and Its Electrical Characteristics. IEEE Electron Device Letters, 2011, 32, 943-945.	2.2	15
81	Wafer-level hermetic packaging of 3D microsystems with low-temperature Cu-to-Cu thermo-compression bonding and its reliability. Journal of Micromechanics and Microengineering, 2012, 22, 105004.	1.5	15
82	Operating TSV in Stable Accumulation Capacitance Region by Utilizing $\text{Al}_2\text{O}_3$ -Induced Negative Fixed Charge. IEEE Electron Device Letters, 2012, 33, 875-877.	2.2	15
83	Thermal-reliable 3D clock-tree synthesis considering nonlinear electrical-thermal-coupled TSV model. , 2013, , .		15
84	Hetero-epitaxy of high quality germanium film on silicon substrate for optoelectronic integrated circuit applications. Journal of Materials Research, 2017, 32, 4025-4040.	1.2	15
85	Heat transfer suppression by suspended droplets on microstructured surfaces. Applied Physics Letters, 2020, 116, .	1.5	15
86	Achieving low temperature Cu to Cu diffusion bonding with self assembly monolayer (SAM) passivation. , 2009, , .		14
87	Thermal Characteristics of InP-Al <sub>2</sub> O <sub>3</sub> /Si Low Temperature Heterogeneous Direct Bonding for Photonic Device Integration. ECS Journal of Solid State Science and Technology, 2013, 2, N169-N174.	0.9	14
88	Monolithic integration of III-V HEMT and Si-CMOS through TSV-less 3D wafer stacking. , 2015, , .		14
89	Suppression of interfacial voids formation during silane (SiH <sub>4</sub> )-based silicon oxide bonding with a thin silicon nitride capping layer. Journal of Applied Physics, 2018, 123, .	1.1	14
90	High-Performance Back-Illuminated Ge <sub>0.92</sub> Sn <sub>0.08</sub> /Ge Multiple-Quantum-Well Photodetector on Si Platform For SWIR Detection. IEEE Journal of Selected Topics in Quantum Electronics, 2022, 28, 1-9.	1.9	14

#	ARTICLE	IF	CITATIONS
91	Microelectronics Thin Film Handling and Transfer Using Low-Temperature Wafer Bonding. Electrochemical and Solid-State Letters, 2005, 8, G362.	2.2	13
92	Mitigating heat dissipation and thermo-mechanical stress challenges in 3-D IC using thermal through silicon via (TTSV). , 2010, , .		13
93	Enhanced Si-Ge interdiffusion in high phosphorus-doped germanium on silicon. Semiconductor Science and Technology, 2015, 30, 105008.	1.0	13
94	Physical and Electrical Characterization of 3D Embedded Capacitor: A High-Density MIM Capacitor Embedded in TSV. , 2017, , .		13
95	Effects of Copper Migration on the Reliability of Through-Silicon Via (TSV). IEEE Transactions on Device and Materials Reliability, 2018, 18, 520-528.	1.5	13
96	Ar/N <sub>2</sub> Plasma Induced Metastable Cu <sub>x</sub> N <sub>y</sub> for Cu-Cu Direct Bonding. ECS Transactions, 2020, 98, 203-210.	0.3	13
97	High density bump-less Cu-Cu bonding with enhanced quality achieved by pre-bonding temporary passivation for 3D wafer stacking. , 2011, , .		12
98	Characterization of the Young's modulus, residual stress and fracture strength of Cu-Sn thin films using combinatorial deposition and micro-cantilevers. Journal of Micromechanics and Microengineering, 2015, 25, 035023.	1.5	12
99	Highly Tensile-Strained Self-Assembled Ge Quantum Dots on InP Substrates for Integrated Light Sources. ACS Applied Nano Materials, 2021, 4, 897-906.	2.4	12
100	Void Density Reduction at the Cu-Cu Bonding Interface by Means of Prebonding Surface Passivation with Self-Assembled Monolayer. Electrochemical and Solid-State Letters, 2010, 13, H412.	2.2	11
101	PE-TEOS Wafer Bonding Enhancement at Low Temperature with a High- $\epsilon$ Dielectric Capping Layer of Al <sub>2</sub> O <sub>3</sub> . Journal of the Electrochemical Society, 2011, 158, H137.	1.3	11
102	Study of Hydrophilic Si Direct Bonding with Ultraviolet Ozone Activation for 3D Integration. ECS Journal of Solid State Science and Technology, 2012, 1, P291-P296.	0.9	11
103	Surface Passivation of Cu for Low Temperature 3D Wafer Bonding. ECS Solid State Letters, 2012, 1, P11-P14.	1.4	11
104	Homogeneous Chip to Wafer Bonding of InP-Al <sub>2</sub> O <sub>3</sub> -Si Using UV/O <sub>3</sub> Activation. ECS Journal of Solid State Science and Technology, 2014, 3, P43-P47.	0.9	11
105	Implementation of carbon nanotube bundles in sub-5 micron diameter through-silicon-via structures for three-dimensionally stacked integrated circuits. Materials Today Communications, 2015, 2, e16-e25.	0.9	11
106	Opto-impedance spectroscopy and equivalent circuit analyses of AC powder electroluminescent devices. Optics Express, 2017, 25, A454.	1.7	11
107	Impacts of doping on epitaxial germanium thin film quality and Si-Ge interdiffusion. Optical Materials Express, 2018, 8, 1117.	1.6	11
108	Simulation of high-efficiency resonant-cavity-enhanced GeSn single-photon avalanche photodiodes for sensing and optical quantum applications. IEEE Sensors Journal, 2021, , 1-1.	2.4	11



#	ARTICLE	IF	CITATIONS
109	Low-power and high-detectivity Ge photodiodes by in-situ heavy As doping during Ge-on-Si seed layer growth. Optics Express, 2021, 29, 2940.	1.7	11
110	Optical design considerations of rear-side dielectric for higher efficiency of PERC solar cells. Optics Express, 2019, 27, A758.	1.7	11
111	High throughput Cu-Cu bonding by non-thermo-compression method. , 2013, , .		10
112	Uncooled resonant infrared detector based on aluminum nitride piezoelectric film through charge generations and lattice absorptions. Applied Physics Letters, 2014, 104, .	1.5	10
113	Study of Near-Surface Stresses in Silicon Around Through-Silicon Vias at Elevated Temperatures by Raman Spectroscopy and Simulations. IEEE Transactions on Device and Materials Reliability, 2015, 15, 142-148.	1.5	10
114	Online equivalent series resistance estimation method for condition monitoring of DC-link capacitors. , 2017, , .		10
115	In <sub>0.49</sub> Ga <sub>0.51</sub> P/GaAs heterojunction bipolar transistors (HBTs) on 200 mm Si substrates: Effects of base thickness, base and sub-collector doping concentrations. AIP Advances, 2018, 8, 115132.	0.6	10
116	A highly ordered and damage-free Ge inverted pyramid array structure for broadband antireflection in the mid-infrared. Journal of Materials Chemistry C, 2021, 9, 9884-9891.	2.7	10
117	Surface plasmon enhanced GeSn photodetectors operating at 2 $\mu$ m. Optics Express, 2021, 29, 8498.	1.7	10
118	Sub-mA/cm <sup>2</sup> Dark Current Density, Buffer-Less Germanium (Ge) Photodiodes on a 200-mm Ge-on-Insulator Substrate. IEEE Transactions on Electron Devices, 2021, 68, 1730-1737.	1.6	10
119	Impact of thermal through silicon via (TTSV) on the temperature profile of multi-layer 3-D device stack. , 2009, , .		9
120	Thermal characteristic of Cu-Cu bonding layer in 3-D integrated circuits stack. Microelectronic Engineering, 2010, 87, 682-685.	1.1	9
121	Low Temperature Wafer Bonding of Low- $\kappa$ Carbon-Doped Oxide for Application in 3D Integration. Electrochemical and Solid-State Letters, 2010, 13, H27.	2.2	9
122	Application of self-assembled monolayer (SAM) in low temperature bump-less Cu-Cu bonding for advanced 3D IC. , 2010, , .		9
123	Integration of Low- $\kappa$ Dielectric Liner in Through Silicon Via and Thermomechanical Stress Relief. Applied Physics Express, 2012, 5, 126601.	1.1	9
124	Novel development of the micro-tensile test at elevated temperature using a test structure with integrated micro-heater. Journal of Micromechanics and Microengineering, 2012, 22, 085015.	1.5	9
125	Cu-Cu Hermetic Seal Enhancement Using Self-Assembled Monolayer Passivation. Journal of Electronic Materials, 2013, 42, 502-506.	1.0	9
126	$\text{Al}_2\text{O}_3$ Interface Engineering of Germanium Epitaxial Layer Grown Directly on Silicon. IEEE Transactions on Electron Devices, 2013, 60, 56-62.	1.6	9



#	ARTICLE	IF	CITATIONS
127	Cu-Cu Die to Die Surface Activated Bonding in Atmospheric Environment Using Ar and Ar/N <sub>2</sub> Plasma. ECS Transactions, 2016, 75, 109-116.	0.3	9
128	Temperature enhanced spontaneous emission rate spectra in GeSn/Ge quantum wells. Optical Materials Express, 2017, 7, 800.	1.6	9
129	Insights into the Origins of Guided Microtrenches and Microholes/rings from Sn Segregation in Germanium-Tin Epilayers. Journal of Physical Chemistry C, 2020, 124, 20035-20045.	1.5	9
130	In-Depth Parametric Study of Ar or N <sub>2</sub> Plasma Activated Cu Surfaces for Cu-Cu Direct Bonding. , 2021, , .		9
131	Advanced 3D Integration Technologies in Various Quantum Computing Devices. IEEE Open Journal of Nanotechnology, 2021, 2, 101-110.	0.9	9
132	Effect of direct current stressing to Cu-Cu bond interface imperfection for three dimensional integrated circuits. Microelectronic Engineering, 2013, 106, 149-154.	1.1	8
133	Enabling the integrated circuits of the future. , 2015, , .		8
134	Experiments on the ultrathin silicon vapor chamber for enhanced heat transfer performance. , 2016, , .		8
135	Reliability Evaluation of Copper (Cu) Through-Silicon Vias (TSV) Barrier and Dielectric Liner by Electrical Characterization and Physical Failure Analysis (PFA). , 2017, , .		8
136	MOCVD growth of InGaP/GaAs heterojunction bipolar transistors on 200 mm Si wafers for heterogeneous integration with Si CMOS. Semiconductor Science and Technology, 2018, 33, 115011.	1.0	8
137	High-performance AlGaInP light-emitting diodes integrated on silicon through a superior quality germanium-on-insulator. Photonics Research, 2018, 6, 290.	3.4	8
138	Assembly Process and Electrical Properties of Top-Transferred Graphene on Carbon Nanotubes for Carbon-Based 3-D Interconnects. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2020, 10, 516-524.	1.4	8
139	GeSn-on-insulator dual-waveband resonant-cavity-enhanced photodetectors at the 2.2 $\mu\text{m}$ and 1.55 $\mu\text{m}$ optical communication bands. Optics Letters, 2021, 46, 3809.	1.7	8
140	Design and Fabrication of Grating Couplers for the Optical Addressing of Trapped Ions. IEEE Photonics Journal, 2021, 13, 1-6.	1.0	8
141	Optically pumped low-threshold microdisk lasers on a GeSn-on-insulator substrate with reduced defect density. Photonics Research, 2022, 10, 1332.	3.4	8
142	Application of self assembly monolayer (SAM) in lowering the process temperature during Cu-Cu diffusion bonding of 3D IC. , 2009, , .		7
143	Fine-pitch bump-less Cu-Cu bonding for wafer-on-wafer stacking and its quality enhancement. , 2010, , .		7
144	Dopant profile control of epitaxial emitter for silicon solar cells by low temperature epitaxy. Applied Physics Letters, 2011, 99, 011102.	1.5	7

#	ARTICLE	IF	CITATIONS
145	Temporary passivation of Cu for low temperature (&#38;#60; 300&#x00B0;C) 3D wafer stacking. , 2011, , .		7
146	Ultrafine pitch (6&#x00B5;m) evolution of Cu-Cu bonded interconnects in 3D wafer-on-wafer stacking. , 2012, , .		7
147	Effect of Prebonding Anneal on the Microstructure Evolution and Cu&#x2014;Cu Diffusion Bonding Quality for Three-Dimensional Integration. Journal of Electronic Materials, 2012, 41, 2567-2572.	1.0	7
148	Effect of bonding temperature on hermetic seal and mechanical support of wafer-level Cu-to-Cu thermo-compression bonding for 3D integration. Microsystem Technologies, 2013, 19, 661-667.	1.2	7
149	Experimental characterization of Si micropillar based evaporator for advanced vapor chambers. , 2014, , .		7
150	Through-substrate via (TSV) with embedded capacitor as an on-chip energy storage element. , 2016, , .		7
151	Dielectric relaxation in AC powder electroluminescent devices. Solid State Communications, 2017, 250, 53-56.	0.9	7
152	Thermal stability of germanium-tin (GeSn) fins. Applied Physics Letters, 2017, 111, 252103.	1.5	7
153	High-Sensitivity and Mechanically Compliant Flexible Ge Photodetectors with a Vertical p&#x2014;i&#x2014;n Configuration. ACS Applied Electronic Materials, 2021, 3, 1780-1786.	2.0	7
154	Gourd-shaped hole array germanium (Ge)-on-insulator photodiodes with improved responsivity and specific detectivity at 1,550&#x00B0;nm. Optics Express, 2021, 29, 16520.	1.7	7
155	Ge-on-insulator lateral p-i-n waveguide photodetectors for optical communication. Optics Letters, 2020, 45, 6683.	1.7	7
156	Time-Dependent Evolution Study of Ar/N<sub>2</sub> Plasma-Activated Cu Surface for Enabling Two-Step Cu-Cu Direct Bonding in a Non-Vacuum Environment. ECS Journal of Solid State Science and Technology, 2021, 10, 124001.	0.9	7
157	Transferable single-layer GeSn nanomembrane resonant-cavity-enhanced photodetectors for 2 Î¼m band optical communication and multi-spectral short-wave infrared sensing. Nanoscale, 2022, 14, 7341-7349.	2.8	7
158	Through Silicon Via Fabrication with Low- $\kappa$ Dielectric Liner and Its Implications on Parasitic Capacitance and Leakage Current. Japanese Journal of Applied Physics, 2012, 51, 04DB03.	0.8	6
159	Strategy for TSV scaling with consideration on thermo-mechanical stress and acceptable delay. , 2012, , .		6
160	Experiment and modeling of microstructured capillary wicks for thermal management of electronics. , 2013, , .		6
161	Strain relaxation of germanium-tin (GeSn) fins. AIP Advances, 2018, 8, 025111.	0.6	6
162	Design and Development of Single-Qubit Ion Trap on Glass and Si Substrates With RF Analysis and Performance Benchmarking. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2020, 10, 1221-1231.	1.4	6

#	ARTICLE	IF	CITATIONS
163	Development of a CMOS-Compatible Carbon Nanotube Array Transfer Method. <i>Micromachines</i> , 2021, 12, 95.	1.4	6
164	PIC-integrable, uniformly tensile-strained Ge-on-insulator photodiodes enabled by recessed SiN <sub>x</sub> stressor. <i>Photonics Research</i> , 2021, 9, 1255.	3.4	6
165	Growth and Characterizations of GeSn Films with High Sn Composition by Chemical Vapor Deposition (CVD) Using Ge <sub>2</sub> H <sub>6</sub> and SnCl <sub>4</sub> for Mid-IR Applications. <i>ECS Transactions</i> , 2020, 98, 91-98.	0.3	6
166	Suspended germanium membranes photodetector with tunable biaxial tensile strain and location-determined wavelength-selective photoresponsivity. <i>Applied Physics Letters</i> , 2021, 119, .	1.5	6
167	Study of the evolution of Cu-Cu bonding interface imperfection under direct current stressing for three dimensional integrated circuits. , 2011, , .		5
168	Low Temperature Wafer Bonding of Low- $\hat{\rho}$ Carbon Doped Oxide (CDO) for High Performance 3D IC Application. <i>Journal of the Electrochemical Society</i> , 2011, 158, H1107.	1.3	5
169	3D integration of MEMS and CMOS via Cu-Cu bonding with simultaneous formation of electrical, mechanical and hermetic bonds. , 2012, , .		5
170	Cu-Cu Bond Quality Enhancement Through the Inclusion of a Hermetic Seal for 3-D IC. <i>IEEE Transactions on Electron Devices</i> , 2013, 60, 1444-1450.	1.6	5
171	Integration of CNT in TSV (&#x2264;5 &#x03BC;m) for 3D IC application and its process challenges. , 2013, , .		5
172	Optimization of Biporous Micropillar Array for Enhanced Heat Transfer Performance. , 2015, , .		5
173	Integration of CNTs in 3D-IC interconnects: a non-destructive approach for the precise characterization and elucidation of interfacial properties. <i>Journal of Materials Chemistry A</i> , 2015, 3, 2082-2089.	5.2	5
174	Direct copper-copper wafer bonding with Ar/N<math>\text{H}</math>/plasma activation. , 2015, , .		5
175	(Invited) Novel Integrated Circuit Platforms Employing Monolithic Silicon CMOS + GaN Devices. <i>ECS Transactions</i> , 2016, 75, 31-37.	0.3	5
176	Non-destructive degradation study of copper wire bond for its temperature cycling reliability evaluation. <i>Microelectronics Reliability</i> , 2016, 61, 56-63.	0.9	5
177	Germanium-on-insulator virtual substrate for InGaP epitaxy. <i>Materials Science in Semiconductor Processing</i> , 2017, 58, 15-21.	1.9	5
178	High mobility In<math>\text{In}</math>Ga<math>\text{Ga}</math>As MOSHEMTs on low threading dislocation density 200 mm Si substrates: A technology enabler towards heterogeneous integration of low noise and medium power amplifiers with Si CMOS. , 2017, , .		5
179	Fabrication and Characterization of Surface Electrode Ion Trap for Quantum Computing. , 2018, , .		5
180	Performance of AlGaInP LEDs on silicon substrates through low threading dislocation density (TDD) germanium buffer layer. <i>Semiconductor Science and Technology</i> , 2018, 33, 104004.	1.0	5

#	ARTICLE	IF	CITATIONS
181	Modeling, Fabrication, and Characterization of 3-D Capacitor Embedded in Through-Silicon Via. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2018, 8, 1524-1532.	1.4	5
182	Grapheneâ€Metal Nanoparticles for Enhancing Thermoelectric Power Factor. IEEE Nanotechnology Magazine, 2019, 18, 1114-1118.	1.1	5
183	Deposited poly-Si as on-demand linewidth compensator for on-chip Fabryâ€Perot interferometer and vertical linear variable optical filter bandpass and passband manipulation. Journal of Micromechanics and Microengineering, 2019, 29, 047001.	1.5	5
184	Surface-Electrode Ion Trap With Ground Structures for Minimizing the Dielectric Loss in the Si Substrate. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2020, 10, 679-685.	1.4	5
185	Three-Dimensional Capacitor Embedded in Fully Cu-Filled Through-Silicon Via and Its Thermo-Mechanical Reliability for Power Delivery Applications. , 2020, , .		5
186	RF Performance Benchmarking of TSV Integrated Surface Electrode Ion Trap for Quantum Computing. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2021, 11, 1856-1863.	1.4	5
187	Structural Integrity of 3-D Metalâ€Insulatorâ€Metal Capacitor Embedded in Fully Filled Cu Through-Silicon via. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2021, 11, 918-921.	1.4	5
188	Multi-Die to Wafer Bonding Through Plasma-Activated Cu-Cu Direct Bonding in Ambient Conditions. , 2021, , .		5
189	Metal-Semiconductor-Metal Photodetectors on a GeSn-on-Insulator Platform for 2 Âµm Applications. IEEE Photonics Journal, 2022, 14, 1-6.	1.0	5
190	Fabrication and characterization of bump-less Cu-Cu bonding by wafer-on-wafer stacking for 3D IC. , 2010, , .		4
191	Thermal characterization of TSV array as heat removal element in 3D IC stacking. , 2012, , .		4
192	Study of Hydrophilic Si Direct Bonding with Ultraviolet Ozone Activation for 3D Integration. ECS Transactions, 2013, 50, 17-27.	0.3	4
193	High- <i>k</i> Al <sub>2</sub> O <sub>3</sub> material in low temperature wafer-level bonding for 3D integration application. AIP Advances, 2014, 4, .	0.6	4
194	TSV-less 3D stacking of MEMS and CMOS via low temperature Al-Au direct bonding with simultaneous formation of hermetic seal. , 2014, , .		4
195	Characterization of Hetero-Epitaxial Ge Films on Si Using Multiwavelength Micro-Raman Spectroscopy. ECS Journal of Solid State Science and Technology, 2015, 4, P9-P15.	0.9	4
196	UV/O <sub>3</sub> assisted InP/Al <sub>2</sub> O <sub>3</sub> â€Al <sub>2</sub> O <sub>3</sub> /Si low temperature die to wafer bonding. Microsystem Technologies, 2015, 21, 1015-1020.	1.2	4
197	On the origins of near-surface stresses in silicon around Cu-filled and CNT-filled through silicon vias. Semiconductor Science and Technology, 2016, 31, 055008.	1.0	4
198	Reliability evaluation of copper (Cu) through-silicon via (TSV) barrier and dielectric liner by electrical characterization. , 2016, , .		4

#	ARTICLE	IF	CITATIONS
199	Red InGaP light-emitting diodes epitaxially grown on engineered Ge-on-Si substrates. , 2016, , .		4
200	Observations of copper (Cu) transport in through-silicon vias (TSV) structure by electrical characterization for its reliability evaluation. , 2017, , .		4
201	Extension of Germanium-on-insulator optical absorption edge using CMOS-compatible silicon nitride stressor. , 2017, , .		4
202	Band Structure of Strained $\text{Ge}_{1-x}\text{Sn}_x$ Alloy: A Full-Zone 30-Band $k \cdot p$ Model. IEEE Journal of Quantum Electronics, 2020, 56, 1-8.	1.0	4
203	Highly Compact Linear Variable Filter in the Mid Infrared Region for Acetone Level Monitoring. IEEE Sensors Journal, 2020, 20, 4171-4178.	2.4	4
204	Effects of high-temperature thermal annealing on GeSn thin-film material and photodetector operating at $2\text{ }\mu\text{m}$ . Journal of Alloys and Compounds, 2021, 872, 159696.	2.8	4
205	A self-aligned dry etching method for mechanical strain enhancement of germanium and its uniformity improvement for photonic applications. , 2018, , .		4
206	Theoretical design of mid-infrared interband cascade lasers in SiGeSn system. New Journal of Physics, 2020, 22, 083061.	1.2	4
207	Glass Substrate Interposer for TSV-integrated Surface Electrode Ion Trap. , 2020, , .		4
208	Systematic Investigation and Characterization of Ag Paste for LED Die Attach. , 2021, , .		4
209	Two-Step $\text{Ar}/\text{N}_2$ Plasma-Activated Al Surface for Al-Al Direct Bonding. , 2022, , .		4
210	(Invited) PE-TEOS Wafer Bonding Enhancement at Low Temperature with a High-k Dielectric Capping Layer. ECS Transactions, 2010, 28, 489-498.	0.3	3
211	Design, fabrication and electrical characterization of TSV. , 2010, , .		3
212	Direct Bonding of Ge-Ge Using Epitaxially Grown Ge-on-Si Wafers. ECS Journal of Solid State Science and Technology, 2012, 1, P18-P22.	0.9	3
213	3D CMOS-MEMS stacking with TSV-less and face-to-face direct metal bonding. , 2014, , .		3
214	Design, Simulation and Characterization of Wheatstone Bridge Structured Metal Thin Film Uncooled Microbolometer. Procedia Engineering, 2014, 94, 6-13.	1.2	3
215	Epitaxy and characterization of GaInP/AlInP light-emitting diodes on As-doped Ge/Si substrates. Optics Express, 2016, 24, 23129.	1.7	3
216	Optimization and thermal characterization of uniform micropillar based silicon evaporator in advanced vapor chambers. , 2016, , .		3

#	ARTICLE	IF	CITATIONS
217	Detailed thermal resistance model for characterization of the overall effective thermal conductivity of a flat heat pipe. , 2016, , .		3
218	High-Efficiency Planar Thin-Film Si/PEDOT:PSS Hybrid Solar Cell. IEEE Journal of Photovoltaics, 2016, 6, 217-222.	1.5	3
219	High-efficiency normal-incidence vertical p-i-n photodetectors on a germanium-on-insulator platform: publisher's note. Photonics Research, 2018, 6, 46.	3.4	3
220	Dielectric Quality of 3D Capacitor Embedded in Through-Silicon Via (TSV). , 2018, , .		3
221	Design, Fabrication and Characterization of Surface Electrode Ion Trap Integrated with TSV. , 2019, , .		3
222	The effects of strain and composition on the conduction-band offset of direct band gap type-I GeSn/GeSnSi quantum dots for CMOS compatible mid-IR light source. Semiconductor Science and Technology, 2020, 35, 025008.	1.0	3
223	Corner-Promoted Focus Enhancement of Light in Conical Holes for Extraordinary Optical Transmission. IEEE Sensors Journal, 2021, 21, 9081-9089.	2.4	3
224	Heterogenous Integration of Silicon Ion Trap and Glass Interposer for Scalable Quantum Computing Enabled by TSV, Micro-bumps and RDL. , 2021, , .		3
225	Metal-semiconductor-metal photodetectors on a GeSn-on-insulator platform. , 2019, , .		3
226	Improved thin film quality and photoluminescence of N-doped epitaxial germanium-on-silicon using MOCVD. Optical Materials Express, 2020, 10, 1.	1.6	3
227	Germanium-on-insulator Pedestal Waveguide for Midinfrared Sensing Applications. , 2018, , .		3
228	Performance Comparison of High Resistivity Silicon, Silicon with Grounding Plane and Glass as Substrate of Ion Trap for Quantum Information Processing. , 2020, , .		3
229	Grating and hole-array enhanced germanium lateral p-i-n photodetectors on an insulator platform. Optics Express, 2022, 30, 4706.	1.7	3
230	A heavily doped germanium pyramid array for tunable optical antireflection in the broadband mid-infrared range. Journal of Materials Chemistry C, 2022, 10, 5797-5804.	2.7	3
231	Plasma-Activated Cu-Cu Direct Bonding in Ambient for Die-Die and Die-Wafer Bonding. , 2022, , .		3
232	Effect of Using Chemical Vapor Deposition WSi <sub>2</sub> and Postmetallization Annealing on GaAs Metal-Oxide-Semiconductor Capacitors. Electrochemical and Solid-State Letters, 2010, 13, H328.	2.2	2
233	Comparison between chemical vapor deposited and physical vapor deposited WSi <sub>2</sub> metal gate for InGaAs n-metal-oxide-semiconductor field-effect transistors. Applied Physics Letters, 2011, 98, 182102.	1.5	2
234	Fabrication of germanium-on-insulator (GOI) with improved threading dislocation density (TDD) via buffer-less epitaxy and bonding. , 2014, , .		2

#	ARTICLE	IF	CITATIONS
235	Detection of Ge and Si Intermixing in Ge/Si Using Multiwavelength Micro-Raman Spectroscopy. ECS Transactions, 2014, 64, 79-88.	0.3	2
236	Maximum boost space vector modulated three-phase three-level neutral-point-clamped quasi-Z-source inverter. , 2016, , .		2
237	Experiments on the Biporous Micropillar Array for Enhanced Heat Transfer Performance. , 2016, , .		2
238	Geometry and Thermal Stress Analysis of In-plane Outgassing Channels in Al <sub>2</sub> O <sub>3</sub> -Intermediated InP (Die)-to-Si (Wafer) Bonding. ECS Journal of Solid State Science and Technology, 2016, 5, P117-P123.	0.9	2
239	Integration of 200 mm Si-CMOS and III-V materials through wafer bonding. , 2017, , .		2
240	Growth and fabrication of carbon-based three-dimensional heterostructure in through-silicon vias (TSVs) for 3D interconnects. , 2017, , .		2
241	GeSn p-FinFETs with Sub-10 nm Fin Width Realized on a 200 mm GeSnOI Substrate: Lowest SS of 63 mV/decade, Highest $\mu_{eff}$ of 900 $\mu\text{S}/\mu\text{m}$ , and High-Field $\mu_{eff}$ of 275 $\text{cm}^2/\text{Vs}$ . , 2018, , .		2
242	Ultra-Thin GaAs Double-Junction Solar Cell With Carbon-Doped Emitter. IEEE Journal of Photovoltaics, 2018, 8, 1627-1634.	1.5	2
243	GaN HEMTs with Breakdown Voltage of 2200 V Realized on a 200 mm GaN-on-Insulator(GNOI)-on-Si Wafer. , 2019, , .		2
244	3D Integration of CMOS-Compatible Surface Electrode Ion Trap and Silicon Photonics for Scalable Quantum Computing. , 2019, , .		2
245	TiN Guard Ring Around TSV for Cross-Talk Suppression of Parallel Networking of Data Center. , 2019, , .		2
246	High-Frequency Characteristics of InGaP/GaAs Double Heterojunction Bipolar Transistor Epitaxially Grown on 200 mm Ge/Si Wafers. IEEE Journal of the Electron Devices Society, 2020, 8, 122-125.	1.2	2
247	Effects of precursors' purity on graphene quality: Synthesis and thermoelectric effect. AIP Advances, 2020, 10, .	0.6	2
248	Large-scale Fabrication of Surface Ion Traps on a 300-mm Glass Wafer. Physica Status Solidi (B): Basic Research, 2021, 258, 2000589.	0.7	2
249	CMOS-Compatible Ti/TiN/Al Refractory Ohmic Contact for GaAs Heterojunction Bipolar Transistors Grown on Ge/Si Substrate. IEEE Transactions on Electron Devices, 2021, 68, 6065-6068.	1.6	2
250	Systematic study on photoexcited carrier dynamics related to defects in GeSn films with low Sn content at room temperature. Semiconductor Science and Technology, 2021, 36, 125018.	1.0	2
251	Recent progress in copper-based wafer bonding for 3-D ICs application. , 2008, , .		1
252	Low temperature silicon epitaxy using rapid thermal chemical vapor deposition (RTCVD) for solar cell application. , 2010, , .		1



#	ARTICLE	IF	CITATIONS
253	Enhanced optical absorbance of epitaxial emitter silicon solar cells with a back germanium epilayer. , 2011, , .		1
254	Spatial variation of TSV capacitance and method of stabilization with $Al_{2}O_{3}$ -induced negative fixed charge at the silicon-liner interface. , 2011, , .		1
255	Modeling of Electromigration Induced Contact Resistance Reduction of Cu-Cu Bonded Interface. Journal of the Electrochemical Society, 2011, 158, H405.	1.3	1
256	Simulation and computer aided design of silicon solar cells for process and performance parameters optimization. , 2011, , .		1
257	Simultaneous formation of electrical connection, mechanical support and hermetic seal with bump-less cu-cu bonding for 3D wafer stacking. , 2012, , .		1
258	Selection of underfill material in Cu hybrid bonding and its effect on the transistor keep-out-zone. , 2012, , .		1
259	Mechanical characterization of wafer level bump-less Cu-Cu bonding. , 2012, , .		1
260	The dependency of TSV keep-out zone (KOZ) on Si crystal direction and liner material. , 2013, , .		1
261	Strain Profile and Size Dependent Electronic Band Structure of GeSn/SiSn Quantum Dots for Optoelectronic Application. , 2014, , .		1
262	Monolithic CMOS-MEMS integration for high-g accelerometers. , 2014, , .		1
263	Copper micro and nano particles mixture for 3D interconnections application. , 2015, , .		1
264	(Invited) The Effect of Germanium/Silicon Interface on Germanium Photonics. ECS Transactions, 2016, 75, 683-688.	0.3	1
265	Curvature evolution of 200 mm diameter GaN-on-insulator wafer fabricated through metalorganic chemical vapor deposition and bonding. Japanese Journal of Applied Physics, 2018, 57, 051002.	0.8	1
266	GaN LED on Quartz Substrate through Wafer Bonding and Layer Transfer Processes. ECS Transactions, 2018, 86, 31-36.	0.3	1
267	Leakage current conduction mechanism of three-dimensional capacitors embedded in through-silicon vias. Japanese Journal of Applied Physics, 2018, 57, 07MF01.	0.8	1
268	Micro-fabricated Surface Electrode Ion Trap with 3D-TSV Integration for Scalable Quantum Computing. , 2019, , .		1
269	Thermally Reflowed Die-Attached Linear Variable Optical Filter for Mid-Infrared Volatile Organic Compounds Detection. Journal of Microelectromechanical Systems, 2019, 28, 824-832.	1.7	1
270	Design Considerations and Fabrication Challenges of Surface Electrode Ion Trap with TSV Integration. , 2019, , .		1

#	ARTICLE	IF	CITATIONS
271	Dark Current Analysis of Vertical p-i-n Photodetectors on a Germanium-on-Insulator Platform. , 2019, , .		1
272	Germanium Photodetectors with 60-nm Absorption Coverage Extension and $\hat{1}/4\hat{A}$ — Quantum Efficiency Enhancement across L-Band. , 2019, , .		1
273	Development and Integration of Silicon Photonics Interposer for Quantum Computing System. , 2019, , .		1
274	Design and Fabrication of Silicon Gratings for the Optical Addressing of Trapped Ion Qubits. , 2021, , .		1
275	Enhanced photon absorption of Ge-on-Si avalanche photodiode with photon-trapping microstructure. , 2021, , .		1
276	Monolithic Germanium-Tin Pedestal Waveguide for Mid-Infrared Applications. IEEE Photonics Journal, 2021, 13, 1-11.	1.0	1
277	Study of Ultra-Thin Silicon Micropillar Based Vapor Chamber. , 0, , .		1
278	Low cost rapid fabrication of vertical LVOF microspectrometer on-chip for MIR sensing. , 2018, , .		1
279	TSV with Embedded Capacitor for ASIC-HBM Power and Signal Integrity Improvement. , 2019, , .		1
280	EO Integration of Planar Ion Trap and Silicon Photonics for Optical Addressing in Quantum Computing. , 2020, , .		1
281	Direct bandgap GeSn nanowires enabled with ultrahigh tension from harnessing intrinsic compressive strain. Applied Physics Letters, 2022, 120, .	1.5	1
282	Copper to Copper Direct Bonding Assisted by Self-Assembled Monolayer. , 2010, , .		0
283	Wafer level hermetic packaging with IMC-less Cu-Cu bonding for 3D microsystems (invited). , 2011, , .		0
284	Design and Modeling of Platinum Thin Film Microheater for High Temperature Microtensile Test Application. Advanced Materials Research, 0, 254, 9-12.	0.3	0
285	Effect of Nickel Silicide Induced Dopant Segregation on Vertical Silicon Nanowire Diode Performance. Materials Research Society Symposia Proceedings, 2012, 1439, 89-94.	0.1	0
286	Vertical Silicon Nanowire Diode with Nickel Silicide Induced Dopant Segregation. Japanese Journal of Applied Physics, 2012, 51, 11PE08.	0.8	0
287	Single-mode narrow beam divergence surface-emitting concentric-circular-grating terahertz quantum cascade lasers. , 2012, , .		0
288	Passivation of Cu surface and its application in Cu-Cu bonding for high density 3D IC realization. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
289	Design for reliability through engineering optimization. , 2013, , .		0
290	Strain profile, electronic band structure and optical gain of self-assembled Ge quantum dots on SiGe virtual substrate. , 2014, , .		0
291	AlN-AlN Wafer Bonding and Its Thermal Characteristics. ECS Transactions, 2014, 64, 141-148.	0.3	0
292	Integration of III&#x2013;V materials and Si-CMOS through double layer transfer process. , 2014, , .		0
293	Robust Electromigration reliability through engineering optimization. Microelectronics Reliability, 2014, 54, 1666-1670.	0.9	0
294	Simulation and design of AlN piezoelectric resonator for infrared sensing application utilizing lamb wave mode. , 2014, , .		0
295	Paper No P19: Characteristic of Thermal Behavior and Optical Performance of AC Powder Electroluminescence Panel under Controlled Temperature. Digest of Technical Papers SID International Symposium, 2015, 46, 86-86.	0.1	0
296	Modeling and fabrication of Ge-on-Si&lt;inf&gt;3&lt;/inf&gt;N&lt;inf&gt;4&lt;/inf&gt; for low bend-loss waveguides. , 2016, , .		0
297	Epitaxy and wafer bonding of AlGaInP multiple-quantum wells and light-emitting diodes on 8&#x207E3 Si substrates. , 2016, , .		0
298	High quality Ge-OI, III&#x2013;V-OI on 200 mm Si substrate. , 2016, , .		0
299	Novel integration of ultrathin Al2O3with low-kdielectric as bilayer liner for capacitance optimization and stress mitigation in Cu through-silicon-via. Japanese Journal of Applied Physics, 2016, 55, 04EC08.	0.8	0
300	The integration of InGaP LEDs with CMOS on 200 mm silicon wafers. , 2017, , .		0
301	Germanium-on-insulator virtual substrate for InGaP epitaxy. Materials Science in Semiconductor Processing, 2017, 70, 17-23.	1.9	0
302	Germanium-on-silicon nitride: A promising platform for mid-IR sensing applications. , 2017, , .		0
303	Low propagation loss Ge-on-Si waveguides and their dependency on processing methods. , 2017, , .		0
304	Integration of Si-CMOS and III-V materials through multi-wafer stacking. , 2017, , .		0
305	Charging of miniature flat heat pipes. Heat and Mass Transfer, 2018, 54, 3131-3136.	1.2	0
306	Effects of Triton X-n Surfactants on the Fabrication of Si (110) On-Chip Micromirrors. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
307	Two-Step Fabrication of Mid-Infrared Linear Variable Optical Filter Using SU-8 as Mask. , 2018, , .		0
308	Germanium Photodetector with Enhanced Photo-Response at the L-Band and Beyond for Integrated Photonic Applications. , 2018, , .		0
309	Formation of 45Å° Silicon (110) Surface Using Triton X-nSurfactants in Potassium Hydroxide for Infrared Applications. ECS Journal of Solid State Science and Technology, 2018, 7, Q259-Q266.	0.9	0
310	Low-Threshold Lasing in Strained Germanium under Optical Pumping. , 2018, , .		0
311	Enhanced Germanium-Tin P-Channel FinFET Performance using Post-Metal Anneal. , 2018, , .		0
312	Dark Current Analysis of Vertical p-i-n Photodetectors on a Germanium-on-Insulator Platform. , 2019, , .		0
313	Development and Integration of Silicon Photonics Interposer for Quantum Computing System. , 2019, , .		0
314	Investigation of Resonant-Cavity-Enhanced GeSn Photodetectors in Short-Wavelength Infrared Regime. , 2019, , .		0
315	Germanium Photodetectors with 60-nm Absorption Coverage Extension and $\sim 1/4\lambda$ — Quantum Efficiency Enhancement across L-Band. , 2019, , .		0
316	High bonding yield and brighter integrated GaN LED and Si-CMOS. , 2019, , .		0
317	Electrical properties of FCVA deposited nano-crystalline graphitic carbon thin films with in situ treatment techniques. EPJ Applied Physics, 2019, 85, 20301.	0.3	0
318	Guest Editorial Special Section on the Second Electron Devices Technology and Manufacturing (EDTM) Conference 2019. IEEE Journal of the Electron Devices Society, 2019, 7, 1200-1200.	1.2	0
319	Mid Infrared Volatile Compounds Detection Using Thermally Reflowed Flip-Stack Die Linear Variable Filter. , 2019, , .		0
320	Investigation of Resonant-Cavity-Enhanced GeSn Photodetectors in Short-Wavelength Infrared Regime. , 2019, , .		0
321	High-efficiency plasmon-enhanced GeSn photodetectors operating at 2 Åµm. , 2021, , .		0
322	Corrections to “Structural Integrity of 3-D Metal-Insulator-Metal Capacitor Embedded in Fully Filled Cu Through-Silicon Via”. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2021, 11, 1148-1148.	1.4	0
323	Single-Defect Hexapole Mode GeSn Photonic Crystal Laser: Fabrication and Simulation. , 2017, , .		0
324	A Comprehensive Study of Silicon Micropillar Based Biporous Evaporator. , 0, , .		0

#	ARTICLE	IF	CITATIONS
325	Formation of GeSn Multiple-Quantum-Well Microdisks on Insulating Platform toward Lasing Applications. , 2019, , .		0
326	Uniformly Tensile-strained Germanium Enabled by a Recessed Nitride Stressor for Efficient Integrated Photodetectors at Longer Wavelengths. , 2019, , .		0
327	High brightness and bonding yield of integrated Si-CMOS and GaN LED wafers. , 2019, , .		0
328	High-efficiency photo detection at 2 Åµm realized by GeSn/Ge multiple-quantum-well photodetectors with photon-trapping microstructure. , 2020, , .		0
329	Photoluminescence Evolution with Deposition Thickness of Ge Nanostructures Embedded in GaSb. Physica Status Solidi (B): Basic Research, 0, , 2100418.	0.7	0
330	Tensile-strained direct bandgap GeSnOI micro/nanostructures by harnessing residual strain. , 2022, , .		0
331	1D photonic crystal GeSn-on-insulator nanobeam laser. , 2022, , .		0
332	In <sub>0.3</sub> Ga <sub>0.7</sub> As heterojunction bipolar transistor grown on GeSi substrate for high-frequency application. Materials Science in Semiconductor Processing, 2022, 146, 106663.	1.9	0
333	Unusually-high growth rate ( $\sim 2.8 \times 10^4$ m/s) of germania nanowires and its hierarchical structures by an in-situ continuous precursor supply. Ceramics International, 2021, , .	2.3	0
334	Heating Dissipation Discussion of TSV-integrated Ion Trap with Glass Interposer. , 2021, , .		0
335	The Integration of Grounding Plane into TSV Integrated Ion Trap for Efficient Thermal Management in Large Scale Quantum Computing Device. , 2022, , .		0