

# Yihong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7780483/publications.pdf>

Version: 2024-02-01

48  
papers

918  
citations

623188

14  
h-index

476904

29  
g-index

52  
all docs

52  
docs citations

52  
times ranked

1510  
citing authors

#	ARTICLE	IF	CITATIONS
1	Stromal computational signatures predict upgrade to invasive carcinoma in mass-forming DCIS: A brief report of 44 cases. <i>Pathology Research and Practice</i> , 2022, 231, 153771.	1.0	3
2	Practical Issues of Ki-67 Evaluation in Breast Cancer Clinical Practice. , 2022, 000, 000-000.		2
3	Immunohistochemical HER2 score correlates with response to neoadjuvant chemotherapy in HER2-positive primary breast cancer. <i>Breast Cancer Research and Treatment</i> , 2021, 186, 667-676.	1.1	5
4	Apocrine ductal carcinoma in situ associated with testosterone therapy in a transgender individual. <i>Breast Journal</i> , 2021, 27, 475-477.	0.4	7
5	Risk factors for breast cancer development by tumor characteristics among women with benign breast disease. <i>Breast Cancer Research</i> , 2021, 23, 34.	2.2	14
6	Infiltrating immune cells in benign breast disease and risk of subsequent invasive breast cancer. <i>Breast Cancer Research</i> , 2021, 23, 15.	2.2	3
7	How Does Invasive Breast Cancer Oncotype Dx Recurrence Score on Core Needle Biopsies Influence Neoadjuvant Treatment Decision? A Descriptive Study. <i>Technology in Cancer Research and Treatment</i> , 2021, 20, 153303382110350.	0.8	1
8	Molecular markers of risk of subsequent invasive breast cancer in women with ductal carcinoma in situ: protocol for a population-based cohort study. <i>BMJ Open</i> , 2021, 11, e053397.	0.8	1
9	Papillary neoplasm of the breast “ A review and update. <i>Human Pathology Reports</i> , 2021, 26, 300581.	0.1	1
10	Dietary Fermented Soy Extract and Oligo-Lactic Acid Alleviate Chronic Kidney Disease in Mice via Inhibition of Inflammation and Modulation of Gut Microbiota. <i>Nutrients</i> , 2020, 12, 2376.	1.7	22
11	Low-grade adenosquamous carcinoma of the breast: A case with pathogenic germline mutation in the BRIP1 gene. <i>Human Pathology: Case Reports</i> , 2020, 22, 200444.	0.2	0
12	Clinicopathologic update of calcium oxalate in breast: A 15-year retrospective review. <i>Breast Journal</i> , 2020, 26, 1736-1741.	0.4	4
13	Elastin in the Tumor Microenvironment. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1272, 1-16.	0.8	16
14	Discordant $HER2$ immunohistochemical expression and gene amplification in ductal carcinoma <i>in situ</i> “ evaluating $HER2$ in synchronous <i>in situ</i> and invasive carcinoma. <i>Histopathology</i> , 2019, 74, 358-362.	1.6	2
15	Cholesteroloma of the breast: A 10 year retrospective review of 79 cases with radiology correlation. <i>Breast Journal</i> , 2019, 25, 1177-1181.	0.4	5
16	Stromal $ColX\pm 1$ expression correlates with tumor-infiltrating lymphocytes and predicts adjuvant therapy outcome in ER-positive/HER2-positive breast cancer. <i>BMC Cancer</i> , 2019, 19, 1036.	1.1	4
17	Cytokeratin 7-negative and GATA binding protein 3-negative breast cancers: Clinicopathological features and prognostic significance. <i>BMC Cancer</i> , 2019, 19, 1085.	1.1	17
18	Pilomatricoma of the male breast. <i>Breast Journal</i> , 2019, 25, 1012-1013.	0.4	0

#	ARTICLE	IF	CITATIONS
19	Dihydroartemisinin inhibits prostate cancer via JARID2/miR-7/miR-34a-dependent downregulation of Axl. <i>Oncogenesis</i> , 2019, 8, 14.	2.1	62
20	A miRNA Expression Signature in Breast Tumor Tissue Is Associated with Risk of Distant Metastasis. <i>Cancer Research</i> , 2019, 79, 1705-1713.	0.4	14
21	ColX $\pm$ 1 is a stromal component that colocalizes with elastin in the breast tumor extracellular matrix. <i>Journal of Pathology: Clinical Research</i> , 2019, 5, 40-52.	1.3	3
22	A 10 year retrospective review of fine needle aspiration cytology of cystic lesions of the breast with emphasis on papillary cystic lesions. <i>Diagnostic Cytopathology</i> , 2019, 47, 400-403.	0.5	2
23	In reply to Lambein <i>et al</i> .: $\sim$ HER $\sim$ 2 protein overexpression in non-amplified ductal carcinoma <i>in situ</i> : quality issue or transcription mechanisms gone awry? <i>Histopathology</i> , 2019, 74, 666-666.	1.6	0
24	Symptomatic Fibroadenoma Resolves Status Post Cryoablation. <i>Rhode Island Medical Journal</i> (2013), 2019, 102, 49-52.	0.2	0
25	Differentiating breast carcinoma with signet ring features from gastrointestinal signet ring carcinoma: assessment of immunohistochemical markers. <i>Human Pathology</i> , 2018, 77, 11-19.	1.1	24
26	Pleomorphic Lobular Carcinoma in Situ Diagnosed by Breast Core Biopsy: Clinicopathologic Features and Correlation With Subsequent Excision. <i>Clinical Breast Cancer</i> , 2018, 18, e449-e454.	1.1	24
27	An Akt3 Splice Variant Lacking the Serine 472 Phosphorylation Site Promotes Apoptosis and Suppresses Mammary Tumorigenesis. <i>Cancer Research</i> , 2018, 78, 103-114.	0.4	13
28	Stromal Clusterin Expression Predicts Therapeutic Response to Neoadjuvant Chemotherapy in Triple Negative Breast Cancer. <i>Clinical Breast Cancer</i> , 2018, 18, e373-e379.	1.1	9
29	Relationship of histologic grade and histologic subtype with oncotype Dx recurrence score $\frac{1}{4}$ retrospective review of 863 breast cancer oncotype Dx results. <i>Breast Cancer Research and Treatment</i> , 2018, 168, 29-34.	1.1	32
30	Diffuse dermal angiomatosis mimicking inflammatory breast carcinoma. <i>Breast Journal</i> , 2018, 24, 196-198.	0.4	9
31	Cystic neutrophilic granulomatous mastitis with corynebacterium and staphylococcus mimicking breast carcinoma. <i>Clinical Case Reports (discontinued)</i> , 2018, 6, 2208-2210.	0.2	9
32	BRCA1 Mutations Associated With Increased Risk of Brain Metastases in Breast Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2018, 41, 1252-1256.	0.6	21
33	Evaluating agreement, histological features, and relevance of separating pleomorphic and florid lobular carcinoma in situ subtypes. <i>Human Pathology</i> , 2018, 78, 163-170.	1.1	7
34	Somatic mutations in benign breast disease tissue and risk of subsequent invasive breast cancer. <i>British Journal of Cancer</i> , 2018, 118, 1662-1664.	2.9	9
35	MicroRNA expression in benign breast tissue and risk of subsequent invasive breast cancer. <i>PLoS ONE</i> , 2018, 13, e0191814.	1.1	9
36	Comparison of estrogen receptor, progesterone receptor and HER2 results in concurrent ipsilateral samples with invasive breast carcinoma: a retrospective study of 246 biopsies from 119 patients. <i>Human Pathology</i> , 2017, 65, 123-132.	1.1	5

#	ARTICLE	IF	CITATIONS
37	Association between lifestyle, menstrual/reproductive history, and histological factors and risk of breast cancer in women biopsied for benign breast disease. <i>Breast Cancer Research and Treatment</i> , 2017, 165, 623-631.	1.1	26
38	Can Sentinel Lymph Node Biopsy Be Spared in Papillary Carcinoma of the Breast?. <i>Clinical Breast Cancer</i> , 2017, 17, 127-133.	1.1	11
39	Evaluation and Adaptation of a Laboratory-Based cDNA Library Preparation Protocol for Retrospective Sequencing of Archived MicroRNAs from up to 35-Year-Old Clinical FFPE Specimens. <i>International Journal of Molecular Sciences</i> , 2017, 18, 627.	1.8	15
40	Collagen type III $\alpha 1$ as a useful diagnostic immunohistochemical marker for fibroepithelial lesions of the breast. <i>Human Pathology</i> , 2016, 57, 176-181.	1.1	14
41	Clinical and Radiologic Follow-up Study for Biopsy Diagnosis of Radial Scar/Radial Sclerosing Lesion without Other Atypia. <i>Breast Journal</i> , 2016, 22, 637-644.	0.4	21
42	Identification of stromal ColX $\alpha 1$ and tumor-infiltrating lymphocytes as putative predictive markers of neoadjuvant therapy in estrogen receptor-positive/HER2-positive breast cancer. <i>BMC Cancer</i> , 2016, 16, 274.	1.1	42
43	High Expression of Class III $\beta$ -Tubulin Predicts Good Response to Neoadjuvant Taxane and Doxorubicin/Cyclophosphamide-Based Chemotherapy in Estrogen Receptor-Negative Breast Cancer. <i>Clinical Breast Cancer</i> , 2013, 13, 103-108.	1.1	27
44	Characterization of a human $\beta$ -tubulin antibody and expression of this isotype in normal and malignant human tissue. <i>Cytoskeleton</i> , 2012, 69, 566-576.	1.0	11
45	Combinatorial Effect of Non-Steroidal Anti-inflammatory Drugs and NF- $\kappa$ B Inhibitors in Ovarian Cancer Therapy. <i>PLoS ONE</i> , 2011, 6, e24285.	1.1	50
46	A Novel Pathway Involving Melanoma Differentiation Associated Gene-7/Interleukin-24 Mediates Nonsteroidal Anti-inflammatory Drug-Induced Apoptosis and Growth Arrest of Cancer Cells. <i>Cancer Research</i> , 2006, 66, 11922-11931.	0.4	54
47	NF- $\kappa$ B-mediated repression of growth arrest- and DNA-damage-inducible proteins 45 and $\beta$ is essential for cancer cell survival. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 13618-13623.	3.3	151
48	Constitutive activation of nuclear factor kappaB p50/p65 and Fra-1 and JunD is essential for deregulated interleukin 6 expression in prostate cancer. <i>Cancer Research</i> , 2003, 63, 2206-15.	0.4	137