

Piotr Indykiewicz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7781262/piotr-indykiewicz-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28
papers

387
citations

10
h-index

19
g-index

29
ext. papers

501
ext. citations

2.6
avg, IF

3.21
L-index

#	Paper	IF	Citations
28	Gulls of a feather do not sleep whenever circadian rhythm of activity of black-headed gulls <i>Chroicocephalus ridibundus</i> during the incubation period. <i>Journal of Ornithology</i> , 2021 , 162, 1101	1.5	0
27	Lack of Evidence That Bird Feeders Are a Source of Salmonellosis during Winter in Poland. <i>Animals</i> , 2021 , 11,	3.1	2
26	Prevalence and Antibiotic Resistance of <i>Campylobacter</i> spp. in Urban and Rural Black-Headed Gulls <i>Chroicocephalus ridibundus</i> . <i>EcoHealth</i> , 2021 , 18, 147-156	3.1	2
25	Density-dependence of nestling immune function and physiological condition in semi-precocial colonial bird: a cross-fostering experiment. <i>Frontiers in Zoology</i> , 2021 , 18, 7	2.8	0
24	<i>Campylobacter</i> in wintering great tits <i>Parus major</i> in Poland. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 7570-7577	5.1	3
23	Intercolony variation in foraging flight characteristics of black-headed gulls during the incubation period. <i>Ecology and Evolution</i> , 2020 , 10, 5489-5505	2.8	2
22	Melanin-based plumage ornamentation signals condition and physiological stress in the Black-headed Gull. <i>Journal of Ornithology</i> , 2019 , 160, 1159-1169	1.5	3
21	Shortcomings of Discriminant Functions: A Case Study of Sex Identification in the Black-Headed Gull. <i>Ardeola</i> , 2019 , 66, 361	1.1	4
20	A Non-Invasive Method to Reduce the Negative Impact of Black-Headed Gulls <i>Chroicocephalus ridibundus</i> on the Breeding Success of Common Terns <i>Sterna hirundo</i> . <i>Ardea</i> , 2019 , 107, 159	0.9	1
19	Central-periphery gradient of individual quality within a colony of Black-headed Gulls. <i>Ibis</i> , 2019 , 161, 744-758	1.9	2
18	Extensive gene flow along the urban-rural gradient in a migratory colonial bird. <i>Journal of Avian Biology</i> , 2018 , 49,	1.9	4
17	Factors Affecting Element Concentrations in Eggshells of Three Sympatrically Nesting Waterbirds in Northern Poland. <i>Archives of Environmental Contamination and Toxicology</i> , 2018 , 74, 318-329	3.2	2
16	Birds respond similarly to taxidermic models and live cuckoos <i>Cuculus canorus</i> . <i>Journal of Ethology</i> , 2018 , 36, 243-249	1.1	12
15	Black-headed gulls (<i>Chroicocephalus ridibundus</i>) - a natural reservoir of potentially pathogenic microfungi?. <i>Biologia (Poland)</i> , 2018 , 73, 241-246	1.5	1
14	Food preferences by birds using bird-feeders in winter: a large-scale experiment. <i>Avian Research</i> , 2018 , 9,	2	8
13	Bird diversity in urban green space: A large-scale analysis of differences between parks and cemeteries in Central Europe. <i>Urban Forestry and Urban Greening</i> , 2017 , 27, 264-271	5.4	41
12	Scale-of-choice effect in the assortative mating by multiple ornamental and non-ornamental characters in the black-headed gull. <i>Behavioral Ecology and Sociobiology</i> , 2017 , 71, 1	2.5	12

11	Intra-clutch and inter-colony variability in element concentrations in eggshells of the black-headed gull, <i>Chroicocephalus ridibundus</i> , in northern Poland. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 10341-10353	5.1	7
10	Extra-pair paternity in the black-headed gull: is it exceptional among colonial waterbirds?. <i>Behaviour</i> , 2017 , 154, 1081-1099	1.4	3
9	Urbanization affects neophilia and risk-taking at bird-feeders. <i>Scientific Reports</i> , 2016 , 6, 28575	4.9	45
8	Cuckoo and biodiversity: Testing the correlation between species occurrence and bird species richness in Europe. <i>Biological Conservation</i> , 2015 , 190, 123-132	6.2	27
7	Urban and rural habitats differ in number and type of bird feeders and in bird species consuming supplementary food. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 15097-103	5.1	69
6	Urban habitats and feeders both contribute to flight initiation distance reduction in birds. <i>Behavioral Ecology</i> , 2015 , 26, 861-865	2.3	50
5	Egg Losses Caused by Cold Snap in the Black-Headed Gull, <i>Chroicocephalus ridibundus</i> L.. <i>Polish Journal of Ecology</i> , 2015 , 63, 460-466	0.4	7
4	Who started first? Bird species visiting novel birdfeeders. <i>Scientific Reports</i> , 2015 , 5, 11858	4.9	28
3	Winter Bird Assemblages in Rural and Urban Environments: A National Survey. <i>PLoS ONE</i> , 2015 , 10, e0130299	3.7	32
2	Effects of breeding date and weather on nestling development in White Storks <i>Ciconia ciconia</i> . <i>Bird Study</i> , 2011 , 58, 178-185	0.7	18
1	Factors Determining Number Fluctuations and Variation of the Breeding Success of an Urban Population of the Black-headed Gull <i>Larus ridibundus</i> (N-Poland). <i>Folia Biologica</i> , 2005 , 53, 165-169	0.7	2