Peter Kijun Kim

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/778137/peter-kijun-kim-publications-by-year.pdf

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

41 8,852 23 44 g-index

44 9,950 7.2 5.03 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
41	Loss of Acot12 contributes to NAFLD independent of lipolysis of adipose tissue. <i>Experimental and Molecular Medicine</i> , 2021 , 53, 1159-1169	12.8	O
40	C5orf51 is a component of the MON1-CCZ1 complex and controls RAB7A localization and stability during mitophagy. <i>Autophagy</i> , 2021 , 1-12	10.2	3
39	ORP1L mediated PI(4)P signaling at ER-lysosome-mitochondrion three-way contact contributes to mitochondrial division. <i>Nature Communications</i> , 2021 , 12, 5354	17.4	6
38	Global Proximity Interactome of the Human Macroautophagy Pathway. Autophagy, 2021, 1-13	10.2	4
37	Peroxisome Assembly, Degradation, and Disease 2020 , 137-150		
36	Loss of HSPA9 induces peroxisomal degradation by increasing pexophagy. <i>Autophagy</i> , 2020 , 16, 1989-2	0 03 .2	21
35	Exploiting the diphtheria toxin internalization receptor enhances delivery of proteins to lysosomes for enzyme replacement therapy. <i>Science Advances</i> , 2020 , 6,	14.3	3
34	Peroxisome Biogenesis Disorders 2020 , 221-233		
33	Pexophagy: A Model for Selective Autophagy. International Journal of Molecular Sciences, 2020, 21,	6.3	33
32	Hyperspectral super-resolution imaging with far-red emitting fluorophores using a thin-film tunable filter. <i>Review of Scientific Instruments</i> , 2020 , 91, 123703	1.7	1
31	Maintaining social contacts: The physiological relevance of organelle interactions. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2020 , 1867, 118800	4.9	23
30	Deubiquitinating enzyme USP30 maintains basal peroxisome abundance by regulating pexophagy. Journal of Cell Biology, 2019 , 218, 798-807	7.3	32
29	USP30: protector of peroxisomes and mitochondria. <i>Molecular and Cellular Oncology</i> , 2019 , 6, 1600350	1.2	1
28	Lysosome Targeting RedGreen-assay: Selective Autophagy Sensing Assay for Mammalian Cells. <i>Bio-protocol</i> , 2019 , 9, e3455	0.9	2
27	Fyn is recruited to specialized clathrin coated pits and regulates EGF receptor signaling. <i>FASEB Journal</i> , 2019 , 33, 788.1	0.9	
26	Single-molecule localization microscopy of septin bundles in mammalian cells. <i>Cytoskeleton</i> , 2019 , 76, 63-72	2.4	3
25	Cardiolipin synthesizing enzymes form a complex that interacts with cardiolipin-dependent membrane organizing proteins. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018 , 1863, 447-457	5	14

(2012-2018)

24	mTOR complex 1 controls the nuclear localization and function of glycogen synthase kinase 3\(\text{Journal of Biological Chemistry}\), 2018 , 293, 14723-14739	5.4	23
23	Global Interactomics Uncovers Extensive Organellar Targeting by Zika Virus. <i>Molecular and Cellular Proteomics</i> , 2018 , 17, 2242-2255	7.6	78
22	An ATG16L1-dependent pathway promotes plasma membrane repair and limits Listeria monocytogenes cell-to-cell spread. <i>Nature Microbiology</i> , 2018 , 3, 1472-1485	26.6	40
21	VAPs and ACBD5 tether peroxisomes to the ER for peroxisome maintenance and lipid homeostasis. <i>Journal of Cell Biology</i> , 2017 , 216, 367-377	7.3	142
20	The peroxisomal AAA ATPase complex prevents pexophagy and development of peroxisome biogenesis disorders. <i>Autophagy</i> , 2017 , 13, 868-884	10.2	59
19	Rab7 palmitoylation is required for efficient endosome-to-TGN trafficking. <i>Journal of Cell Science</i> , 2017 , 130, 2579-2590	5.3	24
18	Peroxisome Biogenesis: A Union between Two Organelles. <i>Current Biology</i> , 2017 , 27, R271-R274	6.3	17
17	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
16	Multiple paths to peroxisomes: Mechanism of peroxisome maintenance in mammals. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016 , 1863, 881-91	4.9	29
15	Malnutrition-associated liver steatosis and ATP depletion is caused by peroxisomal and mitochondrial dysfunction. <i>Journal of Hepatology</i> , 2016 , 65, 1198-1208	13.4	78
14	PEX2 is the E3 ubiquitin ligase required for pexophagy during starvation. <i>Journal of Cell Biology</i> , 2016 , 214, 677-90	7.3	101
13	Deubiquitinating enzymes regulate PARK2-mediated mitophagy. <i>Autophagy</i> , 2015 , 11, 595-606	10.2	136
12	Multiple Domains in PEX16 Mediate Its Trafficking and Recruitment of Peroxisomal Proteins to the ER. <i>Traffic</i> , 2015 , 16, 832-52	5.7	29
11	PEX5 and ubiquitin dynamics on mammalian peroxisome membranes. <i>PLoS Computational Biology</i> , 2014 , 10, e1003426	5	15
10	PEX16 contributes to peroxisome maintenance by constantly trafficking PEX3 via the ER. <i>Journal of Cell Science</i> , 2014 , 127, 3675-86	5.3	45
9	NBR1 acts as an autophagy receptor for peroxisomes. <i>Journal of Cell Science</i> , 2013 , 126, 939-52	5.3	233
8	PEX16: a multifaceted regulator of peroxisome biogenesis. Frontiers in Physiology, 2013, 4, 241	4.6	23
7	ROS-induced mitochondrial depolarization initiates PARK2/PARKIN-dependent mitochondrial degradation by autophagy. <i>Autophagy</i> , 2012 , 8, 1462-76	10.2	286

Guidelines for the use and interpretation of assays for monitoring autophagy. Autophagy, 2012, 8, 445-546.2 2783 6 Ubiquitin signals autophagic degradation of cytosolic proteins and peroxisomes. Proceedings of the 11.5 427 National Academy of Sciences of the United States of America, 2008, 105, 20567-74 The origin and maintenance of mammalian peroxisomes involves a de novo PEX16-dependent 7.3 258 pathway from the ER. Journal of Cell Biology, 2006, 173, 521-32 Requirement for microtubules and dynein motors in the earliest stages of peroxisome biogenesis. 5.7 Traffic, 2005, 6, 386-95 Manipulation of peptide conformations by fine-tuning of the environment and/or the primary 16 2 2.2 sequence. Biopolymers, 1995, 35, 667-75

Peroxisome Assembly, Degradation, and Disease191-200