List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7781836/publications.pdf Version: 2024-02-01



Διταν Ονατ

#	Article	IF	CITATIONS
1	Low Serum Uric Acid Predicts Risk of a Composite Disease Endpoint. Medicina (Lithuania), 2021, 57, 361.	2.0	0
2	Sex-specific associations of TCF7L2 variants with fasting glucose, type 2 diabetes and coronary heart disease among Turkish adults. Anatolian Journal of Cardiology, 2020, 24, 326-333.	0.9	1
3	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. European Heart Journal, 2019, 40, 621-631.	2.2	97
4	Optimal anthropometric measures to predict incidence of coronary heart disease in adults in Turkey. The National Medical Journal of India, 2019, 32, 334.	0.3	2
5	Population-based serum omentin-1 levels: paradoxical association with cardiometabolic disorders primarily in men. Biomarkers in Medicine, 2018, 12, 141-149.	1.4	4
6	Modified risk associations of lipoproteins and apolipoproteins by chronic low-grade inflammation. Expert Review of Cardiovascular Therapy, 2018, 16, 39-48.	1.5	4
7	High-normal thyroid-stimulating hormone in euthyroid subjects is associated with risk of mortality and composite disease endpoint only in women. Archives of Medical Science, 2018, 14, 1394-1403.	0.9	9
8	Autoimmune activation as a determinant of atrial fibrillation among Turks. Medicine (United States), 2018, 97, e11779.	1.0	6
9	Little contribution of conventional factors in an algorithm to predicting death risk in Turkish adults. International Journal of Cardiology, 2017, 230, 542-548.	1.7	3
10	Sexâ€dependent independent prediction of incident diabetes by depressive symptoms. International Journal of Geriatric Psychiatry, 2017, 32, 1425-1432.	2.7	0
11	Lipoprotein(a)-activated immunity, insulin resistance and new-onset diabetes. Postgraduate Medicine, 2017, 129, 611-618.	2.0	15
12	Proinflammatory State, Diverse Protective Plasma Proteins Including High-Density Lipoprotein Particles, and Outcome. Journal of the American College of Cardiology, 2017, 69, 2675-2676.	2.8	0
13	Reply to "Contribution of serum lipoproteins in mortality risk assessment". International Journal of Cardiology, 2017, 247, 10.	1.7	0
14	Rheumatoid Arthritis and Risk of Nonischemic HeartÂFailure. Journal of the American College of Cardiology, 2017, 70, 687-688.	2.8	1
15	Lower circulating migration inhibitory factor protein is associated with metabolic syndrome and diabetes. Biomarkers in Medicine, 2017, 11, 557-568.	1.4	2
16	Determinants of obstructive sleep apnea syndrome: Pro-inflammatory state and dysfunction of high-density lipoprotein. Nutrition, 2017, 43-44, 54-60.	2.4	5
17	Distinction of hypertriglyceridemic waist phenotype from simple abdominal obesity: interaction with sex hormone-binding globulin levels to confer high coronary risk. Postgraduate Medicine, 2017, 129, 288-295.	2.0	4
18	Cardiovascular Disease Risk in Psoriatic Arthritis—Common Soil Due to Proinflammatory State and Autoimmune Activation: Comment on the Article by Polachek et al. Arthritis Care and Research, 2017, 69, 456-457.	3.4	0

#	Article	IF	CITATIONS
19	Low acylation stimulating protein levels are associated with cardiometabolic disorders–secondary to autoimmune activation?. Anatolian Journal of Cardiology, 2017, 17, 97-106.	0.9	1
20	Tenth categories of total and HDL cholesterol fail to independently predict death risk in middle-aged Turkish adults. Turk Kardiyoloji Dernegi Arsivi, 2017, 45, 590-598.	0.5	2
21	Fasting glycemia and glycated hemoglobin categories: Relationship to serum lipoprotein(a) level and disparity in 2 geographic regional groups of Turkey. Anatolian Journal of Cardiology, 2017, 17, 191-199.	0.9	1
22	Turkey's top publications in cardiovascular medicine in the past 25 years: evaluation of its impact. Anatolian Journal of Cardiology, 2017, 18, 417-424.	0.9	1
23	Algorithm for predicting CHD death risk in Turkish adults: conventional factors contribute only moderately in women. Anatolian Journal of Cardiology, 2017, 17, 436-444.	0.9	2
24	Female and urban participants demonstrate an adverse trend in overall mortality in Turkey – and a report on the TARF survey 2016. Turk Kardiyoloji Dernegi Arsivi, 2017, 45, 391-397.	0.5	0
25	Shared underlying dynamics between heart failure and cancer: autoimmune activation?. European Journal of Heart Failure, 2016, 18, 877-877.	7.1	2
26	Lipoprotein(A) Level and Mif Gene Variant Predict Incident Metabolic Syndrome and Mortality. Journal of Investigative Medicine, 2016, 64, 392-399.	1.6	13
27	Modulators of J-Shaped Association of HbA <sub>1c</sub> Levels with Mortality in Adults. Cardiology, 2016, 135, 50-51.	1.4	1
28	Antihypertensive Drug Usage in Prediction of Incident Atrial Fibrillation. Journal of the American College of Cardiology, 2016, 67, 1753-1754.	2.8	1
29	Risk of obesity and metabolic syndrome associated with FTO gene variants discloses clinically relevant gender difference among Turks. Molecular Biology Reports, 2016, 43, 485-494.	2.3	18
30	Breastfeeding: A bystander marker of improvement in multiparity-induced cardiometabolic disease risk?. European Journal of Preventive Cardiology, 2016, 23, 1751-1754.	1.8	0
31	Gender-modulated risk of coronary heart disease, diabetes and coronary mortality among Turks for three major risk factors, and residual adiposity risk. BMC Endocrine Disorders, 2016, 16, 54.	2.2	1
32	Clinical Significance and Potential Mechanism of Discordance Between Apolipoprotein B and LDL-Cholesterol. Journal of the American College of Cardiology, 2016, 67, 3023-3024.	2.8	1
33	Advances in understanding gender difference in cardiometabolic disease risk. Expert Review of Cardiovascular Therapy, 2016, 14, 513-523.	1.5	29
34	Underlying Autoimmune Activation Rendering Paradoxical Non-Linear Relationship between Biomarkers and Cardiometabolic Risk. Journal of Clinical & Cellular Immunology, 2016, 07, .	1.5	2
35	Status of Turkey's top publications in cardiovascular medicine, revisited after 4 years. Turk Kardiyoloji Dernegi Arsivi, 2016, 44, 320-8.	0.5	6
36	Twenty-five years of the TARF study: The 2015 survey, and temporal trends in mortality and loss to follow-up. Turk Kardiyoloji Dernegi Arsivi, 2016, 44, 365-70.	0.5	2

#	Article	IF	CITATIONS
37	Effectiveness of a standard secondary coronary prevention program: not obligate. Anatolian Journal of Cardiology, 2016, 16, 92-3.	0.9	0
38	Sex-Specific Predictors of Metabolic Syndrome Independent of Its Components. Journal of Investigative Medicine, 2015, 63, 796-801.	1.6	8
39	Research update for articles published in <scp>EJCI</scp> in 2013. European Journal of Clinical Investigation, 2015, 45, 1005-1016.	3.4	1
40	Prediction by Low Plasma HbA1c of Mortality, Cardiac and Noncardiac Disease Risk. Journal of Investigative Medicine, 2015, 63, 821-827.	1.6	9
41	An inverse-to-anticipated relationship of Lp-PLA2 activity in diabetes: Reflection of underlying autoimmune activation. European Journal of Internal Medicine, 2015, 26, 72.	2.2	3
42	Turkey's recent collaborative and genuine contributors to medicine. Anatolian Journal of Cardiology, 2015, 15, 172-174.	0.4	2
43	Association of Cardiometabolic Multimorbidity With Mortality. JAMA - Journal of the American Medical Association, 2015, 314, 52.	7.4	624
44	Sex- and Obesity-specific Association of Aromatase (CYP19A1) Gene Variant with Apolipoprotein B and Hypertension. Archives of Medical Research, 2015, 46, 564-571.	3.3	23
45	Oxidative stress-mediated (sex-specific) loss of protection against type-2 diabetes by macrophage migration inhibitory factor (MIF)â~173G/C polymorphism. Clinica Chimica Acta, 2015, 438, 1-6.	1.1	22
46	Normal thyroid-stimulating hormone levels, autoimmune activation, and coronary heart disease risk. Endocrine, 2015, 48, 218-226.	2.3	18
47	Fatty liver disease: Disparate predictive ability for cardiometabolic risk and all-cause mortality. World Journal of Gastroenterology, 2015, 21, 13555.	3.3	11
48	Rheumatoid factor mediates excess serum lipoprotein(a) for independent association with type 2 diabetes in men. Anatolian Journal of Cardiology, 2015, 15, 782-788.	0.9	2
49	Testosterone, Sex Hormone-Binding Globulin and the Metabolic Syndrome in Men: An Individual Participant Data Meta-Analysis of Observational Studies. PLoS ONE, 2014, 9, e100409.	2.5	162
50	Renal "hyperfiltrators―are at elevated risk of death and chronic diseases. BMC Nephrology, 2014, 15, 160.	1.8	28
51	Obesity attenuates gender differences in cardiovascular mortality. Cardiovascular Diabetology, 2014, 13, 144.	6.8	33
52	Farewell to Teoman, from a brother. Anatolian Journal of Cardiology, 2014, 14, 665-665.	0.4	1
53	Comment on Ye et al. The Association Between Circulating Lipoprotein(a) and Type 2 Diabetes: Is It Causal? Diabetes 2014;63:332-342. Diabetes, 2014, 63, e14-e14.	0.6	4
54	Type-2 diabetes and coronary heart disease: common physiopathology, viewed from autoimmunity. Expert Review of Cardiovascular Therapy, 2014, 12, 667-679.	1.5	17

#	Article	IF	CITATIONS
55	Dynamics shared by two related proinflammatory conditions, rheumatoid arthritis and metabolic syndrome. European Journal of Rheumatology, 2014, 1, 5-6.	0.6	1
56	Gender-specific associations of the APOA1 â^'75G>A polymorphism with several metabolic syndrome components in Turkish adults. Clinica Chimica Acta, 2014, 431, 244-249.	1.1	21
57	Serum total and high-density lipoprotein phospholipids: Independent predictive value for cardiometabolic risk. Clinical Nutrition, 2014, 33, 815-822.	5.0	7
58	Enhanced Proinflammatory State and Autoimmune Activation: a Breakthrough to Understanding Chronic Diseases. Current Pharmaceutical Design, 2014, 20, 575-584.	1.9	90
59	Elevated serum uric acid in nondiabetic people mark pro-inflammatory state and HDL dysfunction and independently predicts coronary disease. Clinical Rheumatology, 2013, 32, 1767-1775.	2.2	22
60	Fasting, non-fasting glucose and HDL dysfunction in risk of pre-diabetes, diabetes, and coronary disease in non-diabetic adults. Acta Diabetologica, 2013, 50, 519-528.	2.5	32
61	The serious adjustment bias and competing outcomes in hypertriglyceridemic waist phenotype. International Journal of Cardiology, 2013, 168, 4500.	1.7	2
62	Serum creatinine is associated with coronary disease risk even in the absence of metabolic disorders. Scandinavian Journal of Clinical and Laboratory Investigation, 2013, 73, 569-575.	1.2	18
63	Abdominal obesity with hypertriglyceridaemia, lipoprotein(a) and apolipoprotein <scp>A</scp> â€ <scp>I</scp> determine marked cardiometabolic risk. European Journal of Clinical Investigation, 2013, 43, 1129-1139.	3.4	15
64	High Serum Apolipoprotein E Determines Hypertriglyceridemic Dyslipidemias, Coronary Disease and ApoAâ€I Dysfunctionality. Lipids, 2013, 48, 51-61.	1.7	9
65	Increased apolipoprotein A-I levels mediate the development of prehypertension among Turks. Anatolian Journal of Cardiology, 2013, 13, 306-14.	0.4	11
66	Gender specific association of ABCA1 gene R219K variant in coronary disease risk through interactions with serum triglyceride elevation in Turkish adults. Anatolian Journal of Cardiology, 2013, 14, 18-25.	0.4	19
67	Turkey's contribution to medicine: Main institutions, fields and publications. Turkish Journal of Surgery, 2013, 29, 105-114.	1.0	6
68	Apparently "low―serum asymmetric dimethylarginine is associated with fasting glucose and tends toward association with type-2 diabetes. Anatolian Journal of Cardiology, 2013, 14, 26-33.	0.4	9
69	Aggregation of lipoprotein(a) to apolipoprotein A-I underlying HDL dysfunction as a major coronary risk factor. Anatolian Journal of Cardiology, 2013, 13, 543-51.	0.4	15
70	Coronary Disease Risk Curve of Serum Creatinine Is Linear in Turkish Men, U-Shaped in Women. Journal of Investigative Medicine, 2013, 61, 27-33.	1.6	26
71	Impaired fasting glucose: Pro-diabetic, "atheroprotective―and modified by metabolic syndrome. World Journal of Diabetes, 2013, 4, 210.	3.5	11
72	High adiponectin levels fail to protect against the risk of hypertension and, in women, against coronary disease: involvement in autoimmunity?. World Journal of Diabetes, 2013, 4, 219.	3.5	10

#	Article	IF	CITATIONS
73	Short stature is an independent risk marker for mortality and incident coronary heart disease only in women: a structural relationship?. Anatolian Journal of Cardiology, 2012, 12, 289-97.	0.4	2
74	Clinical biomarkers of high-density lipoprotein dysfunction among middle-aged Turks. Anatolian Journal of Cardiology, 2012, 12, 628-36.	0.4	1
75	Gender- and obesity-specific effect of apolipoprotein C3 gene (APOC3) –482C>T polymorphism on triglyceride concentration in Turkish adults. Clinical Chemistry and Laboratory Medicine, 2012, 50, 285-92.	2.3	7
76	Serum γâ€Glutamyltransferase: Independent Predictor of Risk of Diabetes, Hypertension, Metabolic Syndrome, and Coronary Disease. Obesity, 2012, 20, 842-848.	3.0	75
77	Plasma HDL cholesterol and risk of myocardial infarction. Lancet, The, 2012, 380, 1989-1990.	13.7	6
78	Diverging sex-specific long-term effects of cigarette smoking on fasting insulin and glucose levels in non-diabetic people. Clinical Biochemistry, 2012, 45, 37-42.	1.9	7
79	Minor allele of the APOA4 gene T347S polymorphism predisposes to obesity in postmenopausal Turkish women. Molecular Biology Reports, 2012, 39, 10907-10914.	2.3	10
80	Excess Cardiovascular Risk in Inflammatory Rheumatic Diseases: Pathophysiology and Targeted Therapy. Current Pharmaceutical Design, 2012, 18, 1465-1477.	1.9	30
81	Dysfunction of high-density lipoprotein and its apolipoproteins: New mechanisms underlying cardiometabolic risk in the population at large. Turk Kardiyoloji Dernegi Arsivi, 2012, 40, 368-385.	0.5	10
82	Complement C3 and cleavage products in cardiometabolic risk. Clinica Chimica Acta, 2011, 412, 1171-1179.	1.1	103
83	Coronary disease risk and fasting glucose levels in a non-diabetic population. Diabetes Research and Clinical Practice, 2011, 91, 220-225.	2.8	9
84	The impact of dyslipidaemia on incidence of coronary heart disease in Finns and Swedes with different categories of glucose tolerance. Diabetes Research and Clinical Practice, 2011, 91, 406-412.	2.8	5
85	Metabolic syndrome: nature, therapeutic solutions and options. Expert Opinion on Pharmacotherapy, 2011, 12, 1887-1900.	1.8	78
86	Low-grade inflammation, and dysfunction of high-density lipoprotein and its apolipoproteins as a major driver of cardiometabolic risk. Metabolism: Clinical and Experimental, 2011, 60, 499-512.	3.4	63
87	The APOE â^'219G/T and +113G/C polymorphisms affect insulin resistance among Turks. Metabolism: Clinical and Experimental, 2011, 60, 655-663.	3.4	11
88	APOC3 Â482C>T polymorphism, circulating apolipoprotein C-III and smoking: Interrelation and roles in predicting type-2 diabetes and coronary disease. Clinical Biochemistry, 2011, 44, 391-396.	1.9	15
89	Dual activity of serum lipoprotein-associated phospholipase A <sub>2</sub> yielding positive and inverse associations with cardiometabolic risk. Clinical Chemistry and Laboratory Medicine, 2011, 49, 1349-1357.	2.3	14
90	Depressive Symptoms in a General Population: Associations with Obesity, Inflammation, and Blood Pressure. Cardiology Research and Practice, 2011, 2011, 1-7.	1.1	7

#	Article	IF	CITATIONS
91	Dynamics in Cardiometabolic Risk among Turkish Adults: Similarities to that in Iranians?. International Journal of Preventive Medicine, 2011, 2, 56-63.	0.4	4
92	Serum complement C3: a determinant of cardiometabolic risk, additive to the metabolic syndrome, in middle-aged population. Metabolism: Clinical and Experimental, 2010, 59, 628-634.	3.4	65
93	Visceral adipose tissue and body fat mass: Predictive values for and role of gender in cardiometabolic risk among Turks. Nutrition, 2010, 26, 382-389.	2.4	30
94	Apolipoprotein A-I positively associated with diabetes in women independently of apolipoprotein E genotype and apolipoprotein B levels. Nutrition, 2010, 26, 975-980.	2.4	14
95	Predictive value of serum apolipoprotein B/LDL-cholesterol ratio in cardiometabolic risk: Population-based cohort study. Clinical Biochemistry, 2010, 43, 1381-1386.	1.9	18
96	Cardiovascular Disease Mortality in Europeans in Relation to Fasting and 2-h Plasma Glucose Levels Within a Normoglycemic Range. Diabetes Care, 2010, 33, 2211-2216.	8.6	111
97	High Absolute Coronary Disease Risk among Turks: Involvement of Risk Factors Additional to Conventional Ones. Cardiology, 2010, 115, 297-306.	1.4	18
98	Distinct Ethnic Differences in Lipid Profiles across Glucose Categories. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 1793-1801.	3.6	30
99	Secondhand Smoke Exposure and Protective Effects. Journal of the American College of Cardiology, 2010, 56, 1962.	2.8	0
100	"Atherogenic index of plasma―(log10 triglyceride/high-density lipoproteinâ^'cholesterol) predicts high blood pressure, diabetes, and vascular events. Journal of Clinical Lipidology, 2010, 4, 89-98.	1.5	243
101	Cigarette smoking and beneficial effect on cardiometabolic risk: A reply. Atherosclerosis, 2010, 210, 370-371.	0.8	0
102	Impaired anti-inflammatory function of apolipoprotein A-II concentrations predicts metabolic syndrome and diabetes at 4 years follow-up in elderly Turks. Clinical Chemistry and Laboratory Medicine, 2009, 47, 1389-94.	2.3	18
103	Preheparin serum lipoprotein lipase mass interacts with gender, gene polymorphism and, positively, with smoking. Clinical Chemistry and Laboratory Medicine, 2009, 47, 208-15.	2.3	6
104	Lifestyle and Metabolic Determinants of Incident Hypertension, With Special Reference to Cigarette Smoking: A Longitudinal Population-Based Study. American Journal of Hypertension, 2009, 22, 156-162.	2.0	29
105	Smoking inhibits visceral fat accumulation in Turkish women. Metabolism: Clinical and Experimental, 2009, 58, 963-970.	3.4	26
106	Neck circumference as a measure of central obesity: Associations with metabolic syndrome and obstructive sleep apnea syndrome beyond waist circumference. Clinical Nutrition, 2009, 28, 46-51.	5.0	231
107	Serum Adiponectin Confers Little Protection Against Diabetes and Hypertension in Turkish Men. Obesity, 2009, 17, 564-570.	3.0	16
108	Independent prediction of metabolic syndrome by plasma fibrinogen in men, and predictors of elevated levels. International Journal of Cardiology, 2009, 135, 211-217.	1.7	23

#	Article	IF	CITATIONS
109	Impaired protection against diabetes and coronary heart disease by high-density lipoproteins in Turks. Metabolism: Clinical and Experimental, 2009, 58, 1393-1399.	3.4	55
110	Moderate and heavy alcohol consumption among Turks: long-term impact on mortality and cardiometabolic risk. Turk Kardiyoloji Dernegi Arsivi, 2009, 37, 83-90.	0.5	8
111	Associations of alcohol consumption with blood pressure, lipoproteins, and subclinical inflammation among Turks. Alcohol, 2008, 42, 593-601.	1.7	35
112	Serum folate is associated with coronary heart disease independently of homocysteine in Turkish men. Clinical Nutrition, 2008, 27, 732-739.	5.0	9
113	Serum C-reactive protein is an independent risk factor predicting cardiometabolic risk. Metabolism: Clinical and Experimental, 2008, 57, 207-214.	3.4	61
114	Reduced asymmetric dimethylarginine (ADMA) levels mediate in the protection from metabolic syndrome by smoking. Atherosclerosis, 2008, 196, 479-480.	0.8	8
115	Serum Total and High-Density Lipoprotein Phospholipid Levels in a Population-Based Study and Relationship to Risk of Metabolic Syndrome and Coronary Disease. Angiology, 2008, 59, 26-35.	1.8	25
116	Gender-modulated impact of apolipoprotein A5 gene (APOA5) â^'1131T>C and c.56C>G polymorphisms on lipids, dyslipidemia and metabolic syndrome in Turkish adults. Clinical Chemistry and Laboratory Medicine, 2008, 46, 778-84.	2.3	34
117	Predictive Value of Prehypertension for Metabolic Syndrome, Diabetes, and Coronary Heart Disease Among Turks. American Journal of Hypertension, 2008, 21, 890-895.	2.0	36
118	Lipoprotein(a) is associated with coronary heart disease independent of metabolic syndrome. Coronary Artery Disease, 2008, 19, 125-131.	0.7	20
119	Relatively high levels of serum adiponectin in obese women, a potential indicator of anti-inflammatory dysfunction: Relation to sex hormone-binding globulin. International Journal of Biological Sciences, 2008, 4, 208-214.	6.4	33
120	Serum asymmetric dimethylarginine levels among Turks: association with metabolic syndrome in women and tendency to decrease in smokers. Turk Kardiyoloji Dernegi Arsivi, 2008, 36, 7-13.	0.5	7
121	CETP TaqIB polymorphism in Turkish adults: association with dyslipidemia and metabolic syndrome. Anatolian Journal of Cardiology, 2008, 8, 324-30.	0.4	13
122	Association between Mild Renal Dysfunction and Insulin Resistance or Metabolic Syndrome in a Random Nondiabetic Population Sample. Kidney and Blood Pressure Research, 2007, 30, 88-96.	2.0	20
123	Elevated LDL-Cholesterol Level Predicts Diabetes in Centrally Obese Women but Not Men Relative Roles of Insulin Resistance and Central Obesity. Circulation Journal, 2007, 71, 1463-1467.	1.6	15
124	The S447X variant of lipoprotein lipase gene is associated with metabolic syndrome and lipid levels among Turks. Clinica Chimica Acta, 2007, 383, 110-115.	1.1	29
125	Determinants and definition of abdominal obesity as related to risk of diabetes, metabolic syndrome and coronary disease in Turkish men: A prospective cohort study. Atherosclerosis, 2007, 191, 182-190.	0.8	125
126	Prospective epidemiologic evidence of a "protective―effect of smoking on metabolic syndrome and diabetes among Turkish women—Without associated overall health benefit. Atherosclerosis, 2007, 193, 380-388.	0.8	93

#	Article	IF	CITATIONS
127	Predictors of abdominal obesity and high susceptibility of cardiometabolic risk to its increments among Turkish women: a prospective population-based study. Metabolism: Clinical and Experimental, 2007, 56, 348-356.	3.4	46
128	Serum sex hormone–binding globulin, a determinant of cardiometabolic disorders independent of abdominal obesity and insulin resistance in elderly men and women. Metabolism: Clinical and Experimental, 2007, 56, 1356-1362.	3.4	40
129	Obstructive sleep apnea syndrome is associated with metabolic syndrome rather than insulin resistance. Sleep and Breathing, 2007, 11, 23-30.	1.7	36
130	Discordance between insulin resistance and metabolic syndrome: features and associated cardiovascular risk in adults with normal glucose regulation. Metabolism: Clinical and Experimental, 2006, 55, 445-452.	3.4	50
131	Serum Uric Acid Is a Determinant of Metabolic Syndrome in a Population-Based Study. American Journal of Hypertension, 2006, 19, 1055-1062.	2.0	206
132	Plasma triglycerides, an independent predictor of cardiovascular disease in men: A prospective study based on a population with prevalent metabolic syndrome. International Journal of Cardiology, 2006, 108, 89-95.	1.7	59
133	Serum gamma glutamyltransferase as a marker of metabolic syndrome and coronary disease likelihood in nondiabetic middle-aged and elderly adults. Preventive Medicine, 2006, 43, 136-139.	3.4	41
134	Prevalence, incidence, predictors and outcome of type 2 diabetes in Turkey. Anatolian Journal of Cardiology, 2006, 6, 314-21.	0.4	33
135	Cross-sectional study of complement C3 as a coronary risk factor among men and women. Clinical Science, 2005, 108, 129-135.	4.3	61
136	Sex difference in development of diabetes and cardiovascular disease on the way from obesity and metabolic syndrome. Metabolism: Clinical and Experimental, 2005, 54, 800-808.	3.4	57
137	Evidence for a complex risk profile in obese postmenopausal Turkish women with hypertriglyceridaemia and elevated apolipoprotein B. Clinical Science, 2004, 107, 97-104.	4.3	9
138	Lipids, lipoproteins and apolipoproteins among turks, and impact on coronary heart disease. Anatolian Journal of Cardiology, 2004, 4, 236-45.	0.4	15
139	Systolic, diastolic, and pulse pressures as coronary risk factors in a population with low cholesterol levels: A prospective 10-year evaluation. Clinical Cardiology, 2003, 26, 91-97.	1.8	15
140	Apolipoprotein C-III, a strong discriminant of coronary risk in men and a determinant of the metabolic syndrome in both genders. Atherosclerosis, 2003, 168, 81-89.	0.8	118
141	Family income a strong predictor of coronary heart disease events but not of overall deaths among Turkish adults: a 12-year prospective study. Preventive Medicine, 2003, 37, 171-176.	3.4	8
142	Metabolic syndrome: major impact on coronary risk in a population with low cholesterol levels—a prospective and cross-sectional evaluation. Atherosclerosis, 2002, 165, 285-292.	0.8	283
143	Fasting insulin levels independently associated with coronary heart disease in non-diabetic Turkish men and women. International Journal of Cardiology, 2002, 86, 61-69.	1.7	16
144	Risk factors and cardiovascular disease in Turkey. Atherosclerosis, 2001, 156, 1-10.	0.8	220

#	Article	IF	CITATIONS
145	C-reactive protein and coronary heart disease in Western Turkey. American Journal of Cardiology, 2001, 88, 601-607.	1.6	49
146	Waist circumference and waist-to-hip ratio in Turkish adults: interrelation with other risk factors and association with cardiovascular disease. International Journal of Cardiology, 1999, 70, 43-50.	1.7	44
147	Relatively high coronary death and event rates in Turkish women. International Journal of Cardiology, 1997, 61, 69-77.	1.7	23
148	Simulated myocardial infarction and slow atrial flutter due to cerebral embolism from a free left atrial thrombus International Heart Journal, 1991, 32, 153-156.	0.6	2