
## Kishu Ranjan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7782184/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Advanced Glycation End Products-Mediated Oxidative Stress and Regulated Cell Death Signaling in Cancer. , 2022, , 535-550.		0
2	Higher BCGâ€induced trained immunity prevalence predicts protection from COVIDâ€19: Implications for ongoing BCG trials. Clinical and Translational Discovery, 2022, 2, .	0.2	5
3	AGE-RAGEÂsynergy influences programmed cell death signaling to promote cancer. Molecular and Cellular Biochemistry, 2021, 476, 585-598.	1.4	54
4	COVID-19: Unmasking Emerging SARS-CoV-2 Variants, Vaccines and Therapeutic Strategies. Biomolecules, 2021, 11, 993.	1.8	136
5	The E3 ubiquitin ligase RNF186 and <i>RNF186</i> risk variants regulate innate receptor-induced outcomes. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	6
6	Ubiquitination of ATF6 by disease-associated RNF186 promotes the innate receptor-induced unfolded protein response. Journal of Clinical Investigation, 2021, 131, .	3.9	15
7	Myeloid Cell Expression of LACC1 Is Required for Bacterial Clearance and Control of Intestinal Inflammation. Gastroenterology, 2020, 159, 1051-1067.	0.6	15
8	Cell-Penetrable Peptide-Conjugated FADD Induces Apoptosis and Regulates Inflammatory Signaling in Cancer Cells. International Journal of Molecular Sciences, 2020, 21, 6890.	1.8	15
9	Intestinal Immune Homeostasis and Inflammatory Bowel Disease: A Perspective on Intracellular Response Mechanisms. Gastrointestinal Disorders, 2020, 2, 246-266.	0.4	4
10	LACC1 Required for NOD2-Induced, ER Stress-Mediated Innate Immune Outcomes in Human Macrophages and LACC1 Risk Variants Modulate These Outcomes. Cell Reports, 2019, 29, 4525-4539.e4.	2.9	19
11	Hydrophilic Acylated Surface Protein A (HASPA) of Leishmania donovani: Expression, Purification and Biophysico-Chemical Characterization. Protein Journal, 2017, 36, 343-351.	0.7	4
12	FADD regulates NF-ήB activation and promotes ubiquitination of cFLIPL to induce apoptosis. Scientific Reports, 2016, 6, 22787.	1.6	44
13	Expression of FADD and cFLIPL balances mitochondrial integrity and redox signaling to substantiate apoptotic cell death. Molecular and Cellular Biochemistry, 2016, 422, 135-150.	1.4	15
14	Expression of cFLIP <sub>L</sub> Determines the Basal Interaction of Bclâ€2 With Beclinâ€1 and Regulates p53 Dependent Ubiquitination of Beclinâ€1 During Autophagic Stress. Journal of Cellular Biochemistry, 2016, 117, 1757-1768.	1.2	16
15	Regulation of HA14â€1 mediated oxidative stress, toxic response, and autophagy by curcumin to enhance apoptotic activity in human embryonic kidney cells. BioFactors, 2014, 40, 157-169.	2.6	25
16	Apoptotic potential of Fas-associated death domain on regulation of cell death regulatory protein cFLIP and death receptor mediated apoptosis in HEK 293T cells. Journal of Cell Communication and Signaling, 2012, 6, 155-168.	1.8	22