

# Andrew I Minett

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/778236/andrew-i-minett-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106  
papers

7,675  
citations

41  
h-index

87  
g-index

108  
ext. papers

8,293  
ext. citations

9.6  
avg, IF

5.81  
L-index

#	Paper	IF	Citations
106	N-doped reduced graphene oxide (rGO) wrapped carbon microfibers as binder-free electrodes for flexible fibre supercapacitors and sodium-ion batteries. <i>Journal of Energy Storage</i> , <b>2021</b> , 37, 102453	7.8	11
105	3D copper-confined N-Doped graphene/carbon nanotubes network as high-performing lithium-ion battery anode. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 850, 156701	5.7	10
104	Loading dependency of 2D MoS <sub>2</sub> nanosheets in the capacitance of 3D hybrid microfibre-based energy storage devices. <i>Carbon Trends</i> , <b>2021</b> , 5, 100097	0	3
103	High grafting strength from chemically bonded 2D layered material onto carbon microfibres for reinforced composites and ultra-long flexible cable electronic devices. <i>Materials Today Communications</i> , <b>2020</b> , 24, 100994	2.5	2
102	Deciphering the Role of Quaternary N in O <sub>2</sub> Reduction over Controlled N-Doped Carbon Catalysts. <i>Chemistry of Materials</i> , <b>2020</b> , 32, 1384-1392	9.6	25
101	Mineral sequestration of CO <sub>2</sub> using saprolite mine tailings in the presence of alkaline industrial wastes. <i>Journal of Cleaner Production</i> , <b>2018</b> , 188, 686-697	10.3	14
100	Nanoarchitected Nitrogen-Doped Graphene/Carbon Nanotube as High Performance Electrodes for Solid State Supercapacitors, Capacitive Deionization, Li-Ion Battery, and Metal-Free Bifunctional Electrocatalysis. <i>ACS Applied Energy Materials</i> , <b>2018</b> ,	6.1	7
99	A quadrifunctional electrocatalyst of nickel/nickel oxide embedded N-graphene for oxygen reduction, oxygen evolution, hydrogen evolution and hydrogen peroxide oxidation reactions. <i>Sustainable Energy and Fuels</i> , <b>2018</b> , 2, 2081-2089	5.8	27
98	Three dimensional cellular architecture of sulfur doped graphene: self-standing electrode for flexible supercapacitors, lithium ion and sodium ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 5290-5302	13	101
97	Pyridinic and graphitic nitrogen-rich graphene for high-performance supercapacitors and metal-free bifunctional electrocatalysts for ORR and OER. <i>RSC Advances</i> , <b>2017</b> , 7, 17950-17958	3.7	82
96	Liquid-Crystal-Mediated 3D Macrostructured Composite of Co/Co <sub>3</sub> O <sub>4</sub> Embedded in Graphene: Free-Standing Electrode for Efficient Water Splitting. <i>Particle and Particle Systems Characterization</i> , <b>2017</b> , 34, 1600386	3.1	11
95	Patterned Polymer Coatings Increase the Efficiency of Dew Harvesting. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 13676-13684	9.5	49
94	Nonenzymatic multispecies sensor based on Cu-Ni nanoparticle dispersion on doped graphene. <i>Electrochimica Acta</i> , <b>2017</b> , 224, 295-305	6.7	28
93	Boron-Functionalized Graphene Oxide-Organic Frameworks for Highly Efficient CO Capture. <i>Chemistry - an Asian Journal</i> , <b>2017</b> , 12, 283-288	4.5	31
92	In-situ direct grafting of graphene quantum dots onto carbon fibre by low temperature chemical synthesis for high performance flexible fabric supercapacitor. <i>Materials Today Communications</i> , <b>2017</b> , 10, 112-119	2.5	38
91	Doped graphene/Cu nanocomposite: A high sensitivity non-enzymatic glucose sensor for food. <i>Food Chemistry</i> , <b>2017</b> , 221, 751-759	8.5	83
90	Grafting carbon nanotubes directly onto carbon fibers for superior mechanical stability: Towards next generation aerospace composites and energy storage applications. <i>Carbon</i> , <b>2016</b> , 96, 701-710	10.4	161

89	A New Raman Metric for the Characterisation of Graphene oxide and its Derivatives. <i>Scientific Reports</i> , <b>2016</b> , 6, 19491	4.9	174
88	Facile fabrication of mesoporous CaO sorbents using simple salt as a pore template in a template-assisted and spray-drying synthesis method. <i>Chemical Engineering Journal</i> , <b>2016</b> , 291, 1-11	14.7	12
87	Textile energy storage: Structural design concepts, material selection and future perspectives. <i>Energy Storage Materials</i> , <b>2016</b> , 3, 123-139	19.4	109
86	High flux and high selectivity carbon nanotube composite membranes for natural organic matter removal. <i>Separation and Purification Technology</i> , <b>2016</b> , 163, 109-119	8.3	58
85	Self-Assembled N/S Codoped Flexible Graphene Paper for High Performance Energy Storage and Oxygen Reduction Reaction. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 2078-87	9.5	101
84	Relationship between nanotopographical alignment and stem cell fate with live imaging and shape analysis. <i>Scientific Reports</i> , <b>2016</b> , 6, 37909	4.9	41
83	Tuning graphene for energy and environmental applications: Oxygen reduction reaction and greenhouse gas mitigation. <i>Journal of Power Sources</i> , <b>2016</b> , 328, 472-481	8.9	14
82	Nitrogen doped graphene via thermal treatment of composite solid precursors as a high performance supercapacitor. <i>RSC Advances</i> , <b>2015</b> , 5, 30679-30686	3.7	53
81	A dual soft-template synthesis of hollow mesoporous silica spheres decorated with Pt nanoparticles as a CO oxidation catalyst. <i>RSC Advances</i> , <b>2015</b> , 5, 97928-97933	3.7	9
80	Carbon-supported gas-cleaning catalysts enable syn gas methanation at atmospheric pressure. <i>Catalysis Science and Technology</i> , <b>2015</b> , 5, 515-524	5.5	9
79	Towards the Knittability of Graphene Oxide Fibres. <i>Scientific Reports</i> , <b>2015</b> , 5, 14946	4.9	53
78	Co-Doping of Activated Graphene for Synergistically Enhanced Electrocatalytic Oxygen Reduction Reaction. <i>ChemSusChem</i> , <b>2015</b> , 8, 4040-8	8.3	21
77	Solid particles recirculation distribution in calcium looping post-combustion carbon capture. <i>International Journal of Greenhouse Gas Control</i> , <b>2015</b> , 43, 161-171	4.2	1
76	A Compact, Highly Efficient and Flexible Polymer Ultra-Wideband Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , <b>2015</b> , 14, 1207-1210	3.8	31
75	Hypothesis: bones toughness arises from the suppression of elastic waves. <i>Scientific Reports</i> , <b>2014</b> , 4, 7538	4.9	15
74	A simple gas-solid route to functionalize ordered carbon. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2014</b> , 6, 2910-6	9.5	3
73	Dichotomous adsorption behaviour of dyes on an amino-functionalised metal-organic framework, amino-MIL-101(Al). <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 193-203	13	295
72	Dispersion and characterization of arc discharge single-walled carbon nanotubes--towards conducting transparent films. <i>Nanoscale</i> , <b>2014</b> , 6, 3695-703	7.7	20

71	Bimetallic PtNi composites on ceria-doped alumina supports as catalysts in the aqueous-phase reforming of glycerol. <i>RSC Advances</i> , <b>2014</b> , 4, 18951-18960	3.7	29
70	Performance enhancement of single-walled nanotube/microwave exfoliated graphene oxide composite electrodes using a stacked electrode configuration. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 14835-14843	13	14
69	Design and synthesis of stable supported-CaO sorbents for CO <sub>2</sub> capture. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 4332	13	27
68	Edge-enriched graphene quantum dots for enhanced photo-luminescence and supercapacitance. <i>Nanoscale</i> , <b>2014</b> , 6, 11988-94	7.7	372
67	Nanocarbon-chlorophyll hybrids: Self assembly and photoresponse. <i>Carbon</i> , <b>2014</b> , 80, 746-754	10.4	6
66	Selective Acetalization of Glycerol with Acetone Over Nickel Nanoparticles Supported on Multi-Walled Carbon Nanotubes. <i>Catalysis Letters</i> , <b>2014</b> , 144, 1009-1015	2.8	19
65	High-performance multifunctional graphene yarns: toward wearable all-carbon energy storage textiles. <i>ACS Nano</i> , <b>2014</b> , 8, 2456-66	16.7	290
64	See the extracellular forest for the nanotrees. <i>Materials Today</i> , <b>2014</b> , 17, 43-44	21.8	
63	Anisotropy in tribological performances of long aligned carbon nanotubes/polymer composites. <i>Carbon</i> , <b>2014</b> , 67, 38-47	10.4	42
62	Hierarchical assembly of graphene/polyaniline nanostructures to synthesize free-standing supercapacitor electrode. <i>Composites Science and Technology</i> , <b>2014</b> , 98, 1-8	8.6	314
61	Polyol-assisted functionalization of carbon nanotubes—perspective. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 8509	13	16
60	High-yield aqueous phase exfoliation of graphene for facile nanocomposite synthesis via emulsion polymerization. <i>Journal of Colloid and Interface Science</i> , <b>2013</b> , 410, 43-51	9.3	244
59	Carbon nanotubes: their potential and pitfalls for bone tissue regeneration and engineering. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , <b>2013</b> , 9, 1139-58	6	87
58	Synergistically enhanced electrochemical (ORR) activity of graphene oxide using boronic acid as an interlayer spacer. <i>Chemical Communications</i> , <b>2013</b> , 49, 11068-70	5.8	23
57	Sensitive and selective dopamine determination in human serum with inkjet printed Nafion/MWCNT chips. <i>Electrochemistry Communications</i> , <b>2013</b> , 37, 32-35	5.1	29
56	Graphene Oxide: Scalable One-Step Wet-Spinning of Graphene Fibers and Yarns from Liquid Crystalline Dispersions of Graphene Oxide: Towards Multifunctional Textiles (Adv. Funct. Mater. 43/2013). <i>Advanced Functional Materials</i> , <b>2013</b> , 23, 5344-5344	15.6	5
55	Development of MoS <sub>2</sub> /CNT Composite Thin Film from Layered MoS <sub>2</sub> for Lithium Batteries. <i>Advanced Energy Materials</i> , <b>2013</b> , 3, 798-805	21.8	263
54	Removal of natural organic matter in water using functionalised carbon nanotube buckypaper. <i>Carbon</i> , <b>2013</b> , 59, 160-166	10.4	70

53	Pretreatment control of carbon nanotube array growth for gas separation: alignment and growth studied using microscopy and small-angle X-ray scattering. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2013</b> , 5, 3063-70	9.5	14
52	Effect of CeO <sub>2</sub> Addition to Al <sub>2</sub> O <sub>3</sub> Supports for Pt catalysts on the aqueous-phase reforming of glycerol. <i>ChemSusChem</i> , <b>2013</b> , 6, 1006-13	8.3	28
51	A review of techno-economic models for the retrofitting of conventional pulverised-coal power plants for post-combustion capture (PCC) of CO <sub>2</sub> . <i>Energy and Environmental Science</i> , <b>2013</b> , 6, 25-40	35.4	210
50	Scalable One-Step Wet-Spinning of Graphene Fibers and Yarns from Liquid Crystalline Dispersions of Graphene Oxide: Towards Multifunctional Textiles. <i>Advanced Functional Materials</i> , <b>2013</b> , 23, 5345-5354	15.6	303
49	Scalable solid-template reduction for designed reduced graphene oxide architectures. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2013</b> , 5, 7676-81	9.5	12
48	Mesoporous hollow PtCu nanoparticles for electrocatalytic oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 2391	13	78
47	Manganosite@microwave exfoliated graphene oxide composites for asymmetric supercapacitor device applications. <i>Electrochimica Acta</i> , <b>2013</b> , 101, 99-108	6.7	75
46	Localized growth of Pt on Pd as a bimetallic electrocatalyst with enhanced catalytic activity and durability for proton exchange membrane fuel cell. <i>Electrochemistry Communications</i> , <b>2013</b> , 34, 73-76	5.1	14
45	Carbon nanotube nanoweb-bioelectrode for highly selective dopamine sensing. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2012</b> , 4, 44-8	9.5	63
44	BiVO <sub>4</sub> /CeO <sub>2</sub> nanocomposites with high visible-light-induced photocatalytic activity. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2012</b> , 4, 3718-23	9.5	348
43	Separation of coiled carbon fibers from an alumina support by microwave-assisted digestion or sonication. <i>Separation and Purification Technology</i> , <b>2012</b> , 96, 248-255	8.3	2
42	Microwave decoration of Pt nanoparticles on entangled 3D carbon nanotube architectures as PEM fuel cell cathode. <i>ChemSusChem</i> , <b>2012</b> , 5, 1233-40	8.3	12
41	Compositional effects of PEDOT-PSS/single walled carbon nanotube films on supercapacitor device performance. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 15987		174
40	Open-Ended Aligned Carbon Nanotube Arrays Produced Using CO <sub>2</sub> -Assisted Floating-Ferrocene Chemical Vapor Deposition. <i>Journal of Physical Chemistry C</i> , <b>2011</b> , 115, 14093-14097	3.8	19
39	MWNT/C/Mg <sub>1.03</sub> Mn <sub>0.97</sub> SiO <sub>4</sub> hierarchical nanostructure for superior reversible magnesium ion storage. <i>Electrochemistry Communications</i> , <b>2011</b> , 13, 1143-1146	5.1	52
38	Large-scale exfoliation of inorganic layered compounds in aqueous surfactant solutions. <i>Advanced Materials</i> , <b>2011</b> , 23, 3944-8	24	888
37	Integrated High-Efficiency Pt/Carbon Nanotube Arrays for PEM Fuel Cells. <i>Advanced Energy Materials</i> , <b>2011</b> , 1, 671-677	21.8	39
36	PEM Fuel Cells: Integrated High-Efficiency Pt/Carbon Nanotube Arrays for PEM Fuel Cells (Adv. Energy Mater. 4/2011). <i>Advanced Energy Materials</i> , <b>2011</b> , 1, 670-670	21.8	

35	Comparison of the electrochemical behaviour of buckypaper and polymer-intercalated buckypaper electrodes. <i>Journal of Electroanalytical Chemistry</i> , <b>2011</b> , 652, 52-59	4.1	10
34	Carbon nanotube architectures as catalyst supports for proton exchange membrane fuel cells. <i>Energy and Environmental Science</i> , <b>2010</b> , 3, 1286	35.4	194
33	The citrate-mediated shape evolution of transforming photomorphous silver nanoparticles. <i>Chemical Communications</i> , <b>2010</b> , 46, 7807-9	5.8	29
32	Direct scattered growth of MWNT on Si for high performance anode material in Li-ion batteries. <i>Chemical Communications</i> , <b>2010</b> , 46, 9149-51	5.8	42
31	EPR characterisation of platinum nanoparticle functionalised carbon nanotube hybrid materials. <i>Physical Chemistry Chemical Physics</i> , <b>2010</b> , 12, 4135-41	3.6	40
30	Novel ACNT arrays based MEA structure-nano-Pt loaded ACNT/Nafion/ACNT for fuel cell applications. <i>Chemical Communications</i> , <b>2010</b> , 46, 4824-6	5.8	34
29	Advanced microwave-assisted production of hybrid electrodes for energy applications. <i>Energy and Environmental Science</i> , <b>2010</b> , 3, 1979	35.4	17
28	Electrochemical investigation of carbon nanotube nanoweb architecture in biological media. <i>Electrochemistry Communications</i> , <b>2010</b> , 12, 1471-1474	5.1	10
27	Carbon nanotube-based transducers for immunoassays. <i>Carbon</i> , <b>2009</b> , 47, 2337-2343	10.4	35
26	A new twist: controlled shape-shifting of silver nanoparticles from prisms to discs. <i>Journal of Materials Chemistry</i> , <b>2009</b> , 19, 8294		35
25	Carbon nanotube network modified carbon fibre paper for Li-ion batteries. <i>Energy and Environmental Science</i> , <b>2009</b> , 2, 393	35.4	99
24	Functionalising carbon nanotubes. <i>International Journal of Nanotechnology</i> , <b>2008</b> , 5, 331	1.5	7
23	Direct Growth of Flexible Carbon Nanotube Electrodes. <i>Advanced Materials</i> , <b>2008</b> , 20, 566-570	24	153
22	Flexible, Aligned Carbon Nanotube/Conducting Polymer Electrodes for a Lithium-Ion Battery. <i>Chemistry of Materials</i> , <b>2007</b> , 19, 3595-3597	9.6	199
21	Controlled growth of arrays of straight and branched carbon nanotubes <b>2005</b> , 5824, 62		
20	Biomolecules as selective dispersants for carbon nanotubes. <i>Carbon</i> , <b>2005</b> , 43, 1879-1884	10.4	62
19	Characterisation of Single-walled Carbon Nanotube Bundle Dissociation in Amide Solvents. <i>AIP Conference Proceedings</i> , <b>2005</b> ,	0	1
18	Carbon Nanotube Based Electronic and Electrochemical Sensors. <i>Sensor Letters</i> , <b>2005</b> , 3, 183-193	0.9	31

17	Controlling The Position And Morphology of Nanotubes For Device Fabrication. <i>AIP Conference Proceedings</i> , <b>2004</b> ,	0	1
16	Binding Kinetics and SWNT Bundle Dissociation in Low Concentration Polymer Nanotube Dispersions. <i>Journal of Physical Chemistry B</i> , <b>2004</b> , 108, 3446-3450	3.4	59
15	Characterization of Covalent Functionalized Carbon Nanotubes. <i>Journal of Physical Chemistry B</i> , <b>2004</b> , 108, 9665-9668	3.4	26
14	Hydrothermal functionalisation of single-walled carbon nanotubes. <i>Synthetic Metals</i> , <b>2004</b> , 142, 263-266	3.6	37
13	A COMPOSITE FROM SOY OIL AND CARBON NANOTUBES. <i>International Journal of Nanoscience</i> , <b>2003</b> , 02, 185-194	0.6	10
12	Characterization of an interaction between functionalized carbon nanotubes and an enzyme. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2003</b> , 3, 209-13	1.3	47
11	Controlling the position and morphology of nanotubes within a polymer thin film. <i>Materials Research Society Symposia Proceedings</i> , <b>2003</b> , 782, 1		
10	Coupling conducting polymers and mediated electrochemical responses for the detection of <i>Listeria</i> . <i>Analytica Chimica Acta</i> , <b>2003</b> , 475, 37-45	6.6	24
9	V2O5 nanofibre sheet actuators. <i>Nature Materials</i> , <b>2003</b> , 2, 316-9	27	230
8	Modification of Single-Walled Carbon Nanotubes by Hydrothermal Treatment. <i>Chemistry of Materials</i> , <b>2003</b> , 15, 3314-3319	9.6	20
7	Selective Positioning and Density Control of Nanotubes within a Polymer Thin Film. <i>Nano Letters</i> , <b>2003</b> , 3, 1333-1337	11.5	51
6	Nanotube actuators for nanomechanics. <i>Current Applied Physics</i> , <b>2002</b> , 2, 61-64	2.6	41
5	Carbon nanotubes acting like actuators. <i>Carbon</i> , <b>2002</b> , 40, 1735-1739	10.4	59
4	Interconnecting carbon nanotubes with an inorganic metal complex. <i>Journal of the American Chemical Society</i> , <b>2002</b> , 124, 13694-5	16.4	105
3	Towards the demonstration of actuator properties of a single carbon nanotube. <i>Current Applied Physics</i> , <b>2001</b> , 1, 407-411	2.6	18
2	Practical improvements for redox potential (EH) measurements and the application of a multiple-electrode redox probe (MERP) for characterising sediment in situ. <i>Analytica Chimica Acta</i> , <b>1998</b> , 367, 201-213	6.6	32
1	Characterisation and analytical use of a polypyrrole electrode containing anti-human serum albumin. <i>Analytica Chimica Acta</i> , <b>1998</b> , 371, 39-48	6.6	34