

Emilio A Martinez

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/7784458/publications.pdf](https://exaly.com/author-pdf/7784458/publications.pdf)

Version: 2024-02-01

148
papers

5,169
citations

68787

39
h-index

105379

61
g-index

165
all docs

165
docs citations

165
times ranked

2745
citing authors

#	ARTICLE	IF	CITATIONS
1	The Use of a Brief Synchronization Treatment after Weaning, Combined with Superovulation, Has Moderate Effects on the Gene Expression of Surviving Pig Blastocysts. <i>Animals</i> , 2023, 13, 1568.	2.4	1
2	Neither frozen-thawed seminal plasma nor commercial transforming growth factor- β 1 infused intra-uterero before insemination improved fertility and prolificacy in sows. <i>Reproduction in Domestic Animals</i> , 2022, 57, 86-89.	1.5	3
3	Immunological uterine response to pig embryos before and during implantation. <i>Reproduction in Domestic Animals</i> , 2022, 57, 4-13.	1.5	6
4	Equilibration time with cryoprotectants, but not melatonin supplementation during <i>in vitro</i> maturation, affects viability and metaphase plate morphology of vitrified porcine mature oocytes. <i>Reproduction in Domestic Animals</i> , 2022, .	1.5	1
5	Exogenous Melatonin in the Culture Medium Does Not Affect the Development of In Vivo-Derived Pig Embryos but Substantially Improves the Quality of In Vitro-Produced Embryos. <i>Antioxidants</i> , 2022, 11, 1177.	5.2	8
6	Effects of Vitrification on the Blastocyst Gene Expression Profile in a Porcine Model. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1222.	4.2	22
7	Intrauterine Infusion of TGF- β 1 Prior to Insemination, Alike Seminal Plasma, Influences Endometrial Cytokine Responses but Does Not Impact the Timing of the Progression of Pre-Implantation Pig Embryo Development. <i>Biology</i> , 2021, 10, 159.	2.9	4
8	Seminal Plasma: Relevant for Fertility?. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4368.	4.2	70
9	Transcriptional Profiling of Porcine Blastocysts Produced In Vitro in a Chemically Defined Culture Medium. <i>Animals</i> , 2021, 11, 1414.	2.4	2
10	Vitrification Effects on the Transcriptome of in vivo-Derived Porcine Morulae. <i>Frontiers in Veterinary Science</i> , 2021, 8, 771996.	2.3	6
11	A Short-Term Altrenogest Treatment Post-weaning Followed by Superovulation Reduces Pregnancy Rates and Embryo Production Efficiency in Multiparous Sows. <i>Frontiers in Veterinary Science</i> , 2021, 8, 771573.	2.3	5
12	Three-to-5-day weaning-to-estrus intervals do not affect neither efficiency of collection nor <i>in vitro</i> developmental ability of <i>in vivo</i> -derived pig zygotes. <i>Theriogenology</i> , 2020, 141, 48-53.	2.2	3
13	The cytokine platelet factor 4 successfully replaces bovine serum albumin for the <i>in vitro</i> culture of porcine embryos. <i>Theriogenology</i> , 2020, 148, 201-207.	2.2	3
14	Allogeneic Embryos Disregulate Leukemia Inhibitory Factor (LIF) and Its Receptor in the Porcine Endometrium During Implantation. <i>Frontiers in Veterinary Science</i> , 2020, 7, 611598.	2.3	7
15	Blastocyst-Bearing Sows Display a Dominant Anti-Inflammatory Cytokine Profile Compared to Cyclic Sows at Day 6 of the Cycle. <i>Animals</i> , 2020, 10, 2028.	2.4	5
16	Seminal Plasma Induces Overexpression of Genes Associated with Embryo Development and Implantation in Day-6 Porcine Blastocysts. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3662.	4.2	24
17	Effect of astaxanthin in extenders on sperm quality and functional variables of frozen-thawed boar semen. <i>Animal Reproduction Science</i> , 2020, 218, 106478.	1.6	17
18	Boar seminal plasma: current insights on its potential role for assisted reproductive technologies in swine. <i>Animal Reproduction</i> , 2020, 17, e20200022.	1.0	12

#	ARTICLE	IF	CITATIONS
19	Achievements and future perspectives of embryo transfer technology in pigs. <i>Reproduction in Domestic Animals</i> , 2019, 54, 4-13.	1.5	31
20	Supplementation with exogenous coenzyme Q10 to media for in vitro maturation and embryo culture fails to promote the developmental competence of porcine embryos. <i>Reproduction in Domestic Animals</i> , 2019, 54, 72-77.	1.5	23
21	Boar semen proteomics and sperm preservation. <i>Theriogenology</i> , 2019, 137, 23-29.	2.2	36
22	Porcine blastocyst viability and developmental potential is maintained for 48 h of liquid storage at 25°C without CO ₂ gassing. <i>Theriogenology</i> , 2019, 135, 46-55.	2.2	3
23	Prevention of hatching of porcine morulae and blastocysts by liquid storage at 20°C. <i>Scientific Reports</i> , 2019, 9, 6219.	3.5	8
24	Cryopreservation Differentially Alters the Proteome of Epididymal and Ejaculated Pig Spermatozoa. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1791.	4.2	33
25	High pre-freezing sperm dilution improves monospermy without affecting the penetration rate in porcine IVF. <i>Theriogenology</i> , 2019, 131, 162-168.	2.2	19
26	Seminal Plasma Modifies the Transcriptional Pattern of the Endometrium and Advances Embryo Development in Pigs. <i>Frontiers in Veterinary Science</i> , 2019, 6, 465.	2.3	28
27	Exogenous ascorbic acid enhances vitrification survival of porcine in vitro-developed blastocysts but fails to improve the in vitro embryo production outcomes. <i>Theriogenology</i> , 2018, 113, 113-119.	2.2	21
28	Eventual re-vitrification or storage in liquid nitrogen vapor does not jeopardize the practical handling and transport of vitrified pig embryos. <i>Theriogenology</i> , 2018, 113, 229-236.	2.2	4
29	Post-thaw boar sperm motility is affected by prolonged storage of sperm in liquid nitrogen. A retrospective study. <i>Cryobiology</i> , 2018, 80, 119-125.	1.3	16
30	Influence of insemination time on the fertility of sex sorted frozen-thawed Y-sperm in red deer. <i>Theriogenology</i> , 2018, 113, 171-175.	2.2	2
31	Seminal plasma antioxidants are directly involved in boar sperm cryotolerance. <i>Theriogenology</i> , 2018, 107, 27-35.	2.2	59
32	Importance of oil overlay for production of porcine embryos in vitro. <i>Reproduction in Domestic Animals</i> , 2018, 53, 281-286.	1.5	3
33	Simple storage (CO ₂ -free) of porcine morulae for up to three days maintains the in vitro viability and developmental competence. <i>Theriogenology</i> , 2018, 108, 229-238.	2.2	15
34	Is boar sperm freezability more intrinsically linked to spermatozoa than to the surrounding seminal plasma?. <i>Animal Reproduction Science</i> , 2018, 195, 30-37.	1.6	20
35	Optimization of protocols for Iberian red deer (<i>Cervus elaphus hispanicus</i>) sperm handling before sex sorting by flow cytometry. <i>Theriogenology</i> , 2017, 92, 129-136.	2.2	3
36	Interspecies Chimerism with Mammalian Pluripotent Stem Cells. <i>Cell</i> , 2017, 168, 473-486.e15.	28.1	416

#	ARTICLE	IF	CITATIONS
37	Factors of importance when selecting sows as embryo donors. <i>Animal</i> , 2017, 11, 1330-1335.	3.4	5
38	Developmental competence of porcine genome-edited zygotes. <i>Molecular Reproduction and Development</i> , 2017, 84, 814-821.	2.0	12
39	Active paraoxonase 1 is synthesised throughout the internal boar genital organs. <i>Reproduction</i> , 2017, 154, 237-243.	2.7	9
40	Effects of meiotic inhibitors and gonadotrophins on porcine oocytes in vitro maturation, fertilization and development. <i>Reproduction in Domestic Animals</i> , 2017, 52, 873-880.	1.5	11
41	The overlaying oil type influences in vitro embryo production: differences in composition and compound transfer into incubation medium between oils. <i>Scientific Reports</i> , 2017, 7, 10505.	3.5	26
42	Peroxidized mineral oil increases the oxidant status of culture media and inhibits in vitro porcine embryo development. <i>Theriogenology</i> , 2017, 103, 17-23.	2.2	17
43	Surgical embryo collection but not nonsurgical embryo transfer compromises postintervention prolificacy in sows. <i>Theriogenology</i> , 2017, 87, 316-320.	2.2	12
44	Profile and reproductive roles of seminal plasma melatonin of boar ejaculates used in artificial insemination programs. <i>Journal of Animal Science</i> , 2017, 95, 1660-1668.	0.5	7
45	Profile and reproductive roles of seminal plasma melatonin of boar ejaculates used in artificial insemination programs. <i>Journal of Animal Science</i> , 2017, 95, 1660.	0.5	5
46	Non-viable sperm in the ejaculate: Lethal escorts for contemporary viable sperm. <i>Animal Reproduction Science</i> , 2016, 169, 24-31.	1.6	30
47	Characterization of the porcine seminal plasma proteome comparing ejaculate portions. <i>Journal of Proteomics</i> , 2016, 142, 15-23.	2.5	78
48	Extensive dataset of boar seminal plasma proteome displaying putative reproductive functions of identified proteins. <i>Data in Brief</i> , 2016, 8, 1370-1373.	1.1	9
49	Generation of human organs in pigs via interspecies blastocyst complementation. <i>Reproduction in Domestic Animals</i> , 2016, 51, 18-24.	1.5	21
50	Effective vitrification and warming of porcine embryos using a pH-stable, chemically defined medium. <i>Scientific Reports</i> , 2016, 6, 33915.	3.5	29
51	The Recipients' Parity Does Not Influence Their Reproductive Performance Following Non-Surgical Deep Uterine Porcine Embryo Transfer. <i>Reproduction in Domestic Animals</i> , 2016, 51, 123-129.	1.5	13
52	Will AI in pigs become more efficient?. <i>Theriogenology</i> , 2016, 86, 187-193.	2.2	62
53	Recent advances toward the practical application of embryo transfer in pigs. <i>Theriogenology</i> , 2016, 85, 152-161.	2.2	39
54	Glutathione Peroxidase 5 Is Expressed by the Entire Pig Male Genital Tract and Once in the Seminal Plasma Contributes to Sperm Survival and In Vivo Fertility. <i>PLoS ONE</i> , 2016, 11, e0162958.	2.4	38

#	ARTICLE	IF	CITATIONS
55	High total antioxidant capacity of the porcine seminal plasma (SP-TAC) relates to sperm survival and fertility. <i>Scientific Reports</i> , 2015, 5, 18538.	3.5	61
56	The Seminal Plasma of the Boar is Rich in Cytokines, with Significant Individual and Intra-Ejaculate Variation. <i>American Journal of Reproductive Immunology</i> , 2015, 74, 523-532.	1.3	32
57	Effects of two combinations of cryoprotectants on the in vitro developmental capacity of vitrified immature porcine oocytes. <i>Theriogenology</i> , 2015, 84, 545-552.	2.2	29
58	Boar Differences In Artificial Insemination Outcomes: Can They Be Minimized?. <i>Reproduction in Domestic Animals</i> , 2015, 50, 48-55.	1.5	65
59	Measurement of activity and concentration of paraoxonase 1 (PON1) in seminal plasma and identification of PON1 in the sperm of boar ejaculates. <i>Molecular Reproduction and Development</i> , 2015, 82, 58-65.	2.0	22
60	The activity of paraoxonase type 1 (PON1) in boar seminal plasma and its relationship with sperm quality, functionality, and in vivo fertility. <i>Andrology</i> , 2015, 3, 315-320.	3.6	35
61	Nonsurgical deep uterine transfer of vitrified, in vivo-derived, porcine embryos is as effective as the default surgical approach. <i>Scientific Reports</i> , 2015, 5, 10587.	3.5	48
62	The use of mineral oil during in vitro maturation, fertilization, and embryo culture does not impair the developmental competence of pig oocytes. <i>Theriogenology</i> , 2015, 83, 693-702.	2.2	18
63	Successful Non-Surgical Deep Uterine Transfer of Porcine Morulae after 24 Hour Culture in a Chemically Defined Medium. <i>PLoS ONE</i> , 2014, 9, e104696.	2.4	47
64	An Earlier Uterine Environment Favors the In Vivo Development of Fresh Pig Morulae and Blastocysts Transferred by a Nonsurgical Deep-uterine Method. <i>Journal of Reproduction and Development</i> , 2014, 60, 371-376.	1.4	18
65	Heat-shock protein A8 restores sperm membrane integrity by increasing plasma membrane fluidity. <i>Reproduction</i> , 2014, 147, 719-732.	2.7	44
66	The Effects of Hoechst 33342 Staining and the Male Sample Donor on the Sorting Efficiency of Canine Spermatozoa. <i>Reproduction in Domestic Animals</i> , 2014, 49, 115-121.	1.5	10
67	Relevance of ovarian follicular development to the seasonal impairment of fertility in weaned sows. <i>Veterinary Journal</i> , 2014, 199, 382-386.	1.8	28
68	The effects of superovulation of donor sows on ovarian response and embryo development after nonsurgical deep-uterine embryo transfer. <i>Theriogenology</i> , 2014, 81, 832-839.	2.2	25
69	Boar sperm cryosurvival is better after exposure to seminal plasma from selected fractions than to those from entire ejaculate. <i>Cryobiology</i> , 2014, 69, 203-210.	1.3	51
70	The battle of the sexes starts in the oviduct: modulation of oviductal transcriptome by X and Y-bearing spermatozoa. <i>BMC Genomics</i> , 2014, 15, 293.	2.9	103
71	Successful laparoscopic insemination with a very low number of flow cytometrically sorted boar sperm in field conditions. <i>Theriogenology</i> , 2014, 81, 315-320.	2.2	17
72	Quality of chilled and cold-stored (5°C) canine spermatozoa submitted to different rapid cooling rates. <i>Theriogenology</i> , 2014, 82, 621-626.	2.2	5

#	ARTICLE	IF	CITATIONS
73	Intra- and interboar variability in flow cytometric sperm sex sorting. <i>Theriogenology</i> , 2014, 82, 501-508.	2.2	8
74	Effects of Rapid Cooling Prior to Freezing on the Quality of Canine Cryopreserved Spermatozoa. <i>Journal of Reproduction and Development</i> , 2014, 60, 355-361.	1.4	11
75	The inÂvitro and inÂvivo developmental capacity of selected porcine monospermic zygotes. <i>Theriogenology</i> , 2013, 79, 392-398.	2.2	12
76	Season of ejaculate collection influences the freezability of boar spermatozoa. <i>Cryobiology</i> , 2013, 67, 299-304.	1.3	31
77	Forskolin improves the cryosurvival of in vivo-derived porcine embryos at very early stages using two vitrification methods. <i>Cryobiology</i> , 2013, 66, 144-150.	1.3	16
78	Suitability and effectiveness of single layer centrifugation using Androcoll-P in the cryopreservation protocol for boar spermatozoa. <i>Animal Reproduction Science</i> , 2013, 140, 173-179.	1.6	44
79	Handling of boar spermatozoa during and after flow cytometric sex-sorting process to improve their inÂvitro fertilizing ability. <i>Theriogenology</i> , 2013, 80, 350-356.	2.2	12
80	Dead spermatozoa in raw semenÂsamples impair inÂvitro fertilization outcomes of frozen-thawed spermatozoa. <i>Fertility and Sterility</i> , 2013, 100, 875-881.	1.0	39
81	The nuclear DNA longevity in cryopreserved boar spermatozoa assessed using the Sperm-Sus-Halomax. <i>Theriogenology</i> , 2013, 79, 1294-1300.	2.2	30
82	Effect of MEM vitamins and forskolin on embryo development and vitrification tolerance of in vitro-produced pig embryos. <i>Animal Reproduction Science</i> , 2013, 136, 296-302.	1.6	16
83	Design, development, and application of a non-surgical deep uterine embryo transfer technique in pigs. <i>Animal Frontiers</i> , 2013, 3, 40-47.	1.5	16
84	Improvement of boar sperm cryosurvival by using single-layer colloid centrifugation prior freezing. <i>Theriogenology</i> , 2012, 78, 1117-1125.	2.2	46
85	Non-surgical deep intrauterine transfer of superfine open pulled straw (SOPS)-vitrified porcine embryos: Evaluation of critical steps of the procedure. <i>Theriogenology</i> , 2012, 78, 1339-1349.	2.2	22
86	Differences in the ability of spermatozoa from individual boar ejaculates to withstand different semen-processing techniques. <i>Animal Reproduction Science</i> , 2012, 132, 66-73.	1.6	36
87	Exposure of in vitro-matured porcine oocytes to SYBR-14 and fluorescence impairs their developmental capacity. <i>Animal Reproduction Science</i> , 2012, 133, 101-108.	1.6	2
88	Effects of Hoechst 33342 staining and ultraviolet irradiation on mitochondrial distribution and DNA copy number in porcine oocytes and preimplantation embryos. <i>Molecular Reproduction and Development</i> , 2012, 79, 651-663.	2.0	20
89	The Effect of Glycerol Concentrations on the Postâ€thaw <i>In Vitro</i> Characteristics of Cryopreserved Sexâ€sorted Boar Spermatozoa. <i>Reproduction in Domestic Animals</i> , 2012, 47, 965-974.	1.5	7
90	Detrimental Effects of Non-Functional Spermatozoa on the Freezability of Functional Spermatozoa from Boar Ejaculate. <i>PLoS ONE</i> , 2012, 7, e36550.	2.4	44

#	ARTICLE	IF	CITATIONS
91	Use of polarized light microscopy in porcine reproductive technologies. <i>Theriogenology</i> , 2011, 76, 669-677.	2.2	7
92	Effects of Hoechst 33342 staining and ultraviolet irradiation on the developmental competence of in vitro-matured porcine oocytes. <i>Theriogenology</i> , 2011, 76, 1667-1675.	2.2	12
93	Effects of Complement Component 3 Derivatives on Pig Oocyte Maturation, Fertilization and Early Embryo Development <i>In Vitro</i> . <i>Reproduction in Domestic Animals</i> , 2011, 46, 1017-1021.	1.5	18
94	Approaches Towards Efficient Use of Boar Semen in the Pig Industry. <i>Reproduction in Domestic Animals</i> , 2011, 46, 79-83.	1.5	55
95	Spermadhesin PSP-I/PSP-II heterodimer induces migration of polymorphonuclear neutrophils into the uterine cavity of the sow. <i>Journal of Reproductive Immunology</i> , 2010, 84, 57-65.	2.0	57
96	Advances in Swine <i>In Vitro</i> Embryo Production Technologies. <i>Reproduction in Domestic Animals</i> , 2010, 45, 40-48.	1.5	124
97	Capability of frozen-thawed boar spermatozoa to sustain pre-implantational embryo development. <i>Animal Reproduction Science</i> , 2010, 121, 145-151.	1.6	20
98	Vitrification and warming of in vivo-derived porcine embryos in a chemically defined medium. <i>Theriogenology</i> , 2010, 73, 300-308.	2.2	28
99	In vitro postwarming viability of vitrified porcine embryos: Effect of cryostorage length. <i>Theriogenology</i> , 2010, 74, 486-490.	2.2	24
100	Use of frozen-thawed semen aggravates the summer-autumn infertility of artificially inseminated weaned sows in the Mediterranean region. <i>Journal of Animal Science</i> , 2009, 87, 3967-3975.	0.5	12
101	PSP-I/PSP-II spermadhesin exert a decapacitation effect on highly extended boar spermatozoa. <i>Journal of Developmental and Physical Disabilities</i> , 2009, 32, 505-513.	3.6	54
102	Validation of trans-rectal ultrasonography for counting preovulatory follicles in weaned sows. <i>Animal Reproduction Science</i> , 2009, 113, 137-142.	1.6	11
103	Evaluation of L-glutamine for cryopreservation of boar spermatozoa. <i>Animal Reproduction Science</i> , 2009, 115, 149-157.	1.6	37
104	Characterization of glycoside residues of porcine zona pellucida and ooplasm during follicular development and atresia. <i>Molecular Reproduction and Development</i> , 2008, 75, 1473-1483.	2.0	10
105	<i>In Vitro</i> Fertilization (IVF) in Straws and a Short Gamete Coincubation Time Improves the Efficiency of Porcine IVF. <i>Reproduction in Domestic Animals</i> , 2008, 43, 747-752.	1.5	9
106	Effects of ultrashort gamete co-incubation time on porcine in vitro fertilization. <i>Animal Reproduction Science</i> , 2008, 106, 393-401.	1.6	14
107	Factors affecting the success rate of porcine embryo vitrification by the Open Pulled Straw method. <i>Animal Reproduction Science</i> , 2008, 108, 334-344.	1.6	44
108	Effect of the cryoprotectant concentration on the in vitro embryo development and cell proliferation of OPS-vitrified porcine blastocysts. <i>Cryobiology</i> , 2008, 56, 189-194.	1.3	39

#	ARTICLE	IF	CITATIONS
109	Brief coincubation of gametes in porcine in vitro fertilization: Role of sperm:oocyte ratio and post-coincubation medium. <i>Theriogenology</i> , 2007, 67, 620-626.	2.2	29
110	The effectiveness of the stereomicroscopic evaluation of embryo quality in vitrified "warmed porcine blastocysts: An ultrastructural and cell death study. <i>Theriogenology</i> , 2007, 67, 970-982.	2.2	31
111	Vitrification of in vitro cultured porcine two-to-four cell embryos. <i>Theriogenology</i> , 2007, 68, 258-264.	2.2	19
112	Cryosurvival and In Vitro Fertilizing Capacity Postthaw Is Improved When Boar Spermatozoa Are Frozen in the Presence of Seminal Plasma From Good Freezer Boars. <i>Journal of Andrology</i> , 2007, 28, 689-697.	1.9	99
113	Modulation of The Oviductal Environment by Gametes. <i>Journal of Proteome Research</i> , 2007, 6, 4656-4666.	3.8	133
114	Retained Functional Integrity of Bull Spermatozoa after Double Freezing and Thawing Using PureSperm® Density Gradient Centrifugation. <i>Reproduction in Domestic Animals</i> , 2007, 42, 489-494.	1.5	45
115	Immunolocalization and Possible Functional Role of PSP-I/PSP-II Heterodimer in Highly Extended Boar Spermatozoa. <i>Journal of Andrology</i> , 2006, 27, 766-773.	1.9	45
116	Dissecting the Protective Effect of the Seminal Plasma Spermadhesin PSP-I/PSP-II on Boar Sperm Functionality. <i>Journal of Andrology</i> , 2006, 27, 434-443.	1.9	43
117	Incidence of Unilateral Fertilizations after Low Dose Deep Intrauterine Insemination in Spontaneously Ovulating Sows under Field Conditions. <i>Reproduction in Domestic Animals</i> , 2006, 41, 41-47.	1.5	32
118	OC12 Combination of IVF Strategies to Reduce Porcine Polyspermic Fertilization: Straw IVF System and Short Gamete Coincubation Time. <i>Reproduction in Domestic Animals</i> , 2006, 41, 105-105.	1.5	1
119	An update on Reproductive Technologies with Potential Short-Term Application in Pig Production. <i>Reproduction in Domestic Animals</i> , 2005, 40, 300-309.	1.5	38
120	Improving the efficiency of sperm technologies in pigs: the value of deep intrauterine insemination. <i>Theriogenology</i> , 2005, 63, 536-547.	2.2	58
121	Influence of storage time on functional capacity of flow cytometrically sex-sorted boar spermatozoa. <i>Theriogenology</i> , 2005, 64, 86-98.	2.2	29
122	Adjustments in IVF system for individual boars: Value of additives and time of sperm "oocyte co-incubation. <i>Theriogenology</i> , 2005, 64, 1783-1796.	2.2	32
123	Kinematic Changes During the Cryopreservation of Boar Spermatozoa. <i>Journal of Andrology</i> , 2005, 26, 610-618.	1.9	95
124	Comparative Effects of Autologous and Homologous Seminal Plasma on the Viability of Largely Extended Boar Spermatozoa. <i>Reproduction in Domestic Animals</i> , 2004, 39, 370-375.	1.5	59
125	Flow Cytometry Identification of X- and Y-Chromosome-Bearing Goat Spermatozoa. <i>Reproduction in Domestic Animals</i> , 2004, 39, 58-60.	1.5	20
126	Effect of short periods of sperm "oocyte coincubation during in vitro fertilization on embryo development in pigs. <i>Theriogenology</i> , 2004, 62, 544-552.	2.2	39

#	ARTICLE	IF	CITATIONS
127	Successful nonsurgical deep uterine embryo transfer in pigs. <i>Theriogenology</i> , 2004, 61, 137-146.	2.2	66
128	Influence of sperm:oocyte ratio during in vitro fertilization of in vitro matured cumulus-intact pig oocytes on fertilization parameters and embryo development. <i>Theriogenology</i> , 2004, 61, 551-560.	2.2	26
129	Survival and Fertility of Boar Spermatozoa After Freeze-Thawing in Extender Supplemented With Butylated Hydroxytoluene. <i>Journal of Andrology</i> , 2004, 25, 397-405.	1.9	129
130	Does Seminal Plasma PSP/SP Spermadhesin Modulate the Ability of Boar Spermatozoa to Penetrate Homologous Oocytes In Vitro?. <i>Journal of Andrology</i> , 2004, 25, 1004-1012.	1.9	33
131	Fluorescence in situ hybridization in diluted and flow cytometrically sorted boar spermatozoa using specific DNA direct probes labelled by nick translation. <i>Reproduction</i> , 2003, 126, 317-325.	2.7	26
132	Birth of piglets after deep intrauterine insemination with flow cytometrically sorted boar spermatozoa. <i>Theriogenology</i> , 2003, 59, 1605-1614.	2.2	72
133	Fertility of weaned sows after deep intrauterine insemination with a reduced number of frozen-thawed spermatozoa. <i>Theriogenology</i> , 2003, 60, 77-87.	2.2	108
134	Effect of the volume of medium and number of oocytes during in vitro fertilization on embryo development in pigs. <i>Theriogenology</i> , 2003, 60, 767-776.	2.2	46
135	Influence of Porcine Spermadhesins on the Susceptibility of Boar Spermatozoa to High Dilution1. <i>Biology of Reproduction</i> , 2003, 69, 640-646.	2.7	106
136	Minimum number of spermatozoa required for normal fertility after deep intrauterine insemination in non-sedated sows. <i>Reproduction</i> , 2002, 123, 163-170.	2.7	93
137	Motility Characteristics and Fertilizing Capacity of Boar Spermatozoa Stained with Hoechst 33342. <i>Reproduction in Domestic Animals</i> , 2002, 37, 369-374.	1.5	31
138	Effects of holding time during cooling and of type of package on plasma membrane integrity, motility and in vitro oocyte penetration ability of frozen-thawed boar spermatozoa. <i>Theriogenology</i> , 2001, 55, 1593-1605.	2.2	78
139	Successful non-surgical deep intrauterine insemination with small numbers of spermatozoa in sows. <i>Reproduction</i> , 2001, 122, 289-296.	2.7	90
140	The Fertilizing Ability Assessment of Fresh and Stored Boar Semen. <i>Reproduction in Domestic Animals</i> , 1998, 33, 267-270.	1.5	5
141	Hypoosmotic swelling of boar spermatozoa compared to other methods for analysing the sperm membrane. <i>Theriogenology</i> , 1997, 47, 913-922.	2.2	88
142	Oocyte Penetration by Fresh or Stored Diluted Boar Spermatozoa before and after in Vitro Capacitation Treatments1. <i>Biology of Reproduction</i> , 1996, 55, 134-140.	2.7	35
143	The physiological roles of the boar ejaculate. <i>Bioscientifica Proceedings</i> , 0, , .	1.0	8
144	Current progress in non-surgical embryo transfer with fresh and vitrified/warmed pig embryos. <i>Bioscientifica Proceedings</i> , 0, , .	1.0	0

#	ARTICLE	IF	CITATIONS
145	Single layer centrifugation with androcoll-P prior to freezing enhances the in vitro fertilizing ability of frozen-thawed boar spermatozoa. Bioscientifica Proceedings, 0, , .	1.0	0
146	Strategies to improve the fertility of frozen-thawed boar semen for artificial insemination. Bioscientifica Proceedings, 0, , .	1.0	0
147	Optimal characteristics of spermatozoa for semen technologies in pigs. Bioscientifica Proceedings, 0, , .	1.0	0
148	The Open Cryotop System Is Effective for the Simultaneous Vitrification of a Large Number of Porcine Embryos at Different Developmental Stages. Frontiers in Veterinary Science, 0, 9, .	2.3	4