David C Steffens

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/778482/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Hormone Replacement Therapy and Incidence of Alzheimer Disease in Older Women <subtitle>The Cache County Study</subtitle> . JAMA - Journal of the American Medical Association, 2002, 288, 2123. | 7.4 | 804 |
| 2 | Prevalence of Cognitive Impairment without Dementia in the United States. Annals of Internal Medicine, 2008, 148, 427. | 3.9 | 758 |
| 3 | Cognitive Function in Late Life Depression: Relationships to Depression Severity, Cerebrovascular Risk Factors and Processing Speed. Biological Psychiatry, 2006, 60, 58-65. | 1.3 | 358 |
| 4 | Hippocampal volume in geriatric depression. Biological Psychiatry, 2000, 48, 301-309. | 1.3 | 346 |
| 5 | Validation of the Patient Health Questionnaire-9 Korean version in the elderly population: the Ansan Geriatric study. Comprehensive Psychiatry, 2008, 49, 218-223. | 3.1 | 344 |
| 6 | APOE genotype predicts when — not whether — one is predisposed to develop Alzheimer disease. Nature Genetics, 1998, 19, 321-322. | 21.4 | 325 |
| 7 | Efficacy and Safety of Esketamine Nasal Spray Plus an Oral Antidepressant in Elderly Patients With Treatment-Resistant Depression—TRANSFORM-3. American Journal of Geriatric Psychiatry, 2020, 28, 121-141. | 1.2 | 325 |
| 8 | The Aging, Demographics, and Memory Study: Study Design and Methods. Neuroepidemiology, 2005, 25, 181-191. | 2.3 | 317 |
| 9 | Structural neuroimaging and mood disorders: Recent findings, implications for classification, and future directions. Biological Psychiatry, 1998, 43, 705-712. | 1.3 | 307 |
| 10 | Depression Treatment Preferences in Older Primary Care Patients. Gerontologist, The, 2006, 46, 14-22. | 3.9 | 260 |
| 11 | Dorsolateral Prefrontal Cortex and Anterior Cingulate Cortex White Matter Alterations in Late-Life Depression. Biological Psychiatry, 2006, 60, 1356-1363. | 1.3 | 255 |
| 12 | Neuropsychiatric disturbance in Alzheimer's disease clusters into three groups: the Cache County study. International Journal of Geriatric Psychiatry, 2001, 16, 1043-1053. | 2.7 | 252 |
| 13 | Cerebrovascular Disease and Depression Symptoms in the Cardiovascular Health Study. Stroke, 1999, 30, 2159-2166. | 2.0 | 244 |
| 14 | Agitation in cognitive disorders: International Psychogeriatric Association provisional consensus clinical and research definition. International Psychogeriatrics, 2015, 27, 7-17. | 1.0 | 244 |
| 15 | Neuropsychiatric signs and symptoms of Alzheimer's disease: NewÂtreatment paradigms. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2017, 3, 440-449. | 3.7 | 240 |
| 16 | Prevalence of depression among older Americans: the Aging, Demographics and Memory Study. International Psychogeriatrics, 2009, 21, 879. | 1.0 | 227 |
| 17 | Late-Life Depression and Microstructural Abnormalities in Dorsolateral Prefrontal Cortex White Matter. American Journal of Psychiatry, 2004, 161, 1293-1296. | 7.2 | 211 |
| 18 | Clinical characteristics of magnetic resonance imaging-defined subcortical ischemic depression. Biological Psychiatry, 2004, 55, 390-397. | 1.3 | 209 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Reduction of orbital frontal cortex volume in geriatric depression. Biological Psychiatry, 2000, 48, 971-975. | 1.3 | 203 |
| 20 | Cerebrovascular Disease and Evolution of Depressive Symptoms in the Cardiovascular Health Study. Stroke, 2002, 33, 1636-1644. | 2.0 | 203 |
| 21 | Incidence of dementia and cognitive impairment, not dementia in the united states. Annals of Neurology, 2011, 70, 418-426. | 5.3 | 199 |
| 22 | Are SSRIs better than TCAs? Comparison of SSRIs and TCAs: A meta-analysis. Depression and Anxiety, 1997, 6, 10-18. | 4.1 | 181 |
| 23 | Depressive Symptoms, Menopausal Status, and Climacteric Symptoms in Women at Midlife. Psychosomatic Medicine, 2001, 63, 603-608. | 2.0 | 179 |
| 24 | Contribution of Depression to Cognitive Impairment and Dementia in Older Adults. Neurologist, 2007, 13, 105-117. | 0.7 | 173 |
| 25 | Vascular depression consensus report – a critical update. BMC Medicine, 2016, 14, 161. | 5.5 | 167 |
| 26 | A twin study of late-onset depression and apolipoprotein E Îμ4 as risk factors for alzheimer's disease. Biological Psychiatry, 1997, 41, 851-856. | 1.3 | 165 |
| 27 | Prevalence of Neuropsychiatric Symptoms and Their Association with Functional Limitations in Older Adults in the United States: The Aging, Demographics, and Memory Study. Journal of the American Geriatrics Society, 2010, 58, 330-337. | 2.6 | 164 |
| 28 | Fruit, Vegetable, and Antioxidant Intakes Are Lower in Older Adults with Depression. Journal of the Academy of Nutrition and Dietetics, 2012, 112, 2022-2027. | 0.8 | 160 |
| 29 | Reducing Suicidal Ideation in Depressed Older Primary Care Patients. Journal of the American Geriatrics Society, 2006, 54, 1550-1556. | 2.6 | 155 |
| 30 | National Institutes of Health Pathways to Prevention Workshop: The Role of Opioids in the Treatment of Chronic Pain. Annals of Internal Medicine, 2015, 162, 295-300. | 3.9 | 152 |
| 31 | The persistence of neuropsychiatric symptoms in dementia: the Cache County Study. International Journal of Geriatric Psychiatry, 2004, 19, 19-26. | 2.7 | 149 |
| 32 | The Neurosteroid Allopregnanolone Is Reduced in Prefrontal Cortex in Alzheimer's Disease. Biological Psychiatry, 2006, 60, 1287-1294. | 1.3 | 144 |
| 33 | The impact of religious practice and religious coping on geriatric depression. International Journal of Geriatric Psychiatry, 2003, 18, 905-914. | 2.7 | 140 |
| 34 | Neuropsychiatric Symptoms and the Risk of Institutionalization and Death: The Aging, Demographics, and Memory Study. Journal of the American Geriatrics Society, 2011, 59, 473-481. | 2.6 | 139 |
| 35 | Hippocampal volume and antidepressant response in geriatric depression. International Journal of Geriatric Psychiatry, 2002, 17, 519-525. | 2.7 | 128 |
| 36 | Greater Risk of Dementia When Spouse Has Dementia? The Cache County Study. Journal of the American Geriatrics Society, 2010, 58, 895-900. | 2.6 | 128 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Anxiety Symptoms in Amnestic Mild Cognitive Impairment Are Associated with Medial Temporal Atrophy and Predict Conversion to Alzheimer Disease. American Journal of Geriatric Psychiatry, 2015, 23, 466-476. | 1.2 | 128 |
| 38 | Altered Cerebellar-Cerebral Functional Connectivity in Geriatric Depression. PLoS ONE, 2011, 6, e20035. | 2.5 | 127 |
| 39 | MRI correlates of suicide attempt history in unipolar depression. Biological Psychiatry, 2001, 50, 266-270. | 1.3 | 124 |
| 40 | COVID-19, Mental Health and Aging: A Need for New Knowledge to Bridge Science and Service. American Journal of Geriatric Psychiatry, 2020, 28, 695-697. | 1.2 | 124 |
| 41 | Evidence of white matter tract disruption in MRI hyperintensities. Biological Psychiatry, 2001, 50, 179-183. | 1.3 | 122 |
| 42 | Prefrontal Neuropsychological Predictors of Treatment Remission in Late-Life Depression. Neuropsychopharmacology, 2004, 29, 2266-2271. | 5.4 | 121 |
| 43 | Persistent mild cognitive impairment in geriatric depression. International Psychogeriatrics, 2007, 19, 125. | 1.0 | 120 |
| 44 | Anatomic location and laterality of MRI signal hyperintensities in late-life depression. Journal of Psychosomatic Research, 2002, 53, 665-676. | 2.6 | 119 |
| 45 | Serial MR Imaging of Volumes of Hyperintense White Matter Lesions in Elderly Patients: Correlation with Vascular Risk Factors. American Journal of Roentgenology, 2003, 181, 571-576. | 2.2 | 118 |
| 46 | Psychosocial and clinical predictors of unipolar depression outcome in older adults. International Journal of Geriatric Psychiatry, 2002, 17, 238-246. | 2.7 | 107 |
| 47 | Greater MRI lesion volumes in elderly depressed subjects than in control subjects. Psychiatry Research - Neuroimaging, 2005, 139, 1-7. | 1.8 | 106 |
| 48 | The Vascular Depression Subtype: Evidence of Internal Validity. Biological Psychiatry, 2008, 64, 491-497. | 1.3 | 106 |
| 49 | Change in Hippocampal Volume on Magnetic Resonance Imaging and Cognitive Decline Among Older Depressed and Nondepressed Subjects in the Neurocognitive Outcomes of Depression in the Elderly Study. American Journal of Geriatric Psychiatry, 2011, 19, 4-12. | 1.2 | 105 |
| 50 | Hippocampus Atrophy and the Longitudinal Course of Late-life Depression. American Journal of Geriatric Psychiatry, 2014, 22, 1504-1512. | 1.2 | 104 |
| 51 | Provisional diagnostic criteria for depression of Alzheimer disease. American Journal of Geriatric Psychiatry, 2002, 10, 125-8. | 1.2 | 103 |
| 52 | Orbitofrontal cortex volume in late life depression: influence of hyperintense lesions and genetic polymorphisms. Psychological Medicine, 2007, 37, 1763-1773. | 4.5 | 102 |
| 53 | Localization of age-associated white matter hyperintensities in late-life depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2003, 27, 539-544. | 4.8 | 99 |
| 54 | Neurocognitive Correlates of Response to Treatment in Late-Life Depression. American Journal of Geriatric Psychiatry, 2008, 16, 752-759. | 1.2 | 98 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Aging, gender, and the elderly adult brain: An examination of analytical strategies. Neurobiology of Aging, 2008, 29, 290-302. | 3.1 | 95 |
| 56 | Reduction of dorsolateral prefrontal cortex gray matter in late-life depression. Psychiatry Research - Neuroimaging, 2011, 193, 1-6. | 1.8 | 95 |
| 57 | A longitudinal study of differences in late- and early-onset geriatric depression: Depressive symptoms and psychosocial, cognitive, and neurological functioning. Aging and Mental Health, 2013, 17, 1-11. | 2.8 | 93 |
| 58 | Does Social Support Buffer Functional Decline in Elderly Patients With Unipolar Depression?. American Journal of Psychiatry, 2001, 158, 1850-1855. | 7.2 | 92 |
| 59 | Longitudinal Magnetic Resonance Imaging Vascular Changes, Apolipoprotein E Genotype, and Development of Dementia in the Neurocognitive Outcomes of Depression in the Elderly Study. American Journal of Geriatric Psychiatry, 2007, 15, 839-849. | 1.2 | 92 |
| 60 | Enhanced Cognitive Performance with Estrogen Use in Nondemented Communityâ€Đwelling Older Women. Journal of the American Geriatrics Society, 1999, 47, 1171-1175. | 2.6 | 86 |
| 61 | Methodology and Preliminary Results From the Neurocognitive Outcomes of Depression in the Elderly Study. Journal of Geriatric Psychiatry and Neurology, 2004, 17, 202-211. | 2.3 | 85 |
| 62 | Allelic Differences in the Brain-Derived Neurotrophic Factor Val66Met Polymorphism in Late-Life Depression. American Journal of Geriatric Psychiatry, 2007, 15, 850-857. | 1.2 | 85 |
| 63 | Diffusion tensor imaging studies in lateâ€life depression: systematic review and metaâ€analysis. International Journal of Geriatric Psychiatry, 2014, 29, 1173-1184. | 2.7 | 85 |
| 64 | Coenzyme Q10: <i>A Review of Its Promise as a Neuroprotectant</i> . CNS Spectrums, 2007, 12, 62-68. | 1.2 | 84 |
| 65 | Change in stress and social support as predictors of cognitive decline in older adults with and without depression. International Journal of Geriatric Psychiatry, 2011, 26, 1267-1274. | 2.7 | 84 |
| 66 | Association of Five-Factor Model Personality Domains and Facets with Presence, Onset, and Treatment Outcomes of Major Depression in Older Adults. American Journal of Geriatric Psychiatry, 2013, 21, 88-96. | 1.2 | 82 |
| 67 | Factors associated with cognitive evaluations in the United States. Neurology, 2015, 84, 64-71. | 1.1 | 82 |
| 68 | Smaller orbital frontal cortex volumes associated with functional disability in depressed elders. Biological Psychiatry, 2003, 53, 144-149. | 1.3 | 80 |
| 69 | Subcortical white matter lesions and functional impairment in geriatric depression. Depression and Anxiety, 2002, 15, 23-28. | 4.1 | 78 |
| 70 | Hippocampus Shape Analysis and Late-Life Depression. PLoS ONE, 2008, 3, e1837. | 2.5 | 77 |
| 71 | Longitudinal Cognitive Outcomes of Clinical Phenotypes of Late-Life Depression. American Journal of Geriatric Psychiatry, 2017, 25, 1123-1134. | 1.2 | 77 |
| 72 | Treatment Course With Antidepressant Therapy in Late-Life Depression. American Journal of Psychiatry, 2012, 169, 1185-1193. | 7.2 | 76 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Depression, hippocampal volume changes, and cognitive decline in a clinical sample of older depressed outpatients and non-depressed controls. Aging and Mental Health, 2012, 16, 753-762. | 2.8 | 75 |
| 74 | The Incidence of Mental and Behavioral Disturbances in Dementia: The Cache County Study. Journal of Neuropsychiatry and Clinical Neurosciences, 2003, 15, 340-345. | 1.8 | 74 |
| 75 | Fatigue as a core symptom in major depressive disorder: overview and the role of bupropion. Expert Review of Neurotherapeutics, 2007, 7, 1251-1263. | 2.8 | 74 |
| 76 | Subcortical lesion severity and orbitofrontal cortex volume in geriatric depression. Biological Psychiatry, 2003, 54, 529-533. | 1.3 | 72 |
| 77 | The relationship of religious involvement indicators and social support to current and past suicidality among depressed older adults. Aging and Mental Health, 2013, 17, 366-374. | 2.8 | 72 |
| 78 | The Duke Somatic Treatment Algorithm for Geriatric Depression (STAGED) approach. Psychopharmacology Bulletin, 2002, 36, 58-68. | 0.0 | 70 |
| 79 | Depressive State- and Disease-Related Alterations in Neural Responses to Affective and Executive Challenges in Geriatric Depression. American Journal of Psychiatry, 2008, 165, 863-871. | 7.2 | 69 |
| 80 | Functional evidence implicating a novel TOR1A mutation in idiopathic, late-onset focal dystonia. Journal of Medical Genetics, 2010, 47, 646-650. | 3.2 | 68 |
| 81 | Performance feedback deficit in geriatric depression. Biological Psychiatry, 2001, 50, 358-363. | 1.3 | 67 |
| 82 | Severity of Subcortical Gray Matter Hyperintensity Predicts ECT Response in Geriatric Depression. Journal of ECT, 2001, 17, 45-49. | 0.6 | 67 |
| 83 | Effectiveness of antidepressant treatments in pre-menopausal versus post-menopausal women: A pilot study on differential effects of sex hormones on antidepressant effects. Biomedicine and Pharmacotherapy, 2009, 63, 228-235. | 5.6 | 67 |
| 84 | APOE related hippocampal shape alteration in geriatric depression. NeuroImage, 2009, 44, 620-626. | 4.2 | 67 |
| 85 | Profiles of Depressive Symptoms in Older Adults Diagnosed With Major Depression: Latent Cluster Analysis. American Journal of Geriatric Psychiatry, 2009, 17, 387-396. | 1.2 | 67 |
| 86 | The Brain-Derived Neurotrophic Factor Val66Met Polymorphism, Hippocampal Volume, and Cognitive Function in Geriatric Depression. American Journal of Geriatric Psychiatry, 2010, 18, 323-331. | 1.2 | 66 |
| 87 | Early Parental Death and Remarriage of Widowed Parents as Risk Factors for Alzheimer Disease: The Cache County Study. American Journal of Geriatric Psychiatry, 2011, 19, 814-824. | 1.2 | 66 |
| 88 | Sensitivity of cognitive tests in four cognitive domains in discriminating MDD patients from healthy controls: a meta-analysis. International Psychogeriatrics, 2013, 25, 1543-1557. | 1.0 | 65 |
| 89 | ApoE genotype and hippocampal volume change in geriatric depression. Biological Psychiatry, 2002, 51, 426-429. | 1.3 | 64 |
| 90 | Cerebrospinal Fluid Dehydroepiandrosterone Levels Are Correlated with Brain Dehydroepiandrosterone Levels, Elevated in Alzheimer's Disease, and Related to Neuropathological Disease Stage. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 3173-3178. | 3.6 | 64 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Depressive morbidity and gender in community-dwelling Brazilian elderly: systematic review and meta-analysis. International Psychogeriatrics, 2010, 22, 712-726. | 1.0 | 64 |
| 92 | Structural Integrity of the Uncinate Fasciculus and Resting State Functional Connectivity of the Ventral Prefrontal Cortex in Late Life Depression. PLoS ONE, 2011, 6, e22697. | 2.5 | 64 |
| 93 | A three-factor analytic model of the MADRS in geriatric depression. International Journal of Geriatric Psychiatry, 2003, 18, 73-77. | 2.7 | 63 |
| 94 | Clinical correlates of anxious depression among elderly patients with depression. Journal of Affective Disorders, 2006, 90, 37-41. | 4.1 | 61 |
| 95 | Cholinesterase Inhibitors as Adjunctive Therapy in Patients with Schizophrenia and Schizoaffective Disorder. CNS Drugs, 2010, 24, 303-317. | 5.9 | 61 |
| 96 | The Brain-Derived Neurotrophic Factor VAL66MET Polymorphism and Cerebral White Matter Hyperintensities in Late-Life Depression. American Journal of Geriatric Psychiatry, 2008, 16, 263-271. | 1.2 | 58 |
| 97 | Sleep Disturbances in the Elderly. Psychiatric Clinics of North America, 2015, 38, 723-741. | 1.3 | 58 |
| 98 | Familial Leukoencephalopathy in Bipolar Disorder. American Journal of Psychiatry, 1998, 155, 1605-1607. | 7.2 | 57 |
| 99 | The association of psychosocial factors and depression with hypertension among older adults. International Journal of Geriatric Psychiatry, 2003, 18, 1142-1148. | 2.7 | 56 |
| 100 | Widespread Effects of Hyperintense Lesions on Cerebral White Matter Structure. American Journal of Roentgenology, 2007, 188, 1695-1704. | 2.2 | 56 |
| 101 | Review of evidence for genetic testing for CYP450 polymorphisms in management of patients with nonpsychotic depression with selective serotonin reuptake inhibitors. Genetics in Medicine, 2007, 9, 826-835. | 2.4 | 56 |
| 102 | Metabolomic Differences in Heart Failure Patients With and Without Major Depression. Journal of Geriatric Psychiatry and Neurology, 2010, 23, 138-146. | 2.3 | 56 |
| 103 | Amygdala Volume in Late-Life Depression: Relationship with Age of Onset. American Journal of Geriatric Psychiatry, 2011, 19, 771-776. | 1.2 | 56 |
| 104 | Associations of loneliness with risk of Alzheimer's disease dementia in the Framingham Heart Study. Alzheimer's and Dementia, 2021, 17, 1619-1627. | 0.8 | 55 |
| 105 | Biological and social predictors of long-term geriatric depression outcome. International Psychogeriatrics, 2005, 17, 41-56. | 1.0 | 54 |
| 106 | White matter and subcortical gray matter lesion volume changes and late-life depression outcome: a 4-year magnetic resonance imaging study. International Psychogeriatrics, 2006, 18, 445. | 1.0 | 54 |
| 107 | Adverse Effects of Pharmacologic Treatments of Major Depression in Older Adults. Journal of the American Geriatrics Society, 2019, 67, 1571-1581. | 2.6 | 54 |
| 108 | Psychiatric Disease in the Twenty-First Century: The Case for Subcortical Ischemic Depression. Biological Psychiatry, 2006, 60, 1299-1303. | 1.3 | 52 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Age-dependent reduction of amygdala volume in bipolar disorder. Psychiatry Research - Neuroimaging, 2008, 163, 84-94. | 1.8 | 52 |
| 110 | Differences Between Suicide Attempters and Nonattempters in Depressed Older Patients: Depression Severity, White-Matter Lesions, and Cognitive Functioning. American Journal of Geriatric Psychiatry, 2014, 22, 75-85. | 1.2 | 52 |
| 111 | Basolateral amygdala volume and cell numbers in major depressive disorder: a postmortem stereological study. Brain Structure and Function, 2016, 221, 171-184. | 2.3 | 52 |
| 112 | The Effect of Major Depression on Functional Status in Patients with Coronary Artery Disease. Journal of the American Geriatrics Society, 1999, 47, 319-322. | 2.6 | 51 |
| 113 | Social Support and Locus of Control as Predictors of Adherence to Antidepressant Medication in an Elderly Population. American Journal of Geriatric Psychiatry, 2005, 13, 157-165. | 1.2 | 50 |
| 114 | Variability in Frontotemporal Brain Structure: The Importance of Recruitment of African Americans in Neuroscience Research. PLoS ONE, 2010, 5, e13642. | 2.5 | 48 |
| 115 | Clinically Significant Depressive Symptoms and Associated Factors in Community Elderly Subjects From Sao Paulo, Brazil. American Journal of Geriatric Psychiatry, 2009, 17, 582-590. | 1.2 | 47 |
| 116 | Quality of life and physical activity associated to lower prevalence of depression in community-dwelling elderly subjects from Sao Paulo. Journal of Affective Disorders, 2013, 150, 616-622. | 4.1 | 47 |
| 117 | Progression of Subcortical Ischemic Disease From Vascular Depression to Vascular Dementia. American Journal of Psychiatry, 2003, 160, 1751-1756. | 7.2 | 46 |
| 118 | Religion and the Presence and Severity of Depression in Older Adults. American Journal of Geriatric Psychiatry, 2012, 20, 188-192. | 1.2 | 46 |
| 119 | Fiber tractâ€specific white matter lesion severity Findings in lateâ€life depression and by <i>AGTR1</i> A1166C genotype. Human Brain Mapping, 2013, 34, 295-303. | 3.6 | 46 |
| 120 | Negative life stress and longitudinal hippocampal volume changes in older adults with and without depression. Journal of Psychiatric Research, 2013, 47, 829-834. | 3.1 | 46 |
| 121 | Stressful life events and cognitive decline in late life: moderation by education and age. The Cache County Study. International Journal of Geriatric Psychiatry, 2013, 28, 821-830. | 2.7 | 46 |
| 122 | Three-Year Incidence of First-Onset Depressive Syndrome in a Population Sample of Older Adults: The Cache County Study. American Journal of Geriatric Psychiatry, 2006, 14, 237-245. | 1.2 | 45 |
| 123 | Religious Factors and Hippocampal Atrophy in Late Life. PLoS ONE, 2011, 6, e17006. | 2.5 | 45 |
| 124 | Quetiapine XR: Current status for the treatment of major depressive disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 1165-1173. | 4.8 | 44 |
| 125 | Associations of Adverse Childhood Experiences with Pastâ€Year DSMâ€5 Psychiatric and Substance Use Disorders in Older Adults. Journal of the American Geriatrics Society, 2019, 67, 2085-2093. | 2.6 | 44 |
| 126 | Hippocampal volume and incident dementia in geriatric depression. American Journal of Geriatric Psychiatry, 2002, 10, 62-71. | 1.2 | 44 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | White Matter Hyperintensities and Their Association With Suicidally in Major Affective Disorders: <i>A Meta-Analysis of Magnetic Resonance Imaging Studies</i> . CNS Spectrums, 2010, 15, 375-381. | 1.2 | 43 |
| 128 | Prevalence and patterns of comorbid cognitive impairment in low vision rehabilitation for macular disease. Archives of Gerontology and Geriatrics, 2010, 50, 209-212. | 3.0 | 43 |
| 129 | Inflammation Markers and Major Depressive Disorder in Patients With Chronic Heart Failure. Psychosomatic Medicine, 2015, 77, 808-815. | 2.0 | 43 |
| 130 | Cognitive Impairment and Depression Outcomes in the IMPACT Study. American Journal of Geriatric Psychiatry, 2006, 14, 401-409. | 1.2 | 42 |
| 131 | Differential Patterns of Cognitive Decline in Anterior and Posterior White Matter Hyperintensity Progression. Stroke, 2010, 41, 1946-1950. | 2.0 | 42 |
| 132 | Efficacy and safety of adjunctive aripiprazole in major depressive disorder in older patients: a pooled subpopulation analysis. International Journal of Geriatric Psychiatry, 2011, 26, 564-572. | 2.7 | 42 |
| 133 | Neuropsychological Predictors of Dementia in Late-Life Major Depressive Disorder. American Journal of Geriatric Psychiatry, 2013, 21, 297-306. | 1.2 | 41 |
| 134 | Predictors of recurrence in remitted late-life depression. Depression and Anxiety, 2018, 35, 658-667. | 4.1 | 41 |
| 135 | Symptomatic Remission in Patients With Bipolar Mania. Journal of Clinical Psychiatry, 2005, 66, 1016-1020. | 2.2 | 41 |
| 136 | Multiple Neuroimaging Measures for Examining Exercise-induced Neuroplasticity in Older Adults: A Quasi-experimental Study. Frontiers in Aging Neuroscience, 2017, 9, 102. | 3.4 | 39 |
| 137 | Biochemical abnormalities of the medial temporal lobe and medial prefrontal cortex in late-life depression. Psychiatry Research - Neuroimaging, 2009, 172, 49-54. | 1.8 | 38 |
| 138 | Relative Effectiveness of Reappraisal and Distraction in Regulating Emotion in Late-Life Depression. American Journal of Geriatric Psychiatry, 2014, 22, 898-907. | 1.2 | 38 |
| 139 | The Moderating Effect of the APOE ɛ4 Allele on the Relationship Between Hippocampal Volume and Cognitive Decline in Older Depressed Patients. American Journal of Geriatric Psychiatry, 2011, 19, 23-32. | 1.2 | 37 |
| 140 | Heterogeneity in symptom profiles among older adults diagnosed with major depression. International Psychogeriatrics, 2011, 23, 906-922. | 1.0 | 37 |
| 141 | Lobar Distribution of Lesion Volumes in Late-Life Depression: The Biomedical Informatics Research Network (BIRN). Neuropsychopharmacology, 2006, 31, 1500-1507. | 5.4 | 36 |
| 142 | Associations among the NEO Personality Inventory, Revised and the serotonin transporter gene-linked polymorphic region in elders: effects of depression and gender. Psychiatric Genetics, 2003, 13, 13-18. | 1.1 | 35 |
| 143 | Calcium and vitamin D intakes may be positively associated with brain lesions in depressed and nondepressed elders. Nutrition Research, 2008, 28, 285-292. | 2.9 | 34 |
| 144 | Appetite loss and neurocognitive deficits in lateâ€life depression. International Journal of Geriatric Psychiatry, 2015, 30, 647-654. | 2.7 | 34 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Course of suicide ideation and predictors of change in depressed older adults. Journal of Affective Disorders, 2009, 113, 30-36. | 4.1 | 33 |
| 146 | Social Support Modifies the Relationship Between Personality and Depressive Symptoms in Older Adults. American Journal of Geriatric Psychiatry, 2011, 19, 123-131. | 1.2 | 33 |
| 147 | Neural Correlates Associated With Cognitive Decline in Late-Life Depression. American Journal of Geriatric Psychiatry, 2012, 20, 653-663. | 1.2 | 33 |
| 148 | Decreased betweenâ€hemisphere connectivity strength and network efficiency in geriatric depression. Human Brain Mapping, 2017, 38, 53-67. | 3.6 | 33 |
| 149 | Left Orbital Frontal Cortex Volume and Performance on the Benton Visual Retention Test in Older Depressives and Controls. Neuropsychopharmacology, 2003, 28, 2179-2183. | 5.4 | 32 |
| 150 | Hippocampal volumes and depression subtypes. Psychiatry Research - Neuroimaging, 2008, 163, 126-132. | 1.8 | 32 |
| 151 | Antidepressant Treatment and Worsening White Matter on Serial Cranial Magnetic Resonance Imaging in the Elderly. Stroke, 2008, 39, 857-862. | 2.0 | 32 |
| 152 | Structural Brain Changes as Biomarkers and Outcome Predictors in Patients with Late-Life Depression: A Cross-Sectional and Prospective Study. PLoS ONE, 2013, 8, e80049. | 2.5 | 32 |
| 153 | MRIâ€defined vascular depression: a review of the construct. International Journal of Geriatric Psychiatry, 2011, 26, 1101-1108. | 2.7 | 31 |
| 154 | Physical frailty in lateâ€life depression is associated with deficits in speedâ€dependent executive functions. International Journal of Geriatric Psychiatry, 2016, 31, 466-474. | 2.7 | 31 |
| 155 | Negative Affectivity, Aging, and Depression: Results From the Neurobiology of Late-Life Depression (NBOLD) Study. American Journal of Geriatric Psychiatry, 2017, 25, 1135-1149. | 1.2 | 31 |
| 156 | Outcomes of Older Cognitively Impaired Individuals With Current and Past Depression in the NCODE Study. Journal of Geriatric Psychiatry and Neurology, 2009, 22, 52-61. | 2.3 | 30 |
| 157 | Associations of religious behavior and experiences with extent of regional atrophy in the orbitofrontal cortex during older adulthood. Religion, Brain and Behavior, 2011, 1, 103-118. | 0.7 | 29 |
| 158 | Amyloidâ€associated depression and ApoE4 allele: longitudinal followâ€up for the development of Alzheimer's disease. International Journal of Geriatric Psychiatry, 2016, 31, 316-322. | 2.7 | 29 |
| 159 | Magnetic resonance imaging signal hypointensity and iron content of putamen nuclei in elderly depressed patients. Psychiatry Research - Neuroimaging, 1998, 83, 95-103. | 1.8 | 28 |
| 160 | Relation of subjective and received social support to clinical and self-report assessments of depressive symptoms in an elderly population. Journal of Affective Disorders, 2000, 61, 41-50. | 4.1 | 28 |
| 161 | Cross-Cultural Considerations in Administering the Center for Epidemiologic Studies Depression Scale. Gerontology, 2011, 57, 455-461. | 2.8 | 28 |
| 162 | Neuropsychological indicators of preclinical Alzheimer's disease among depressed older adults. Aging, Neuropsychology, and Cognition, 2014, 21, 99-128. | 1.3 | 28 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Usefulness of the Patient Health Questionnaire-9 for Korean Medical Students. Academic Psychiatry, 2014, 38, 661-667. | 0.9 | 28 |
| 164 | Grey-matter lesions and dementia. Lancet, The, 2000, 356, 1686-1687. | 13.7 | 27 |
| 165 | Influence of the MTHFR C677T Polymorphism on Magnetic Resonance Imaging Hyperintensity Volume and Cognition in Geriatric Depression. American Journal of Geriatric Psychiatry, 2009, 17, 847-855. | 1.2 | 27 |
| 166 | A multiplicity of approaches to characterize geriatric depression and its outcomes. Current Opinion in Psychiatry, 2009, 22, 522-526. | 6.3 | 27 |
| 167 | Plasma Omega-3 Polyunsaturated Fatty Acids and Survival in Patients with Chronic Heart Failure and Major Depressive Disorder. Journal of Cardiovascular Translational Research, 2012, 5, 92-99. | 2.4 | 27 |
| 168 | Cingulum bundle white matter lesions influence antidepressant response in late-life depression: A pilot study. Journal of Affective Disorders, 2014, 162, 8-11. | 4.1 | 26 |
| 169 | Vascular Nutritional Correlates of Late-Life Depression. American Journal of Geriatric Psychiatry, 2006, 14, 787-795. | 1.2 | 25 |
| 170 | Differences in brain volumes among males and female hormone-therapy users and nonusers. Psychiatry Research - Neuroimaging, 2006, 147, 127-134. | 1.8 | 25 |
| 171 | Increased Risk of Suicide Attempts and Unintended Death Among Those Transitioning From Prison to Community in Later Life. American Journal of Geriatric Psychiatry, 2018, 26, 1165-1174. | 1.2 | 25 |
| 172 | Effects of physical exercise on the aging brain across imaging modalities: A metaâ€analysis of neuroimaging studies in randomized controlled trials. International Journal of Geriatric Psychiatry, 2021, 36, 1148-1157. | 2.7 | 25 |
| 173 | Latent classâ€derived subgroups of depressive symptoms in a community sample of older adults: the Cache County Study. International Journal of Geriatric Psychiatry, 2012, 27, 1061-1069. | 2.7 | 24 |
| 174 | Amnestic mild cognitive impairment and incident dementia and Alzheimer's disease in geriatric depression. International Psychogeriatrics, 2014, 26, 2029-2036. | 1.0 | 24 |
| 175 | Appetite and Weight Loss Symptoms in Late-Life Depression Predict Dementia Outcomes. American Journal of Geriatric Psychiatry, 2016, 24, 870-878. | 1.2 | 24 |
| 176 | Neuroticism Traits Selectively Impact Long Term Illness Course and Cognitive Decline in Late-Life Depression. American Journal of Geriatric Psychiatry, 2017, 25, 220-229. | 1.2 | 24 |
| 177 | Provisional diagnostic criteria for depression of Alzheimer's disease: description and review. Expert Review of Neurotherapeutics, 2003, 3, 99-106. | 2.8 | 23 |
| 178 | Prefrontal White Matter Lesions and Prefrontal Task Impersistence in Depressed and Nondepressed Elders. Neuropsychopharmacology, 2007, 32, 2135-2142. | 5.4 | 23 |
| 179 | Separating mood disturbance from mild cognitive impairment in geriatric depression. International Review of Psychiatry, 2008, 20, 374-381. | 2.8 | 22 |
| 180 | Putamen Volume Differences Among Older Adults: Depression Status, Melancholia, and Age. Journal of Geriatric Psychiatry and Neurology, 2018, 31, 39-49. | 2.3 | 22 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Depressive Symptoms and Mild Cognitive Impairment in the Elderly: An Ominous Combination. Biological Psychiatry, 2012, 71, 762-764. | 1.3 | 21 |
| 182 | Association of Gene Variants of the Renin-Angiotensin System With Accelerated Hippocampal Volume Loss and Cognitive Decline in Old Age. American Journal of Psychiatry, 2014, 171, 1214-1221. | 7.2 | 21 |
| 183 | Length of axons expressing the serotonin transporter in orbitofrontal cortex is lower with age in depression. Neuroscience, 2017, 359, 30-39. | 2.3 | 21 |
| 184 | Are Microvascular Abnormalities in the Retina Associated With Depression Symptoms? The Cardiovascular Health Study. American Journal of Geriatric Psychiatry, 2007, 15, 335-343. | 1.2 | 20 |
| 185 | Clinical outcomes of older depressed patients with and without comorbid neuroticism. International Psychogeriatrics, 2013, 25, 1985-1990. | 1.0 | 20 |
| 186 | Angiotensin Converting Enzyme Inhibitors and Alzheimer Disease in the Presence ofÂthe Apolipoprotein E4 Allele. American Journal of Geriatric Psychiatry, 2014, 22, 177-185. | 1.2 | 20 |
| 187 | Perspectives on the Happiness of Community-Dwelling Elderly in Korea. Psychiatry Investigation, 2016, 13, 50. | 1.6 | 20 |
| 188 | State of the Science of Neural Systems in Late‣ife Depression: Impact on Clinical Presentation and Treatment Outcome. Journal of the American Geriatrics Society, 2018, 66, S17-S23. | 2.6 | 20 |
| 189 | Functional disability, depression, and suicidal ideation in older prisoners. Journal of Affective Disorders, 2020, 266, 366-373. | 4.1 | 20 |
| 190 | Implementing a disease management intervention for depression in primary care: a random work sampling study. General Hospital Psychiatry, 2003, 25, 238-245. | 2.4 | 19 |
| 191 | Five-year trajectories of social networks and social support in older adults with major depression. International Psychogeriatrics, 2007, 19, 1110-24. | 1.0 | 19 |
| 192 | Natural Food Folate and Late-Life Depression. Journal of Nutrition in Gerontology and Geriatrics, 2009, 28, 348-358. | 1.0 | 19 |
| 193 | Trajectories of mobility and IADL function in older patients diagnosed with major depression. International Journal of Geriatric Psychiatry, 2010, 25, 74-81. | 2.7 | 19 |
| 194 | Thyroid hormones affect recovery from depression during antidepressant treatment. Psychiatry and Clinical Neurosciences, 2009, 63, 305-313. | 1.8 | 19 |
| 195 | A Call to Restructure Psychiatry General and Subspecialty Training. Academic Psychiatry, 2016, 40, 145-148. | 0.9 | 19 |
| 196 | Physical exercise increases involvement of motor networks as a compensatory mechanism during a cognitively challenging task. International Journal of Geriatric Psychiatry, 2018, 33, 1153-1159. | 2.7 | 19 |
| 197 | Ethical and Logistical Considerations of Caring for Older Adults on Inpatient Psychiatry During the COVID-19 Pandemic. American Journal of Geriatric Psychiatry, 2020, 28, 829-834. | 1.2 | 19 |
| 198 | Time-to-remission from geriatric depression: psychosocial and clinical factors. American Journal of Geriatric Psychiatry, 2002, 10, 551-9. | 1.2 | 19 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Bupropion SR in the naturalistic treatment of elderly patients with major depression. International Journal of Geriatric Psychiatry, 2001, 16, 862-865. | 2.7 | 18 |
| 200 | Establishing diagnostic criteria for vascular depression. Journal of the Neurological Sciences, 2004, 226, 59-62. | 0.6 | 18 |
| 201 | Comorbid cognitive impairment and functional trajectories in low vision rehabilitation for macular disease. Aging Clinical and Experimental Research, 2011, 23, 343-350. | 2.9 | 18 |
| 202 | Impact of Symptoms of Generalized Anxiety Disorder on the Course of Late-Life Depression. American Journal of Geriatric Psychiatry, 2005, 13, 40-47. | 1.2 | 18 |
| 203 | Apolipoprotein E genotype and subcortical vascular lesions in older depressed patients and control subjects. Biological Psychiatry, 2003, 54, 674-681. | 1.3 | 17 |
| 204 | Disability but not social support predicts cognitive deterioration in late-life depression. International Psychogeriatrics, 2015, 27, 707-714. | 1.0 | 17 |
| 205 | Presence of neuroticism and antidepressant remission rates in late-life depression: results from the Neurobiology of Late-Life Depression (NBOLD) study. International Psychogeriatrics, 2018, 30, 1069-1074. | 1.0 | 17 |
| 206 | Increased ventromedial prefrontal cortex activity and connectivity predict poor sertraline treatment outcome in lateâ€life depression. International Journal of Geriatric Psychiatry, 2019, 34, 730-737. | 2.7 | 17 |
| 207 | Hemochromatosis Mutations, Brain Iron Imaging, and Dementia in the UK Biobank Cohort. Journal of Alzheimer's Disease, 2021, 79, 1203-1211. | 2.6 | 17 |
| 208 | Association of AGTR1 With 18-Month Treatment Outcome in Late-Life Depression. American Journal of Geriatric Psychiatry, 2007, 15, 564-572. | 1.2 | 16 |
| 209 | Is there protective haplotype of dysbindin gene (DTNBP1) 3 polymorphisms for major depressive disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 375-379. | 4.8 | 16 |
| 210 | Folate metabolism genes, dietary folate and response to antidepressant medications in lateâ€life depression. International Journal of Geriatric Psychiatry, 2013, 28, 925-932. | 2.7 | 16 |
| 211 | Melancholia in later life: late and early onset differences in presentation, course, and dementia risk. International Journal of Geriatric Psychiatry, 2014, 29, 943-951. | 2.7 | 16 |
| 212 | Late-life Depression Modifies the Association Between Cerebral White Matter Hyperintensities and Functional Decline Among Older Adults. American Journal of Geriatric Psychiatry, 2016, 24, 42-49. | 1.2 | 16 |
| 213 | Cortical brain volume abnormalities associated with few or multiple neuropsychiatric symptoms in Alzheimer's disease. PLoS ONE, 2017, 12, e0177169. | 2.5 | 16 |
| 214 | Is there a Definition of Remission in Late-Life Depression that Predicts Later Relapse?. Neuropsychopharmacology, 2004, 29, 2272-2277. | 5.4 | 15 |
| 215 | Methodology and preliminary results from the neurobiology of late-life depression study. International Psychogeriatrics, 2015, 27, 1987-1997. | 1.0 | 15 |
| 216 | Heterogeneity in the threeâ€year course of major depression among older adults. International Journal of Geriatric Psychiatry, 2016, 31, 775-782. | 2.7 | 15 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | Characteristics of neurocognitive functions in mild cognitive impairment with depression. International Psychogeriatrics, 2016, 28, 1181-1190. | 1.0 | 15 |
| 218 | Effects of stressful life events on cerebral white matter hyperintensity progression. International Journal of Geriatric Psychiatry, 2017, 32, e10-e17. | 2.7 | 15 |
| 219 | Increased plasma complement factor H is associated with geriatric depression. International Psychogeriatrics, 2019, 31, 101-108. | 1.0 | 15 |
| 220 | Prevalence of Treatment for Depression Among US Adults Who Screen Positive for Depression, 2007-2016. JAMA Psychiatry, 2020, 77, 1193. | 11.0 | 15 |
| 221 | Combination Therapy for Early Alzheimer's Disease: What Are We Waiting for?. Journal of the American Geriatrics Society, 1998, 46, 1322-1324. | 2.6 | 14 |
| 222 | Hippocampal Volume Is Associated With Physician-Reported Acute Cognitive Deficits After Electroconvulsive Therapy. Journal of Geriatric Psychiatry and Neurology, 2006, 19, 21-25. | 2.3 | 14 |
| 223 | Depressive Symptoms and Age-Related Macular Degeneration in Older People: The Cardiovascular Health Study. Ophthalmic Epidemiology, 2007, 14, 127-133. | 1.7 | 14 |
| 224 | Overlay of Late-Life Depression and Cognitive Impairment. Focus (American Psychiatric Publishing), 2017, 15, 35-41. | 0.8 | 14 |
| 225 | Recent advances in the use of imaging in psychiatry: functional magnetic resonance imaging of large-scale brain networks in late-life depression. F1000Research, 2019, 8, 1366. | 1.6 | 14 |
| 226 | Apathy: Neurobiology, Assessment and Treatment. Clinical Psychopharmacology and Neuroscience, 2021, 19, 181-189. | 2.0 | 14 |
| 227 | Magnetic resonance imaging changes in putamen nuclei iron content and distribution in normal subjects. Psychiatry Research - Neuroimaging, 1996, 68, 55-61. | 1.8 | 13 |
| 228 | Food group intake and brain lesions in late-life vascular depression. International Psychogeriatrics, 2007, 19, 295. | 1.0 | 13 |
| 229 | Perspectives on the Management of Vascular Depression. American Journal of Psychiatry, 2018, 175, 1169-1175. | 7.2 | 13 |
| 230 | Major depressive disorder and impaired healthâ€related quality of life among <scp>US</scp> older adults. International Journal of Geriatric Psychiatry, 2020, 35, 1189-1197. | 2.7 | 13 |
| 231 | The Interaction of Personality and Social Support on Prospective Suicidal Ideation in Men and Women With Late-Life Depression. American Journal of Geriatric Psychiatry, 2021, 29, 66-77. | 1.2 | 13 |
| 232 | The Course of Depressive Symptoms in Older Adults With Comorbid Major Depression and Dysthymia. American Journal of Geriatric Psychiatry, 2008, 16, 300-309. | 1.2 | 12 |
| 233 | Depression in Taiwanese patients with Alzheimer's disease determined by the National Institutes of Mental Health Provisional Criteria. International Psychogeriatrics, 2012, 24, 1299-1305. | 1.0 | 12 |
| 234 | Memory Deficit Associated with Worse Functional Trajectories in Older Adults in Lowâ€Vision Rehabilitation for Macular Disease. Journal of the American Geriatrics Society, 2012, 60, 2087-2092. | 2.6 | 12 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Association of attentional shift and reversal learning to functional deficits in geriatric depression. International Journal of Geriatric Psychiatry, 2012, 27, 1172-1179. | 2.7 | 12 |
| 236 | Altered Synchronizations among Neural Networks in Geriatric Depression. BioMed Research International, 2015, 2015, 1-12. | 1.9 | 12 |
| 237 | Cognitive functioning throughout the treatment history of clinical lateâ€life depression. International Journal of Geriatric Psychiatry, 2015, 30, 1076-1084. | 2.7 | 12 |
| 238 | Geriatric depression: further evidence for the â€~vascular depression' hypothesis. Current Opinion in Psychiatry, 1999, 12, 463-470. | 6.3 | 12 |
| 239 | Satisfaction and Outcomes of Depressed Older Adults With Psychiatric Clinical Nurse Specialists in Primary Care. Journal of the American Psychiatric Nurses Association, 2007, 13, 62-70. | 1.0 | 11 |
| 240 | Structural brain changes and neuroticism in late-life depression: a neural basis for depression subtypes. International Psychogeriatrics, 2021, 33, 515-520. | 1.0 | 11 |
| 241 | Ascending Digits Task as a Measure of Executive Function in Geriatric Depression. Journal of Neuropsychiatry and Clinical Neurosciences, 2006, 18, 117-120. | 1.8 | 10 |
| 242 | Morphometric analysis of vascular pathology in the orbitofrontal cortex of older subjects with major depression. International Journal of Geriatric Psychiatry, 2013, 28, 959-970. | 2.7 | 10 |
| 243 | Reduced comparison speed during visual search in late life depression. Journal of Clinical and Experimental Neuropsychology, 2013, 35, 1060-1070. | 1.3 | 10 |
| 244 | Functional connectivity predictors of acute depression treatment outcome. International Psychogeriatrics, 2019, 31, 1831-1835. | 1.0 | 10 |
| 245 | Allelic differences in the serotonin transporter-linked polymorphic region in geriatric depression. American Journal of Geriatric Psychiatry, 2002, 10, 185-91. | 1.2 | 10 |
| 246 | Serum Ionized Calcium May Be Related to White Matter Lesion Volumes in Older Adults: A Pilot Study. Nutrients, 2013, 5, 2192-2205. | 4.1 | 9 |
| 247 | The Treatment of Behavioral and Psychological Symptoms of Dementia: Weighing Benefits and Risks. Current Alzheimer Research, 2016, 13, 1124-1133. | 1.4 | 9 |
| 248 | Pharmacist Identification of Medication Therapy Problems Involving Cognition Among Older Adults Followed by a Home-Based Care Team. Drugs and Aging, 2021, 38, 157-168. | 2.7 | 9 |
| 249 | Cerebrovascular Risk Factors and Cerebral Hyperintensities among Middle-Aged and Older Adults With Major Depression. American Journal of Geriatric Psychiatry, 2010, 18, 848-852. | 1.2 | 8 |
| 250 | Elevated brain lesion volumes in older adults who use calcium supplements: a cross-sectional clinical observational study. British Journal of Nutrition, 2014, 112, 220-227. | 2.3 | 8 |
| 251 | Vascular lesions and functional limitations among older adults: does depression make a difference?. International Psychogeriatrics, 2014, 26, 1501-1509. | 1.0 | 8 |
| 252 | A New Measure for Neural Compensation Is Positively Correlated With Working Memory and Gait Speed. Frontiers in Aging Neuroscience, 2018, 10, 71. | 3.4 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 253 | Dynamic changes in thalamic connectivity following stress and its association with future depression severity. Brain and Behavior, 2019, 9, e01445. | 2.2 | 8 |
| 254 | Understanding Depression and Cognitive Impairment in the Elderly. Psychiatric Annals, 2010, 40, 29-40. | 0.1 | 8 |
| 255 | Clinical and sociodemographic factors in a sample of older subjects experiencing depressive symptoms. International Journal of Geriatric Psychiatry, 2012, 27, 924-930. | 2.7 | 7 |
| 256 | Predictors of Partial Remission in Older Patients Treated for Major Depression: The Role of Comorbid Dysthymia. American Journal of Geriatric Psychiatry, 2005, 13, 713-721. | 1.2 | 7 |
| 257 | Decision model for the acute treatment of mania. , 1996, 4, 289-293. | | 6 |
| 258 | Initial evaluation of suspected dementia. Postgraduate Medicine, 1999, 106, 72-83. | 2.0 | 6 |
| 259 | Vascular Depression: Is an Old Research Construct Finally Ready for Clinical Prime Time?. Biological Psychiatry, 2019, 85, 441-442. | 1.3 | 6 |
| 260 | Hippocampal Volume as a Predictor of Short-Term ECT Outcomes in Older Patients With Depression. American Journal of Geriatric Psychiatry, 2005, 13, 910-913. | 1.2 | 6 |
| 261 | Resilience in the Face of Chronic Illness and Family Caregiving in Middle and Later Life. Psychiatric Annals, 2013, 43, 549-554. | 0.1 | 6 |
| 262 | Greater depression severity associated with less improvement in depression-associated cognitive deficits in older subjects. American Journal of Geriatric Psychiatry, 2002, 10, 632-5. | 1.2 | 6 |
| 263 | Partial response as a predictor of outcome in geriatric depression. American Journal of Geriatric Psychiatry, 2003, 11, 340-8. | 1.2 | 6 |
| 264 | How Asymptomatic Is Asymptomatic Carotid Stenosis?. Radiology, 2007, 244, 317-319. | 7.3 | 5 |
| 265 | Spiritual Considerations in Suicide and Depression Among the Elderly. Southern Medical Journal, 2007, 100, 748-749. | 0.7 | 5 |
| 266 | Depressed Older Patients With the Atypical Features of Interpersonal Rejection Sensitivity and Reversed-Vegetative Symptoms are Similar to Younger Atypical Patients. American Journal of Geriatric Psychiatry, 2012, 20, 622-634. | 1.2 | 5 |
| 267 | Exercise for late-life depression? It depends. Lancet, The, 2013, 382, 4-5. | 13.7 | 5 |
| 268 | Validation of a treatment algorithm for major depression in an older Brazilian sample. International Journal of Geriatric Psychiatry, 2013, 28, 647-653. | 2.7 | 5 |
| 269 | Cognitive variability, brain aging, and cognitive decline in lateâ€life major depression. International Journal of Geriatric Psychiatry, 2021, 36, 665-676. | 2.7 | 5 |
| 270 | Cholesterol-lowering medication and relapse of depression. Psychopharmacology Bulletin, 2003, 37, 92-8. | 0.0 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Do estradiol levels influence on the cognitive function during antidepressant treatments in post-menopausal women with major depressive disorder? A comparison with pre-menopausal women. Neuroendocrinology Letters, 2008, 29, 500-6. | 0.2 | 5 |
| 272 | The neurostructural/neurofunctional basis of depression/mania. Current Opinion in Psychiatry, 1993, 6, 22-26. | 6.3 | 4 |
| 273 | Imaging and genetics advances in understanding geriatric depression. Neuropsychopharmacology, 2010, 35, 349-350. | 5.4 | 4 |
| 274 | Functional Brain Networks of Trait and State Anxiety in Late-Life Depression. American Journal of Geriatric Psychiatry, 2021, 29, S52-S53. | 1.2 | 4 |
| 275 | Hormone Therapy Does Not Affect Depression Severity in Older Women. American Journal of Geriatric Psychiatry, 2005, 13, 616-623. | 1.2 | 4 |
| 276 | Late-life onset bipolar disorder presenting as a case of pseudo-dementia: a case discussion and review of literature. Yale Journal of Biology and Medicine, 2013, 86, 235-44. | 0.2 | 4 |
| 277 | Sociodemographic and clinical predictors of mortality in geriatric depression. American Journal of Geriatric Psychiatry, 2002, 10, 531-40. | 1.2 | 4 |
| 278 | Association of 1-year change in neuroticism and 3-year change in cognitive performance among older depressed adults. International Psychogeriatrics, 2022, 34, 645-650. | 1.0 | 4 |
| 279 | Getting on Message: Preventing Alzheimer Disease Through Diet and Exercise. American Journal of Geriatric Psychiatry, 2016, 24, 738-739. | 1.2 | 3 |
| 280 | Clinical trial testing in-home multidisciplinary care management for older adults with cognitive vulnerability: Rationale and study design. Contemporary Clinical Trials, 2020, 92, 105992. | 1.8 | 3 |
| 281 | More than a Trait: Longitudinal Changes in Psychological Resilience, Mood and Cognition in Late Life Major Depression. American Journal of Geriatric Psychiatry, 2021, 29, S31-S33. | 1.2 | 3 |
| 282 | Behavioral medicine and aging Journal of Consulting and Clinical Psychology, 2002, 70, 843-851. | 2.0 | 3 |
| 283 | Epidemiology of Mental Health: A Keystone of Geriatric Psychiatry. American Journal of Geriatric Psychiatry, 2006, 14, 477-479. | 1.2 | 2 |
| 284 | J'accuse! depression as a likely culprit in cases of AD. International Psychogeriatrics, 2016, 28, 1407-1408. | 1.0 | 2 |
| 285 | Physical Exercise-Induced Improvement in Gait Speed and Interoceptive-Exteroceptive Network Synchronization. American Journal of Geriatric Psychiatry, 2017, 25, S137-S138. | 1.2 | 2 |
| 286 | Training the Next Generation of Geriatric-Focused Clinical Neuroscientists. American Journal of Geriatric Psychiatry, 2019, 27, 720-727. | 1.2 | 2 |
| 287 | PATIENT VERSUS CLINICIAN RATED DEPRESSION SCORES: A COMPARISON OF PARTICIPANT SCORES ON THE CARROLL DEPRESSION SCALE AND THE HAMILTON DEPRESSION RATING SCALE. American Journal of Geriatric Psychiatry, 2019, 27, S124-S125. | 1.2 | 2 |
| 288 | Post hoc analyses of an open-label long-term study of esketamine nasal spray plus an oral antidepressant comparing results in older versus younger adults with treatment-resistant depression. American Journal of Geriatric Psychiatry, 2021, 29, S127-S128. | 1.2 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Depression and Dementia Risk: Research Findings That Are Shovel-Ready for Clinicians. American Journal of Geriatric Psychiatry, 2021, 29, 927-929. | 1.2 | 2 |
| 290 | In our hands: responding to the IOM report on workforce needs for older adults with mental health and substance use disorders. International Psychogeriatrics, 2013, 25, 1039-1040. | 1.0 | 1 |
| 291 | Research in Geriatric Depression: A Model for Mental Health Research in the 21st Century?. American Journal of Geriatric Psychiatry, 2005, 13, 829-833. | 1.2 | 1 |
| 292 | HIPPOCAMPAL VOLUME AND GERIATRIC DEPRESSION: THE EFFECT OF AGE OF ONSET. American Journal of Geriatric Psychiatry, 1999, 7, 29. | 1.2 | 0 |
| 293 | BUPROPION SR IN THE NATURALISTIC TREATMENT OF MAJOR DEPRESSION IN ELDERLY PATIENTS WITH HIGH AND LOW MEDICAL COMORBIDITY. American Journal of Geriatric Psychiatry, 1999, 7, 61. | 1.2 | 0 |
| 294 | Executive Function as a Moderator of Emotion Regulation in Late-Life Depression. American Journal of Geriatric Psychiatry, 2013, 21, S129-S130. | 1.2 | 0 |
| 295 | Models of Vascular Depression: From Etiology to Presentation. American Journal of Geriatric Psychiatry, 2013, 21, S24-S25. | 1.2 | 0 |
| 296 | Emotion Regulation in Late-Life Depression: Neural Models to Treatment Strategies. American Journal of Geriatric Psychiatry, 2014, 22, S15-S16. | 1.2 | 0 |
| 297 | Disability and Social Support as Predictors of Cognitive Conversion in Late-Life Depression. American Journal of Geriatric Psychiatry, 2014, 22, S64. | 1.2 | 0 |
| 298 | Unstable Structural Connectivity and Low Connectivity Efficiency in Patients Remitted from Geriatric Depression. American Journal of Geriatric Psychiatry, 2015, 23, S145-S146. | 1.2 | 0 |
| 299 | Perspectives on Late-Life Depression in Special Populations. American Journal of Geriatric Psychiatry, 2015, 23, S13-S14. | 1.2 | 0 |
| 300 | Neuroticism Components Selectively Impact Long Term Illness Course and Cognitive Decline in Late-Life Depression. American Journal of Geriatric Psychiatry, 2016, 24, S95-S96. | 1.2 | 0 |
| 301 | Late-Life Major Depression and Neuroticism: A Preliminary Functional Connectivity Study. American Journal of Geriatric Psychiatry, 2016, 24, S158-S159. | 1.2 | 0 |
| 302 | Baseline Stress Effect on Remission in Geriatric Depression. American Journal of Geriatric Psychiatry, 2016, 24, S127-S128. | 1.2 | 0 |
| 303 | Late-Life Depression and Frailty: Is There a Common Vulnerability, and How Does the Presence of Frailty Contribute to Clinical Outcomes of Geriatric Depression?. American Journal of Geriatric Psychiatry, 2017, 25, S23-S24. | 1.2 | 0 |
| 304 | Resting-State Functional MRI Correlates of Negative Urgency in Late-Life Depression. American Journal of Geriatric Psychiatry, 2017, 25, S117-S118. | 1.2 | 0 |
| 305 | Editorial Comment: Is It Time to Take the "Sub―Out of Subsyndromal Depression?. American Journal of Geriatric Psychiatry, 2017, 25, 992-993. | 1.2 | 0 |
| 306 | [P4–004]: THE COMBINATION OF CITALOPRAM AND RIVASTIGMINE IN THE TREATMENT OF MOOD DISORDER AND COGNITIVE IMPAIRMENT DUE TO CEREBROVASCULAR DISEASE: A CASE REPORT AND LITERATURE REVIEW. Alzheimer's and Dementia, 2017, 13, P1254. | 0.8 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | A Geriatrics Perspective on Dementia Prevention and Treatment. American Journal of Psychiatry, 2018, 175, 199-201. | 7.2 | 0 |
| 308 | Can Addressing Personality Change Enhance Cognitive Functioning and Delay Development of Mild Cognitive Impairment?. Journal of the American Geriatrics Society, 2018, 66, 650-651. | 2.6 | 0 |
| 309 | 570. The Effects of Locus of Control, Social Support, and Stigma on the HIV Care Continuum in the Aging HIV-Infected Population. Open Forum Infectious Diseases, 2018, 5, S211-S211. | 0.9 | 0 |
| 310 | PHENOTYPING PROSPECTIVE COGNITIVE OUTCOMES OF LATE-LIFE DEPRESSION. American Journal of Geriatric Psychiatry, 2019, 27, S182-S183. | 1.2 | 0 |
| 311 | ASSOCIATION BETWEEN WHITE MATTER HYPERINTENSITIES, FRONTAL BRAIN VOLUMES AND NEUROTICISM IN LATE LIFE DEPRESSION. American Journal of Geriatric Psychiatry, 2019, 27, S140. | 1.2 | 0 |
| 312 | Perspectives: Measuring the Impact of Articles Published in The American Journal of Geriatric Psychiatry, July 1, 2017, to June 30, 2018. American Journal of Geriatric Psychiatry, 2019, 27, 337-345. | 1.2 | 0 |
| 313 | ANXIETY, NEUROTICISM AND LATE-LIFE DEPRESSION. American Journal of Geriatric Psychiatry, 2019, 27, S119-S120. | 1.2 | 0 |
| 314 | ASSOCIATIONS OF ADVERSE CHILDHOOD EXPERIENCES WITH DSM-5 DEPRESSIVE DISORDERS AND SUICIDE ATTEMPT IN OLDER ADULTS. Innovation in Aging, 2019, 3, S571-S572. | 0.1 | 0 |
| 315 | DISABILITY IN PRISON ACTIVITIES OF DAILY LIVING AND DEPRESSION IN OLDER PRISONERS: A PROSPECTIVE STUDY. Innovation in Aging, 2019, 3, S713-S713. | 0.1 | 0 |
| 316 | Is it time to do away with disorders in the very old?. International Psychogeriatrics, 2019, 31, 1535-1537. | 1.0 | 0 |
| 317 | Blue Genes, Exercise, and Cognition in Late-Life Depression: A Lot of Moving Parts. American Journal of Geriatric Psychiatry, 2020, 28, 968-970. | 1.2 | 0 |
| 318 | WEAKENED ROLE OF VENTROMEDIAL AND DORSOLATERAL PREFRONTAL CORTEX IN REGULATING AMYGDALA ACTIVITY IN LATE-LIFE DEPRESSION – A DYNAMIC CAUSAL MODELLING STUDY ON RESTING STATE FMRI. American Journal of Geriatric Psychiatry, 2020, 28, S135. | 1.2 | 0 |
| 319 | PRESENCE OF OPTIMISM AND ANTIDEPRESSANT REMISSION RATES IN LATE-LIFE DEPRESSION. American Journal of Geriatric Psychiatry, 2020, 28, S68-S69. | 1.2 | 0 |
| 320 | COGNITIVE TEST DISPERSION AND FUNCTIONAL CONNECTIVITY IN OLDER ADULTS WITH MAJOR DEPRESSION. American Journal of Geriatric Psychiatry, 2020, 28, S69-S70. | 1.2 | 0 |
| 321 | PERSONALITY DIFFERENCES IN LATE-LIFE DEPRESSION AND MILD COGNITIVE IMPAIRMENT. American Journal of Geriatric Psychiatry, 2020, 28, S78. | 1.2 | 0 |
| 322 | Effects of Stressful Events and Perceived Stress on Cognitive Change Among Depressed Older Adults. American Journal of Geriatric Psychiatry, 2021, 29, S29-S30. | 1.2 | 0 |
| 323 | Resting-State Functional Connectivity and Anxiety Predict Relapse in Remitted Late-Life Depression. American Journal of Geriatric Psychiatry, 2021, 29, S34-S35. | 1.2 | 0 |
| 324 | This Issue: Geriatric Psychiatry. Psychiatric Annals, 2010, 40, 7-11. | 0.1 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Substance Use Disorder–Related Hospitalizations and ED Use in Those Returning to Community From Prison in Later Life. Innovation in Aging, 2020, 4, 747-748. | 0.1 | ο |
| 326 | Cognitive Impairment Trends Among Older Adults in a Medicaid Home and Community-Based Service Program. Innovation in Aging, 2021, 5, 17-17. | 0.1 | 0 |