

David C Steffens

List of Publications by Citations

Source: <https://exaly.com/author-pdf/778482/david-c-steffens-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

289
papers

15,050
citations

68
h-index

110
g-index

369
ext. papers

17,180
ext. citations

4.3
avg, IF

6.44
L-index

#	Paper	IF	Citations
289	Hormone replacement therapy and incidence of Alzheimer disease in older women: the Cache County Study. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 2123-9	27.4	643
288	Prevalence of cognitive impairment without dementia in the United States. <i>Annals of Internal Medicine</i> , 2008 , 148, 427-34	8	616
287	Hippocampal volume in geriatric depression. <i>Biological Psychiatry</i> , 2000 , 48, 301-9	7.9	301
286	Cognitive function in late life depression: relationships to depression severity, cerebrovascular risk factors and processing speed. <i>Biological Psychiatry</i> , 2006 , 60, 58-65	7.9	288
285	APOE genotype predicts when--not whether--one is predisposed to develop Alzheimer disease. <i>Nature Genetics</i> , 1998 , 19, 321-2	36.3	282
284	Structural neuroimaging and mood disorders: recent findings, implications for classification, and future directions. <i>Biological Psychiatry</i> , 1998 , 43, 705-12	7.9	270
283	Validation of the Patient Health Questionnaire-9 Korean version in the elderly population: the Ansan Geriatric study. <i>Comprehensive Psychiatry</i> , 2008 , 49, 218-23	7.3	241
282	The Aging, Demographics, and Memory Study: study design and methods. <i>Neuroepidemiology</i> , 2005 , 25, 181-91	5.4	231
281	Dorsolateral prefrontal cortex and anterior cingulate cortex white matter alterations in late-life depression. <i>Biological Psychiatry</i> , 2006 , 60, 1356-63	7.9	221
280	Neuropsychiatric disturbance in Alzheimer's disease clusters into three groups: the Cache County study. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 1043-53	3.9	221
279	Cerebrovascular disease and depression symptoms in the cardiovascular health study. <i>Stroke</i> , 1999 , 30, 2159-66	6.7	221
278	Depression treatment preferences in older primary care patients. <i>Gerontologist</i> , 2006 , 46, 14-22	5	215
277	Prevalence of depression among older Americans: the Aging, Demographics and Memory Study. <i>International Psychogeriatrics</i> , 2009 , 21, 879-88	3.4	200
276	Late-life depression and microstructural abnormalities in dorsolateral prefrontal cortex white matter. <i>American Journal of Psychiatry</i> , 2004 , 161, 1293-6	11.9	191
275	Cerebrovascular disease and evolution of depressive symptoms in the cardiovascular health study. <i>Stroke</i> , 2002 , 33, 1636-44	6.7	185
274	Clinical characteristics of magnetic resonance imaging-defined subcortical ischemic depression. <i>Biological Psychiatry</i> , 2004 , 55, 390-7	7.9	183
273	Agitation in cognitive disorders: International Psychogeriatric Association provisional consensus clinical and research definition. <i>International Psychogeriatrics</i> , 2015 , 27, 7-17	3.4	181

272	Reduction of orbital frontal cortex volume in geriatric depression. <i>Biological Psychiatry</i> , 2000 , 48, 971-5	7.9	175
271	Are SSRIs better than TCAs? Comparison of SSRIs and TCAs: a meta-analysis. <i>Depression and Anxiety</i> , 1997 , 6, 10-8	8.4	165
270	Incidence of dementia and cognitive impairment, not dementia in the United States. <i>Annals of Neurology</i> , 2011 , 70, 418-26	9.4	158
269	Efficacy and Safety of Esketamine Nasal Spray Plus an Oral Antidepressant in Elderly Patients With Treatment-Resistant Depression-TRANSFORM-3. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 121-141	6.5	155
268	Neuropsychiatric signs and symptoms of Alzheimer's disease: New treatment paradigms. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2017 , 3, 440-449	6	153
267	Depressive symptoms, menopausal status, and climacteric symptoms in women at midlife. <i>Psychosomatic Medicine</i> , 2001 , 63, 603-8	3.7	150
266	A twin study of late-onset depression and apolipoprotein E epsilon 4 as risk factors for Alzheimer's disease. <i>Biological Psychiatry</i> , 1997 , 41, 851-6	7.9	148
265	Prevalence of neuropsychiatric symptoms and their association with functional limitations in older adults in the United States: the aging, demographics, and memory study. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 330-7	5.6	134
264	The persistence of neuropsychiatric symptoms in dementia: the Cache County Study. <i>International Journal of Geriatric Psychiatry</i> , 2004 , 19, 19-26	3.9	133
263	Contribution of depression to cognitive impairment and dementia in older adults. <i>Neurologist</i> , 2007 , 13, 105-17	1.6	132
262	Reducing suicidal ideation in depressed older primary care patients. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 1550-6	5.6	132
261	The neurosteroid allopregnanolone is reduced in prefrontal cortex in Alzheimer's disease. <i>Biological Psychiatry</i> , 2006 , 60, 1287-94	7.9	121
260	Fruit, vegetable, and antioxidant intakes are lower in older adults with depression. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2012 , 112, 2022-7	3.9	116
259	The impact of religious practice and religious coping on geriatric depression. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 905-14	3.9	114
258	Evidence of white matter tract disruption in MRI hyperintensities. <i>Biological Psychiatry</i> , 2001 , 50, 179-83	7.9	111
257	Neuropsychiatric symptoms and the risk of institutionalization and death: the aging, demographics, and memory study. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 473-81	5.6	110
256	Hippocampal volume and antidepressant response in geriatric depression. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 519-25	3.9	109
255	Prefrontal neuropsychological predictors of treatment remission in late-life depression. <i>Neuropsychopharmacology</i> , 2004 , 29, 2266-71	8.7	109

254	National Institutes of Health Pathways to Prevention Workshop: the role of opioids in the treatment of chronic pain. <i>Annals of Internal Medicine</i> , 2015 , 162, 295-300	8	107
253	Serial MR imaging of volumes of hyperintense white matter lesions in elderly patients: correlation with vascular risk factors. <i>American Journal of Roentgenology</i> , 2003 , 181, 571-6	5.4	106
252	MRI correlates of suicide attempt history in unipolar depression. <i>Biological Psychiatry</i> , 2001 , 50, 266-70	7.9	104
251	Greater risk of dementia when spouse has dementia? The Cache County study. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 895-900	5.6	101
250	Altered cerebellar-cerebral functional connectivity in geriatric depression. <i>PLoS ONE</i> , 2011 , 6, e20035	3.7	99
249	Anatomic location and laterality of MRI signal hyperintensities in late-life depression. <i>Journal of Psychosomatic Research</i> , 2002 , 53, 665-76	4.1	99
248	Persistent mild cognitive impairment in geriatric depression. <i>International Psychogeriatrics</i> , 2007 , 19, 125-35	3.4	95
247	Psychosocial and clinical predictors of unipolar depression outcome in older adults. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 238-46	3.9	92
246	Localization of age-associated white matter hyperintensities in late-life depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003 , 27, 539-44	5.5	90
245	Greater MRI lesion volumes in elderly depressed subjects than in control subjects. <i>Psychiatry Research - Neuroimaging</i> , 2005 , 139, 1-7	2.9	88
244	Change in hippocampal volume on magnetic resonance imaging and cognitive decline among older depressed and nondepressed subjects in the neurocognitive outcomes of depression in the elderly study. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 4-12	6.5	87
243	The vascular depression subtype: evidence of internal validity. <i>Biological Psychiatry</i> , 2008 , 64, 491-7	7.9	86
242	Orbitofrontal cortex volume in late life depression: influence of hyperintense lesions and genetic polymorphisms. <i>Psychological Medicine</i> , 2007 , 37, 1763-73	6.9	86
241	Anxiety symptoms in amnesic mild cognitive impairment are associated with medial temporal atrophy and predict conversion to Alzheimer disease. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 466-76	6.5	84
240	Does social support buffer functional decline in elderly patients with unipolar depression?. <i>American Journal of Psychiatry</i> , 2001 , 158, 1850-5	11.9	84
239	Aging, gender, and the elderly adult brain: an examination of analytical strategies. <i>Neurobiology of Aging</i> , 2008 , 29, 290-302	5.6	82
238	Longitudinal magnetic resonance imaging vascular changes, apolipoprotein E genotype, and development of dementia in the neurocognitive outcomes of depression in the elderly study. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 839-49	6.5	80
237	Provisional diagnostic criteria for depression of Alzheimer disease. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 125-8	6.5	80

236	Neurocognitive correlates of response to treatment in late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 752-9	6.5	78
235	Substance Use Disorder-Related Hospitalizations and ED Use in Those Returning to Community From Prison in Later Life. <i>Innovation in Aging</i> , 2020 , 4, 747-748	0.1	78
234	ASSOCIATIONS OF ADVERSE CHILDHOOD EXPERIENCES WITH DSM-5 DEPRESSIVE DISORDERS AND SUICIDE ATTEMPT IN OLDER ADULTS. <i>Innovation in Aging</i> , 2019 , 3, S571-S572	0.1	78
233	DISABILITY IN PRISON ACTIVITIES OF DAILY LIVING AND DEPRESSION IN OLDER PRISONERS: A PROSPECTIVE STUDY. <i>Innovation in Aging</i> , 2019 , 3, S713-S713	0.1	78
232	570. The Effects of Locus of Control, Social Support, and Stigma on the HIV Care Continuum in the Aging HIV-Infected Population. <i>Open Forum Infectious Diseases</i> , 2018 , 5, S211-S211	1	78
231	Hippocampus atrophy and the longitudinal course of late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1504-12	6.5	74
230	Reduction of dorsolateral prefrontal cortex gray matter in late-life depression. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 193, 1-6	2.9	73
229	Smaller orbital frontal cortex volumes associated with functional disability in depressed elders. <i>Biological Psychiatry</i> , 2003 , 53, 144-9	7.9	73
228	Enhanced cognitive performance with estrogen use in nondemented community-dwelling older women. <i>Journal of the American Geriatrics Society</i> , 1999 , 47, 1171-5	5.6	72
227	Coenzyme Q10: a review of its promise as a neuroprotectant. <i>CNS Spectrums</i> , 2007 , 12, 62-8	1.8	71
226	Subcortical white matter lesions and functional impairment in geriatric depression. <i>Depression and Anxiety</i> , 2002 , 15, 23-8	8.4	71
225	Allelic differences in the brain-derived neurotrophic factor Val66Met polymorphism in late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 850-7	6.5	69
224	Methodology and preliminary results from the neurocognitive outcomes of depression in the elderly study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2004 , 17, 202-11	3.8	68
223	The Duke Somatic Treatment Algorithm for Geriatric Depression (STAGED) approach. <i>Psychopharmacology Bulletin</i> , 2002 , 36, 58-68	0.9	67
222	Change in stress and social support as predictors of cognitive decline in older adults with and without depression. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 1267-74	3.9	66
221	Treatment course with antidepressant therapy in late-life depression. <i>American Journal of Psychiatry</i> , 2012 , 169, 1185-93	11.9	65
220	Depression, hippocampal volume changes, and cognitive decline in a clinical sample of older depressed outpatients and non-depressed controls. <i>Aging and Mental Health</i> , 2012 , 16, 753-62	3.5	65
219	Subcortical lesion severity and orbitofrontal cortex volume in geriatric depression. <i>Biological Psychiatry</i> , 2003 , 54, 529-33	7.9	65

218	Fatigue as a core symptom in major depressive disorder: overview and the role of bupropion. <i>Expert Review of Neurotherapeutics</i> , 2007 , 7, 1251-63	4.3	64
217	Depressive state- and disease-related alterations in neural responses to affective and executive challenges in geriatric depression. <i>American Journal of Psychiatry</i> , 2008 , 165, 863-71	11.9	63
216	Hippocampus shape analysis and late-life depression. <i>PLoS ONE</i> , 2008 , 3, e1837	3.7	63
215	The relationship of religious involvement indicators and social support to current and past suicidality among depressed older adults. <i>Aging and Mental Health</i> , 2013 , 17, 366-74	3.5	61
214	Diffusion tensor imaging studies in late-life depression: systematic review and meta-analysis. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 1173-84	3.9	59
213	Effectiveness of antidepressant treatments in pre-menopausal versus post-menopausal women: a pilot study on differential effects of sex hormones on antidepressant effects. <i>Biomedicine and Pharmacotherapy</i> , 2009 , 63, 228-35	7.5	59
212	APOE related hippocampal shape alteration in geriatric depression. <i>NeuroImage</i> , 2009 , 44, 620-6	7.9	59
211	Performance feedback deficit in geriatric depression. <i>Biological Psychiatry</i> , 2001 , 50, 358-63	7.9	58
210	Structural integrity of the uncinate fasciculus and resting state functional connectivity of the ventral prefrontal cortex in late life depression. <i>PLoS ONE</i> , 2011 , 6, e22697	3.7	58
209	The incidence of mental and behavioral disturbances in dementia: the cache county study. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2003 , 15, 340-5	2.7	57
208	APOE genotype and hippocampal volume change in geriatric depression. <i>Biological Psychiatry</i> , 2002 , 51, 426-9	7.9	57
207	Severity of subcortical gray matter hyperintensity predicts ECT response in geriatric depression. <i>Journal of ECT</i> , 2001 , 17, 45-9	2	57
206	Association of five-factor model personality domains and facets with presence, onset, and treatment outcomes of major depression in older adults. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 88-96	6.5	56
205	Cerebrospinal fluid dehydroepiandrosterone levels are correlated with brain dehydroepiandrosterone levels, elevated in Alzheimer's disease, and related to neuropathological disease stage. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 3173-8	5.6	55
204	Functional evidence implicating a novel TOR1A mutation in idiopathic, late-onset focal dystonia. <i>Journal of Medical Genetics</i> , 2010 , 47, 646-50	5.8	54
203	Sensitivity of cognitive tests in four cognitive domains in discriminating MDD patients from healthy controls: a meta-analysis. <i>International Psychogeriatrics</i> , 2013 , 25, 1543-57	3.4	53
202	The brain-derived neurotrophic factor Val66Met polymorphism, hippocampal volume, and cognitive function in geriatric depression. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 323-31	6.5	53
201	Factors associated with cognitive evaluations in the United States. <i>Neurology</i> , 2015 , 84, 64-71	6.5	52

200	Cholinesterase inhibitors as adjunctive therapy in patients with schizophrenia and schizoaffective disorder: a review and meta-analysis of the literature. <i>CNS Drugs</i> , 2010 , 24, 303-17	6.7	52
199	Profiles of depressive symptoms in older adults diagnosed with major depression: latent cluster analysis. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 387-96	6.5	51
198	Widespread effects of hyperintense lesions on cerebral white matter structure. <i>American Journal of Roentgenology</i> , 2007 , 188, 1695-704	5.4	51
197	Metabolomic differences in heart failure patients with and without major depression. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2010 , 23, 138-46	3.8	50
196	Depressive morbidity and gender in community-dwelling Brazilian elderly: systematic review and meta-analysis. <i>International Psychogeriatrics</i> , 2010 , 22, 712-26	3.4	49
195	A three-factor analytic model of the MADRS in geriatric depression. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 73-7	3.9	49
194	Familial leukoencephalopathy in bipolar disorder. <i>American Journal of Psychiatry</i> , 1998 , 155, 1605-7	11.9	49
193	A longitudinal study of differences in late- and early-onset geriatric depression: depressive symptoms and psychosocial, cognitive, and neurological functioning. <i>Aging and Mental Health</i> , 2013 , 17, 1-11	3.5	48
192	Amygdala volume in late-life depression: relationship with age of onset. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 771-6	6.5	48
191	The association of psychosocial factors and depression with hypertension among older adults. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 1142-8	3.9	48
190	Age-dependent reduction of amygdala volume in bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008 , 163, 84-94	2.9	47
189	Early parental death and remarriage of widowed parents as risk factors for Alzheimer disease: the Cache County study. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 814-24	6.5	46
188	Review of evidence for genetic testing for CYP450 polymorphisms in management of patients with nonpsychotic depression with selective serotonin reuptake inhibitors. <i>Genetics in Medicine</i> , 2007 , 9, 826-35	8.1	46
187	Psychiatric disease in the twenty-first century: The case for subcortical ischemic depression. <i>Biological Psychiatry</i> , 2006 , 60, 1299-303	7.9	46
186	White matter and subcortical gray matter lesion volume changes and late-life depression outcome: a 4-year magnetic resonance imaging study. <i>International Psychogeriatrics</i> , 2006 , 18, 445-56	3.4	46
185	Biological and social predictors of long-term geriatric depression outcome. <i>International Psychogeriatrics</i> , 2005 , 17, 41-56	3.4	46
184	The effect of major depression on functional status in patients with coronary artery disease. <i>Journal of the American Geriatrics Society</i> , 1999 , 47, 319-22	5.6	46
183	Longitudinal Cognitive Outcomes of Clinical Phenotypes of Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 1123-1134	6.5	44

182	The brain-derived neurotrophic factor VAL66MET polymorphism and cerebral white matter hyperintensities in late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 263-71	6.5	44
181	Clinical correlates of anxious depression among elderly patients with depression. <i>Journal of Affective Disorders</i> , 2006 , 90, 37-41	6.6	44
180	Basolateral amygdala volume and cell numbers in major depressive disorder: a postmortem stereological study. <i>Brain Structure and Function</i> , 2016 , 221, 171-84	4	42
179	Sleep Disturbances in the Elderly. <i>Psychiatric Clinics of North America</i> , 2015 , 38, 723-41	3.1	41
178	Social support and locus of control as predictors of adherence to antidepressant medication in an elderly population. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 157-65	6.5	40
177	Clinically significant depressive symptoms and associated factors in community elderly subjects from Sao Paulo, Brazil. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 582-90	6.5	39
176	Progression of subcortical ischemic disease from vascular depression to vascular dementia. <i>American Journal of Psychiatry</i> , 2003 , 160, 1751-6	11.9	38
175	Quetiapine XR: current status for the treatment of major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 1165-73	5.5	37
174	White matter hyperintensities and their association with suicidality in major affective disorders: a meta-analysis of magnetic resonance imaging studies. <i>CNS Spectrums</i> , 2010 , 15, 375-81	1.8	37
173	Quality of life and physical activity associated to lower prevalence of depression in community-dwelling elderly subjects from Sao Paulo. <i>Journal of Affective Disorders</i> , 2013 , 150, 616-22	6.6	36
172	Differences between suicide attempters and nonattempters in depressed older patients: depression severity, white-matter lesions, and cognitive functioning. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 75-85	6.5	36
171	Religion and the presence and severity of depression in older adults. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 20, 188-92	6.5	36
170	Religious factors and hippocampal atrophy in late life. <i>PLoS ONE</i> , 2011 , 6, e17006	3.7	36
169	Differential patterns of cognitive decline in anterior and posterior white matter hyperintensity progression. <i>Stroke</i> , 2010 , 41, 1946-50	6.7	36
168	Symptomatic remission in patients with bipolar mania: results from a double-blind, placebo-controlled trial of risperidone monotherapy. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1016-20	4.6	36
167	Neuropsychological predictors of dementia in late-life major depressive disorder. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 297-306	6.5	35
166	Stressful life events and cognitive decline in late life: moderation by education and age. The Cache County Study. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 821-30	3.9	35
165	Efficacy and safety of adjunctive aripiprazole in major depressive disorder in older patients: a pooled subpopulation analysis. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 564-72	3.9	35

164	Three-year incidence of first-onset depressive syndrome in a population sample of older adults: the Cache County study. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 237-45	6.5	35
163	Cognitive impairment and depression outcomes in the IMPACT study. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 401-9	6.5	34
162	Hippocampal volume and incident dementia in geriatric depression. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 62-71	6.5	34
161	Fiber tract-specific white matter lesion severity Findings in late-life depression and by AGTR1 A1166C genotype. <i>Human Brain Mapping</i> , 2013 , 34, 295-303	5.9	32
160	Negative life stress and longitudinal hippocampal volume changes in older adults with and without depression. <i>Journal of Psychiatric Research</i> , 2013 , 47, 829-34	5.2	32
159	Biochemical abnormalities of the medial temporal lobe and medial prefrontal cortex in late-life depression. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 172, 49-54	2.9	32
158	Associations among the NEO Personality Inventory, Revised and the serotonin transporter gene-linked polymorphic region in elders: effects of depression and gender. <i>Psychiatric Genetics</i> , 2003 , 13, 13-8	2.9	32
157	Lobar distribution of lesion volumes in late-life depression: the Biomedical Informatics Research Network (BIRN). <i>Neuropsychopharmacology</i> , 2006 , 31, 1500-7	8.7	30
156	Inflammation Markers and Major Depressive Disorder in Patients With Chronic Heart Failure: Results From the Sertraline Against Depression and Heart Disease in Chronic Heart Failure Study. <i>Psychosomatic Medicine</i> , 2015 , 77, 808-15	3.7	29
155	The moderating effect of the APOE [small element of] 4 allele on the relationship between hippocampal volume and cognitive decline in older depressed patients. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 23-32	6.5	29
154	Variability in frontotemporal brain structure: the importance of recruitment of African Americans in neuroscience research. <i>PLoS ONE</i> , 2010 , 5, e13642	3.7	29
153	Adverse Effects of Pharmacologic Treatments of Major Depression in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 1571-1581	5.6	28
152	Neural correlates associated with cognitive decline in late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 20, 653-63	6.5	28
151	Calcium and vitamin D intakes may be positively associated with brain lesions in depressed and nondepressed elders. <i>Nutrition Research</i> , 2008 , 28, 285-92	4	28
150	Associations of Adverse Childhood Experiences with Past-Year DSM-5 Psychiatric and Substance Use Disorders in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 2085-2093	5.6	27
149	Predictors of recurrence in remitted late-life depression. <i>Depression and Anxiety</i> , 2018 , 35, 658-667	8.4	27
148	Social support modifies the relationship between personality and depressive symptoms in older adults. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 123-31	6.5	27
147	Course of suicide ideation and predictors of change in depressed older adults. <i>Journal of Affective Disorders</i> , 2009 , 113, 30-6	6.6	27

146	Prevalence and patterns of comorbid cognitive impairment in low vision rehabilitation for macular disease. <i>Archives of Gerontology and Geriatrics</i> , 2010 , 50, 209-12	4	27
145	Left orbital frontal cortex volume and performance on the benton visual retention test in older depressives and controls. <i>Neuropsychopharmacology</i> , 2003 , 28, 2179-83	8.7	27
144	Structural brain changes as biomarkers and outcome predictors in patients with late-life depression: a cross-sectional and prospective study. <i>PLoS ONE</i> , 2013 , 8, e80049	3.7	26
143	Outcomes of older cognitively impaired individuals with current and past depression in the NCODE study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2009 , 22, 52-61	3.8	25
142	Hippocampal volumes and depression subtypes. <i>Psychiatry Research - Neuroimaging</i> , 2008 , 163, 126-32	2.9	25
141	Relative effectiveness of reappraisal and distraction in regulating emotion in late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 898-907	6.5	24
140	Plasma omega-3 polyunsaturated fatty acids and survival in patients with chronic heart failure and major depressive disorder. <i>Journal of Cardiovascular Translational Research</i> , 2012 , 5, 92-9	3.3	24
139	Heterogeneity in symptom profiles among older adults diagnosed with major depression. <i>International Psychogeriatrics</i> , 2011 , 23, 906-22	3.4	24
138	Associations of religious behavior and experiences with extent of regional atrophy in the orbitofrontal cortex during older adulthood. <i>Religion, Brain and Behavior</i> , 2011 , 1, 103-118	0.6	24
137	MRI-defined vascular depression: a review of the construct. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 1101-8	3.9	24
136	Antidepressant treatment and worsening white matter on serial cranial magnetic resonance imaging in the elderly: the Cardiovascular Health Study. <i>Stroke</i> , 2008 , 39, 857-62	6.7	24
135	Negative Affectivity, Aging, and Depression: Results From the Neurobiology of Late-Life Depression (NBOLD) Study. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 1135-1149	6.5	23
134	Decreased between-hemisphere connectivity strength and network efficiency in geriatric depression. <i>Human Brain Mapping</i> , 2017 , 38, 53-67	5.9	23
133	Multiple Neuroimaging Measures for Examining Exercise-induced Neuroplasticity in Older Adults: A Quasi-experimental Study. <i>Frontiers in Aging Neuroscience</i> , 2017 , 9, 102	5.3	23
132	A multiplicity of approaches to characterize geriatric depression and its outcomes. <i>Current Opinion in Psychiatry</i> , 2009 , 22, 522-6	4.9	23
131	Magnetic resonance imaging signal hypointensity and iron content of putamen nuclei in elderly depressed patients. <i>Psychiatry Research - Neuroimaging</i> , 1998 , 83, 95-103	2.9	23
130	Differences in brain volumes among males and female hormone-therapy users and nonusers. <i>Psychiatry Research - Neuroimaging</i> , 2006 , 147, 127-34	2.9	23
129	Relation of subjective and received social support to clinical and self-report assessments of depressive symptoms in an elderly population. <i>Journal of Affective Disorders</i> , 2000 , 61, 41-50	6.6	23

128	Grey-matter lesions and dementia. <i>Lancet, The</i> , 2000 , 356, 1686-7	4.0	23
127	Neuropsychological indicators of preclinical Alzheimer's disease among depressed older adults. <i>Aging, Neuropsychology, and Cognition</i> , 2014 , 21, 99-128	2.1	22
126	Cross-cultural considerations in administering the center for epidemiologic studies depression scale. <i>Gerontology</i> , 2011 , 57, 455-61	5.5	22
125	Amyloid-associated depression and ApoE4 allele: longitudinal follow-up for the development of Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 316-22	3.9	22
124	Usefulness of the Patient Health Questionnaire-9 for Korean medical students. <i>Academic Psychiatry</i> , 2014 , 38, 661-7	1.1	21
123	Prefrontal white matter lesions and prefrontal task impersistence in depressed and nondepressed elders. <i>Neuropsychopharmacology</i> , 2007 , 32, 2135-42	8.7	20
122	Cingulum bundle white matter lesions influence antidepressant response in late-life depression: a pilot study. <i>Journal of Affective Disorders</i> , 2014 , 162, 8-11	6.6	19
121	Latent class-derived subgroups of depressive symptoms in a community sample of older adults: the Cache County Study. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 1061-9	3.9	19
120	Vascular nutritional correlates of late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2006 , 14, 787-95	6.5	19
119	Ethical and Logistical Considerations of Caring for Older Adults on Inpatient Psychiatry During the COVID-19 Pandemic. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 829-834	6.5	18
118	Amnesic mild cognitive impairment and incident dementia and Alzheimer's disease in geriatric depression. <i>International Psychogeriatrics</i> , 2014 , 26, 2029-36	3.4	18
117	Influence of the MTHFR C677T polymorphism on magnetic resonance imaging hyperintensity volume and cognition in geriatric depression. <i>American Journal of Geriatric Psychiatry</i> , 2009 , 17, 847-55	6.5	18
116	Separating mood disturbance from mild cognitive impairment in geriatric depression. <i>International Review of Psychiatry</i> , 2008 , 20, 374-81	3.6	18
115	Impact of symptoms of generalized anxiety disorder on the course of late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 40-7	6.5	18
114	Physical frailty in late-life depression is associated with deficits in speed-dependent executive functions. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 466-74	3.9	18
113	Appetite loss and neurocognitive deficits in late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 647-54	3.9	17
112	Depressive symptoms and mild cognitive impairment in the elderly: an ominous combination. <i>Biological Psychiatry</i> , 2012 , 71, 762-4	7.9	17
111	Time-to-remission from geriatric depression: psychosocial and clinical factors. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 551-9	6.5	17

110	Folate metabolism genes, dietary folate and response to antidepressant medications in late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 925-32	3.9	16
109	Is there protective haplotype of dysbindin gene (DTNBP1) 3 polymorphisms for major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 375-9	5.5	16
108	Provisional diagnostic criteria for depression of Alzheimer's disease: description and review. <i>Expert Review of Neurotherapeutics</i> , 2003 , 3, 99-106	4.3	16
107	Apolipoprotein E genotype and subcortical vascular lesions in older depressed patients and control subjects. <i>Biological Psychiatry</i> , 2003 , 54, 674-81	7.9	16
106	Establishing diagnostic criteria for vascular depression. <i>Journal of the Neurological Sciences</i> , 2004 , 226, 59-62	3.2	15
105	Implementing a disease management intervention for depression in primary care: a random work sampling study. <i>General Hospital Psychiatry</i> , 2003 , 25, 238-45	5.6	15
104	Putamen Volume Differences Among Older Adults: Depression Status, Melancholia, and Age. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2018 , 31, 39-49	3.8	14
103	Methodology and preliminary results from the neurobiology of late-life depression study. <i>International Psychogeriatrics</i> , 2015 , 27, 1987-97	3.4	14
102	Neuroticism Traits Selectively Impact Long Term Illness Course and Cognitive Decline in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 220-229	6.5	14
101	Disability but not social support predicts cognitive deterioration in late-life depression. <i>International Psychogeriatrics</i> , 2015 , 27, 707-14	3.4	14
100	Association of gene variants of the renin-angiotensin system with accelerated hippocampal volume loss and cognitive decline in old age. <i>American Journal of Psychiatry</i> , 2014 , 171, 1214-21	11.9	14
99	Natural food folate and late-life depression. <i>Journal of Nutrition in Gerontology and Geriatrics</i> , 2009 , 28, 348-58		14
98	Trajectories of mobility and IADL function in older patients diagnosed with major depression. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 74-81	3.9	14
97	Thyroid hormones affect recovery from depression during antidepressant treatment. <i>Psychiatry and Clinical Neurosciences</i> , 2009 , 63, 305-13	6.2	14
96	Combination therapy for early Alzheimer's disease: what are we waiting for?. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 1322-4	5.6	14
95	A Call to Restructure Psychiatry General and Subspecialty Training. <i>Academic Psychiatry</i> , 2016 , 40, 145-8	1.1	13
94	Characteristics of neurocognitive functions in mild cognitive impairment with depression. <i>International Psychogeriatrics</i> , 2016 , 28, 1181-90	3.4	13
93	Association of AGTR1 with 18-month treatment outcome in late-life depression. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 564-72	6.5	13

92	Hippocampal volume is associated with physician-reported acute cognitive deficits after electroconvulsive therapy. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2006 , 19, 21-5	3.8	13
91	Is there a definition of remission in late-life depression that predicts later relapse?. <i>Neuropsychopharmacology</i> , 2004 , 29, 2272-7	8.7	13
90	Bupropion SR in the naturalistic treatment of elderly patients with major depression. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 862-5	3.9	13
89	State of the Science of Neural Systems in Late-Life Depression: Impact on Clinical Presentation and Treatment Outcome. <i>Journal of the American Geriatrics Society</i> , 2018 , 66 Suppl 1, S17-S23	5.6	12
88	Melancholia in later life: late and early onset differences in presentation, course, and dementia risk. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 943-51	3.9	12
87	Angiotensin converting enzyme inhibitors and Alzheimer disease in the presence of the apolipoprotein E4 allele. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 177-85	6.5	12
86	Clinical outcomes of older depressed patients with and without comorbid neuroticism. <i>International Psychogeriatrics</i> , 2013 , 25, 1985-90	3.4	12
85	Five-year trajectories of social networks and social support in older adults with major depression. <i>International Psychogeriatrics</i> , 2007 , 19, 1110-24	3.4	12
84	Physical exercise increases involvement of motor networks as a compensatory mechanism during a cognitively challenging task. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 1153-1159	3.9	12
83	Appetite and Weight Loss Symptoms in Late-Life Depression Predict Dementia Outcomes. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 870-8	6.5	11
82	Late-life Depression Modifies the Association Between Cerebral White Matter Hyperintensities and Functional Decline Among Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 42-49	6.5	11
81	Increased Risk of Suicide Attempts and Unintended Death Among Those Transitioning From Prison to Community in Later Life. <i>American Journal of Geriatric Psychiatry</i> , 2018 , 26, 1165-1174	6.5	11
80	Length of axons expressing the serotonin transporter in orbitofrontal cortex is lower with age in depression. <i>Neuroscience</i> , 2017 , 359, 30-39	3.9	11
79	Memory deficit associated with worse functional trajectories in older adults in low-vision rehabilitation for macular disease. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 2087-92	5.6	11
78	Comorbid cognitive impairment and functional trajectories in low vision rehabilitation for macular disease. <i>Aging Clinical and Experimental Research</i> , 2011 , 23, 343-50	4.8	11
77	Depressive symptoms and age-related macular degeneration in older people: the cardiovascular health study. <i>Ophthalmic Epidemiology</i> , 2007 , 14, 127-33	1.9	11
76	Cortical brain volume abnormalities associated with few or multiple neuropsychiatric symptoms in Alzheimer's disease. <i>PLoS ONE</i> , 2017 , 12, e0177169	3.7	11
75	Functional disability, depression, and suicidal ideation in older prisoners. <i>Journal of Affective Disorders</i> , 2020 , 266, 366-373	6.6	11

74	Associations of loneliness with risk of Alzheimer's disease dementia in the Framingham Heart Study. <i>Alzheimer's and Dementia</i> , 2021 , 17, 1619-1627	1.2	11
73	Perspectives on the Happiness of Community-Dwelling Elderly in Korea. <i>Psychiatry Investigation</i> , 2016 , 13, 50-7	3.1	11
72	Heterogeneity in the three-year course of major depression among older adults. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 775-82	3.9	11
71	Presence of neuroticism and antidepressant remission rates in late-life depression: results from the Neurobiology of Late-Life Depression (NBOLD) study. <i>International Psychogeriatrics</i> , 2018 , 30, 1069-1074	4.4	11
70	Effects of stressful life events on cerebral white matter hyperintensity progression. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, e10-e17	3.9	10
69	Altered Synchronizations among Neural Networks in Geriatric Depression. <i>BioMed Research International</i> , 2015 , 2015, 343720	3	10
68	Association of attentional shift and reversal learning to functional deficits in geriatric depression. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 1172-9	3.9	10
67	Depression in Taiwanese patients with Alzheimer's disease determined by the National Institutes of Mental Health Provisional Criteria. <i>International Psychogeriatrics</i> , 2012 , 24, 1299-305	3.4	10
66	The course of depressive symptoms in older adults with comorbid major depression and dysthymia. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 300-9	6.5	10
65	Are microvascular abnormalities in the retina associated with depression symptoms? The Cardiovascular Health Study. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 335-43	6.5	10
64	Food group intake and brain lesions in late-life vascular depression. <i>International Psychogeriatrics</i> , 2007 , 19, 295-305	3.4	10
63	Magnetic resonance imaging changes in putamen nuclei iron content and distribution in normal subjects. <i>Psychiatry Research - Neuroimaging</i> , 1996 , 68, 55-61	2.9	10
62	Geriatric depression: further evidence for the vascular depression hypothesis. <i>Current Opinion in Psychiatry</i> , 1999 , 12, 463-470	4.9	10
61	Cognitive functioning throughout the treatment history of clinical late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 1076-84	3.9	9
60	The Treatment of Behavioral and Psychological Symptoms of Dementia: Weighing Benefits and Risks. <i>Current Alzheimer Research</i> , 2016 , 13, 1124-33	3	9
59	Effects of physical exercise on the aging brain across imaging modalities: A meta-analysis of neuroimaging studies in randomized controlled trials. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 1148-1157	3.9	9
58	Increased ventromedial prefrontal cortex activity and connectivity predict poor sertraline treatment outcome in late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 730-737	3.9	9
57	Reduced comparison speed during visual search in late life depression. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2013 , 35, 1060-70	2.1	8

56	Cerebrovascular risk factors and cerebral hyperintensities among middle-aged and older adults with major depression. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 848-52	6.5	8
55	Ascending digits task as a measure of executive function in geriatric depression. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2006 , 18, 117-20	2.7	8
54	Allelic differences in the serotonin transporter-linked polymorphic region in geriatric depression. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 185-91	6.5	8
53	Clinical and sociodemographic factors in a sample of older subjects experiencing depressive symptoms. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 924-30	3.9	7
52	Serum ionized calcium may be related to white matter lesion volumes in older adults: a pilot study. <i>Nutrients</i> , 2013 , 5, 2192-205	6.7	7
51	Satisfaction and Outcomes of Depressed Older Adults With Psychiatric Clinical Nurse Specialists in Primary Care. <i>Journal of the American Psychiatric Nurses Association</i> , 2007 , 13, 62-70	1.8	7
50	Recent advances in the use of imaging in psychiatry: functional magnetic resonance imaging of large-scale brain networks in late-life depression. <i>F1000Research</i> , 2019 , 8,	3.6	6
49	Major depressive disorder and impaired health-related quality of life among US older adults. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 1189-1197	3.9	6
48	Morphometric analysis of vascular pathology in the orbitofrontal cortex of older subjects with major depression. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 959-70	3.9	6
47	Hippocampal volume as a predictor of short-term ECT outcomes in older patients with depression. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 910-3	6.5	6
46	Understanding Depression and Cognitive Impairment in the Elderly. <i>Psychiatric Annals</i> , 2010 , 40, 29-40	0.5	6
45	Prevalence of Treatment for Depression Among US Adults Who Screen Positive for Depression, 2007-2016. <i>JAMA Psychiatry</i> , 2020 , 77, 1193-1195	14.5	6
44	Partial response as a predictor of outcome in geriatric depression. <i>American Journal of Geriatric Psychiatry</i> , 2003 , 11, 340-8	6.5	6
43	Predictors of partial remission in older patients treated for major depression: the role of comorbid dysthymia. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 713-21	6.5	6
42	Increased plasma complement factor H is associated with geriatric depression. <i>International Psychogeriatrics</i> , 2019 , 31, 101-108	3.4	5
41	Dynamic changes in thalamic connectivity following stress and its association with future depression severity. <i>Brain and Behavior</i> , 2019 , 9, e01445	3.4	5
40	Elevated brain lesion volumes in older adults who use calcium supplements: a cross-sectional clinical observational study. <i>British Journal of Nutrition</i> , 2014 , 112, 220-7	3.6	5
39	Vascular lesions and functional limitations among older adults: does depression make a difference?. <i>International Psychogeriatrics</i> , 2014 , 1-9	3.4	5

38	How asymptomatic is asymptomatic carotid stenosis?. <i>Radiology</i> , 2007 , 244, 317-8, author reply 318-9	20.5	5
37	Functional connectivity predictors of acute depression treatment outcome. <i>International Psychogeriatrics</i> , 2019 , 31, 1831-1835	3.4	5
36	Greater depression severity associated with less improvement in depression-associated cognitive deficits in older subjects. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 632-5	6.5	5
35	Cholesterol-lowering medication and relapse of depression. <i>Psychopharmacology Bulletin</i> , 2003 , 37, 92-80.9	0.9	5
34	Do estradiol levels influence on the cognitive function during antidepressant treatments in post-menopausal women with major depressive disorder? A comparison with pre-menopausal women. <i>Neuroendocrinology Letters</i> , 2008 , 29, 500-6	0.3	5
33	A New Measure for Neural Compensation Is Positively Correlated With Working Memory and Gait Speed. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 71	5.3	4
32	Exercise for late-life depression? It depends. <i>Lancet, The</i> , 2013 , 382, 4-5	4.0	4
31	Validation of a treatment algorithm for major depression in an older Brazilian sample. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 647-53	3.9	4
30	Imaging and genetics advances in understanding geriatric depression. <i>Neuropsychopharmacology</i> , 2010 , 35, 349-50	8.7	4
29	Initial evaluation of suspected dementia. Asking the right questions. <i>Postgraduate Medicine</i> , 1999 , 106, 72-6, 79-80, 82-3	3.7	4
28	Decision model for the acute treatment of mania. <i>Depression and Anxiety</i> , 1996 , 4, 289-93	8.4	4
27	The neurostructural/neurofunctional basis of depression/mania. <i>Current Opinion in Psychiatry</i> , 1993 , 6, 22-26	4.9	4
26	Hormone therapy does not affect depression severity in older women. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 616-23	6.5	4
25	Late-life onset bipolar disorder presenting as a case of pseudo-dementia: a case discussion and review of literature. <i>Yale Journal of Biology and Medicine</i> , 2013 , 86, 235-44	2.4	4
24	Resilience in the Face of Chronic Illness and Family Caregiving in Middle and Later Life. <i>Psychiatric Annals</i> , 2013 , 43, 549-554	0.5	4
23	Apathy: Neurobiology, Assessment and Treatment. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021 , 19, 181-189	3.4	4
22	Perspectives on the Management of Vascular Depression. <i>American Journal of Psychiatry</i> , 2018 , 175, 1169-1175	11.9	4
21	Overlay of Late-Life Depression and Cognitive Impairment. <i>Focus (American Psychiatric Publishing)</i> , 2017 , 15, 35-41	1.1	3

20	Spiritual considerations in suicide and depression among the elderly. <i>Southern Medical Journal</i> , 2007 , 100, 748-9	0.6	3
19	Pharmacist Identification of Medication Therapy Problems Involving Cognition Among Older Adults Followed by a Home-Based Care Team. <i>Drugs and Aging</i> , 2021 , 38, 157-168	4.7	3
18	Vascular Depression: Is an Old Research Construct Finally Ready for Clinical Prime Time?. <i>Biological Psychiatry</i> , 2019 , 85, 441-442	7.9	3
17	The Interaction of Personality and Social Support on Prospective Suicidal Ideation in Men and Women With Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 66-77	6.5	3
16	Hemochromatosis Mutations, Brain Iron Imaging, and Dementia in the UK Biobank Cohort. <i>Journal of Alzheimer's Disease</i> , 2021 , 79, 1203-1211	4.3	3
15	Behavioral medicine and aging. <i>Journal of Consulting and Clinical Psychology</i> , 2002 , 70, 843-51	6.5	3
14	Physical Exercise-Induced Improvement in Gait Speed and Interoceptive-Exteroceptive Network Synchronization. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, S137-S138	6.5	2
13	Clinical trial testing in-home multidisciplinary care management for older adults with cognitive vulnerability: Rationale and study design. <i>Contemporary Clinical Trials</i> , 2020 , 92, 105992	2.3	2
12	Depressed older patients with the atypical features of interpersonal rejection sensitivity and reversed-vegetative symptoms are similar to younger atypical patients. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 20, 622-34	6.5	2
11	Structural brain changes and neuroticism in late-life depression: a neural basis for depression subtypes. <i>International Psychogeriatrics</i> , 2021 , 33, 515-520	3.4	2
10	Post hoc analyses of an open-label long-term study of esketamine nasal spray plus an oral antidepressant comparing results in older versus younger adults with treatment-resistant depression. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, S127-S128	6.5	2
9	J'accuse! depression as a likely culprit in cases of AD. <i>International Psychogeriatrics</i> , 2016 , 28, 1407-8	3.4	2
8	Cognitive variability, brain aging, and cognitive decline in late-life major depression. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 665-676	3.9	2
7	Sociodemographic and clinical predictors of mortality in geriatric depression. <i>American Journal of Geriatric Psychiatry</i> , 2002 , 10, 531-40	6.5	2
6	Training the Next Generation of Geriatric-Focused Clinical Neuroscientists. <i>American Journal of Geriatric Psychiatry</i> , 2019 , 27, 720-727	6.5	0
5	Association of 1-year change in neuroticism and 3-year change in cognitive performance among older depressed adults.. <i>International Psychogeriatrics</i> , 2022 , 1-6	3.4	0
4	Baseline Stress Effect on Remission in Geriatric Depression. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, S127-S128	6.5	
3	[P4004]: THE COMBINATION OF CITALOPRAM AND RIVASTIGMINE IN THE TREATMENT OF MOOD DISORDER AND COGNITIVE IMPAIRMENT DUE TO CEREBROVASCULAR DISEASE: A CASE REPORT AND LITERATURE REVIEW 2017 , 13, P1254-P1254		

2 Is it time to do away with disorders in the very old?. *International Psychogeriatrics*, **2019**, 31, 1535-1537 3.4

1 Cognitive Impairment Trends Among Older Adults in a Medicaid Home and Community-Based Service Program. *Innovation in Aging*, **2021**, 5, 17-17 0.1