

# Francesco Frassoni

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7784981/francesco-frassoni-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

223  
papers

17,841  
citations

57  
h-index

130  
g-index

231  
ext. papers

19,408  
ext. citations

5.8  
avg, IF

5.55  
L-index

#	Paper	IF	Citations
223	Identification of Biochemical and Molecular Markers of Early Aging in Childhood Cancer Survivors. <i>Cancers</i> , <b>2021</b> , 13,	6.6	2
222	Transplantation Induces Profound Changes in the Transcriptional Asset of Hematopoietic Stem Cells: Identification of Specific Signatures Using Machine Learning Techniques. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	3
221	Iron overload alters the energy metabolism in patients with myelodysplastic syndromes: results from the multicenter FISM BIOFER study. <i>Scientific Reports</i> , <b>2020</b> , 10, 9156	4.9	4
220	Deferasirox-Dependent Iron Chelation Enhances Mitochondrial Dysfunction and Restores p53 Signaling by Stabilization of p53 Family Members in Leukemic Cells. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	5
219	Discrete Changes in Glucose Metabolism Define Aging. <i>Scientific Reports</i> , <b>2019</b> , 9, 10347	4.9	12
218	Mesenchymal stem cells from preterm to term newborns undergo a significant switch from anaerobic glycolysis to the oxidative phosphorylation. <i>Cellular and Molecular Life Sciences</i> , <b>2018</b> , 75, 889-903	10.3	16
217	Late Development of FcR Adaptive Natural Killer Cells Upon Human Cytomegalovirus Reactivation in Umbilical Cord Blood Transplantation Recipients. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1050	8.4	23
216	Clonal haematopoiesis is not prevalent in survivors of childhood cancer. <i>British Journal of Haematology</i> , <b>2018</b> , 181, 537-539	4.5	6
215	A novel assay to detect calreticulin mutations in myeloproliferative neoplasms. <i>Oncotarget</i> , <b>2017</b> , 8, 6399-6405	9.6	5
214	EphA3 targeting reduces in vitro adhesion and invasion and in vivo growth and angiogenesis of multiple myeloma cells. <i>Cellular Oncology (Dordrecht)</i> , <b>2017</b> , 40, 483-496	7.2	9
213	Exosomes from human mesenchymal stem cells conduct aerobic metabolism in term and preterm newborn infants. <i>FASEB Journal</i> , <b>2016</b> , 30, 1416-24	0.9	42
212	Splenic irradiation before hematopoietic stem cell transplantation for chronic myeloid leukemia: long-term follow-up of a prospective randomized study. <i>Annals of Hematology</i> , <b>2016</b> , 95, 967-72	3	6
211	Variable but consistent pattern of Meningioma 1 gene (MN1) expression in different genetic subsets of acute myelogenous leukaemia and its potential use as a marker for minimal residual disease detection. <i>Oncotarget</i> , <b>2016</b> , 7, 74082-74096	3.3	7
210	MiRNAs and piRNAs from bone marrow mesenchymal stem cell extracellular vesicles induce cell survival and inhibit cell differentiation of cord blood hematopoietic stem cells: a new insight in transplantation. <i>Oncotarget</i> , <b>2016</b> , 7, 6676-92	3.3	71
209	The Wilms Tumor (WT1) gene expression correlates with the International Prognostic Scoring System (IPSS) score in patients with myelofibrosis and it is a marker of response to therapy. <i>Cancer Medicine</i> , <b>2016</b> , 5, 1650-3	4.8	7
208	Allogeneic cell transplant expands bone marrow distribution by colonizing previously abandoned areas: an FDG PET/CT analysis. <i>Blood</i> , <b>2015</b> , 125, 4095-102	2.2	19
207	Impact of length of cryopreservation and origin of cord blood units on hematologic recovery following cord blood transplantation. <i>Bone Marrow Transplantation</i> , <b>2015</b> , 50, 818-21	4.4	5

206	Preterm Cord Blood Contains a Higher Proportion of Immature Hematopoietic Progenitors Compared to Term Samples. <i>PLoS ONE</i> , <b>2015</b> , 10, e0138680	3.7	18
205	Improving the outcome of umbilical cord blood transplantation through ex vivo expansion or graft manipulation. <i>Cytotherapy</i> , <b>2015</b> , 17, 730-738	4.8	28
204	Detection of BCR-ABL T315I mutation by peptide nucleic acid directed PCR clamping and by peptide nucleic acid FISH. <i>Biomarker Research</i> , <b>2015</b> , 3, 15	8	5
203	Human cytomegalovirus infection promotes rapid maturation of NK cells expressing activating killer Ig-like receptor in patients transplanted with NKG2C-/- umbilical cord blood. <i>Journal of Immunology</i> , <b>2014</b> , 192, 1471-9	5.3	125
202	Mesenchymal stromal cells reset the scatter factor system and cytokine network in experimental kidney transplantation. <i>BMC Immunology</i> , <b>2014</b> , 15, 44	3.7	18
201	Adult advanced chronic lymphocytic leukemia: computational analysis of whole-body CT documents a bone structure alteration. <i>Radiology</i> , <b>2014</b> , 271, 805-13	20.5	14
200	Design and application of a novel PNA probe for the detection at single cell level of JAK2V617F mutation in Myeloproliferative Neoplasms. <i>BMC Cancer</i> , <b>2013</b> , 13, 348	4.8	3
199	Multiple infusions of mesenchymal stromal cells induce sustained remission in children with steroid-refractory, grade III-IV acute graft-versus-host disease. <i>British Journal of Haematology</i> , <b>2013</b> , 163, 501-9	4.5	169
198	New possibilities to exploit the potentiality of cord blood cells in the context of transplantation. <i>Immunology Letters</i> , <b>2013</b> , 155, 24-6	4.1	
197	Aberrant activation of ROS1 represents a new molecular defect in chronic myelomonocytic leukemia. <i>Leukemia Research</i> , <b>2013</b> , 37, 520-30	2.7	15
196	In haematopoietic SCT for acute leukemia TBI impacts on relapse but not survival: results of a multicentre observational study. <i>Bone Marrow Transplantation</i> , <b>2013</b> , 48, 908-14	4.4	14
195	The impact of center experience on results of reduced intensity: allogeneic hematopoietic SCT for AML. An analysis from the Acute Leukemia Working Party of the EBMT. <i>Bone Marrow Transplantation</i> , <b>2013</b> , 48, 238-42	4.4	21
194	Unrelated cord blood transplantation: outcomes after single-unit intrabone injection compared with double-unit intravenous injection in patients with hematological malignancies. <i>Transplantation</i> , <b>2013</b> , 95, 1284-91	1.8	52
193	Differential effects of the type of iron chelator on the absolute number of hematopoietic peripheral progenitors in patients with $\beta$ -thalassemia major. <i>Haematologica</i> , <b>2013</b> , 98, 555-9	6.6	9
192	Phenotypic and functional heterogeneity of human NK cells developing after umbilical cord blood transplantation: a role for human cytomegalovirus?. <i>Blood</i> , <b>2012</b> , 119, 399-410	2.2	203
191	CMV infection after transplant from cord blood compared to other alternative donors: the importance of donor-negative CMV serostatus. <i>Biology of Blood and Marrow Transplantation</i> , <b>2012</b> , 18, 92-9	4.7	28
190	Estimating the whole bone-marrow asset in humans by a computational approach to integrated PET/CT imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2012</b> , 39, 1326-38	8.8	46
189	Intrabone transplant of cord blood stem cells establishes a local engraftment store: a functional PET/FDG study. <i>Journal of Biomedicine and Biotechnology</i> , <b>2012</b> , 2012, 767369		8

188	In vivo B-cell depletion with rituximab for alternative donor hemopoietic SCT. <i>Bone Marrow Transplantation</i> , <b>2012</b> , 47, 101-6	4.4	66
187	Rituximab treatment for Epstein-Barr virus DNAemia after alternative-donor hematopoietic stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2011</b> , 17, 901-7	4.7	46
186	Helical tomotherapy targeting total bone marrow after total body irradiation for patients with relapsed acute leukemia undergoing an allogeneic stem cell transplant. <i>Radiotherapy and Oncology</i> , <b>2011</b> , 98, 382-6	5.3	48
185	Mesenchymal stromal cells improve renal injury in anti-Thy 1 nephritis by modulating inflammatory cytokines and scatter factors. <i>Clinical Science</i> , <b>2011</b> , 120, 25-36	6.5	22
184	Mesenchymal stem cells impair in vivo T-cell priming by dendritic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 17384-9	11.5	208
183	Allogeneic hemopoietic SCT for patients with primary myelofibrosis: a predictive transplant score based on transfusion requirement, spleen size and donor type. <i>Bone Marrow Transplantation</i> , <b>2010</b> , 45, 458-63	4.4	112
182	High frequency of endothelial colony forming cells marks a non-active myeloproliferative neoplasm with high risk of splanchnic vein thrombosis. <i>PLoS ONE</i> , <b>2010</b> , 5, e15277	3.7	26
181	p38 MAPK and JNK antagonistically control senescence and cytoplasmic p16INK4A expression in doxorubicin-treated endothelial progenitor cells. <i>PLoS ONE</i> , <b>2010</b> , 5, e15583	3.7	55
180	The therapeutic potential of mesenchymal stem cell transplantation as a treatment for multiple sclerosis: consensus report of the International MSCT Study Group. <i>Multiple Sclerosis Journal</i> , <b>2010</b> , 16, 503-10	5	185
179	The intra-bone marrow injection of cord blood cells extends the possibility of transplantation to the majority of patients with malignant hematopoietic diseases. <i>Best Practice and Research in Clinical Haematology</i> , <b>2010</b> , 23, 237-44	4.2	28
178	Mesenchymal stem cells infusion prevents acute cellular rejection in rat kidney transplantation. <i>Transplantation Proceedings</i> , <b>2010</b> , 42, 1331-5	1.1	47
177	Which is the most suitable and effective route of administration for mesenchymal stem cell-based immunomodulation therapy in experimental kidney transplantation: endovenous or arterial?. <i>Transplantation Proceedings</i> , <b>2010</b> , 42, 1336-40	1.1	42
176	Intra-bone route of administration offers new perspectives for safer transplantation of hematopoietic stem cells. <i>Cytotherapy</i> , <b>2010</b> , 12, 5-6	4.8	1
175	Association of Human Development Index with rates and outcomes of hematopoietic stem cell transplantation for patients with acute leukemia. <i>Blood</i> , <b>2010</b> , 116, 122-8	2.2	31
174	Contact with the bone marrow microenvironment readdresses the fate of transplanted hematopoietic stem cells. <i>Experimental Hematology</i> , <b>2010</b> , 38, 968-77	3.1	14
173	Diabetes impairs the vascular recruitment of normal stem cells by oxidant damage, reversed by increases in pAMPK, heme oxygenase-1, and adiponectin. <i>Stem Cells</i> , <b>2009</b> , 27, 399-407	5.8	71
172	Blood stream infections in allogeneic hematopoietic stem cell transplant recipients: reemergence of Gram-negative rods and increasing antibiotic resistance. <i>Biology of Blood and Marrow Transplantation</i> , <b>2009</b> , 15, 47-53	4.7	162
171	Anti-T-cell globulin: an essential ingredient for haematopoietic cell transplantation?. <i>Lancet Oncology, The</i> , <b>2009</b> , 10, 839	21.7	6

170	Endothelial colony-forming cells from patients with chronic myeloproliferative disorders lack the disease-specific molecular clonality marker. <i>Blood</i> , <b>2009</b> , 114, 3127-30	2.2	69
169	Adoptive immunotherapy mediated by ex vivo expanded natural killer T cells against CD1d-expressing lymphoid neoplasms. <i>Haematologica</i> , <b>2009</b> , 94, 967-74	6.6	15
168	Competition between recipient and donor cells after bone marrow transplantation for chronic myeloid leukaemia. <i>British Journal of Haematology</i> , <b>2008</b> , 69, 471-475	4.5	1
167	Clinical scale ex vivo expansion of cord blood-derived outgrowth endothelial progenitor cells is associated with high incidence of karyotype aberrations. <i>Experimental Hematology</i> , <b>2008</b> , 36, 340-9	3.1	47
166	Nonhuman primate allogeneic hematopoietic stem cell transplantation by intraosseous vs intravenous injection: Engraftment, donor cell distribution, and mechanistic basis. <i>Experimental Hematology</i> , <b>2008</b> , 36, 1556-66	3.1	20
165	Mesenchymal stem cells for treatment of steroid-resistant, severe, acute graft-versus-host disease: a phase II study. <i>Lancet, The</i> , <b>2008</b> , 371, 1579-86	4.0	2135
164	Mesenchymal stem cells for acute graft-versus-host disease [Authors Reply]. <i>Lancet, The</i> , <b>2008</b> , 372, 716	4.0	2
163	Direct intrabone transplant of unrelated cord-blood cells in acute leukaemia: a phase I/II study. <i>Lancet Oncology, The</i> , <b>2008</b> , 9, 831-9	21.7	216
162	Results of syngeneic hematopoietic stem cell transplantation for acute leukemia: risk factors for outcomes of adults transplanted in first complete remission. <i>Haematologica</i> , <b>2008</b> , 93, 834-41	6.6	9
161	Identical outcome after autologous or allogeneic genoidentical hematopoietic stem-cell transplantation in first remission of acute myelocytic leukemia carrying inversion 16 or t(8;21): a retrospective study from the European Cooperative Group for Blood and Marrow Transplantation. <i>Journal of Clinical Oncology</i> , <b>2008</b> , 26, 3183-8	2.2	63
160	Antileukemia effects of xanthohumol in Bcr/Abl-transformed cells involve nuclear factor-kappaB and p53 modulation. <i>Molecular Cancer Therapeutics</i> , <b>2008</b> , 7, 2692-702	6.1	63
159	A novel Bim-BH3-derived Bcl-XL inhibitor: biochemical characterization, in vitro, in vivo and ex-vivo anti-leukemic activity. <i>Cell Cycle</i> , <b>2008</b> , 7, 3211-24	4.7	28
158	Multipotent mesenchymal stromal cells from amniotic fluid: solid perspectives for clinical application. <i>Haematologica</i> , <b>2008</b> , 93, 339-46	6.6	137
157	Mesenchymal stem cells protective effect in adriamycin model of nephropathy. <i>Cell Transplantation</i> , <b>2008</b> , 17, 1157-67	4	48
156	A survey of fully haploidentical hematopoietic stem cell transplantation in adults with high-risk acute leukemia: a risk factor analysis of outcomes for patients in remission at transplantation. <i>Blood</i> , <b>2008</b> , 112, 3574-81	2.2	242
155	Human mesenchymal stem cells inhibit antibody production induced in vitro by allostimulation. <i>Nephrology Dialysis Transplantation</i> , <b>2008</b> , 23, 1196-202	4.3	111
154	Sex differences in human lymphocyte Na,K-ATPase as studied by labeled ouabain binding. <i>International Journal of Neuroscience</i> , <b>2007</b> , 117, 275-85	2	2
153	Mesenchymal stem cells effectively modulate pathogenic immune response in experimental autoimmune encephalomyelitis. <i>Annals of Neurology</i> , <b>2007</b> , 61, 219-27	9.4	381

152	Allogeneic hemopoietic stem cell transplants for patients with relapsed acute leukemia: long-term outcome. <i>Bone Marrow Transplantation</i> , <b>2007</b> , 39, 341-6	4.4	8
151	Hematopoietic stem cell transplantation for adults with acute promyelocytic leukemia in the ATRA era: a survey of the European Cooperative Group for Blood and Marrow Transplantation. <i>Bone Marrow Transplantation</i> , <b>2007</b> , 39, 461-9	4.4	45
150	Improved outcome in young adults with de novo acute myeloid leukemia in first remission, undergoing an allogeneic bone marrow transplant. <i>Bone Marrow Transplantation</i> , <b>2007</b> , 40, 349-54	4.4	19
149	Thiotepa-based reduced intensity conditioning regimen: a 10 year follow up. <i>Bone Marrow Transplantation</i> , <b>2007</b> , 40, 1091-3	4.4	12
148	HLA-identical sibling allogeneic peripheral blood stem cell transplantation with reduced intensity conditioning compared to autologous peripheral blood stem cell transplantation for elderly patients with de novo acute myeloid leukemia. <i>Leukemia</i> , <b>2007</b> , 21, 129-35	10.7	43
147	Abnormalities of Na/K ATPase in migraine with aura. <i>Cephalalgia</i> , <b>2007</b> , 27, 128-32	6.1	6
146	Human mesenchymal stem cells promote survival of T cells in a quiescent state. <i>Stem Cells</i> , <b>2007</b> , 25, 1753-60	5.8	208
145	Association of ex-vivo expanded human mesenchymal stem cells and rhBMP-7 is highly effective in treating critical femoral defect in rats. <i>Journal of Orthopaedics and Traumatology</i> , <b>2007</b> , 8, 49-54	5	4
144	Induction and survival of binucleated Purkinje neurons by selective damage and aging. <i>Journal of Neuroscience</i> , <b>2007</b> , 27, 9885-92	6.6	37
143	Donor lymphocyte infusions for the treatment of minimal residual disease in acute leukemia. <i>Blood</i> , <b>2007</b> , 109, 5063-4	2.2	55
142	Mesenchymal Stromal Cells. <i>Biology of Blood and Marrow Transplantation</i> , <b>2007</b> , 13, 53-57	4.7	20
141	Donor multipotent mesenchymal stromal cells may engraft in pediatric patients given either cord blood or bone marrow transplantation. <i>Experimental Hematology</i> , <b>2006</b> , 34, 934-42	3.1	40
140	Prediction of response to imatinib by prospective quantitation of BCR-ABL transcript in late chronic phase chronic myeloid leukemia patients. <i>Annals of Oncology</i> , <b>2006</b> , 17, 495-502	10.3	20
139	Achieving a major molecular response at the time of a complete cytogenetic response (CCgR) predicts a better duration of CCgR in imatinib-treated chronic myeloid leukemia patients. <i>Clinical Cancer Research</i> , <b>2006</b> , 12, 3037-42	12.9	78
138	Stem cells in inflammatory demyelinating disorders: a dual role for immunosuppression and neuroprotection. <i>Expert Opinion on Biological Therapy</i> , <b>2006</b> , 6, 17-22	5.4	51
137	The laws covering in vitro fertilization and embryo research in Italy. <i>Bone Marrow Transplantation</i> , <b>2006</b> , 38, 5-6	4.4	2
136	Progenitor cells trapped in marrow filters can reduce GvHD and transplant mortality. <i>Bone Marrow Transplantation</i> , <b>2006</b> , 38, 111-7	4.4	10
135	Reply to Drs Caocci and Pisu. <i>Bone Marrow Transplantation</i> , <b>2006</b> , 38, 830; discussion 830-1	4.4	

134	Human mesenchymal stem cells and cyclosporin a exert a synergistic suppressive effect on in vitro activation of alloantigen-specific cytotoxic lymphocytes. <i>Biology of Blood and Marrow Transplantation</i> , <b>2005</b> , 11, 1031-2	4.7	45
133	Hematopoietic stem cell transplantation for de novo acute megakaryocytic leukemia in first complete remission: a retrospective study of the European Group for Blood and Marrow Transplantation (EBMT). <i>Blood</i> , <b>2005</b> , 105, 405-9	2.2	28
132	Mesenchymal stem cells ameliorate experimental autoimmune encephalomyelitis inducing T-cell anergy. <i>Blood</i> , <b>2005</b> , 106, 1755-61	2.2	1165
131	Cause of death after allogeneic haematopoietic stem cell transplantation (HSCT) in early leukaemias: an EBMT analysis of lethal infectious complications and changes over calendar time. <i>Bone Marrow Transplantation</i> , <b>2005</b> , 36, 757-69	4.4	194
130	Comparative outcome of reduced intensity and myeloablative conditioning regimen in HLA identical sibling allogeneic haematopoietic stem cell transplantation for patients older than 50 years of age with acute myeloblastic leukaemia: a retrospective survey from the Acute Leukemia Working Party (ALWP) of the European group for Blood and Marrow Transplantation (EBMT).	10.7	380
129	T-cell suppression mediated by mesenchymal stem cells is deficient in patients with severe aplastic anemia. <i>Experimental Hematology</i> , <b>2005</b> , 33, 819-27	3.1	99
128	Interaction of human mesenchymal stem cells with cells involved in alloantigen-specific immune response favors the differentiation of CD4+ T-cell subsets expressing a regulatory/suppressive phenotype. <i>Haematologica</i> , <b>2005</b> , 90, 516-25	6.6	419
127	Transplants of umbilical-cord blood or bone marrow from unrelated donors in adults with acute leukemia. <i>New England Journal of Medicine</i> , <b>2004</b> , 351, 2276-85	59.2	956
126	Treatment with granulocyte colony-stimulating factor after allogeneic bone marrow transplantation for acute leukemia increases the risk of graft-versus-host disease and death: a study from the Acute Leukemia Working Party of the European Group for Blood and Marrow Transplantation. <i>Journal of Clinical Oncology</i> , <b>2004</b> , 22, 416-23	2.2	156
125	Reassessing autotransplantation for acute myeloid leukaemia in first remission - a matched pair analysis of autologous marrow vs peripheral blood stem cells. <i>Bone Marrow Transplantation</i> , <b>2004</b> , 33, 1209-14	4.4	6
124	Intra-bone marrow injection of bone marrow and cord blood cells: an alternative way of transplantation associated with a higher seeding efficiency. <i>Experimental Hematology</i> , <b>2004</b> , 32, 782-7	3.1	67
123	Factors influencing outcome and incidence of long-term complications in children who underwent autologous stem cell transplantation for acute myeloid leukemia in first complete remission. <i>Blood</i> , <b>2003</b> , 101, 1611-9	2.2	25
122	Donor CMV serologic status and outcome of CMV-seropositive recipients after unrelated donor stem cell transplantation: an EBMT megafile analysis. <i>Blood</i> , <b>2003</b> , 102, 4255-60	2.2	196
121	Survival advantage with KIR ligand incompatibility in hematopoietic stem cell transplantation from unrelated donors. <i>Blood</i> , <b>2003</b> , 102, 814-9	2.2	449
120	Marrow versus peripheral blood for geno-identical allogeneic stem cell transplantation in acute myelocytic leukemia: influence of dose and stem cell source shows better outcome with rich marrow. <i>Blood</i> , <b>2003</b> , 102, 3043-51	2.2	44
119	Cord blood transplantation provides better reconstitution of hematopoietic reservoir compared with bone marrow transplantation. <i>Blood</i> , <b>2003</b> , 102, 1138-41	2.2	65
118	Patients with acute lymphoblastic leukaemia allografted with a matched unrelated donor may have a lower survival with a peripheral blood stem cell graft compared to bone marrow. <i>Bone Marrow Transplantation</i> , <b>2003</b> , 31, 23-9	4.4	43
117	Factors predicting response and graft-versus-host disease after donor lymphocyte infusions: a study on 593 infusions. <i>Bone Marrow Transplantation</i> , <b>2003</b> , 31, 687-93	4.4	79

116	A revised day +7 predictive score for transplant-related mortality: serum cholinesterase, total protein, blood urea nitrogen, gamma glutamyl transferase, donor type and cell dose. <i>Bone Marrow Transplantation</i> , <b>2003</b> , 32, 205-11	4.4	21
115	Hematopoietic stem cell transplantation for hematological malignancies in Europe. <i>Leukemia</i> , <b>2003</b> , 17, 941-59	10.7	79
114	Risk assessment in adult acute lymphoblastic leukaemia before early haemopoietic stem cell transplantation with a geno-identical donor: an easy clinical prognostic score to identify patients who benefit most from allogeneic haemopoietic stem cell transplantation. <i>Leukemia</i> , <b>2003</b> , 17, 1596-9	10.7	18
113	Freshly dissociated fetal neural stem/progenitor cells do not turn into blood. <i>Molecular and Cellular Neurosciences</i> , <b>2003</b> , 22, 179-87	4.8	23
112	Dose-effect relationship for cataract induction after single-dose total body irradiation and bone marrow transplantation for acute leukemia. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2002</b> , 52, 1367-74	4	37
111	Transplant-related mortality and long-term graft function are significantly influenced by cell dose in patients undergoing allogeneic marrow transplantation. <i>Blood</i> , <b>2002</b> , 100, 3930-4	2.2	78
110	Allogeneic and autologous transplantation for haematological diseases, solid tumours and immune disorders: definitions and current practice in Europe. <i>Bone Marrow Transplantation</i> , <b>2002</b> , 29, 639-46	4.4	63
109	Relevance of bone marrow cell dose on allogeneic transplantation outcomes for patients with acute myeloid leukemia in first complete remission: results of a European survey. <i>Journal of Clinical Oncology</i> , <b>2002</b> , 20, 4324-30	2.2	60
108	Graft-versus-host disease and outcome in HLA-identical sibling transplantations for chronic myeloid leukemia. <i>Blood</i> , <b>2002</b> , 100, 3877-86	2.2	127
107	Hematopoietic stem cell transplantation for de novo erythroleukemia: a study of the European Group for Blood and Marrow Transplantation (EBMT). <i>Blood</i> , <b>2002</b> , 100, 3135-40	2.2	19
106	Transplantation of peripheral blood stem cells as compared with bone marrow from HLA-identical siblings in adult patients with acute myeloid leukemia and acute lymphoblastic leukemia. <i>Journal of Clinical Oncology</i> , <b>2002</b> , 20, 4655-64	2.2	129
105	Effectiveness of donor natural killer cell alloreactivity in mismatched hematopoietic transplants. <i>Science</i> , <b>2002</b> , 295, 2097-100	33.3	2596
104	Prophylactic antithymocyte globulin reduces the risk of chronic graft-versus-host disease in alternative-donor bone marrow transplants. <i>Biology of Blood and Marrow Transplantation</i> , <b>2002</b> , 8, 656-61	4.7	45
103	Increased risk of leukemia relapse with high dose cyclosporine after allogeneic marrow transplantation for acute leukemia: 10 year follow-up of a randomized study. <i>Blood</i> , <b>2001</b> , 98, 3174-5	2.2	27
102	Epstein-Barr virus (EBV) reactivation is a frequent event after allogeneic stem cell transplantation (SCT) and quantitatively predicts EBV-lymphoproliferative disease following T-cell-depleted SCT. <i>Blood</i> , <b>2001</b> , 98, 972-8	2.2	304
101	Factors influencing haematological recovery after allogeneic haemopoietic stem cell transplants: graft-versus-host disease, donor type, cytomegalovirus infections and cell dose. <i>British Journal of Haematology</i> , <b>2001</b> , 112, 219-27	4.5	106
100	Donor-recipient incompatibility at CD31-codon 563 is a major risk factor for acute graft-versus-host disease after allogeneic bone marrow transplantation from a human leucocyte antigen-matched donor. <i>British Journal of Haematology</i> , <b>2001</b> , 114, 951-3	4.5	21
99	Serum cholinesterase is an early and sensitive marker of graft-versus host-disease (GVHD) and transplant-related mortality (TRM). <i>Bone Marrow Transplantation</i> , <b>2001</b> , 28, 1041-5	4.4	7

98	Pre-emptive therapy of acute graft-versus-host disease: a pilot study with antithymocyte globulin (ATG). <i>Bone Marrow Transplantation</i> , <b>2001</b> , 28, 1093-6	4.4	38
97	Modified in vitro conditions for cord blood-derived long-term culture-initiating cells. <i>Experimental Hematology</i> , <b>2001</b> , 29, 309-14	3.1	8
96	Diagnostic and clinical relevance of the number of circulating CD34(+) cells in myelofibrosis with myeloid metaplasia. <i>Blood</i> , <b>2001</b> , 98, 3249-55	2.2	176
95	Second allogeneic bone marrow transplantation in acute leukemia: results of a survey by the European Cooperative Group for Blood and Marrow Transplantation. <i>Journal of Clinical Oncology</i> , <b>2001</b> , 19, 3675-84	2.2	158
94	Interferon-alpha protects Philadelphia-negative progenitors from exhaustion in chronic myeloid leukemia patients with cytogenetic response. <i>The Hematology Journal</i> , <b>2001</b> , 2, 26-32		2
93	Issues in the manufacture and transplantation of genetically modified hematopoietic stem cells. <i>Current Opinion in Hematology</i> , <b>2000</b> , 7, 364-77	3.3	18
92	Bone marrow or peripheral blood as a source of stem cells for allogeneic transplants. <i>Current Opinion in Hematology</i> , <b>2000</b> , 7, 343-7	3.3	16
91	The combined effect of total body irradiation (TBI) and cyclosporin A (CyA) on the risk of relapse in patients with acute myeloid leukaemia undergoing allogeneic bone marrow transplantation. <i>British Journal of Haematology</i> , <b>2000</b> , 108, 99-104	4.5	43
90	Quality of life in 244 recipients of allogeneic bone marrow transplantation. <i>British Journal of Haematology</i> , <b>2000</b> , 110, 614-9	4.5	140
89	Reduced intensity thiotepa-cyclophosphamide conditioning for allogeneic haemopoietic stem cell transplants (HSCT) in patients up to 60 years of age. <i>British Journal of Haematology</i> , <b>2000</b> , 109, 716-21	4.5	49
88	No impact of high-dose cytarabine on the outcome of patients transplanted for acute myeloblastic leukaemia in first remission. Acute Leukaemia Working Party of the European Group for Blood and Marrow Transplantation (EBMT). <i>British Journal of Haematology</i> , <b>2000</b> , 110, 308-14	4.5	54
87	Feasibility and recent improvement of autologous stem cell transplantation for acute myelocytic leukaemia in patients over 60 years of age: importance of the source of stem cells. <i>British Journal of Haematology</i> , <b>2000</b> , 110, 887-93	4.5	27
86	The dismal outcome in patients with acute leukaemia who relapse after an autograft is improved if a second autograft or a matched allograft is performed. Acute Leukaemia Working Party of the European Group for Blood and Marrow Transplantation (EBMT). <i>Bone Marrow Transplantation</i> , <b>2000</b> , 25, 1053-8	4.4	27
85	Randomised studies in acute myeloid leukaemia: the double truth. <i>Bone Marrow Transplantation</i> , <b>2000</b> , 25, 471-3	4.4	15
84	The retroviral transduction of HOXC4 into human CD34(+) cells induces an in vitro expansion of clonogenic and early progenitors. <i>Experimental Hematology</i> , <b>2000</b> , 28, 569-74	3.1	37
83	Autografting with Ph-negative progenitors in patients at diagnosis of chronic myeloid leukemia induces a prolonged prevalence of Ph-negative hemopoiesis. <i>Experimental Hematology</i> , <b>2000</b> , 28, 210-5	3.1	4
82	Biologic and clinical aspects of autologous stem cell transplantation with mobilized peripheral blood cells in chronic myelogenous leukemia. <i>Current Oncology Reports</i> , <b>2000</b> , 2, 144-51	6.3	1
81	Effect of centre on outcome of bone-marrow transplantation for acute myeloid leukaemia. Acute Leukaemia Working Party of the European Group for Blood and Marrow Transplantation. <i>Lancet, The</i> , <b>2000</b> , 355, 1393-8	4.0	84

80	Hematopoietic stem cell transplantation. <i>Current Opinion in Hematology</i> , <b>2000</b> , 7, 331-332		3.3
79	Phenotypic and functional analysis of the HLA-class I-specific inhibitory receptors of natural killer cells isolated from peripheral blood of patients undergoing bone marrow transplantation from matched unrelated donors. <i>The Hematology Journal</i> , <b>2000</b> , 1, 136-44		21
78	Is there a graft-versus-leukaemia effect in the absence of graft-versus-host disease in patients undergoing bone marrow transplantation for acute leukaemia?. <i>British Journal of Haematology</i> , <b>2000</b> , 111, 1130-7	4.5	52
77	Total body irradiation correlates with chronic graft versus host disease and affects prognosis of patients with acute lymphoblastic leukemia receiving an HLA identical allogeneic bone marrow transplant. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>1999</b> , 43, 497-503	4	24
76	Normal primitive haemopoietic progenitors are more frequent than their leukaemic counterpart in newly diagnosed patients with chronic myeloid leukaemia but rapidly decline with time. <i>British Journal of Haematology</i> , <b>1999</b> , 104, 538-45	4.5	8
75	Coexistence of normal and clonal haemopoiesis in aplastic anaemia patients treated with immunosuppressive therapy. <i>British Journal of Haematology</i> , <b>1999</b> , 107, 505-11	4.5	22
74	Allogeneic bone marrow transplant or second autograft in patients with acute leukemia who relapse after an autograft. Acute Leukaemia Working Party of the European Group for Blood and Marrow Transplantation (EBMT). <i>Bone Marrow Transplantation</i> , <b>1999</b> , 24, 389-96	4.4	36
73	Relapse after allogeneic BMT for chronic myeloid leukemia (CML) may be sustained by a small number of leukemic Qtem cellsQa hypothesis. <i>Bone Marrow Transplantation</i> , <b>1999</b> , 24, 689-91	4.4	1
72	Normal and leukaemic haematopoiesis in bone marrow and peripheral blood of patients with chronic myeloid leukaemia. <i>Best Practice and Research in Clinical Haematology</i> , <b>1999</b> , 12, 199-208	4.2	2
71	Autografting With Philadelphia Chromosome Negative Mobilized Hematopoietic Progenitor Cells in Chronic Myelogenous Leukemia. <i>Blood</i> , <b>1999</b> , 93, 1534-1539	2.2	2
70	Effective mobilization of Philadelphia-chromosome-negative cells in chronic myelogenous leukaemia patients using a less intensive regimen. <i>British Journal of Haematology</i> , <b>1998</b> , 100, 445-8	4.5	16
69	Unbalanced X-chromosome inactivation in haemopoietic cells from normal women. <i>British Journal of Haematology</i> , <b>1998</b> , 102, 996-1003	4.5	74
68	Evidence of cytogenetic and molecular remission by allogeneic cells after immunosuppressive therapy alone. <i>British Journal of Haematology</i> , <b>1998</b> , 103, 565-7	4.5	19
67	Risk assessment for patients with chronic myeloid leukaemia before allogeneic blood or marrow transplantation. Chronic Leukemia Working Party of the European Group for Blood and Marrow Transplantation. <i>Lancet, The</i> , <b>1998</b> , 352, 1087-92	4.0	520
66	The Assessment of the Hematopoietic Reservoir After Immunosuppressive Therapy or Bone Marrow Transplantation in Severe Aplastic Anemia. <i>Blood</i> , <b>1998</b> , 91, 1959-1965	2.2	60
65	The Assessment of the Hematopoietic Reservoir After Immunosuppressive Therapy or Bone Marrow Transplantation in Severe Aplastic Anemia. <i>Blood</i> , <b>1998</b> , 91, 1959-1965	2.2	1
64	Strong antileukemic effect of chronic graft-versus-host disease in allogeneic marrow transplant recipients having acute leukemia treated with methotrexate and cyclosporine. The Acute Leukemia Working Party of the European Group for Blood and Marrow Transplantation (EBMT). <i>Transplantation Proceedings</i> , <b>1997</b> , 29, 733-4	1.1	25
63	Mobilization and transplantation of Philadelphia-negative peripheral-blood progenitor cells early in chronic myelogenous leukemia. <i>Journal of Clinical Oncology</i> , <b>1997</b> , 15, 1575-82	2.2	63

62	Is minimal residual disease in the peripheral-blood stem-cell transplantation of chronic myelogenous leukemia important?. <i>Journal of Clinical Oncology</i> , <b>1997</b> , 15, 3166-7	2.2	4
61	Molecular Follow-Up of Disease Progression and Interferon Therapy in Chronic Myelocytic Leukemia. <i>Blood</i> , <b>1997</b> , 90, 4918-4923	2.2	34
60	Efficient long-term maintenance of chronic myeloid leukemic cobblestone area forming cells on a murine stromal cell line. <i>Leukemia</i> , <b>1997</b> , 11, 126-33	10.7	9
59	Deficient reconstitution of early progenitors after allogeneic bone marrow transplantation. <i>Bone Marrow Transplantation</i> , <b>1997</b> , 19, 1011-7	4.4	33
58	Long-term results after allogeneic bone marrow transplantation for chronic myelogenous leukemia in chronic phase: a report from the Chronic Leukemia Working Party of the European Group for Blood and Marrow Transplantation. <i>Bone Marrow Transplantation</i> , <b>1997</b> , 20, 553-60	4.4	107
57	Bone marrow transplantation for chronic myeloid leukemia (CML) from unrelated and sibling donors: single center experience. <i>Bone Marrow Transplantation</i> , <b>1997</b> , 20, 1057-62	4.4	31
56	Stem-cell mobilization for autografting in chronic myeloid leukemia. <i>Blood Reviews</i> , <b>1997</b> , 11, 154-9	11.1	5
55	Spontaneous exodus of high numbers of normal early progenitor cells (Ph-negative LTC-IC) in the peripheral blood of patients with chronic myeloid leukaemia at the beginning of the disease. <i>British Journal of Haematology</i> , <b>1997</b> , 97, 94-8	4.5	10
54	IN VIVO MOBILIZATION OF KARYOTYPICALLY NORMAL PERIPHERAL BLOOD PROGENITOR CELLS IN HIGH-RISK MDS, SECONDARY OR THERAPY-RELATED ACUTE MYELOGENOUS LEUKAEMIA. <i>British Journal of Haematology</i> , <b>1996</b> , 95, 127-130	4.5	61
53	Splenic irradiation before bone marrow transplantation for chronic myeloid leukaemia. Chronic Leukaemia Working Party of the European Group for Blood and Marrow Transplantation (EBMT). <i>British Journal of Haematology</i> , <b>1996</b> , 95, 494-500	4.5	12
52	Mobilization/transplantation of Ph1-negative blood progenitor cells in chronic myelogenous leukaemia. <i>Annals of Oncology</i> , <b>1996</b> , 7 Suppl 2, 19-22	10.3	2
51	Twelve years experience with high-dose therapy and autologous stem cell transplantation for high-risk Hodgkin's disease patients in first remission after MOPP/ABVD chemotherapy. <i>Leukemia and Lymphoma</i> , <b>1996</b> , 21, 63-70	1.9	34
50	Philadelphia-chromosome-negative peripheral blood stem cells can be mobilized in the early phase of recovery after a myelosuppressive chemotherapy in Philadelphia-chromosome-positive acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , <b>1995</b> , 89, 535-8	4.5	24
49	Restoration of normal polyclonal haemopoiesis in patients with chronic myeloid leukaemia autografted with Ph-negative peripheral stem cells. <i>British Journal of Haematology</i> , <b>1994</b> , 87, 867-70	4.5	23
48	Idarubicin, intermediate-dose cytarabine, etoposide, and granulocyte-colony-stimulating factor are able to recruit CD34+/HLA-DR- cells during early hematopoietic recovery in accelerated and chronic phases of chronic myeloid leukemia. <i>Stem Cells and Development</i> , <b>1994</b> , 3, 199-202		15
47	Splenic irradiation before bone marrow transplantation for chronic myeloid leukemia: update of a prospective randomized study. <i>Leukemia and Lymphoma</i> , <b>1993</b> , 11 Suppl 1, 227-31	1.9	2
46	Is there a place for autologous bone marrow transplantation in chronic myeloid leukemia?. <i>Stem Cells</i> , <b>1993</b> , 11 Suppl 3, 1-3	5.8	17
45	Selective overshoot of Ph-negative blood hemopoietic cells after intensive idarubicin-containing regimen and their repopulating capacity after reinfusion. <i>Stem Cells</i> , <b>1993</b> , 11 Suppl 3, 67-72	5.8	13

44	The Use of Glycopeptides as Empiric Antibiotic Therapy in Febrile Neutropenic Patients: A Comparison Between Teicoplanin (TEI) and Vancomycin (VAN). <i>Leukemia and Lymphoma</i> , <b>1992</b> , 7, 110-111 <sup>19</sup>		2
43	Autologous and allogeneic bone marrow transplantation in acute myeloid leukemia in first complete remission: an update of the Genoa experience with 159 patients. <i>Annals of Hematology</i> , <b>1992</b> , 64, 128-31	3	24
42	Late complications of allogeneic bone marrow transplantation. <i>Medical Oncology and Tumor Pharmacotherapy</i> , <b>1991</b> , 8, 261-3		4
41	Karyotype evolution of Ph positive chronic myelogenous leukemia patients relapsed in advanced phases of the disease after allogeneic bone marrow transplantation. <i>Cancer Genetics and Cytogenetics</i> , <b>1991</b> , 57, 69-78		20
40	Eradication of leukaemic marrow and prevention of leukaemia relapse with total body irradiation and bone marrow transplantation. <i>Medical Oncology and Tumor Pharmacotherapy</i> , <b>1991</b> , 8, 189-201		2
39	Total body irradiation before allogeneic and autologous bone marrow transplantation: a ten year Genoa experience. <i>Radiotherapy and Oncology</i> , <b>1990</b> , 18 Suppl 1, 135-8	5.3	3
38	The effect of total body irradiation dose and chronic graft-versus-host disease on leukaemic relapse after allogeneic bone marrow transplantation. <i>British Journal of Haematology</i> , <b>1989</b> , 73, 211-6	4.5	21
37	Total body irradiation in acute myeloid leukemia and chronic myelogenous leukemia: influence of dose and dose-rate on leukemia relapse. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>1989</b> , 17, 547-52	4	31
36	Molecular analysis of Philadelphia-negative myeloproliferative syndromes with i(17q). <i>Cancer Genetics and Cytogenetics</i> , <b>1989</b> , 43, 195-201		5
35	Cytogenetic follow-up after bone marrow transplantation for Philadelphia-positive chronic myeloid leukemia. <i>Cancer Genetics and Cytogenetics</i> , <b>1989</b> , 42, 253-61		12
34	Relapse after allogeneic bone marrow transplantation for acute leukaemia: a survey by the E.B.M.T. of 117 cases. <i>British Journal of Haematology</i> , <b>1988</b> , 70, 317-20	4.5	105
33	Variant Philadelphia translocations in CML: correlation with fragile sites. <i>Cancer Genetics and Cytogenetics</i> , <b>1988</b> , 31, 105-12		11
32	ABO compatibility and acute graft-versus-host disease following allogeneic bone marrow transplantation. <i>Transplantation</i> , <b>1988</b> , 45, 1091-4	1.8	57
31	Competition between recipient and donor cells after bone marrow transplantation for chronic myeloid leukaemia. <i>British Journal of Haematology</i> , <b>1988</b> , 69, 471-5	4.5	35
30	Chromosome studies in patients with Philadelphia chromosome-positive chronic myeloid leukemia submitted to bone marrow transplantation--results of a European Cooperative Study. <i>Cancer Genetics and Cytogenetics</i> , <b>1987</b> , 26, 5-13		21
29	Chromosome studies in patients with acute nonlymphocytic or acute lymphocytic leukemia submitted to bone marrow transplantation--results of a European cooperative study. <i>Cancer Genetics and Cytogenetics</i> , <b>1987</b> , 26, 51-8		16
28	Clinical problems associated with T cell depletion for bone marrow transplantation. <i>Annals of the New York Academy of Sciences</i> , <b>1987</b> , 511, 459-63	6.5	
27	Human serum-dependent survival of GM-CFCs in vitro from patients with chronic granulocytic leukemia. <i>Leukemia Research</i> , <b>1987</b> , 11, 3-6	2.7	3

26	Bone marrow transplantation for chronic granulocytic leukemia. <i>Cancer</i> , <b>1986</b> , 58, 2307-11	6.4	17
25	Competitive survival/proliferation of normal and Ph1-positive haemopoietic cells. <i>British Journal of Haematology</i> , <b>1986</b> , 63, 135-41	4.5	14
24	Acute myelogenous leukemia with translocation t(8;21): a cytogenetic study of seven cases. <i>Cancer Genetics and Cytogenetics</i> , <b>1986</b> , 20, 363-8		8
23	Cyclosporin A (CyA) does not enhance CFU-c growth in patients with severe aplastic anaemia. <i>Scandinavian Journal of Haematology</i> , <b>1985</b> , 34, 133-6		3
22	Intravenous monoclonal antibody (BT 5/9) for the treatment of acute graft-versus-host disease. <i>Acta Haematologica</i> , <b>1985</b> , 73, 185-6	2.7	13
21	Idarubicin alone or in combination with cytarabine and etoposide (3 + 3 + 5 protocol) in acute non-lymphoblastic leukaemia. <i>Leukemia Research</i> , <b>1985</b> , 9, 631	2.7	8
20	Graft-versus-leukemia effect following allogeneic bone marrow transplantation. <i>British Journal of Haematology</i> , <b>1985</b> , 61, 749-51	4.5	12
19	In vitro tests in severe aplastic anaemia (SAA): a prospective study in 46 patients treated with immunosuppression. <i>British Journal of Haematology</i> , <b>1985</b> , 59, 611-6	4.5	5
18	Bone marrow transplantation (BMT) for acute nonlymphoid leukemia (ANLL) in first remission. <i>Acta Haematologica</i> , <b>1985</b> , 74, 23-6	2.7	4
17	Massive chemotherapy with non-frozen autologous bone marrow transplantation in 13 cases of refractory Hodgkin's disease. <i>European Journal of Cancer &amp; Clinical Oncology</i> , <b>1985</b> , 21, 607-13		36
16	Recurrence of Ph <sup>+</sup> leukemia in donor cells after marrow transplantation for chronic granulocytic leukemia. <i>New England Journal of Medicine</i> , <b>1984</b> , 310, 903-6	59.2	69
15	High-dose chemotherapy and non-frozen autologous bone marrow transplantation in relapsed advanced lymphomas or those resistant to conventional chemotherapy. <i>Cancer</i> , <b>1984</b> , 54, 2836-9	6.4	24
14	Circulating immune complexes in allogeneic marrow graft recipients. <i>Transplantation</i> , <b>1984</b> , 38, 428-30	1.8	2
13	Acyclovir for the treatment of severe aplastic anemia. <i>New England Journal of Medicine</i> , <b>1984</b> , 310, 1606-7	59.2	10
12	High dose bolus methylprednisolone for the treatment of acute graft versus host disease. <i>Blut</i> , <b>1983</b> , 46, 125-32		42
11	Mepartricin: a new antifungal agent for the treatment of disseminated <i>Candida</i> infections in the immunocompromised host. <i>Acta Haematologica</i> , <b>1983</b> , 69, 409-13	2.7	3
10	Generation of CFU-c suppressor T cells. VI. Effect of cyclosporin A. <i>Acta Haematologica</i> , <b>1983</b> , 70, 163-9	2.7	8
9	Fractionated total body irradiation in marrow transplantation for leukaemia. <i>British Journal of Haematology</i> , <b>1983</b> , 55, 547-54	4.5	29

8	Haemopoietic colony formation (BFU-E, GM-CFC) during the development of pure red cell hypoplasia induced in the cat by feline leukaemia virus. <i>Leukemia Research</i> , <b>1983</b> , 7, 103-16	2.7	33
7	GM-CFC growth in chronic granulocytic leukaemia is not affected by a soluble inhibitor released by aplastic anaemia T-cells or mitogen-primed normal T-lymphocytes. <i>British Journal of Haematology</i> , <b>1982</b> , 50, 647-53	4.5	2
6	Generation of CFU-C suppressor T cells in vitro. V. A multistep process. <i>British Journal of Haematology</i> , <b>1982</b> , 52, 421-7	4.5	20
5	The relative spatial distribution of erythroid progenitor cells (BFUe and CFUe) in the normal mouse femur. <i>Cell Proliferation</i> , <b>1982</b> , 15, 447-55	7.9	8
4	Selective effect of feline leukaemia virus on early erythroid precursors. <i>Nature</i> , <b>1982</b> , 296, 156-8	50.4	83
3	Tobramycin versus Gentamicin, in Combination with Cephalotin and Carbenecillin, in Patients Undergoing Bone Marrow Transplantation. <i>Tumori</i> , <b>1981</b> , 67, 525-532	1.7	3
2	High Dose BCNU Followed by Autologous Bone Marrow Infusion in Glioblastoma Multiforme. <i>Tumori</i> , <b>1981</b> , 67, 473-475	1.7	13
1	The ultrastructural localization of factor VIII-antigen in human platelets, megakaryocytes and endothelial cells utilizing a ferritin-labelled antibody. <i>British Journal of Haematology</i> , <b>1978</b> , 39, 209-13	4.5	62