
## In Ki Park

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7786968/publications.pdf Version: 2024-02-01



IN KI DADK

#	Article	IF	CITATIONS
1	Objective Assessment of Corneal Staining Using Digital Image Analysis. Investigative Ophthalmology and Visual Science, 2014, 55, 7896-7903.	3.3	42
2	New Clinical Grading Scales and Objective Measurement for Conjunctival Injection. , 2013, 54, 5249.		39
3	Reliability of 4 Clinical Grading Systems for Corneal Staining. American Journal of Ophthalmology, 2014, 157, 1097-1102.	3.3	33
4	Topographic analysis of eyelid position using digital image processing software. Acta Ophthalmologica, 2017, 95, e625-e632.	1.1	24
5	Quantitative Analysis of Functional Changes Caused by Pinhole Classes. , 2014, 55, 6679.		16
6	Recurrent Occlusion of Laser Iridotomy Sites After Posterior Chamber Phakic IOL Implantation. Korean Journal of Ophthalmology: KJO, 2008, 22, 130.	1.1	13
7	Comparison of Superior and Inferior Visual Field Asymmetry Between Normal-tension and High-tension Glaucoma. Journal of Glaucoma, 2021, 30, 648-655.	1.6	7
8	Comparison of Rates of Change Between Binocular and Monocular Visual Fields. Investigative Ophthalmology and Visual Science, 2015, 56, 451-457.	3.3	6
9	Comparison of Objective and Subjective Changes Induced by Multiple-Pinhole Glasses and Single-Pinhole Glasses. Journal of Korean Medical Science, 2017, 32, 850.	2.5	6
10	Pseudomyopia with paradoxical accommodation: a case report. BMC Ophthalmology, 2021, 21, 159.	1.4	5
11	Objective Verification of Physiologic Changes during Accommodation under Binocular, Monocular, and Pinhole Conditions. Journal of Korean Medical Science, 2019, 34, e32.	2.5	4
12	Clinical feasibility of pinhole glasses in presbyopia. European Journal of Ophthalmology, 2019, 29, 133-140.	1.3	4
13	Long-term Reliability of Diurnal Intraocular Pressure Patterns in Healthy Asians. Korean Journal of Ophthalmology: KJO, 2017, 31, 132.	1.1	3
14	A Case of Unilateral Mydriasis from Exposure to Angel's Trumpet. Journal of Korean Ophthalmological Society, 2011, 52, 1259.	0.2	0