

# Yoshihiro Onouchi

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7787681/yoshihiro-onouchi-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

13  
papers

979  
citations

9  
h-index

15  
g-index

15  
ext. papers

1,237  
ext. citations

14.9  
avg, IF

4.07  
L-index

#	Paper	IF	Citations
13	ITPKC functional polymorphism associated with Kawasaki disease susceptibility and formation of coronary artery aneurysms. <i>Nature Genetics</i> , <b>2008</b> , 40, 35-42	36.3	339
12	A genome-wide association study identifies three new risk loci for Kawasaki disease. <i>Nature Genetics</i> , <b>2012</b> , 44, 517-21	36.3	217
11	Common variants in CASP3 confer susceptibility to Kawasaki disease. <i>Human Molecular Genetics</i> , <b>2010</b> , 19, 2898-906	5.6	114
10	The genetics of Kawasaki disease. <i>International Journal of Rheumatic Diseases</i> , <b>2018</b> , 21, 26-30	2.3	71
9	Efficacy of primary treatment with immunoglobulin plus ciclosporin for prevention of coronary artery abnormalities in patients with Kawasaki disease predicted to be at increased risk of non-response to intravenous immunoglobulin (KAICA): a randomised controlled, open-label, blinded-endpoints, phase 3 trial. <i>Lancet, The</i> , <b>2019</b> , 393, 1128-1137	4.0	70
8	Population-specific and trans-ancestry genome-wide analyses identify distinct and shared genetic risk loci for coronary artery disease. <i>Nature Genetics</i> , <b>2020</b> , 52, 1169-1177	36.3	51
7	Genetic Variation in the SLC8A1 Calcium Signaling Pathway Is Associated With Susceptibility to Kawasaki Disease and Coronary Artery Abnormalities. <i>Circulation: Cardiovascular Genetics</i> , <b>2016</b> , 9, 559-568		33
6	Variations in ORAI1 Gene Associated with Kawasaki Disease. <i>PLoS ONE</i> , <b>2016</b> , 11, e0145486	3.7	30
5	A genome-wide association analysis identifies NMNAT2 and HCP5 as susceptibility loci for Kawasaki disease. <i>Journal of Human Genetics</i> , <b>2017</b> , 62, 1023-1029	4.3	29
4	Global Comparison of Changes in the Number of Test-Positive Cases and Deaths by Coronavirus Infection (COVID-19) in the World. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	9
3	Association of an IGHV3-66 gene variant with Kawasaki disease. <i>Journal of Human Genetics</i> , <b>2021</b> , 66, 475-489	4.3	9
2	Investigation of novel variations of ORAI1 gene and their association with Kawasaki disease. <i>Journal of Human Genetics</i> , <b>2019</b> , 64, 511-519	4.3	6
1	Markers of Memory CD8 T Cells Depicting the Effect of the BNT162b2 mRNA COVID-19 Vaccine in Japan.. <i>Frontiers in Immunology</i> , <b>2022</b> , 13, 836923	8.4	