

Yong Kong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7789010/publications.pdf>

Version: 2024-02-01

113
papers

4,058
citations

101543

36
h-index

149698

56
g-index

113
all docs

113
docs citations

113
times ranked

4102
citing authors

#	ARTICLE	IF	CITATIONS
1	Recent advances of the ionic chiral selectors for chiral resolution by chromatography, spectroscopy and electrochemistry. <i>Journal of Separation Science</i> , 2022, 45, 325-337.	2.5	13
2	Hollow NiCoSe ₂ /C prepared through a step-by-step derivatization method for high performance supercapacitors. <i>Journal of Electroanalytical Chemistry</i> , 2022, 905, 115976.	3.8	16
3	Construction of a dual-responsive dual-drug delivery platform based on the hybrids of mesoporous silica, sodium hyaluronate, chitosan and oxidized sodium carboxymethyl cellulose. <i>International Journal of Biological Macromolecules</i> , 2022, 202, 37-45.	7.5	31
4	Hyaluronic acid encapsulated aminated mesoporous silica nanoparticles for pH-responsive delivery of methotrexate and release kinetics. <i>Bulletin of the Korean Chemical Society</i> , 2022, 43, 650-657.	1.9	14
5	Nanostructured Co ₉ S ₈ /polypyrrole hybrids grown on carbon cloth for battery-type supercapacitor electrode. <i>Synthetic Metals</i> , 2022, 286, 117034.	3.9	17
6	Reduced Mo-doped NiCo ₂ O ₄ with rich oxygen vacancies as an advanced electrode material in supercapacitors. <i>Chemical Communications</i> , 2022, 58, 5120-5123.	4.1	21
7	A surface protein-imprinted biosensor based on boronate affinity for the detection of anti-human immunoglobulin G. <i>Mikrochimica Acta</i> , 2022, 189, 106.	5.0	12
8	Competitive Self-Assembly Interaction between Ferrocenyl Units and Amino Acids for Entry into the Cavity of β -Cyclodextrin for Chiral Electroanalysis. <i>Analytical Chemistry</i> , 2022, 94, 6050-6056.	6.5	18
9	Strategies to synthesize a chiral helical polymer accompanying with two stereogenic centers for chiral electroanalysis. <i>Analytica Chimica Acta</i> , 2022, 1206, 339810.	5.4	2
10	The hybrids of perylene tetracarboxylic acid functionalized multi-walled carbon nanotubes and chitosan for electrochemical chiral sensing of tryptophan enantiomers. <i>Bioelectrochemistry</i> , 2022, 146, 108110.	4.6	25
11	Gold Nanorods@Mesoporous SiO ₂ @Hyaluronic Acid Core-Shell Nanoparticles for Controlled Drug Delivery. <i>ACS Applied Nano Materials</i> , 2022, 5, 7440-7448.	5.0	13
12	A chiral sensing platform based on chiral metal-organic framework for enantiodiscrimination of the isomers of tyrosine and tryptophan. <i>Journal of Electroanalytical Chemistry</i> , 2022, 918, 116445.	3.8	13
13	TiO ₂ Nanotubes Decorated with CdSe Quantum Dots: A Bifunctional Electrochemiluminescent Platform for Chiral Discrimination and Chiral Sensing. <i>Analytical Chemistry</i> , 2022, 94, 9399-9406.	6.5	15
14	Construction of a dual-drug delivery system based on oxidized alginate and carboxymethyl chitosan for chemo-photothermal synergistic therapy of osteosarcoma. <i>European Polymer Journal</i> , 2022, 174, 111331.	5.4	9
15	A Real-Time Strategy for Chiroptical Sensing and Enantiomeric Excess Determination of Primary Amines via an Acid-Base Reaction. <i>Organic Letters</i> , 2022, 24, 5226-5229.	4.6	6
16	Construction of a pH- and near-infrared irradiation-responsive nanoplatform for chemo-photothermal therapy. <i>International Journal of Pharmaceutics</i> , 2021, 593, 120112.	5.2	15
17	Construction of a pH-responsive drug delivery platform based on the hybrid of mesoporous silica and chitosan. <i>Journal of Saudi Chemical Society</i> , 2021, 25, 101174.	5.2	25
18	Silver nanoparticle driven signal amplification for electrochemical chiral discrimination of amino acids. <i>Analyst</i> , 2021, 146, 1612-1619.	3.5	20

#	ARTICLE	IF	CITATIONS
19	Fluorometric discrimination of tyrosine isomers based on the inner filter effect of chiral Au nanoparticles on MoS ₂ quantum dots. <i>Analytical Methods</i> , 2021, 13, 2290-2296.	2.7	7
20	Electrochemiluminescent chiral discrimination with chiral Ag ₂ S quantum dots/few-layer carbon nitride nanosheets. <i>Analyst</i> , 2021, 146, 6245-6251.	3.5	8
21	Nanowired NiMoO ₄ /NiSe ₂ /MoSe ₂ prepared through <i>in situ</i> selenylation as a high performance supercapacitor electrode. <i>Chemical Communications</i> , 2021, 57, 4019-4022.	4.1	33
22	Enantioselective recognition of tryptophan isomers with molecularly imprinted overoxidized polypyrrole/poly(<i>p</i> -aminobenzenesulfonic acid) modified electrode. <i>Chirality</i> , 2021, 33, 176-183.	2.6	5
23	Chiral supramolecular hydrogel with controllable phase transition behavior for stereospecific molecular recognition. <i>Journal of Electroanalytical Chemistry</i> , 2021, 883, 115045.	3.8	4
24	Dual stimuli-responsive nanoplatform based on core-shell structured graphene oxide/mesoporous silica@alginate. <i>International Journal of Biological Macromolecules</i> , 2021, 175, 209-216.	7.5	24
25	Strategies to Achieve a Ferrocene-Based Polymer with Reversible Redox Activity for Chiral Electroanalysis of Nonelectroactive Amino Acids. <i>Analytical Chemistry</i> , 2021, 93, 10160-10166.	6.5	13
26	Preparation, characterization and the supercapacitive behaviors of electrochemically reduced graphene quantum dots/polypyrrole hybrids. <i>Electrochimica Acta</i> , 2021, 385, 138435.	5.2	18
27	Dual-drug delivery system based on the hydrogels of alginate and sodium carboxymethyl cellulose for colorectal cancer treatment. <i>Carbohydrate Polymers</i> , 2021, 269, 118325.	10.2	85
28	Facile synthesis of calcium carbonate/polyacrylic acid hydrogels for pH-responsive delivery of cytarabine. <i>Journal of Saudi Chemical Society</i> , 2021, 25, 101344.	5.2	5
29	Synthesis of graphene oxide supported CoSe ₂ as high-performance supercapattery electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2021, 901, 115759.	3.8	15
30	Ultrasensitive Electrochemical Impedance Chiral Discrimination and Sensing of Tryptophan Isomers Based on Core-Shell-Structured Au-Ag Nanoparticles. <i>Langmuir</i> , 2021, 37, 14454-14462.	3.5	16
31	Recent progress of enantioseparation under scale production (2014-2019). <i>Journal of Separation Science</i> , 2020, 43, 337-347.	2.5	34
32	Disulfide-cleavage- and pH-triggered drug delivery based on a vesicle structured amphiphilic self-assembly. <i>Materials Science and Engineering C</i> , 2020, 107, 110366.	7.3	21
33	Decoration of glutathione with copper-platinum nanoparticles for chirality sensing of tyrosine enantiomers. <i>Electrochemistry Communications</i> , 2020, 110, 106638.	4.7	22
34	Synthesis of oxidized pullulan coated mesoporous silica for pH-sensitive drug delivery. <i>European Polymer Journal</i> , 2020, 122, 109399.	5.4	34
35	Enantioselective Recognition of Chiral Tryptophan with Achiral Glycine through the Strategy of Chirality Transfer. <i>Analytical Chemistry</i> , 2020, 92, 11927-11934.	6.5	31
36	Enantioselective Limiting Transport into a Fixed Cavity via Supramolecular Interaction for the Chiral Electroanalysis of Amino Acids Regardless of Electroactive Units. <i>Analytical Chemistry</i> , 2020, 92, 13711-13717.	6.5	20

#	ARTICLE	IF	CITATIONS
37	A facile synthesis of two ionized fluorescent carbon dots and selective detection toward Fe ²⁺ and Cu ²⁺ . <i>Nanoscale Advances</i> , 2020, 2, 2943-2949.	4.6	1
38	An ionic-based carbon dot for enantioselective discrimination of nonaromatic amino alcohols. <i>Analyst</i> , 2020, 145, 3395-3400.	3.5	17
39	Electropolymerized melamine for simultaneous determination of nitrite and tartrazine. <i>Food Chemistry</i> , 2020, 333, 127532.	8.2	32
40	Polyaniline functionalized reduced graphene oxide/carbon nanotube ternary nanocomposite as a supercapacitor electrode. <i>Chemical Communications</i> , 2020, 56, 4003-4006.	4.1	68
41	pH-sensitive drug delivery based on chitosan wrapped graphene quantum dots with enhanced fluorescent stability. <i>Materials Science and Engineering C</i> , 2020, 112, 110888.	7.3	41
42	Covalent Functionalization of Bovine Serum Albumin with Graphene Quantum Dots for Stereospecific Molecular Recognition. <i>Analytical Chemistry</i> , 2019, 91, 11864-11871.	6.5	53
43	Construction of Near-Infrared Irradiation-Controlled Drug Delivery System Based on Silica@polypyrrole@mesoporous Silica and PEG-PCL-PEG. <i>Bulletin of the Korean Chemical Society</i> , 2019, 40, 917-920.	1.9	6
44	Improved chiral electrochemical recognition of tryptophan enantiomers based on three-dimensional molecularly imprinted overoxidized polypyrrole/MnO ₂ /carbon felt composites. <i>Chirality</i> , 2019, 31, 917-922.	2.6	6
45	Single-Template Molecularly Imprinted Chiral Sensor for Simultaneous Recognition of Alanine and Tyrosine Enantiomers. <i>Analytical Chemistry</i> , 2019, 91, 12546-12552.	6.5	51
46	Hydrothermal Fabrication of Fe ₃ O ₄ @Carbonaceous Microspheres for Efficient Removal of Oil and Metal Ions from the Aqueous Phase. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 18613-18622.	3.7	8
47	A redox and pH dual-triggered drug delivery platform based on chitosan grafted tubular mesoporous silica. <i>Ceramics International</i> , 2019, 45, 22603-22609.	4.8	19
48	Electrosynthesis of poly(m-phenylenediamine) on the nanocomposites of palygorskite and ionic liquid for electrocatalytic sensing of gallic acid. <i>Sensors and Actuators B: Chemical</i> , 2019, 284, 63-72.	7.8	31
49	Covalent functionalization of reduced graphene oxide aerogels with polyaniline for high performance supercapacitors. <i>Chemical Communications</i> , 2019, 55, 1738-1741.	4.1	62
50	A perovskite oxide with a tunable pore-size derived from a general salt-template strategy as a highly efficient electrocatalyst for the oxygen evolution reaction. <i>Chemical Communications</i> , 2019, 55, 2445-2448.	4.1	23
51	A facile route to prepare functional mesoporous organosilica spheres with electroactive units for chiral recognition of amino acids. <i>Analyst</i> , 2019, 144, 543-549.	3.5	19
52	A chiral helical self-assembly for electrochemical recognition of tryptophan enantiomers. <i>Electrochemistry Communications</i> , 2019, 104, 106478.	4.7	12
53	Controllable fabrication of uniform ruthenium phosphide nanocrystals for the hydrogen evolution reaction. <i>Chemical Communications</i> , 2019, 55, 7828-7831.	4.1	47
54	Design and synthesis of tungsten trioxide/polypyrrole/graphene using attapulgite as template for high-performance supercapacitors. <i>Electrochimica Acta</i> , 2019, 311, 123-131.	5.2	33

#	ARTICLE	IF	CITATIONS
55	Smart construction of an efficient enantioselective sensing device based on bioactive tripeptide. <i>Analytical Methods</i> , 2019, 11, 1951-1957.	2.7	10
56	Fabrication of CuO nanoparticles-decorated 3D N-doped porous carbon as electrochemical sensing platform for the detection of Sudan I. <i>Food Chemistry</i> , 2019, 287, 375-381.	8.2	40
57	Dynamic Interaction between Host and Guest for Enantioselective Recognition: Application of β -Cyclodextrin-Based Charged Catenane As Electrochemical Probe. <i>Analytical Chemistry</i> , 2019, 91, 5961-5967.	6.5	37
58	Multi-templates based molecularly imprinted sodium alginate/MnO ₂ for simultaneous enantioselective recognition of lysine, alanine and cysteine isomers. <i>International Journal of Biological Macromolecules</i> , 2019, 129, 786-791.	7.5	12
59	Rational design of a multi-responsive drug delivery platform based on SiO ₂ @PPy@poly(acrylic) Tj ETQq1 1 0.784314rgBT /Oyerlock 10	4.1	18
60	Efficient enantioselective recognition of amino acids under a stimuli-responsive system: synthesis, characterization and application of electroactive rotaxane. <i>Analyst</i> , 2019, 144, 6415-6421.	3.5	9
61	Chiral Enantioselective Assemblies Induced from Achiral Porphyrin by L- and D-Lysine. <i>Langmuir</i> , 2019, 35, 16761-16769.	3.5	22
62	Boosting the hydrogen evolution activity of a Co-N-C electrocatalyst by codoping with Al. <i>RSC Advances</i> , 2019, 9, 33997-34003.	3.6	4
63	Electrochemical Chiral Recognition of Tryptophan Isomers Based on Nonionic Surfactant-Assisted Molecular Imprinting Sol-Gel Silica. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 2840-2848.	8.0	46
64	Highly enantioselective recognition of various acids using polymerized chiral ionic liquid as electrode modifiers. <i>Sensors and Actuators B: Chemical</i> , 2019, 282, 164-170.	7.8	26
65	Aluminum and Nitrogen Codoped Graphene: Highly Active and Durable Electrocatalyst for Oxygen Reduction Reaction. <i>ACS Catalysis</i> , 2019, 9, 610-619.	11.2	56
66	Construction of pH-responsive drug delivery platform with calcium carbonate microspheres induced by chitosan gels. <i>Ceramics International</i> , 2018, 44, 7902-7907.	4.8	36
67	A novel electrochemical chiral interface based on sandwich-structured molecularly imprinted SiO ₂ /AuNPs/SiO ₂ for enantioselective recognition of cysteine isomers. <i>Electrochemistry Communications</i> , 2018, 86, 57-62.	4.7	27
68	Preparation of 3D reduced graphene oxide/carbon nanospheres/polyaniline ternary nanocomposites as supercapacitor electrode. <i>Reactive and Functional Polymers</i> , 2018, 125, 101-107.	4.1	33
69	Chiral Sensing Platform Based on the Self-Assemblies of Diphenylalanine and Oxalic Acid. <i>Analytical Chemistry</i> , 2018, 90, 5451-5458.	6.5	32
70	Facile electrosynthesis of nickel hexacyanoferrate/poly(2,6-diaminopyridine) hybrids as highly sensitive nitrite sensor. <i>Sensors and Actuators B: Chemical</i> , 2018, 264, 240-248.	7.8	39
71	Recent progress of task-specific ionic liquids in chiral resolution and extraction of biological samples and metal ions. <i>Journal of Separation Science</i> , 2018, 41, 373-384.	2.5	49
72	A novel electrochemical chiral sensor for tyrosine isomers based on a coordination-driven self-assembly. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 255-261.	7.8	59

#	ARTICLE	IF	CITATIONS
73	An ultrafine ruthenium nanocrystal with extremely high activity for the hydrogen evolution reaction in both acidic and alkaline media. <i>Chemical Communications</i> , 2018, 54, 13076-13079.	4.1	39
74	Construction of an electrochemical chiral interface by the self-assembly of chiral calix[4]arene and cetyltrimethylammonium bromide for recognition of tryptophan isomers. <i>Electrochemistry Communications</i> , 2018, 96, 22-26.	4.7	13
75	Crystallinity Dependence of Ruthenium Nanocatalyst toward Hydrogen Evolution Reaction. <i>ACS Catalysis</i> , 2018, 8, 5714-5720.	11.2	162
76	Coinduction of a Chiral Microenvironment in Polypyrrole by Overoxidation and Camphorsulfonic Acid for Electrochemical Chirality Sensing. <i>Analytical Chemistry</i> , 2018, 90, 9551-9558.	6.5	39
77	A facile avenue to prepare chiral graphene sheets as electrode modification for electrochemical enantioselective recognition. <i>Analytica Chimica Acta</i> , 2018, 1033, 58-64.	5.4	53
78	Chiral Poly(ionic liquid) with Nonconjugated Backbone as a Fluorescent Enantioselective Sensor for Phenylalanine and Tryptophan. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 23362-23368.	8.0	42
79	Construction of magnetic-targeted and NIR irradiation-controlled drug delivery platform with Fe ₃ O ₄ @Au@SiO ₂ nanospheres. <i>Ceramics International</i> , 2017, 43, 5061-5067.	4.8	31
80	Electrochemical Enantioselective Recognition in a Highly Ordered Self-Assembly Framework. <i>Analytical Chemistry</i> , 2017, 89, 1900-1906.	6.5	73
81	Nonenzymatic glucose sensing by CuO nanoparticles decorated nitrogen-doped graphene aerogel. <i>Materials Science and Engineering C</i> , 2017, 78, 210-217.	7.3	81
82	Smartly designed 3D N-doped mesoporous graphene for high-performance supercapacitor electrodes. <i>Electrochimica Acta</i> , 2017, 241, 1-9.	5.2	90
83	Electrochemically exfoliating graphite into N-doped graphene and its use as a high efficient electrocatalyst for oxygen reduction reaction. <i>Journal of Solid State Electrochemistry</i> , 2017, 21, 1287-1295.	2.5	15
84	Hierarchical mesoporous Co ₃ O ₄ /C@MoS ₂ core-shell structured materials for electrochemical energy storage with high supercapacitive performance. <i>Synthetic Metals</i> , 2017, 233, 101-110.	3.9	37
85	Electrochemical recognition of tryptophan enantiomers using self-assembled diphenylalanine structures induced by graphene quantum dots, chitosan and CTAB. <i>Electrochemistry Communications</i> , 2017, 83, 61-66.	4.7	23
86	Co,N-codoped graphene as efficient electrocatalyst for hydrogen evolution reaction: Insight into the active centre. <i>Journal of Power Sources</i> , 2017, 363, 260-268.	7.8	55
87	Core-shell structured polypyrrole/mesoporous SiO ₂ nanocomposite capped with graphene quantum dots as gatekeeper for irradiation-controlled release of methotrexate. <i>Materials Science and Engineering C</i> , 2017, 81, 206-212.	7.3	34
88	Co,N,S-Codoped Three-Dimensional Graphene as Efficient Bi-Functional Electrocatalyst for Oxygen Reduction/Hydrogen Evolution Reaction. <i>Journal of the Electrochemical Society</i> , 2017, 164, F1110-F1114.	2.9	7
89	Smart Chiral Sensing Platform with Alterable Enantioselectivity. <i>Analytical Chemistry</i> , 2017, 89, 12930-12937.	6.5	30
90	pH-Controlled drug delivery with hybrid aerogel of chitosan, carboxymethyl cellulose and graphene oxide as the carrier. <i>International Journal of Biological Macromolecules</i> , 2017, 103, 248-253.	7.5	147

#	ARTICLE	IF	CITATIONS
91	Highly fluorescent and morphology-controllable graphene quantum dots-chitosan hybrid xerogels for in vivo imaging and pH-sensitive drug carrier. <i>Materials Science and Engineering C</i> , 2016, 67, 478-485.	7.3	77
92	Construction of Electrochemical Chiral Interfaces with Integrated Polysaccharides via Amidation. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 21710-21720.	8.0	86
93	Chiral electrochemical recognition of cysteine enantiomers with molecularly imprinted overoxidized polypyrrole-Au nanoparticles. <i>Synthetic Metals</i> , 2016, 222, 137-143.	3.9	44
94	Rationally Designed 3D Fe and N Codoped Graphene with Superior Electrocatalytic Activity toward Oxygen Reduction. <i>Small</i> , 2016, 12, 2549-2553.	10.0	33
95	Potato starch as a highly enantioselective system for temperature-dependent electrochemical recognition of tryptophan isomers. <i>Electrochemistry Communications</i> , 2016, 64, 21-25.	4.7	29
96	Ultrafine Pt nanoparticle-decorated robust 3D N-doped porous graphene as an enhanced electrocatalyst for methanol oxidation. <i>Chemical Communications</i> , 2016, 52, 382-385.	4.1	81
97	Crosslinking Graphene Oxide into Robust 3D Porous N-Doped Graphene. <i>Advanced Materials</i> , 2015, 27, 5171-5175.	21.0	188
98	Electrochemical Recognition of Tyrosine Enantiomers Based on Chiral Ligand Exchange with Sodium Alginate as the Chiral Selector. <i>Journal of the Electrochemical Society</i> , 2015, 162, H486-H491.	2.9	41
99	Polydopamine Core Half-Polyamidoamine Dendrimers Based Drug-Delivery Platform and Characterization by Electrochemical Impedance Spectroscopy. <i>Journal of the Electrochemical Society</i> , 2015, 162, G87-G93.	2.9	18
100	Electrocatalytic synthesis of poly(2,6-diaminopyridine) on reduced graphene oxide and its application in glucose sensing. <i>RSC Advances</i> , 2015, 5, 52896-52901.	3.6	7
101	Electrochemical enantiorecognition of tryptophan enantiomers based on graphene quantum dots-chitosan composite film. <i>Electrochemistry Communications</i> , 2015, 57, 5-9.	4.7	90
102	Chiral Recognition of D-Tryptophan by Confining High-Energy Water Molecules Inside the Cavity of Copper-Modified β -Cyclodextrin. <i>Journal of Physical Chemistry C</i> , 2015, 119, 8183-8190.	3.1	71
103	Graphene quantum dots/ β -cyclodextrin nanocomposites: A novel electrochemical chiral interface for tryptophan isomer recognition. <i>Electrochemistry Communications</i> , 2015, 60, 60-63.	4.7	85
104	Oil-water interfacial synthesis of graphene-polyaniline-MnO ₂ hybrids using binary oxidant for high performance supercapacitor. <i>Synthetic Metals</i> , 2015, 209, 555-560.	3.9	33
105	DNA-Inspired Electrochemical Recognition of Tryptophan Isomers by Electrodeposited Chitosan and Sulfonated Chitosan. <i>Analytical Chemistry</i> , 2015, 87, 9481-9486.	6.5	79
106	Well-Dispersed Chitosan-Graphene Quantum Dots Nanocomposites for Electrochemical Sensing Platform. <i>Journal of the Electrochemical Society</i> , 2015, 162, H884-H889.	2.9	32
107	Temperature-Sensitive Electrochemical Recognition of Tryptophan Enantiomers Based on β -Cyclodextrin Self-Assembled on Poly(L-Glutamic Acid). <i>Analytical Chemistry</i> , 2014, 86, 2633-2639.	6.5	155
108	Palygorskite polypyrrole nanocomposite: A new platform for electrically tunable drug delivery. <i>Applied Clay Science</i> , 2014, 99, 119-124.	5.2	43

#	ARTICLE	IF	CITATIONS
109	Electrochemical detection of pyrosine with electrochemically reduced graphene oxide modified glassy carbon electrode. <i>European Food Research and Technology</i> , 2013, 236, 955-961.	3.3	18
110	Functionalization of poly(o-phenylenediamine) with gold nanoparticles as a label-free immunoassay platform for the detection of human enterovirus 71. <i>Sensors and Actuators B: Chemical</i> , 2013, 183, 187-193.	7.8	20
111	In situ synthesis of highly loaded and ultrafine Pd nanoparticles-decorated graphene oxide for glucose biosensor application. <i>Journal of Materials Chemistry</i> , 2012, 22, 24821.	6.7	43
112	Enantioselective recognition of glutamic acid enantiomers based on poly(aniline-co-m-aminophenol) electrode column. <i>Electrochemistry Communications</i> , 2012, 14, 17-20.	4.7	26
113	Enantioselective recognition of amino acids based on molecularly imprinted polyaniline electrode column. <i>Electrochimica Acta</i> , 2011, 56, 4070-4074.	5.2	24