

Jose V Monmeneu Menadas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7789351/publications.pdf>

Version: 2024-02-01

28

papers

774

citations

567144

15

h-index

501076

28

g-index

29

all docs

29

docs citations

29

times ranked

1120

citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic Value of Dipyridamole Stress Cardiovascular Magnetic Resonance Imaging in Patients With Known or Suspected Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2007, 50, 1174-1179.	1.2	139
2	Cardiovascular magnetic resonance-derived intramyocardial hemorrhage after STEMI: Influence on long-term prognosis, adverse left ventricular remodeling and relationship with microvascular obstruction. <i>International Journal of Cardiology</i> , 2013, 167, 2047-2054.	0.8	81
3	Differentiation between acute and chronic myocardial infarction by means of texture analysis of late gadolinium enhancement and cine cardiac magnetic resonance imaging. <i>European Journal of Radiology</i> , 2017, 92, 78-83.	1.2	79
4	Prediction of Reverse Remodeling at Cardiac MR Imaging Soon after First ST-Segmentâ€“Elevation Myocardial Infarction: Results of a Large Prospective Registry. <i>Radiology</i> , 2016, 278, 54-63.	3.6	49
5	Prognostic Implications of Dipyridamole Cardiac MR Imaging: A Prospective Multicenter Registry. <i>Radiology</i> , 2012, 262, 91-100.	3.6	46
6	Value of Early Cardiovascular Magnetic Resonance for the Prediction of Adverse Arrhythmic Cardiac Events After a First Noncomplicated ST-Segmentâ€“Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 755-761.	1.3	45
7	Right ventricular involvement in anterior myocardial infarction: a translational approach. <i>Cardiovascular Research</i> , 2010, 87, 601-608.	1.8	44
8	Contractile Reserve and Extent of Transmural Necrosis in the Setting of Myocardial Stunning: Comparison at Cardiac MR Imaging. <i>Radiology</i> , 2010, 255, 755-763.	3.6	36
9	Incidence, Outcomes, and Predictors of Ventricular Thrombus after Reperfused ST-Segmentâ€“Elevation Myocardial Infarction by Using Sequential Cardiac MR Imaging. <i>Radiology</i> , 2017, 284, 372-380.	3.6	32
10	Resultados de la estrategia farmacoinvasiva y de la angioplastia primaria en la reperfisiÃ³n del infarto con elevaciÃ³n del segmento ST. Estudio con resonancia magnÃ©tica cardiaca en la primera semana y en el sexto mes. <i>Revista Espanola De Cardiologia</i> , 2011, 64, 111-120.	0.6	27
11	Pharmacological stress cardiovascular magnetic resonance: feasibility and safety in a large multicentre prospective registry. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 308-315.	0.5	25
12	ValoraciÃ³n del edema tras un infarto agudo de miocardio con elevaciÃ³n del ST mediante resonancia magnÃ©tica cardiaca. <i>Revista Espanola De Cardiologia</i> , 2009, 62, 858-866.	0.6	24
13	Valor pronÃ³stico a largo plazo del anÃ¡lisis completo de los Ãndices de resonancia magnÃ©tica cardiaca tras un infarto de miocardio con elevaciÃ³n del segmento ST. <i>Revista Espanola De Cardiologia</i> , 2013, 66, 613-622.	0.6	22
14	ST2 and left ventricular remodeling after ST-segment elevation myocardial infarction: A cardiac magnetic resonance study. <i>International Journal of Cardiology</i> , 2018, 270, 336-342.	0.8	21
15	AnÃ¡lisis mediante resonancia magnÃ©tica cardiaca del miocardio salvado tras infarto. Predictores e influencia en el remodelado adverso ventricular. <i>Revista Espanola De Cardiologia</i> , 2012, 65, 634-641.	0.6	17
16	Valor pronÃ³stico de la isquemia miocÃ¡rdica y la necrosis en pacientes con la funciÃ³n ventricular izquierda deprimida: un registro multicÃ©ntrico con resonancia magnÃ©tica cardiaca de estrÃ©s. <i>Revista Espanola De Cardiologia</i> , 2014, 67, 693-700.	0.6	15
17	Role of PCSK9 in the course of ejection fraction change after STâ€“segment elevation myocardial infarction: a pilot study. <i>ESC Heart Failure</i> , 2020, 7, 118-123.	1.4	14
18	Cardiac Magnetic Resonance Evaluation of Edema After ST-Elevation Acute Myocardial Infarction. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009, 62, 858-866.	0.4	10

#	ARTICLE	IF	CITATIONS
19	One-Week and 6-Month Cardiovascular Magnetic Resonance Outcome of the Pharmacoinvasive Strategy and Primary Angioplasty for the Reperfusion of ST-Segment Elevation Myocardial Infarction. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 111-120.	0.4	8
20	Subacute perimyocarditis in a young patient with COVID-19 infection. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-3.	0.3	8
21	Automatic left ventricle volume calculation with explainability through a deep learning weak-supervision methodology. <i>Computer Methods and Programs in Biomedicine</i> , 2021, 208, 106275.	2.6	8
22	Head-to-head comparison of 1 week versus 6 months CMR-derived infarct size for prediction of late events after STEMI. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1499-1509.	0.7	7
23	Safety and tolerability of regadenoson in comparison with adenosine stress cardiovascular magnetic resonance: Data from a multicentre prospective registry. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 195-209.	0.7	7
24	Prognostic Value of Myocardial Ischemia and Necrosis in Depressed Left Ventricular Function: a Multicenter Stress Cardiac Magnetic Resonance Registry. <i>Revista Espanola De Cardiologia (English Ed)</i> Tj ETQq0 0 @rgBT /Overlock 10 T		
25	Analysis of Post-infarction Salvaged Myocardium by Cardiac Magnetic Resonance. Predictors and Influence on Adverse Ventricular Remodeling. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012, 65, 634-641.	0.4	1
26	EpCAM and microvascular obstruction in patients with STEMI: a cardiac magnetic resonance study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021, , .	0.4	1
27	End-systole and end-diastole detection in short axis cine MRI using a fully convolutional neural network with dilated convolutions. <i>Computerized Medical Imaging and Graphics</i> , 2022, 99, 102085.	3.5	1
28	Long-term Prognostic Value of a Comprehensive Assessment of Cardiac Magnetic Resonance Indexes After an ST-segment Elevation Myocardial Infarction. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013, 66, 613-622.	0.4	0