Amir Amirabadi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7789675/publications.pdf

Version: 2024-02-01

1307594 1372567 16 220 7 10 citations g-index h-index papers 16 16 16 209 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Lung Infection Segmentation for COVID-19 Pneumonia Based on a Cascade Convolutional Network from CT Images. BioMed Research International, 2021, 2021, 1-16.	1.9	64
2	LNPSS: SAR image despeckling based on local and non-local features using patch shape selection and edges linking. Measurement: Journal of the International Measurement Confederation, 2020, 164, 107989.	5.0	29
3	Glucose sensing by a glassy carbon electrode modified with glucose oxidase/chitosan/graphene oxide nanofibers. Diamond and Related Materials, 2020, 109, 108073.	3.9	26
4	Osteolysis: A Literature Review of Basic Science and Potential Computer-Based Image Processing Detection Methods. Computational Intelligence and Neuroscience, 2021, 2021, 1-21.	1.7	21
5	Clock Delayed Domino Logic With Efficient Variable Threshold Voltage Keeper. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2007, 15, 125-134.	3.1	19
6	A <mml:math altimg="si0005.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mn>0.13</mml:mn><mml:mspace width="0.25em"></mml:mspace><mml:mi mathvariant="normal"> \dividentum \dividentu</mml:mi></mml:math>	2.0	16
7	A 65â€nm linear broad-band differential Low Noise Amplifier using post distortion technique. Microelectronics Journal, 2018, 74, 24-33.	2.0	12
8	Highly linear wide-band differential LNA using active feedback as post distortion. , 2015, , .		7
9	High IIP3 and Low-Noise CMOS Mixer Using Non-linear Feedback Technique. Circuits, Systems, and Signal Processing, 2011, 30, 721-739.	2.0	6
10	Active balun-based wideband differential LNA for noise and distortion cancellation. , 2014, , .		5
11	Noise tunable clock delayed domino logic using latched keeper. , 2007, , .		4
12	A 130 nm wideband fully differential linear low noise amplifier. , 2015, , .		4
13	A 130 nm wideband fully differential linear low noise amplifier. Microelectronics Journal, 2015, 46, 825-833.	2.0	4
14	Glassy carbon electrode modified with hybrid nanofibers containing carbon nanotubes trapped in chitosan for the voltammetric sensing of nicotine at biological pH. Nanotechnology, 2020, 31, 435504.	2.6	3
15	Low spur frequency synthesiser using randomly shifted reference spur to higher frequencies. International Journal of Electronics, 2020, 107, 2044-2067.	1.4	0
16	Wideband Inductor-Less Linear LNA Using Post Distortion Technique. IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences, 2011, E94-A, 1662-1670.	0.3	0