

RamÃ³n SayÃ³s

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/779000/publications.pdf>

Version: 2024-02-01

100
papers

2,482
citations

172207

29
h-index

276539

41
g-index

100
all docs

100
docs citations

100
times ranked

1444
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessing the Activity of Ni Clusters Supported on TiC(001) toward CO ₂ and H ₂ Dissociation. Journal of Physical Chemistry C, 2021, 125, 12019-12027.	1.5	15
2	Zeolite-encapsulated single-atom catalysts for efficient CO ₂ conversion. Journal of CO ₂ Utilization, 2021, 54, 101777.	3.3	11
3	Transition metal atoms encapsulated within microporous Silicalite-1 zeolite: A systematic computational study. Microporous and Mesoporous Materials, 2020, 308, 110462.	2.2	7
4	Structural, electronic, and magnetic properties of Ni nanoparticles supported on the TiC(001) surface. Physical Chemistry Chemical Physics, 2020, 22, 26145-26154.	1.3	8
5	Multiscale Study of the Mechanism of Catalytic CO ₂ Hydrogenation: Role of the Ni(111) Facets. ACS Catalysis, 2020, 10, 8077-8089.	5.5	43
6	Critical effect of carbon vacancies on the reverse water gas shift reaction over vanadium carbide catalysts. Applied Catalysis B: Environmental, 2020, 267, 118719.	10.8	69
7	Kinetic Monte Carlo Simulations Unveil Synergic Effects at Work on Bifunctional Catalysts. ACS Catalysis, 2019, 9, 9117-9126.	5.5	30
8	Assessing the usefulness of transition metal carbides for hydrogenation reactions. Chemical Communications, 2019, 55, 12797-12800.	2.2	37
9	Density Functional Theory-Based Adsorption Isotherms for Pure and Flue Gas Mixtures on Mg-MOF-74. Application in CO ₂ Capture Swing Adsorption Processes. Journal of Physical Chemistry C, 2018, 122, 3945-3957.	1.5	38
10	General concepts, assumptions, drawbacks, and misuses in kinetic Monte Carlo and microkinetic modeling simulations applied to computational heterogeneous catalysis. International Journal of Quantum Chemistry, 2018, 118, e25518.	1.0	28
11	Optimal Faujasite structures for post combustion CO ₂ capture and separation in different swing adsorption processes. Journal of CO ₂ Utilization, 2017, 19, 100-111.	3.3	35
12	Computational simulation study of the influence of faujasite Si/Al ratio on CO ₂ capture by temperature swing adsorption. Journal of CO ₂ Utilization, 2017, 21, 261-269.	3.3	16
13	Comparing the catalytic activity of the water gas shift reaction on Cu(3 2 1) and Cu(1 1 1) surfaces: Step sites do not always enhance the overall reactivity. Journal of Catalysis, 2016, 342, 75-83.	3.1	30
14	Atomic and molecular data for spacecraft re-entry plasmas. Plasma Sources Science and Technology, 2016, 25, 033004.	1.3	69
15	Kinetic Monte Carlo simulations of the water gas shift reaction on Cu(1 1 1) from density functional theory based calculations. Journal of Catalysis, 2016, 333, 217-226.	3.1	53
16	Unexpectedly large impact of van der Waals interactions on the description of heterogeneously catalyzed reactions: the water gas shift reaction on Cu(321) as a case example. Physical Chemistry Chemical Physics, 2016, 18, 2792-2801.	1.3	22
17	A molecular dynamics simulation of hydrogen atoms collisions on an H-preadsorbed silica surface. Plasma Sources Science and Technology, 2014, 23, 045016.	1.3	19
18	ReaxFF molecular dynamics simulations of CO collisions on an O-preadsorbed silica surface. Journal of Molecular Modeling, 2014, 20, 2160.	0.8	5

#	ARTICLE	IF	CITATIONS
19	Elementary Reaction Processes Involving Atomic and Molecular Oxygen on ZrB ₂ (0001) Surface. Journal of Physical Chemistry C, 2013, 117, 5831-5839.	1.5	5
20	Molecular dynamics study of hydrogen atom recombination over silica, based on a new analytical DFT potential energy surface. , 2012, , .		3
21	Theoretical Study of the Dynamics and Kinetics of the O + CS → CO + S Chemical Laser Reaction, Where CO Shows a Very High Vibrational Excitation. Journal of Physical Chemistry A, 2012, 116, 11783-11795.	1.1	7
22	Dynamics of the Oxygen Molecules Scattered from the Graphite (0001) Surface and Comparison with Experimental Data. Journal of Physical Chemistry C, 2012, 116, 21482-21488.	1.5	14
23	Quasiclassical Trajectory Dynamics Study of Atomic Oxygen Collisions on an O-Preadsorbed Graphite (0001) Surface with a New Analytical Potential Energy Surface. Journal of Physical Chemistry C, 2012, 116, 13092-13103.	1.5	18
24	Classical dynamics study of atomic oxygen over graphite (0001) with new interpolated and analytical potential energy surfaces. Computational and Theoretical Chemistry, 2012, 990, 132-143.	1.1	17
25	Quantum mechanical and quasiclassical Born-Oppenheimer dynamics of the reaction N ₂ on the N ₂ O and surfaces. Chemical Physics, 2012, 398, 81-89.	0.9	22
26	Recombination and chemical energy accommodation coefficients from chemical dynamics simulations: O/O ₂ mixtures reacting over a β ² -cristobalite (001) surface. Physical Chemistry Chemical Physics, 2011, 13, 17494.	1.3	21
27	DFT and kinetics study of O/O ₂ mixtures reacting over a graphite (0001) basal surface. Theoretical Chemistry Accounts, 2011, 128, 683-694.	0.5	34
28	Quasiclassical dynamics and kinetics of the N+NO → N ₂ +O, NO+N atmospheric reactions. Journal of Chemical Physics, 2010, 132, 144304.	1.2	35
29	Eley-Rideal reaction dynamics between O atoms on β ² -cristobalite (100) surface: A new interpolated potential energy surface and classical trajectory study. Surface Science, 2009, 603, 2742-2751.	0.8	20
30	Classical dynamics study of atomic oxygen sticking on the β ² -cristobalite (1 0 0) surface. Surface Science, 2008, 602, 975-985.	0.8	19
31	A density functional theory study of atomic oxygen and nitrogen adsorption over γ-alumina (0001). Physical Chemistry Chemical Physics, 2007, 9, 5112.	1.3	21
32	Quantum real wave-packet dynamics of the N(S ₄)+NO(X ¹ Σ ⁺) → N ₂ (X ¹ Σ ⁺) + O(P ₃) reaction on the ground and first excited triplet potential energy surfaces: Rate constants, cross sections, and product distributions. Journal of Chemical Physics, 2006, 124, 174303.	1.2	34
33	Adsorption of Atomic Oxygen and Nitrogen at β ² -Cristobalite (100): A Density Functional Theory Study. Journal of Physical Chemistry B, 2005, 109, 14954-14964.	1.2	49
34	A QCT study of the microscopic mechanisms proceeding via the ground PES of the O(1D)+H ₂ (X ¹ Σ ⁺) → OH(X ² Σ ⁻)+H(2S) reaction. Chemical Physics Letters, 2003, 380, 123-134.	1.2	11
35	Ab initio study of the O(1D)+CH ₄ (X ¹ A ₁) → OH(X ² Σ ⁻)+CH ₃ (X ² A ₂) reaction: Ground and excited potential energy surfaces. Journal of Chemical Physics, 2003, 119, 9504-9512.	1.2	21
36	Quantum reactive scattering calculations of cross sections and rate constants for the N(2D)+O ₂ (X ³ Σ ⁻) → O(3P)+NO(X ² Σ ⁻) reaction. Journal of Chemical Physics, 2003, 118, 3111-3123.	1.2	38

#	ARTICLE	IF	CITATIONS
37	Quantum wave packet dynamics of the $N(4S)+NO(X^1\Sigma^+g)+O(3P)$ reaction. <i>Journal of Chemical Physics</i> , 2003, 119, 7156-7162.	1.2	20
38	Influence of collision energy on the $N(2D)+O_2^+(O(3P)+NO)$ reaction dynamics: A quasiclassical trajectory study involving four potential energy surfaces. <i>Journal of Chemical Physics</i> , 2003, 119, 10040-10047.	1.2	11
39	Ab initio derived analytical fits of the two lowest triplet potential energy surfaces and theoretical rate constants for the $N(4S)+NO(X^1\Sigma^+g)$ system. <i>Journal of Chemical Physics</i> , 2003, 119, 2545-2556.	1.2	48
40	Ab initio study of the two lowest triplet potential energy surfaces involved in the $N(4S)+NO(X^1\Sigma^+g)$ reaction. <i>Journal of Chemical Physics</i> , 2003, 118, 10602-10610.	1.2	33
41	The lowest doublet and quartet potential energy surfaces involved in the $N(4S)+O_2$ reaction. II. Ab initio study of the C_{2v} -symmetry insertion mechanism. <i>Journal of Chemical Physics</i> , 2002, 117, 680-692.	1.2	19
42	Quantum dynamics of the $N(4S)+O_2$ reaction on the $X^1\Sigma^+g$ and $a^1\Sigma^+g$ surfaces: Reaction probabilities, cross sections, rate constants, and product distributions. <i>Journal of Chemical Physics</i> , 2002, 117, 3647-3655.	1.2	26
43	Influence of collision energy on the dynamics of the reaction $O(1D)+CH_4(X^1A_1) \rightarrow OH(X^2\Sigma^+g)+CH_3(X^2A_2)$. <i>Physical Chemistry Chemical Physics</i> , 2002, 4, 288-294.	1.3	25
44	Ab initio and kinetics study of the ground $1A_1$ potential energy surface of the $O(1D)+N_2O \rightarrow 2NO, N_2+O_2(a^1\Pi_g)$ reactions. <i>Chemical Physics Letters</i> , 2002, 355, 123-132.	1.2	12
45	Ab initio, VTST and OCT study of the potential energy surface implied in the reaction. <i>Chemical Physics Letters</i> , 2002, 360, 521-533.	1.2	6
46	New analytical ($2A_1$, $4A_1$) surfaces and theoretical rate constants for the $N(4S)+O_2$ reaction. <i>Journal of Chemical Physics</i> , 2002, 117, 670-679.	1.2	58
47	Influence of Collision Energy on the Nascent $OH(X^2\Sigma^+g, v=0)$ Product Energetics for the Reaction of $O(1D)$ with Ethane. A Laser-Induced Fluorescence and Quasiclassical Trajectory Study. <i>Journal of Physical Chemistry A</i> , 2001, 105, 9834-9844.	1.1	4
48	Collision energy effects on the dynamics of the reaction $O(3P)+CH_4(X^1A_1) \rightarrow OH(X^2\Sigma^+g)+CH_3(X^2A_2)$. <i>Chemical Physics Letters</i> , 2001, 341, 608-618.	1.2	17
49	Nascent $OH(X^2\Sigma^+g)$ product state distributions from the reaction of $O(1D)$ with ethylene. <i>Chemical Physics Letters</i> , 2001, 346, 69-80.	1.2	3
50	VTST kinetics study of the $N(2D)+O_2(X^3\Sigma^+g) \rightarrow NO(X^2\Sigma^+g)+O(3P,1D)$ reactions based on CASSCF and CASPT2 ab initio calculations including excited potential energy surfaces. <i>Chemical Physics Letters</i> , 2001, 335, 339-347.	1.2	21
51	Ab initio and DFT study of the ground potential energy surface for the $O(1D)+N_2O \rightarrow 2NO$ reaction. <i>Chemical Physics Letters</i> , 2001, 343, 119-129.	1.2	12
52	Ab initio, variational transition state theory and quasiclassical trajectory study on the lowest $2A_1$ potential energy surface involved in the $N(2D)+O_2(X^3\Sigma^+g) \rightarrow O(3P)+NO(X^1\Sigma^+g)$ atmospheric reaction. <i>Journal of Chemical Physics</i> , 2001, 115, 2530-2539.	1.2	16
53	Ab initio $1A_1$ ground potential energy surface and transition state theory kinetics study of the $O(1D)+N_2O \rightarrow 2NO, N_2+O_2(a^1\Pi_g)$ reactions. <i>Journal of Chemical Physics</i> , 2001, 115, 7015-7031.	1.2	21
54	Ab initio CASPT2/CASSCF study of the $O(1D)+H_2O(X^1A_1)$ reaction. <i>Journal of Chemical Physics</i> , 2001, 115, 8828-8837.	1.2	17

#	ARTICLE	IF	CITATIONS
55	Ab initio, VTST, and QCT study of the $\text{N}(2D)+\text{O}_2(\text{X}^3\Sigma_g^-) \rightarrow \text{O}(3P)+\text{NO}(\text{X}^2\Pi)$ reaction. Journal of Chemical Physics, 2001, 115, 8838-8851.	1.2	19
56	The lowest doublet and quartet potential energy surfaces involved in the $\text{N}(4S)+\text{O}_2$ reaction. I. Ab initio study of the Cs-symmetry ($2A^2, \text{X}^4A^2$) abstraction and insertion mechanisms. Journal of Chemical Physics, 2001, 115, 1287-1297.	1.2	23
57	Ab initio ground potential energy surface ($3A^3$) for the $\text{O}(3P)+\text{N}_2\text{O}$ reaction and kinetics study. Journal of Chemical Physics, 2001, 115, 2540-2549.	1.2	13
58	A theoretical approach to the $\text{O}(1D)+\text{H}_2\text{O}(\text{X}^1A_1)$ reaction: Ab initio potential energy surface and quasiclassical trajectory dynamics study. Journal of Chemical Physics, 2000, 113, 6736-6747.	1.2	29
59	Theoretical study of the dynamics, stereodynamics, and microscopic mechanism of the $\text{O}(1D)+\text{CH}_4(\text{X}^1A_1) \rightarrow \text{OH}(\text{X}^2\Pi)+\text{CH}_3(\text{X}^2A_2^3)$ reaction. Journal of Chemical Physics, 2000, 113, 6748-6759.	1.2	26
60	Theoretical investigation of the eight low-lying electronic states of the cis- and trans-nitric oxide dimers and its isomerization using multiconfigurational second-order perturbation theory (CASPT2). Journal of Chemical Physics, 2000, 112, 6608-6624.	1.2	67
61	Quasiclassical trajectory study of the $\text{H}+\text{ClF} \rightarrow \text{F}+\text{HCl}$, $\text{Cl}+\text{HF}$ and $\text{F}+\text{HCl} \rightarrow \text{Cl}+\text{HF}$ reactions and their deuterium isotope variants on a new ($2A^2$) ab initio potential energy surface. Physical Chemistry Chemical Physics, 2000, 2, 523-533.	1.3	32
62	Influence of the Collision Energy on the $\text{O}(1D) + \text{RH} \rightarrow \text{OH}(\text{X}^2\Pi) + \text{R}$ ($\text{RH} = \text{CH}_4, \text{C}_2\text{H}_6, \text{C}_3\text{H}_8$) Reaction Dynamics: A Laser-Induced Fluorescence and Quasiclassical Trajectory Study. Journal of Physical Chemistry A, 2000, 104, 521-529.	1.1	30
63	Ab initio ground potential energy surface, VTST and QCT study of the $\text{O}(3P)+\text{CH}_4(\text{X}^1A_1) \rightarrow \text{OH}(\text{X}^2\Pi)+\text{CH}_3(\text{X}^2A_2^3)$ reaction. Journal of Chemical Physics, 1999, 110, 7326-7338.	1.2	73
64	The dynamics of the $\text{O}(1D)+\text{N}_2\text{O} \rightarrow \text{NO}+\text{NO}$ reaction revisited: a QCT study on model potential energy surfaces. Chemical Physics Letters, 1999, 300, 603-612.	1.2	17
65	Ab initio ground potential energy surface and quasiclassical trajectory study of the $\text{O}(1D)+\text{CH}_4(\text{X}^1A_1) \rightarrow \text{OH}(\text{X}^2\Pi)+\text{CH}_3(\text{X}^2A_2^3)$ reaction dynamics. Journal of Chemical Physics, 1999, 111, 8913-8924.	1.2	35
66	An analytical potential energy surface of the HClF ($2A^2$) system based on ab initio calculations. Variational transition state theory study of the $\text{H}+\text{ClF} \rightarrow \text{F}+\text{HCl}$, $\text{Cl}+\text{HF}$ and $\text{F}+\text{HCl} \rightarrow \text{Cl}+\text{HF}$ reactions and their deuterium isotope variants. Physical Chemistry Chemical Physics, 1999, 1, 947-956.	1.3	39
67	Variational transition state calculation of the rate constants for the $\text{N}(4S_u)+\text{O}_2(\text{X}^3\Sigma_g^-) \rightarrow \text{NO}(\text{X}^2\Pi)+\text{O}(3P_g)$ reaction and its reverse between 300 and 5000 K. Chemical Physics Letters, 1998, 284, 101-108.	1.2	29
68	An analytical representation of the ground potential energy surface ($2A^2$) of the $\text{H}+\text{Cl}_2 \rightarrow \text{HCl}+\text{Cl}$ and $\text{Cl}+\text{HCl} \rightarrow \text{HCl}+\text{Cl}$ reactions, based on ab initio calculations. Journal of Chemical Physics, 1998, 108, 3168-3177.	1.2	29
69	Potential Energy Surface of the $\text{O}(1D) + \text{N}_2\text{O} \rightarrow 2\text{NO}$, $\text{O}_2 + \text{N}_2$ Reactions. Journal of Physical Chemistry A, 1997, 101, 1206-1215.	1.1	30
70	Dynamics of the Four-Atom $\text{BO} + \text{H}_2 \rightarrow \text{HBO} + \text{H}$ Reaction: Potential Energy Surface and Reaction Selectivity from QCT Calculations. Journal of Physical Chemistry A, 1997, 101, 8877-8886.	1.1	7
71	Quasiclassical Trajectory Study of Molecular Alignment Effects on the Dynamics of the Reactions of Cl, Br, and I with H_2 . Journal of Physical Chemistry A, 1997, 101, 7513-7521.	1.1	7
72	An ab initio analytical potential energy surface for the $\text{O}(3P)+\text{CS}(\text{X}^1\Sigma^+)+\text{CO}(\text{X}^1\Sigma^+)+\text{S}(3P)$ reaction useful for kinetic and dynamical studies. Journal of Chemical Physics, 1996, 105, 10999-11006.	1.2	20

#	ARTICLE	IF	CITATIONS
73	A comparison between experimental, quantum and quasiclassical properties for the reaction. Chemical Physics, 1995, 191, 1-15.	0.9	43
74	Influence of the potential energy surface on the reaction cross section: the K + HF → KF + H system. Chemical Physics, 1995, 200, 289-308.	0.9	8
75	Dynamics of the N(4S)+NO(X ²) → N ₂ (X ¹ +g)+O(3P) atmospheric reaction on the 3A ³ ground potential energy surface. III. Quantum dynamical study and comparison with quasiclassical and experimental results. Journal of Chemical Physics, 1995, 103, 4496-4508.	1.2	27
76	Crossed molecular beams study of the M+(1S)+Na(3 2S) → M+(1S)+Na(3 2P) collision systems (M+=Li+, Na+). J. Chem. Phys. 1992, 96, 1000-1007.	1.2	12
77	Ab initio study of the lowest 3A ² and 3A ³ potential energy surfaces involved in the O(3P) + CS(X ¹ +g) → CO(X) + S(X ³ +g) reaction. J. Chem. Phys. 1991, 94, 1078-1084.	1.2	11
78	Effect of reagent rotation on the dynamics of the O+ + H ₂ ion-molecule reaction and isotopic variants. Chemical Physics Letters, 1993, 204, 578-586.	1.2	15
79	Quasiclassical trajectory study of the N(4S _u) + O ₂ (X ³ +g) → NO(X ²) + O(3P _g) atmospheric reaction on the 2A ² ground potential energy surface employing an analytical Sorbie-Murrell potential. Chemical Physics, 1993, 172, 99-115.	0.9	54
80	A quasiclassical trajectory study of the effect of the initial rovibrational level and relative translational energy of reactants on the dynamics of the N(4S _u) + O ₂ (X ³ +g) → NO(X ²) + O(3P _g) atmospheric reaction on the 2A ² ground potential energy surface. Chemical Physics, 1993, 178, 287-303.	0.9	24
81	Orientational dependence of the N(4S)+NO(X ²) and N(4S)+O ₂ (X ³ +g) reactions: comparison of the angle-dependent line-of-centres model with quasiclassical trajectories. Journal of the Chemical Society, Faraday Transactions, 1993, 89, 3223-3234.	1.7	23
82	Analysis of product Doppler-broadened profiles generated from photoinitiated bimolecular reactions. Journal of the Chemical Society, Faraday Transactions, 1993, 89, 1427.	1.7	79
83	A comparison between experimental and theoretical excitation functions for the O++H ₂ (4A ¹) system using trajectory calculations over a wide energy range. Journal of Chemical Physics, 1993, 98, 2927-2935.	1.2	22
84	Dynamics of the N(4S _u)+NO(X ²) → N ₂ (X ¹ +g)+O(3P _g) atmospheric reaction on the 3A ³ ground potential energy surface. II. The effect of reagent translational, vibrational, and rotational energies. Journal of Chemical Physics, 1993, 99, 1719-1733.	1.2	32
85	Dynamics of the N(4S _u) + NO(X ²) → N ₂ (X ¹ +g) + O(3P _g) atmospheric reaction on the 3A ³ ground potential energy surface. I. Analytical potential energy surface and preliminary quasiclassical trajectory calculations. Journal of Chemical Physics, 1992, 97, 5542-5553.	1.2	60
86	Quasi-classical trajectory study of the dynamics of the reaction O(3P)+CS ₂ (X ¹ +g) → CS(X ¹ +g)+SO(X ³ +g) using two model potential energy surfaces. Chemical Physics, 1992, 161, 99-126.	0.9	7
87	B(2P)+H ₂ O(X ¹ A ₁): a quasi-classical 3D trajectory calculation. Journal of the Chemical Society, Faraday Transactions, 1991, 87, 1057-1068.	1.7	15
88	Theoretical Characterization of Transition State Dynamical Resonances in Heavy-Light-Heavy Reactions. Laser Chemistry, 1991, 11, 291-302.	0.5	0
89	Stereodynamical Studies of Velocity Aligned Photofragments. Laser Chemistry, 1991, 11, 265-272.	0.5	6
90	Velocity-aligned photofragment dynamics: Stereodynamics in the reaction oxygen atom(1D) + nitrous oxide → nitric oxide + nitric oxide. The Journal of Physical Chemistry, 1991, 95, 8169-8174.	2.9	58

#	ARTICLE	IF	CITATIONS
91	Measurements of vector correlations in bimolecular reactions by laser-pump and probe techniques. Chemical Physics Letters, 1991, 182, 568-574.	1.2	44
92	Classical dynamics of the O(3P)+CS(X1 Σ^+) \rightarrow CO(X1 Σ^+)+S(3P) reaction on the ground triplet potential energy surface. Chemical Physics, 1990, 141, 401-415.	0.9	20
93	Calculated product state distributions for the H+HI \rightarrow H ₂ +I reaction at 0.68 and 1.60 eV relative energies. Chemical Physics Letters, 1989, 164, 643-652.	1.2	20
94	Low energy dynamics, isotopic effects and detailed microscopic reaction mechanism of the ion-molecule reaction N ⁺ (3P) + H ₂ \rightarrow NH ⁺ + H. Chemical Physics, 1989, 132, 137-151.	0.9	24
95	A theoretical study of the addition of atomic boron to water.. Computational and Theoretical Chemistry, 1988, 166, 301-306.	1.5	7
96	On the reaction Si ⁺ (2P) + H ₂ (X1 Σ^+ +g) \rightarrow SiH ⁺ + H. I. Ab initio potential energy surfaces. Chemical Physics, 1987, 113, 417-424.	0.9	6
97	On the use of quantum chemical methods as an additional tool in studying corrosion inhibitor substances. Corrosion Science, 1986, 26, 927-934.	3.0	24
98	A MNDO approach to the elementary reactions of atomic hydrogen with monosubstituted halomethanes (CH ₃ X, X \rightarrow Cl, Br, I). Chemical Physics, 1986, 104, 49-56.	0.9	3
99	Theoretical study of the reaction H + ClCH ₃ \rightarrow HCl + CH ₃ . Chemical Physics, 1985, 93, 265-275.	0.9	7
100	Classical dynamics study of the H+BrCH ₃ \rightarrow HBr+CH ₃ reaction. Chemical Physics, 1985, 98, 409-419.	0.9	13