

Nemanja D BaniÄ

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7790201/publications.pdf>

Version: 2024-02-01

21
papers

554
citations

759055

12
h-index

713332

21
g-index

21
all docs

21
docs citations

21
times ranked

760
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of environmental waters ionic composition and UVâ€LED radiation on photodegradation, mineralization and toxicity of commonly used Î²-blockers. <i>Journal of Molecular Structure</i> , 2022, 1249, 131579.	1.8	10
2	Removal of methyl orange using combined ZnO/Fe ₂ O ₃ /ZnO-Zn composite coated to the aluminium foil in the presence of simulated solar radiation. <i>Environmental Science and Pollution Research</i> , 2022, 29, 51521-51536.	2.7	3
3	Environmental Photocatalytic Degradation of Antidepressants with Solar Radiation: Kinetics, Mineralization, and Toxicity. <i>Nanomaterials</i> , 2021, 11, 632.	1.9	9
4	Commercial TiO ₂ loaded with NiO for improving photocatalytic hydrogen production in the presence of simulated solar radiation. <i>International Journal of Energy Research</i> , 2020, 44, 8951-8963.	2.2	3
5	Reaction kinetics of mesotrione removal catalyzed by TiO ₂ in the presence of different electron acceptors. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2019, 127, 205-217.	0.8	4
6	Novel WO ₃ /Fe ₃ O ₄ magnetic photocatalysts: Preparation, characterization and thiacloprid photodegradation. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 70, 264-275.	2.9	32
7	Photodegradation of selected pesticides: Photocatalytic activity of bare and PANI-modified TiO ₂ under simulated solar irradiation. <i>Journal of the Serbian Chemical Society</i> , 2019, 84, 1455-1468.	0.4	5
8	Photocatalytic decomposition of selected biologically active compounds in environmental waters using TiO ₂ /polyaniline nanocomposites: Kinetics, toxicity and intermediates assessment. <i>Environmental Pollution</i> , 2018, 239, 457-465.	3.7	35
9	Removal of alprazolam from aqueous solutions by heterogeneous photocatalysis: Influencing factors, intermediates, and products. <i>Chemical Engineering Journal</i> , 2017, 307, 1105-1115.	6.6	56
10	The effect of inorganic anions and organic matter on mesotrione (CallistoÂ®) removal from environmental waters. <i>Journal of the Serbian Chemical Society</i> , 2017, 82, 343-355.	0.4	13
11	Advanced oxidation processes for the removal of [bmim][Sal] third generation ionic liquids: effect of water matrices and intermediates identification. <i>RSC Advances</i> , 2016, 6, 52826-52837.	1.7	19
12	Efficiency of neonicotinoids photocatalytic degradation by using annular slurry reactor. <i>Chemical Engineering Journal</i> , 2016, 286, 184-190.	6.6	30
13	Structuring of water in the new generation ionic liquid â€ Comparative experimental and theoretical study. <i>Journal of Chemical Thermodynamics</i> , 2016, 93, 164-171.	1.0	42
14	Efficient removal of sulcotrione and its formulated compound TangentaÂ® in aqueous TiO ₂ suspension: Stability, photoproducts assessment and toxicity. <i>Chemosphere</i> , 2015, 138, 988-994.	4.2	19
15	Extraction without Organic Solvents in the Determination of Fumonisin B ₁ , B ₂ , and B ₃ in Maize by HPLCâ€FLD and ELISA Tests. <i>Food Analytical Methods</i> , 2015, 8, 1446-1455.	1.3	11
16	Thermochromism, stability and thermodynamics of cobalt(II) complexes in newly synthesized nitrate based ionic liquid and its photostability. <i>Dalton Transactions</i> , 2014, 43, 15515-15525.	1.6	36
17	Photodegradation of Neonicotinoid Active Ingredients and Their Commercial Formulations in Water by Different Advanced Oxidation Processes. <i>Water, Air, and Soil Pollution</i> , 2014, 225, 1.	1.1	26
18	Degradation of Thiacloprid by ZnO in a Laminar Falling Film Slurry Photocatalytic Reactor. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 5040-5047.	1.8	23

#	ARTICLE	IF	CITATIONS
19	Photodegradation of thiacloprid using Fe/TiO ₂ as a heterogeneous photo-Fenton catalyst. <i>Applied Catalysis B: Environmental</i> , 2011, 107, 363-371.	10.8	112
20	Degradation of thiacloprid in aqueous solution by UV and UV/H ₂ O ₂ treatments. <i>Chemosphere</i> , 2010, 81, 114-119.	4.2	63
21	Comparison of different iron-based catalysts for photocatalytic removal of imidacloprid. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2009, 99, 225.	0.8	3