

Hanneke W M Van Laarhoven

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7791023/hanneke-w-m-van-laarhoven-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

336
papers

8,244
citations

42
h-index

78
g-index

357
ext. papers

10,698
ext. citations

5.4
avg, IF

5.99
L-index

#	Paper	IF	Citations
336	Treatment patterns and survival in advanced unresectable esophageal squamous cell cancer: a population-based study.. <i>Cancer Science</i> , 2022 ,	6.9	1
335	This is what life with cancer looks like: exploring experiences of adolescent and young adults with cancer using two visual approaches.. <i>Supportive Care in Cancer</i> , 2022 , 30, 3353	3.9	1
334	The Diagnostic Value of the CA19-9 and Bilirubin Ratio in Patients with Pancreatic Cancer, Distal Bile Duct Cancer and Benign Periapillary Diseases, a Novel Approach.. <i>Cancers</i> , 2022 , 14,	6.6	2
333	Beyond median overall survival: Estimating multiple survival scenarios in patients with metastatic esophagogastric cancer.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 261-261	2.2	
332	Improving survival prediction of patients treated with external beam radiotherapy for dysphagia in esophageal cancer using prediction models.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 358-358	2.2	
331	Survival expressed in best-case, typical and worst-case scenarios for patients with nonmetastatic esophagogastric cancer: A population-based study.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 259-259	2.2	
330	Response to neoadjuvant chemotherapy and survival in molecular subtypes of resectable gastric cancer: a post hoc analysis of the D1/D2 and CRITICS trials.. <i>Gastric Cancer</i> , 2022 , 1	7.6	1
329	Definitions and treatment of oligometastatic oesophagogastric cancer according to multidisciplinary tumour boards in Europe.. <i>European Journal of Cancer</i> , 2022 , 164, 18-29	7.5	3
328	A population-based study in resected esophageal or gastroesophageal junction cancer aligned with CheckMate 577.. <i>Therapeutic Advances in Medical Oncology</i> , 2022 , 14, 17588359221075495	5.4	
327	A population-based study in synchronous metachronous metastatic esophagogastric adenocarcinoma.. <i>Therapeutic Advances in Medical Oncology</i> , 2022 , 14, 17588359221085557	5.4	
326	Sex, Gender and Age Differences in Treatment Allocation and Survival of Patients With Metastatic Pancreatic Cancer: A Nationwide Study.. <i>Frontiers in Oncology</i> , 2022 , 12, 839779	5.3	1
325	Quality of life and quality of care as experienced by patients with advanced cancer and their relatives: A multicentre observational cohort study (eQuiPe).. <i>European Journal of Cancer</i> , 2022 , 165, 125-135	7.5	1
324	Co-creative art processes with patients: A theoretical framework and qualitative study among artists.. <i>PLoS ONE</i> , 2022 , 17, e0266401	3.7	0
323	The fear of cancer recurrence and progression in patients with pancreatic cancer.. <i>Supportive Care in Cancer</i> , 2022 , 30, 4879	3.9	
322	Impact of Pembrolizumab Versus Chemotherapy as Second-Line Therapy for Advanced Esophageal Cancer on Health-Related Quality of Life in KEYNOTE-181. <i>Journal of Clinical Oncology</i> , 2021 , JCO2100601	2.2	0
321	Quality of life of locally advanced pancreatic cancer patients after FOLFIRINOX treatment. <i>Supportive Care in Cancer</i> , 2021 , 1	3.9	0
320	Identification of Recessively Inherited Genetic Variants Potentially Linked to Pancreatic Cancer Risk.. <i>Frontiers in Oncology</i> , 2021 , 11, 771312	5.3	1

319	SOURCE: Prediction Models for Overall Survival in Patients With Metastatic and Potentially Curable Esophageal and Gastric Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2021 , 19, 403-410	7.3	2
318	First- and Second-Line Palliative Systemic Treatment Outcomes in a Real-World Metastatic Pancreatic Cancer Cohort. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2021 , 1-8	7.3	4
317	Personalized versus standard cognitive behavioral therapy for fear of cancer recurrence, depressive symptoms or cancer-related fatigue in cancer survivors: study protocol of a randomized controlled trial (MATCH-study). <i>Trials</i> , 2021 , 22, 696	2.8	
316	Bayesian log-normal deconvolution for enhanced in silico microdissection of bulk gene expression data. <i>Nature Communications</i> , 2021 , 12, 6106	17.4	1
315	Prognostic value of tumor markers and ctDNA in patients with resectable gastric cancer receiving perioperative treatment: results from the CRITICS trial. <i>Gastric Cancer</i> , 2021 , 1	7.6	1
314	Adjuvant chemotherapy is superior to chemoradiation after D2 surgery for gastric cancer in the per-protocol analysis of the randomized CRITICS trial. <i>Annals of Oncology</i> , 2021 , 32, 360-367	10.3	14
313	Gender Differences in Treatment Allocation and Survival of Advanced Gastroesophageal Cancer: A Population-Based Study. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 1551-1560	9.7	3
312	Perceptions of involvement in advance care planning and emotional functioning in patients with advanced cancer. <i>Journal of Cancer Survivorship</i> , 2021 , 15, 380-385	5.1	2
311	Changes in hospital variation in the probability of receiving treatment with curative intent for esophageal and gastric cancer. <i>Cancer Epidemiology</i> , 2021 , 71, 101897	2.8	1
310	Fecal Microbiota Transplantation from Overweight or Obese Donors in Cachectic Patients with Advanced Gastroesophageal Cancer: A Randomized, Double-blind, Placebo-Controlled, Phase II Study. <i>Clinical Cancer Research</i> , 2021 , 27, 3784-3792	12.9	7
309	Comprehensive ambulatory monitoring during immunotherapy in patients with advanced melanoma: A prospective trial (CAMP-IT).. <i>Journal of Clinical Oncology</i> , 2021 , 39, TPS1589-TPS1589	2.2	
308	Phase I/II study of LDE225 in combination with gemcitabine and nab-paclitaxel in patients with metastatic pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2021 , 39, e16239-e16239	2.2	0
307	Circulating tumor DNA (ctDNA) analysis by low-coverage whole genome sequencing (lcWGS) of resectable esophageal adenocarcinoma (rEAC) patients.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 4033-4033 ^{2,2}		
306	Potential mechanisms of the fatigue-reducing effect of cognitive-behavioral therapy in cancer survivors: Three randomized controlled trials. <i>Psycho-Oncology</i> , 2021 , 30, 1476-1484	3.9	1
305	Digital Self-Management Support Tools in the Care Plan of Patients With Cancer: Review of Randomized Controlled Trials. <i>Journal of Medical Internet Research</i> , 2021 , 23, e20861	7.6	2
304	The association between wearable activity monitor metrics and performance status in oncology: a systematic review. <i>Supportive Care in Cancer</i> , 2021 , 29, 7085-7099	3.9	1
303	Response shift after coronary revascularization. <i>Quality of Life Research</i> , 2021 , 1	3.7	1
302	Narrative recognition and identification: a qualitative pilot study into reading literary texts with advanced cancer patients. <i>Journal of Cancer Survivorship</i> , 2021 , 1	5.1	1

301	Ten-Year Outcome of Neoadjuvant Chemoradiotherapy Plus Surgery for Esophageal Cancer: The Randomized Controlled CROSS Trial. <i>Journal of Clinical Oncology</i> , 2021 , 39, 1995-2004	2.2	42
300	Improved unsupervised physics-informed deep learning for intravoxel incoherent motion modeling and evaluation in pancreatic cancer patients. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 2250-2265	4.4	10
299	Repeated use of rich pictures to explore changes in subjective experiences over time of patients with advanced cancer. <i>Cancer Reports</i> , 2021 , e1428	1.5	2
298	Validation of the FACIT-Sp-12 in a Dutch cohort of patients with advanced cancer. <i>Psycho-Oncology</i> , 2021 , 30, 1930-1938	3.9	1
297	The role of hospital nurses in shared decision-making about life-prolonging treatment: A qualitative interview study. <i>Journal of Advanced Nursing</i> , 2021 , 77, 296-307	3.1	2
296	Impact of pathological tumor response after CROSS neoadjuvant chemoradiotherapy followed by surgery on long-term outcome of esophageal cancer: a population-based study. <i>Acta Oncologica</i> , 2021 , 60, 497-504	3.2	5
295	Neoadjuvant Chemoradiotherapy Combined with Atezolizumab for Resectable Esophageal Adenocarcinoma: A Single-arm Phase II Feasibility Trial (PERFECT). <i>Clinical Cancer Research</i> , 2021 , 27, 3351-3359	12.9	22
294	A Phase II Study Demonstrates No Feasibility of Adjuvant Treatment with Six Cycles of S-1 and Oxaliplatin in Resectable Esophageal Adenocarcinoma, with ERCC1 as Biomarker for Response to SOX. <i>Cancers</i> , 2021 , 13,	6.6	1
293	Cachexia and Dietetic Interventions in Patients With Esophagogastric Cancer: A Multicenter Cohort Study. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2021 , 19, 144-152	7.3	5
292	Perceived Care and Well-being of Patients With Cancer and Matched Norm Participants in the COVID-19 Crisis: Results of a Survey of Participants in the Dutch PROFILES Registry. <i>JAMA Oncology</i> , 2021 , 7, 279-284	13.4	22
291	A population-based study on incidence, treatment, and survival in ampullary cancer in the Netherlands. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 1742-1749	3.6	0
290	Bereaved relatives' quality of life before and during the COVID-19 pandemic: Results of the prospective, multicenter, observational eQuiPe study. <i>Palliative Medicine</i> , 2021 , 35, 1502-1507	5.5	2
289	Sex differences in tumor characteristics, treatment, and outcomes of gastric and esophageal cancer surgery: nationwide cohort data from the Dutch Upper GI Cancer Audit. <i>Gastric Cancer</i> , 2021 , 1	7.6	2
288	Informing Patients With Esophagogastric Cancer About Treatment Outcomes by Using a Web-Based Tool and Training: Development and Evaluation Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e27824	7.6	1
287	Association of Genetic Variants Affecting microRNAs and Pancreatic Cancer Risk. <i>Frontiers in Genetics</i> , 2021 , 12, 693933	4.5	2
286	Presentation, Treatment, and Prognosis of Esophageal Carcinoma in a Nationwide Comparison of Sweden and the Netherlands. <i>Annals of Surgery</i> , 2021 , 274, 743-750	7.8	3
285	Experienced quality of care and emotional functioning of patients with advanced cancer and their relatives: Results of a multicenter observational cohort study (eQuiPe).. <i>Journal of Clinical Oncology</i> , 2021 , 39, 3-3	2.2	1
284	Pre-treatment tumor-infiltrating T cells influence response to neoadjuvant chemoradiotherapy in esophageal adenocarcinoma. <i>Onc Immunology</i> , 2021 , 10, 1954807	7.2	3

283	Soluble Compounds Released by Hypoxic Stroma Confer Invasive Properties to Pancreatic Ductal Adenocarcinoma. <i>Biomedicines</i> , 2020 , 8,	4.8	3
282	Non-invasive imaging prediction of tumor hypoxia: A novel developed and externally validated CT and FDG-PET-based radiomic signatures. <i>Radiotherapy and Oncology</i> , 2020 , 153, 97-105	5.3	6
281	Is chemotherapy for advanced or metastatic oesophageal squamous cell carcinoma no longer needed?. <i>Lancet Oncology, The</i> , 2020 , 21, 743-745	21.7	1
280	Priming the tumor immune microenvironment with chemo(radio)therapy: A systematic review across tumor types. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2020 , 1874, 188386	11.2	27
279	Older versus younger adults with gastric cancer receiving perioperative treatment: Results from the CRITICS trial. <i>European Journal of Cancer</i> , 2020 , 130, 146-154	7.5	6
278	Gender differences in quality of life in coronary artery disease patients with comorbidities undergoing coronary revascularization. <i>PLoS ONE</i> , 2020 , 15, e0234543	3.7	5
277	Influence of body composition and muscle strength on outcomes after multimodal oesophageal cancer treatment. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 756-767	10.3	12
276	Implementation of contemporary chemotherapy for patients with metastatic pancreatic ductal adenocarcinoma: a population-based analysis. <i>Acta Oncologica</i> , 2020 , 59, 705-712	3.2	4
275	Combined Expression of Plasma Thrombospondin-2 and CA19-9 for Diagnosis of Pancreatic Cancer and Distal Cholangiocarcinoma: A Proteome Approach. <i>Oncologist</i> , 2020 , 25, e634-e643	5.7	18
274	Conditional Survival After Resection for Pancreatic Cancer: A Population-Based Study and Prediction Model. <i>Annals of Surgical Oncology</i> , 2020 , 27, 2516-2524	3.1	16
273	White blood cell and cell-free DNA analyses for detection of residual disease in gastric cancer. <i>Nature Communications</i> , 2020 , 11, 525	17.4	64
272	Increased assessment of HER2 in metastatic gastroesophageal cancer patients: a nationwide population-based cohort study. <i>Gastric Cancer</i> , 2020 , 23, 579-590	7.6	7
271	The Effect of Prognostic Communication on Patient Outcomes in Palliative Cancer Care: a Systematic Review. <i>Current Treatment Options in Oncology</i> , 2020 , 21, 40	5.4	15
270	MSI as a predictive factor for treatment outcome of gastroesophageal adenocarcinoma. <i>Cancer Treatment Reviews</i> , 2020 , 86, 102024	14.4	33
269	A national study to assess outcomes of definitive chemoradiation regimens in proximal esophageal cancer. <i>Acta Oncologica</i> , 2020 , 59, 895-903	3.2	6
268	Quality of Life During Palliative Systemic Therapy for Esophagogastric Cancer: Systematic Review and Meta-Analysis. <i>Journal of the National Cancer Institute</i> , 2020 , 112, 12-29	9.7	20
267	Microdissected pancreatic cancer proteomes reveal tumor heterogeneity and therapeutic targets. <i>JCI Insight</i> , 2020 , 5,	9.9	17
266	Ecological momentary assessment versus retrospective assessment for measuring change in health-related quality of life following cardiac intervention. <i>Journal of Patient-Reported Outcomes</i> , 2020 , 4, 98	2.6	0

265	Relationship Between Quality of Life and Survival in Patients With Pancreatic and Periampullary Cancer: A Multicenter Cohort Analysis. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020 , 18, 1354-1363	7.3	5
264	Randomized clinical trial on the effect of a supervised exercise program on quality of life, fatigue, and fitness following esophageal cancer treatment (PERFECT study).. <i>Journal of Clinical Oncology</i> , 2020 , 38, 12055-12055	2.2	
263	A population-based study on gender differences in tumor and treatment characteristics and survival of curable gastroesophageal cancer.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 4550-4550	2.2	0
262	Rapid stromal remodeling by short-term VEGFR2 inhibition increases chemotherapy delivery in esophagogastric adenocarcinoma. <i>Molecular Oncology</i> , 2020 , 14, 704-720	7.9	4
261	Feasibility of extended chemoradiotherapy plus surgery for patients with cT4b esophageal carcinoma. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 626-631	3.6	5
260	From presentation to paper: Gender disparities in oncological research. <i>International Journal of Cancer</i> , 2020 , 146, 3011-3021	7.5	2
259	The risk of not receiving adjuvant chemotherapy after resection of pancreatic ductal adenocarcinoma: a nationwide analysis. <i>Hpb</i> , 2020 , 22, 233-240	3.8	27
258	Nationwide trends in incidence, treatment and survival of pancreatic ductal adenocarcinoma. <i>European Journal of Cancer</i> , 2020 , 125, 83-93	7.5	41
257	Gastro-oesophageal junction: to FLOT or to CROSS?. <i>Acta Oncologica</i> , 2020 , 59, 233-236	3.2	5
256	Phase II Feasibility and Biomarker Study of Neoadjuvant Trastuzumab and Pertuzumab With Chemoradiotherapy for Resectable Human Epidermal Growth Factor Receptor 2-Positive Esophageal Adenocarcinoma: TRAP Study. <i>Journal of Clinical Oncology</i> , 2020 , 38, 462-471	2.2	21
255	Effect of a Skills Training for Oncologists and a Patient Communication Aid on Shared Decision Making About Palliative Systemic Treatment: A Randomized Clinical Trial. <i>Oncologist</i> , 2020 , 25, e578-e588	5.7	8
254	Impact of the coronavirus disease 2019 pandemic on cancer treatment: the patients' perspective. <i>European Journal of Cancer</i> , 2020 , 136, 132-139	7.5	69
253	Dutch Oncology COVID-19 consortium: Outcome of COVID-19 in patients with cancer in a nationwide cohort study. <i>European Journal of Cancer</i> , 2020 , 141, 171-184	7.5	37
252	Venous thromboembolism during preoperative chemotherapy in the CRITICS gastric cancer trial. <i>Cancer Medicine</i> , 2020 , 9, 6609-6616	4.8	4
251	Development and validation of an LC-MS/MS method for simultaneous quantification of co-administered trastuzumab and pertuzumab. <i>MAbs</i> , 2020 , 12, 1795-1802	6.6	6
250	Health-related quality of life in curatively-treated patients with esophageal or gastric cancer: A systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2020 , 154, 103069	7	11
249	Cachexia, dietetic consultation, and survival in patients with pancreatic and periampullary cancer: A multicenter cohort study. <i>Cancer Medicine</i> , 2020 , 9, 9385-9395	4.8	4
248	Hospital volume and beyond first-line palliative systemic treatment in metastatic oesophagogastric adenocarcinoma: A population-based study. <i>European Journal of Cancer</i> , 2020 , 139, 107-118	7.5	5

247	Evaluation of Adjuvant Chemotherapy in Patients With Resected Pancreatic Cancer After Neoadjuvant FOLFIRINOX Treatment. <i>JAMA Oncology</i> , 2020 , 6, 1733-1740	13.4	29
246	Spiritual care by nurses in curative oncology: a mixed-method study on patients' perspectives and experiences. <i>Scandinavian Journal of Caring Sciences</i> , 2020 , 34, 96-107	2.3	5
245	Muscle Strength Is Associated With Muscle Mass in Patients With Esophageal Cancer Awaiting Surgery. <i>Journal of Geriatric Physical Therapy</i> , 2020 , 43, 82-88	3.2	2
244	Distribution of lymph node metastases in esophageal adenocarcinoma after neoadjuvant chemoradiation therapy: a prospective study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020 , 34, 4347-4357	5.2	10
243	Heterogeneity of first-line palliative systemic treatment in synchronous metastatic esophagogastric cancer patients: A real-world evidence study. <i>International Journal of Cancer</i> , 2020 , 146, 1889-1901	7.5	16
242	High-grade mesenchymal pancreatic ductal adenocarcinoma drives stromal deactivation through CSF-1. <i>EMBO Reports</i> , 2020 , 21, e48780	6.5	17
241	Pathological validation and prognostic potential of quantitative MRI in the characterization of pancreas cancer: preliminary experience. <i>Molecular Oncology</i> , 2020 , 14, 2176-2189	7.9	9
240	External Validation of the Dutch SOURCE Survival Prediction Model in Belgian Metastatic Oesophageal and Gastric Cancer Patients. <i>Cancers</i> , 2020 , 12,	6.6	3
239	Addition of zoledronic acid to neoadjuvant chemotherapy is not beneficial in patients with HER2-negative stage II/III breast cancer: 5-year survival analysis of the NEOZOTAC trial (BOOG 2010-01). <i>Breast Cancer Research</i> , 2019 , 21, 97	8.3	5
238	The Use of (Network) Meta-Analysis in Clinical Oncology. <i>Frontiers in Oncology</i> , 2019 , 9, 822	5.3	23
237	Influence of response shift and disposition on patient-reported outcomes may lead to suboptimal medical decisions: a medical ethics perspective. <i>BMC Medical Ethics</i> , 2019 , 20, 61	2.9	4
236	Changes in Circulating Levels of 25-hydroxyvitamin D3 in Breast Cancer Patients Receiving Chemotherapy. <i>Nutrition and Cancer</i> , 2019 , 71, 756-766	2.8	2
235	Association between body composition, survival, and toxicity in advanced esophagogastric cancer patients receiving palliative chemotherapy. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 199-206	10.3	55
234	Stromal-derived interleukin 6 drives epithelial-to-mesenchymal transition and therapy resistance in esophageal adenocarcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 2237-2242	11.5	68
233	Molecular tumour boards and molecular diagnostics for patients with cancer in the Netherlands: experiences, challenges, and aspirations. <i>British Journal of Cancer</i> , 2019 , 121, 34-36	8.7	10
232	Proteomic analysis of gemcitabine-resistant pancreatic cancer cells reveals that microtubule-associated protein 2 upregulation associates with taxane treatment. <i>Therapeutic Advances in Medical Oncology</i> , 2019 , 11, 1758835919841233	5.4	21
231	Postoperative surveillance of pancreatic cancer patients. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1770-1777	3.6	13
230	Phase I Dose Escalation Study with Expansion Cohort of the Addition of Nab-Paclitaxel to Capecitabine and Oxaliplatin (CapOx) as First-Line Treatment of Metastatic Esophagogastric Adenocarcinoma (ACTION Study). <i>Cancers</i> , 2019 , 11,	6.6	4

229	Contradiction between amide-CEST signal and pH in breast cancer explained with metabolic MRI. <i>NMR in Biomedicine</i> , 2019 , 32, e4110	4.4	13
228	Chemoradiation induces epithelial-to-mesenchymal transition in esophageal adenocarcinoma. <i>International Journal of Cancer</i> , 2019 , 145, 2792-2803	7.5	13
227	Prognostic and Predictive Factors for the Curative Treatment of Esophageal and Gastric Cancer in Randomized Controlled Trials: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2019 , 11,	6.6	11
226	TOXview: a novel graphical presentation of cancer treatment toxicity profiles. <i>Acta Oncologica</i> , 2019 , 58, 1138-1148	3.2	4
225	Perioperative systemic therapy and cytoreductive surgery with HIPEC versus upfront cytoreductive surgery with HIPEC alone for isolated resectable colorectal peritoneal metastases: protocol of a multicentre, open-label, parallel-group, phase II-III, randomised, superiority study (CAIRO6). <i>BMC Cancer</i> , 2019 , 19, 390	4.8	48
224	Clinical Trials Targeting the Stroma in Pancreatic Cancer: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2019 , 11,	6.6	27
223	Principal component analysis for fast and model-free denoising of multi b-value diffusion-weighted MR images. <i>Physics in Medicine and Biology</i> , 2019 , 64, 105015	3.8	12
222	Early detection of changes in phospholipid metabolism during neoadjuvant chemotherapy in breast cancer patients using phosphorus magnetic resonance spectroscopy at 7T. <i>NMR in Biomedicine</i> , 2019 , 32, e4086	4.4	14
221	Poor compliance with perioperative chemotherapy for resectable gastric cancer and its impact on survival. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1926-1933	3.6	5
220	Cardiac molecular pathways influenced by doxorubicin treatment in mice. <i>Scientific Reports</i> , 2019 , 9, 2514	4.9	15
219	The dynamics in health-related quality of life of patients with stable coronary artery disease were revealed: a network analysis. <i>Journal of Clinical Epidemiology</i> , 2019 , 107, 116-123	5.7	8
218	Accuracy of a single measurement site for self-monitoring of patients with breast cancer at risk for lymphedema. <i>Physiotherapy Theory and Practice</i> , 2019 , 35, 1322-1327	1.5	2
217	COMplot, A Graphical Presentation of Complication Profiles and Adverse Effects for the Curative Treatment of Gastric Cancer: A Systematic Review and Meta-Analysis. <i>Frontiers in Oncology</i> , 2019 , 9, 684	5.3	5
216	Distribution of lymph node metastases in esophageal carcinoma [TIGER study]: study protocol of a multinational observational study. <i>BMC Cancer</i> , 2019 , 19, 662	4.8	27
215	Living with advanced cancer: Rich Pictures as a means for health care providers to explore the experiences of advanced cancer patients. <i>Cancer Medicine</i> , 2019 , 8, 4957-4966	4.8	4
214	A phase II feasibility trial of neoadjuvant chemoradiotherapy combined with atezolizumab for resectable esophageal adenocarcinoma: The PERFECT trial.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 4045-4045	2.2	12
213	Tailored Web-Based Information for Younger and Older Patients with Cancer: Randomized Controlled Trial of a Preparatory Educational Intervention on Patient Outcomes. <i>Journal of Medical Internet Research</i> , 2019 , 21, e14407	7.6	12
212	Trends in treatment and overall survival among patients with proximal esophageal cancer. <i>World Journal of Gastroenterology</i> , 2019 , 25, 6835-6846	5.6	9

211	From presentation to paper: Gender disparities in oncological research.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 10523-10523	2.2	
210	Health-related quality of life (HRQoL) of pembrolizumab (pembro) versus physician choice single-agent paclitaxel, docetaxel, or irinotecan in subjects with advanced/metastatic adenocarcinoma (ACC) or squamous cell carcinoma (SCC) of the esophagus that has progressed after first-line standard therapy (KEYNOTE-181). <i>Journal of Clinical Oncology</i> , 2019 , 37, 4048-4048	2.2	
209	SOURCE: A Registry-Based Prediction Model for Overall Survival in Patients with Metastatic Oesophageal or Gastric Cancer. <i>Cancers</i> , 2019 , 11,	6.6	13
208	Reconstructing Disruptive Life Events Using the RE-LIFE Questionnaire: Further Validation of the Narrative Meaning Making of Life Events Model Using Multiple Mediation Analysis. <i>Journal of Empirical Theology</i> , 2019 , 32, 251-280	0.1	1
207	Training for Medical Oncologists on Shared Decision-Making About Palliative Chemotherapy: A Randomized Controlled Trial. <i>Oncologist</i> , 2019 , 24, 259-265	5.7	15
206	Cutaneous Toxicity After Chemoradiotherapy and PD-L1 Inhibition in Two Patients with Esophageal Adenocarcinoma: More than Meets the Eye. <i>Oncologist</i> , 2019 , 24, e149-e153	5.7	3
205	Body composition is associated with risk of toxicity-induced modifications of treatment in women with stage I-IIIb breast cancer receiving chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2019 , 173, 475-481	4.4	11
204	Levels of choline-containing compounds in normal liver and liver metastases of colorectal cancer as recorded by H MRS. <i>NMR in Biomedicine</i> , 2019 , 32, e4035	4.4	5
203	Promoting shared decision making in advanced cancer: Development and piloting of a patient communication aid. <i>Patient Education and Counseling</i> , 2019 , 102, 916-923	3.1	6
202	The Efficacy and Safety of (Neo)Adjuvant Therapy for Gastric Cancer: A Network Meta-analysis. <i>Cancers</i> , 2019 , 11,	6.6	20
201	An assisted structured reflection on life events and life goals in advanced cancer patients: Outcomes of a randomized controlled trial (Life InSight Application (LISA) study). <i>Palliative Medicine</i> , 2019 , 33, 221-231	5.5	5
200	Relationship between physicians' death anxiety and medical communication and decision-making: A systematic review. <i>Patient Education and Counseling</i> , 2019 , 102, 266-274	3.1	26
199	Low reported taste function is associated with low preference for high protein products in advanced oesophagogastric cancer patients undergoing palliative chemotherapy. <i>Clinical Nutrition</i> , 2019 , 38, 472-475	5.9	6
198	Added value of CA19-9 response in predicting resectability of locally advanced pancreatic cancer following induction chemotherapy. <i>Hpb</i> , 2018 , 20, 605-611	3.8	38
197	Repeatability and correlations of dynamic contrast enhanced and T2* MRI in patients with advanced pancreatic ductal adenocarcinoma. <i>Magnetic Resonance Imaging</i> , 2018 , 50, 1-9	3.3	12
196	Consensus statement on mandatory measurements in pancreatic cancer trials (COMM-PACT) for systemic treatment of unresectable disease. <i>Lancet Oncology, The</i> , 2018 , 19, e151-e160	21.7	31
195	Are the effects of cognitive behavior therapy for severe fatigue in cancer survivors sustained up to 14 years after therapy?. <i>Journal of Cancer Survivorship</i> , 2018 , 12, 519-527	5.1	10
194	Chemotherapy versus chemoradiotherapy after surgery and preoperative chemotherapy for resectable gastric cancer (CRITICS): an international, open-label, randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2018 , 19, 616-628	21.7	251

193	Comparing cytotoxic backbones for first-line trastuzumab-containing regimens in human epidermal growth factor receptor 2-positive advanced oesophagogastric cancer: A meta-analysis. <i>International Journal of Cancer</i> , 2018 , 143, 438-448	7.5	16
192	Reporting of health-related quality of life in randomized controlled trials involving palliative systemic therapy for esophagogastric cancer: a systematic review. <i>Gastric Cancer</i> , 2018 , 21, 183-195	7.6	11
191	Altered food preferences and chemosensory perception during chemotherapy in breast cancer patients: A longitudinal comparison with healthy controls. <i>Food Quality and Preference</i> , 2018 , 63, 135-143	5.8	17
190	microRNA 125a Regulates MHC-I Expression on Esophageal Adenocarcinoma Cells, Associated With Suppression of Antitumor Immune Response and Poor Outcomes of Patients. <i>Gastroenterology</i> , 2018 , 155, 784-798	13.3	47
189	IDH1-mutant cancer cells are sensitive to cisplatin and an IDH1-mutant inhibitor counteracts this sensitivity. <i>FASEB Journal</i> , 2018 , 32, fj201800547R	0.9	22
188	Pre-treatment CT radiomics to predict 3-year overall survival following chemoradiotherapy of esophageal cancer. <i>Acta Oncologica</i> , 2018 , 57, 1475-1481	3.2	32
187	Unknown primary carcinoma in the Netherlands: decrease in incidence and survival times remain poor between 2000 and 2012. <i>European Journal of Cancer</i> , 2018 , 101, 77-86	7.5	16
186	Amide chemical exchange saturation transfer at 7 T: a possible biomarker for detecting early response to neoadjuvant chemotherapy in breast cancer patients. <i>Breast Cancer Research</i> , 2018 , 20, 51	8.3	25
185	Muslim physicians and palliative care: attitudes towards the use of palliative sedation. <i>Supportive Care in Cancer</i> , 2018 , 26, 3701-3710	3.9	5
184	Feasibility of using optical coherence tomography to detect radiation-induced fibrosis and residual cancer extent after neoadjuvant chemo-radiation therapy: an ex vivo study. <i>Biomedical Optics Express</i> , 2018 , 9, 4196-4216	3.5	4
183	Assessment of Challenges Encountered by Dutch Oncologists When Patients Ask for Second Opinions. <i>JAMA Oncology</i> , 2018 , 4, 1425-1426	13.4	3
182	The Role of the Tumor Microenvironment in Pancreatic Ductal Adenocarcinoma and Preclinical Models to Study It 2018 , 735-748		
181	Changes in volume and incidence of lymphedema during and after treatment with docetaxel, doxorubicin, and cyclophosphamide (TAC) in patients with breast cancer. <i>Supportive Care in Cancer</i> , 2018 , 26, 1383-1392	3.9	7
180	Two novel registry-based prediction models for overall survival in patients with metastatic esophageal or gastric cancer.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 4021-4021	2.2	1
179	Diversity of first-line palliative systemic treatments for esophagogastric cancer patients with synchronous metastases: A real world evidence study.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 4064-4064	2.2	2
178	Circulating tumor DNA dynamics in resectable gastric cancer.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 4069-4069		
177	Silencing NIK potentiates anti-VEGF therapy in a novel 3D model of colorectal cancer angiogenesis. <i>Oncotarget</i> , 2018 , 9, 28445-28455	3.3	5
176	The dynamics of HER2 status in esophageal adenocarcinoma. <i>Oncotarget</i> , 2018 , 9, 26787-26799	3.3	10

175	The clinical benefit of hyperthermia in pancreatic cancer: a systematic review. <i>International Journal of Hyperthermia</i> , 2018 , 34, 969-979	3.7	27
174	Hospital of Diagnosis Influences the Probability of Receiving Curative Treatment for Esophageal Cancer. <i>Annals of Surgery</i> , 2018 , 267, 303-310	7.8	19
173	Effect of Neoadjuvant Chemoradiotherapy on Health-Related Quality of Life in Esophageal or Junctional Cancer: Results From the Randomized CROSS Trial. <i>Journal of Clinical Oncology</i> , 2018 , 36, 268-275	2.2	60
172	Lymph node metastases near the celiac trunk should be considered separately from other nodal metastases in patients with cancer of the esophagus or gastroesophageal junction after neoadjuvant treatment and surgery. <i>Journal of Thoracic Disease</i> , 2018 , 10, 1511-1521	2.6	1
171	Feasibility of CT radiomics to predict treatment response of individual liver metastases in esophagogastric cancer patients. <i>PLoS ONE</i> , 2018 , 13, e0207362	3.7	19
170	Chemotherapy and novel targeted therapies for operable esophageal and gastroesophageal junctional cancer. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2018 , 36-37, 45-52	2.5	11
169	The role of definitive chemoradiation in patients with non-metastatic oesophageal cancer. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2018 , 36-37, 53-59	2.5	8
168	Prognostic and predictive factors for overall survival in metastatic oesophagogastric cancer: A systematic review and meta-analysis. <i>European Journal of Cancer</i> , 2018 , 103, 214-226	7.5	12
167	Association of the location of pancreatic ductal adenocarcinoma (head, body, tail) with tumor stage, treatment, and survival: a population-based analysis. <i>Acta Oncologica</i> , 2018 , 57, 1655-1662	3.2	38
166	Continuation of trastuzumab beyond progression in HER2-positive advanced esophagogastric cancer: a meta-analysis. <i>Acta Oncologica</i> , 2018 , 57, 1599-1604	3.2	7
165	Who should provide care for patients receiving palliative chemotherapy? A qualitative study among Dutch general practitioners and oncologists. <i>Scandinavian Journal of Primary Health Care</i> , 2018 , 36, 437-445	2.7	2
164	A systematic review and meta-analysis of prognostic biomarkers in resectable esophageal adenocarcinomas. <i>Scientific Reports</i> , 2018 , 8, 13281	4.9	16
163	CRITICS-II: a multicentre randomised phase II trial of neo-adjuvant chemotherapy followed by surgery versus neo-adjuvant chemotherapy and subsequent chemoradiotherapy followed by surgery versus neo-adjuvant chemoradiotherapy followed by surgery in resectable gastric cancer. <i>BMC Cancer</i> , 2018 , 18, 877	4.8	66
162	Interferon Gamma-Induced Protein (IP-10) as Potential Biomarker for Cancer-Related-Fatigue: Results from a 6-month Randomized Controlled Trial. <i>Cancer Investigation</i> , 2018 , 36, 371-377	2.1	1
161	Multidrug-resistant transporter expression does not always result in drug resistance. <i>Cancer Science</i> , 2018 , 109, 3360-3362	6.9	1
160	Detection of residual disease after neoadjuvant chemoradiotherapy for oesophageal cancer (preSANO): a prospective multicentre, diagnostic cohort study. <i>Lancet Oncology</i> , 2018 , 19, 965-974	21.7	110
159	Patient characteristics and treatment considerations in pancreatic cancer: a population based study in the Netherlands. <i>Acta Oncologica</i> , 2018 , 57, 1185-1191	3.2	10
158	Group medical consultations (GMCs) and tablet-based online support group sessions in the follow-up of breast cancer: A multicenter randomized controlled trial. <i>Breast</i> , 2018 , 40, 181-188	3.6	13

157	Comparison of six fit algorithms for the intra-voxel incoherent motion model of diffusion-weighted magnetic resonance imaging data of pancreatic cancer patients. <i>PLoS ONE</i> , 2018 , 13, e0194590	3.7	34
156	Evaluation of Six Diffusion-weighted MRI Models for Assessing Effects of Neoadjuvant Chemoradiation in Pancreatic Cancer Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 102, 1052-1062	4	12
155	Clinical and biological effects of demethylating agents on solid tumours - A systematic review. <i>Cancer Treatment Reviews</i> , 2017 , 54, 10-23	14.4	75
154	Volume-outcome relation in palliative systemic treatment of metastatic oesophagogastric cancer. <i>European Journal of Cancer</i> , 2017 , 78, 28-36	7.5	20
153	The assessment of fatigue: Psychometric qualities and norms for the Checklist individual strength. <i>Journal of Psychosomatic Research</i> , 2017 , 98, 40-46	4.1	119
152	Spiritual care by nurses in curative cancer care: Protocol for a national, multicentre, mixed method study. <i>Journal of Advanced Nursing</i> , 2017 , 73, 2201-2207	3.1	7
151	Mindfulness-based stress reduction for breast cancer patients: a mixed method study on what patients experience as a suitable stage to participate. <i>Supportive Care in Cancer</i> , 2017 , 25, 3067-3074	3.9	13
150	Study protocol of a phase IB/II clinical trial of metformin and chloroquine in patients with -mutated or -mutated solid tumours. <i>BMJ Open</i> , 2017 , 7, e014961	3	55
149	Shared decision making about palliative chemotherapy: A qualitative observation of talk about patients' preferences. <i>Palliative Medicine</i> , 2017 , 31, 625-633	5.5	34
148	On the Receiving End of Autonomy and Law. <i>Oncologist</i> , 2017 , 22, 1143-1145	5.7	
147	Key biological processes driving metastatic spread of pancreatic cancer as identified by multi-omics studies. <i>Seminars in Cancer Biology</i> , 2017 , 44, 153-169	12.7	39
146	Addition of MRI for CT-based pancreatic tumor delineation: a feasibility study. <i>Acta Oncologica</i> , 2017 , 56, 923-930	3.2	18
145	Esophageal Adenocarcinoma Cells and Xenograft Tumors Exposed to Erb-b2 Receptor Tyrosine Kinase 2 and 3 Inhibitors Activate Transforming Growth Factor Beta Signaling, Which Induces Epithelial to Mesenchymal Transition. <i>Gastroenterology</i> , 2017 , 153, 63-76.e14	13.3	19
144	Molecular Tumor Boards: current practice and future needs. <i>Annals of Oncology</i> , 2017 , 28, 3070-3075	10.3	77
143	Images of God and attitudes towards death in relation to spiritual wellbeing: an exploratory side study of the EORTC QLQ-SWB32 validation study in palliative cancer patients. <i>BMC Palliative Care</i> , 2017 , 16, 67	3	7
142	Capecitabine, 5-fluorouracil and S-1 based regimens for previously untreated advanced oesophagogastric cancer: A network meta-analysis. <i>Scientific Reports</i> , 2017 , 7, 7142	4.9	14
141	The international phase 4 validation study of the EORTC QLQ-SWB32: A stand-alone measure of spiritual well-being for people receiving palliative care for cancer. <i>European Journal of Cancer Care</i> , 2017 , 26, e12697	2.4	13
140	Clinical value of ctDNA in upper-GI cancers: A systematic review and meta-analysis. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2017 , 1868, 394-403	11.2	36

139	Systemic effects of angiogenesis inhibition alter pharmacokinetics and intratumoral delivery of nab-paclitaxel. <i>Drug Delivery</i> , 2017 , 24, 1801-1810	7	4
138	Nationwide trends in chemotherapy use and survival of elderly patients with metastatic pancreatic cancer. <i>Cancer Medicine</i> , 2017 , 6, 2840-2849	4.8	31
137	Neoadjuvant chemotherapy in oesophageal adenocarcinoma. <i>Lancet Oncology, The</i> , 2017 , 18, e639	21.7	3
136	Weight change during chemotherapy in breast cancer patients: a meta-analysis. <i>BMC Cancer</i> , 2017 , 17, 259	4.8	49
135	Supraclavicular node disease is not an independent prognostic factor for survival of esophageal cancer patients treated with definitive chemoradiation. <i>Acta Oncologica</i> , 2017 , 56, 33-38	3.2	13
134	Direct inhibition of STAT signaling by platinum drugs contributes to their anti-cancer activity. <i>Oncotarget</i> , 2017 , 8, 54434-54443	3.3	12
133	Peer support and additional information in group medical consultations (GMCs) for BRCA1/2 mutation carriers: A randomized controlled trial. <i>Acta Oncologica</i> , 2016 , 55, 178-87	3.2	3
132	The Efficacy and Safety of First-line Chemotherapy in Advanced Esophagogastric Cancer: A Network Meta-analysis. <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	58
131	Chemoradiotherapy in tumours of the oesophagus and gastro-oesophageal junction. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2016 , 30, 551-63	2.5	10
130	Second- and third-line systemic therapy in patients with advanced esophagogastric cancer: a systematic review of the literature. <i>Cancer and Metastasis Reviews</i> , 2016 , 35, 439-56	9.6	32
129	Prognostic Significance of the Location of Lymph Node Metastases in Patients With Adenocarcinoma of the Distal Esophagus or Gastroesophageal Junction. <i>Annals of Surgery</i> , 2016 , 264, 847-853	7.8	26
128	Measurement Properties of Instruments for Measuring of Lymphedema: Systematic Review. <i>Physical Therapy</i> , 2016 , 96, 1965-1981	3.3	90
127	A qualitative study on mindfulness-based stress reduction for breast cancer patients: how women experience participating with fellow patients. <i>Supportive Care in Cancer</i> , 2016 , 24, 1813-20	3.9	24
126	Insulin-like growth factor 1 receptor expression and IGF1R 3129G > T polymorphism are associated with response to neoadjuvant chemotherapy in breast cancer patients: results from the NEOZOTAC trial (BOOG 2010-01). <i>Breast Cancer Research</i> , 2016 , 18, 3	8.3	21
125	The impact of chemosensory and food-related changes in patients with advanced oesophagogastric cancer treated with capecitabine and oxaliplatin: a qualitative study. <i>Supportive Care in Cancer</i> , 2016 , 24, 3119-26	3.9	19
124	S-1 with leucovorin and oxaliplatin for advanced gastric cancer. <i>Lancet Oncology, The</i> , 2016 , 17, e41	21.7	2
123	The efficacy and safety of S-1-based regimens in the first-line treatment of advanced gastric cancer: a systematic review and meta-analysis. <i>Gastric Cancer</i> , 2016 , 19, 696-712	7.6	21
122	Cardiac monitoring during adjuvant trastuzumab therapy: Guideline adherence in clinical practice. <i>Acta Oncologica</i> , 2016 , 55, 423-9	3.2	10

121	Acute hypertension during ramucirumab infusion in two patients with advanced oesophagogastric cancer. <i>BMJ Case Reports</i> , 2016 , 2016,	0.9	3
120	Multicenter feasibility study of chemoradiation, trastuzumab and pertuzumab in resectable HER2+ esophageal carcinoma: The TRAP study.. <i>Journal of Clinical Oncology</i> , 2016 , 34, TPS4142-TPS4142	2.2	
119	ADAM10-mediated release of heregulin confers resistance to trastuzumab by activating HER3. <i>Oncotarget</i> , 2016 , 7, 10243-54	3.3	24
118	Minimizing the Acquisition Time for Intravoxel Incoherent Motion Magnetic Resonance Imaging Acquisitions in the Liver and Pancreas. <i>Investigative Radiology</i> , 2016 , 51, 211-20	10.1	28
117	Revisiting the Potential of Alternating Repetition Time Balanced Steady-State Free Precession Imaging of the Abdomen at 3 T. <i>Investigative Radiology</i> , 2016 , 51, 560-8	10.1	4
116	Distribution of lymph node metastases on FDG-PET/CT in inoperable or unresectable oesophageal cancer patients and the impact on target volume definition in radiation therapy. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2016 , 60, 520-7	1.7	4
115	The effect of spiritual interventions addressing existential themes using a narrative approach on quality of life of cancer patients: a systematic review and meta-analysis. <i>Psycho-Oncology</i> , 2016 , 25, 253-65	3.9	43
114	Quantitative assessment of biliary stent artifacts on MR images: Potential implications for target delineation in radiotherapy. <i>Medical Physics</i> , 2016 , 43, 5603	4.4	6
113	Oncologists' non-verbal behavior and analog patients' recall of information. <i>Acta Oncologica</i> , 2016 , 55, 671-9	3.2	12
112	Prognostic value of lymph node metastases detected during surgical exploration for pancreatic or periampullary cancer: a systematic review and meta-analysis. <i>Hpb</i> , 2016 , 18, 559-66	3.8	19
111	Reduced respiratory motion artifacts using structural similarity in fast 2D dynamic contrast enhanced MRI of liver lesions. <i>NMR in Biomedicine</i> , 2016 , 29, 1526-1535	4.4	1
110	CROSS and beyond: a clinical perspective on the results of the randomized ChemoRadiotherapy for Oesophageal cancer followed by Surgery Study. <i>Chinese Clinical Oncology</i> , 2016 , 5, 13	2.3	4
109	Group medical consultations in the follow-up of breast cancer: a randomized feasibility study. <i>Journal of Cancer Survivorship</i> , 2015 , 9, 450-61	5.1	7
108	Neoadjuvant chemoradiotherapy plus surgery versus surgery alone for oesophageal or junctional cancer (CROSS): long-term results of a randomised controlled trial. <i>Lancet Oncology</i> , 2015 , 16, 1090-1098	21.7	1266
107	Humoral and cellular immune responses after influenza vaccination in patients with postcancer fatigue. <i>Human Vaccines and Immunotherapeutics</i> , 2015 , 11, 1634-40	4.4	1
106	Ten weeks to live: a population-based study on treatment and survival of patients with metastatic pancreatic cancer in the south of the Netherlands. <i>Acta Oncologica</i> , 2015 , 54, 403-10	3.2	20
105	A qualitative analysis of experiences of patients with metastatic breast cancer participating in a mindfulness-based intervention. <i>Palliative Medicine</i> , 2015 , 29, 182-3	5.5	5
104	All eyes on the patient: the influence of oncologists' nonverbal communication on breast cancer patients' trust. <i>Breast Cancer Research and Treatment</i> , 2015 , 153, 161-71	4.4	30

103	Relationship of promising methods in the detection of anthracycline-induced cardiotoxicity in breast cancer patients. <i>Cancer Chemotherapy and Pharmacology</i> , 2015 , 76, 957-67	3.5	19
102	Inflammatory breast cancer: an overview. <i>Critical Reviews in Oncology/Hematology</i> , 2015 , 93, 116-26	7	80
101	Improved metastasis-free survival in nonadjuvantly treated postmenopausal breast cancer patients with chemokine receptor 5 del32 frameshift mutations. <i>International Journal of Cancer</i> , 2015 , 136, 91-7	7.5	14
100	Decision Making About Treatment for Advanced Cancer: Influencing Wisely?. <i>JAMA Oncology</i> , 2015 , 1, 1169	13.4	6
99	The Effect of Tamoxifen Dose Increment in Patients With Impaired CYP2D6 Activity. <i>Therapeutic Drug Monitoring</i> , 2015 , 37, 501-7	3.2	11
98	Breast self-examination education for BRCA mutation carriers by clinical nurse specialists. <i>Clinical Nurse Specialist</i> , 2015 , 29, E1-7	0.6	6
97	Upregulation of IGF-1R expression during neoadjuvant therapy predicts poor outcome in breast cancer patients. <i>PLoS ONE</i> , 2015 , 10, e0117745	3.7	27
96	Multimodality imaging to predict response to systemic treatment in patients with advanced colorectal cancer. <i>PLoS ONE</i> , 2015 , 10, e0120823	3.7	28
95	18F-FDG PET-CT after Neoadjuvant Chemoradiotherapy in Esophageal Cancer Patients to Optimize Surgical Decision Making. <i>PLoS ONE</i> , 2015 , 10, e0133690	3.7	18
94	Feasibility and repeatability of PET with the hypoxia tracer [(18)F]HX4 in oesophageal and pancreatic cancer. <i>Radiotherapy and Oncology</i> , 2015 , 116, 94-9	5.3	37
93	Improved Circulating Tumor Cell Detection by a Combined EpCAM and MCAM CellSearch Enrichment Approach in Patients with Breast Cancer Undergoing Neoadjuvant Chemotherapy. <i>Molecular Cancer Therapeutics</i> , 2015 , 14, 821-7	6.1	42
92	The role of central and peripheral muscle fatigue in postcancer fatigue: a randomized controlled trial. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, 173-82	4.8	24
91	Reduction of heart volume during neoadjuvant chemoradiation in patients with resectable esophageal cancer. <i>Radiotherapy and Oncology</i> , 2015 , 114, 91-5	5.3	10
90	The conflicting roles of tumor stroma in pancreatic cancer and their contribution to the failure of clinical trials: a systematic review and critical appraisal. <i>Cancer and Metastasis Reviews</i> , 2015 , 34, 97-114	9.6	51
89	Blocking Hedgehog release from pancreatic cancer cells increases paracrine signaling potency. <i>Journal of Cell Science</i> , 2015 , 128, 129-39	5.3	19
88	First-line doublet or triplet chemotherapy for advanced esophagogastric cancer: A systematic review and meta-analysis.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e15090-e15090	2.2	
87	The prognostic value of a modified tumor regression grade after neoadjuvant chemoradiotherapy and resection of esophageal carcinoma.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4066-4066	2.2	
86	The prognostic impact of extracapsular lymph node involvement after neoadjuvant therapy and esophagectomy .. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4058-4058	2.2	

85	Acute toxicity of definitive chemoradiation in patients with inoperable or irresectable esophageal carcinoma. <i>BMC Cancer</i> , 2014 , 14, 56	4.8	20
84	Dynamics of IGF-1R expression during endocrine breast cancer treatment. <i>Molecular Imaging and Biology</i> , 2014 , 16, 529-37	3.8	4
83	Radionuclide imaging of drug delivery for patient selection in targeted therapy. <i>Expert Opinion on Drug Delivery</i> , 2014 , 11, 175-85	8	7
82	Preoperative chemoradiation therapy in combination with panitumumab for patients with resectable esophageal cancer: the PACT study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 90, 190-6	4	18
81	Early myocardial deformation abnormalities in breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2014 , 146, 127-35	4.4	9
80	Targeted therapy for advanced esophagogastric adenocarcinoma. <i>Critical Reviews in Oncology/Hematology</i> , 2014 , 90, 68-76	7	21
79	How can communication by oncologists enhance patients' trust? An experimental study. <i>Annals of Oncology</i> , 2014 , 25, 896-901	10.3	49
78	Cetuximab reduces the accumulation of radiolabeled bevacizumab in cancer xenografts without decreasing VEGF expression. <i>Molecular Pharmaceutics</i> , 2014 , 11, 4249-57	5.6	6
77	Addition of zoledronic acid to neoadjuvant chemotherapy does not enhance tumor response in patients with HER2-negative stage II/III breast cancer: the NEOZOTAC trial (BOOG 2010-01). <i>Annals of Oncology</i> , 2014 , 25, 998-1004	10.3	30
76	To treat or not to treat: who should decide?. <i>Oncologist</i> , 2014 , 19, 433-6	5.7	6
75	Lymph node retrieval during esophagectomy with and without neoadjuvant chemoradiotherapy: prognostic and therapeutic impact on survival. <i>Annals of Surgery</i> , 2014 , 260, 786-92; discussion 792-3	7.8	97
74	Quantification of patient-specific assay interference in different formats of enzyme-linked immunoassays for therapeutic monoclonal antibodies. <i>Therapeutic Drug Monitoring</i> , 2014 , 36, 765-70	3.2	8
73	Comparison of liver SUV using unenhanced CT versus contrast-enhanced CT for attenuation correction in (18)F-FDG PET/CT. <i>Nuclear Medicine Communications</i> , 2014 , 35, 472-7	1.6	7
72	The Cancer Worry Scale: detecting fear of recurrence in breast cancer survivors. <i>Cancer Nursing</i> , 2014 , 37, E44-50	2.6	119
71	Treatment related impairments in arm and shoulder in patients with breast cancer: a systematic review. <i>PLoS ONE</i> , 2014 , 9, e96748	3.7	154
70	Risk estimations and treatment decisions in early stage breast cancer: agreement among oncologists and the impact of the 70-gene signature. <i>European Journal of Cancer</i> , 2014 , 50, 1045-54	7.5	12
69	The life in sight application study (LISA): design of a randomized controlled trial to assess the role of an assisted structured reflection on life events and ultimate life goals to improve quality of life of cancer patients. <i>BMC Cancer</i> , 2013 , 13, 360	4.8	13
68	Distress screening remains important during follow-up after primary breast cancer treatment. <i>Supportive Care in Cancer</i> , 2013 , 21, 2107-15	3.9	58

67	Diffusion-weighted MR imaging in liver metastases of colorectal cancer: reproducibility and biological validation. <i>European Radiology</i> , 2013 , 23, 748-56	8	58
66	Breast cancer size estimation with MRI in BRCA mutation carriers and other high risk patients. <i>European Journal of Radiology</i> , 2013 , 82, 1416-22	4.7	14
65	The strength of small: improved targeting of insulin-like growth factor-1 receptor (IGF-1R) with F(ab') ₂ R1507 fragments in Ewing sarcomas. <i>European Journal of Cancer</i> , 2013 , 49, 2851-8	7.5	9
64	Aggressive fibromatosis in the head and neck region: Benign tumor with often mutilating effects. <i>Head and Neck</i> , 2013 , 35, E246-50	4.2	9
63	Screening patient spirituality and spiritual needs in oncology nursing. <i>Holistic Nursing Practice</i> , 2013 , 27, 207-16	1.2	17
62	Arthralgia during aromatase inhibitor treatment in early breast cancer patients: prevalence, impact, and recognition by healthcare providers. <i>Cancer Nursing</i> , 2013 , 36, 52-9	2.6	29
61	Bevacizumab reduces tumor targeting of anti-epidermal growth factor and anti-insulin-like growth factor 1 receptor antibodies. <i>International Journal of Cancer</i> , 2013 , 133, 307-14	7.5	42
60	Hypoxia regulation of phosphokinases and the prognostic value of pAKT in breast cancer. <i>International Journal of Biological Markers</i> , 2013 , 28, 151-60	2.8	9
59	B-crystallin expression is correlated with phospho-ERK1/2 expression in human breast cancer. <i>International Journal of Biological Markers</i> , 2013 , 28, e365-70	2.8	5
58	Magnetic resonance spectroscopic imaging and volumetric measurements of the brain in patients with postcancer fatigue: a randomized controlled trial. <i>PLoS ONE</i> , 2013 , 8, e74638	3.7	6
57	Palliative care for an Islamic patient: changing frameworks. <i>Journal of Palliative Medicine</i> , 2012 , 15, 1053-52	5	5
56	Axillary recurrence after a tumor-positive sentinel lymph node biopsy without axillary treatment: a review of the literature. <i>Annals of Surgical Oncology</i> , 2012 , 19, 4140-9	3.1	34
55	Optimization of IGF-1R SPECT/CT imaging using ¹¹¹ In-labeled F(ab') ₂ and Fab fragments of the monoclonal antibody R1507. <i>Molecular Pharmaceutics</i> , 2012 , 9, 2314-21	5.6	29
54	Humoral and cellular immune responses after influenza vaccination in patients with chronic fatigue syndrome. <i>BMC Immunology</i> , 2012 , 13, 71	3.7	9
53	Physiological and neurophysiological determinants of postcancer fatigue: design of a randomized controlled trial. <i>BMC Cancer</i> , 2012 , 12, 256	4.8	7
52	Tumour response prediction by diffusion-weighted MR imaging: ready for clinical use?. <i>Critical Reviews in Oncology/Hematology</i> , 2012 , 83, 194-207	7	52
51	Menopausal status and adjuvant hormonal therapy for breast cancer patients: a practical guideline. <i>Critical Reviews in Oncology/Hematology</i> , 2012 , 84, 252-60	7	30
50	Reproducibility of functional volume and activity concentration in ¹⁸ F-FDG PET/CT of liver metastases in colorectal cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 1858-67	8.8	22

49	Interobserver variability of heart-to-mediastinum ratio in I-123 MIBG sympathetic imaging. <i>Current Cardiology Reports</i> , 2012 , 14, 389-90; author reply 391	4.2	2
48	Encouraging results in older patients receiving chemotherapy: a retrospective analysis of treatment guideline adherence in daily practice. <i>Geriatrics and Gerontology International</i> , 2012 , 12, 80-5	2.9	5
47	Functional MRI techniques demonstrate early vascular changes in renal cell cancer patients treated with sunitinib: a pilot study. <i>Cancer Imaging</i> , 2012 , 11, 259-65	5.6	33
46	Moyamoya disease misdiagnosed as leptomeningeal metastases. <i>Journal of Clinical Oncology</i> , 2012 , 30, e382-5	2.2	6
45	Imaging of human epidermal growth factor receptor type 2 expression with 18F-labeled affibody molecule ZHER2:2395 in a mouse model for ovarian cancer. <i>Journal of Nuclear Medicine</i> , 2012 , 53, 146-53	8.9	58
44	Comparison of attitudes of guilt and forgiveness in cancer patients without evidence of disease and advanced cancer patients in a palliative care setting. <i>Cancer Nursing</i> , 2012 , 35, 483-92	2.6	8
43	Tumor hypoxia as a mechanism of resistance to bevacizumab in a murine model.. <i>Journal of Clinical Oncology</i> , 2012 , 30, e131111-e13111	2.2	1
42	Breaking the bad news: Experiences of contingency in advanced cancer patients.. <i>Journal of Clinical Oncology</i> , 2012 , 30, e19560-e19560	2.2	2
41	Vascular and metabolic response to bevacizumab-containing regimens in two patients with colorectal liver metastases measured by dynamic contrast-enhanced MRI and dynamic 18F-FDG-PET. <i>Clinical Colorectal Cancer</i> , 2011 , 10, E1-5	3.8	12
40	Factors affecting the unexpected failure of DCE-MRI to determine the optimal biological dose of the vascular targeting agent NGR-hTNF in solid cancer patients. <i>European Journal of Radiology</i> , 2011 , 80, 655-61	4.7	4
39	Tribbles homolog 3 denotes a poor prognosis in breast cancer and is involved in hypoxia response. <i>Breast Cancer Research</i> , 2011 , 13, R82	8.3	61
38	Constitutive expression of H2AX has prognostic relevance in triple negative breast cancer. <i>Radiotherapy and Oncology</i> , 2011 , 101, 39-45	5.3	64
37	Coping, quality of life, depression, and hopelessness in cancer patients in a curative and palliative, end-of-life care setting. <i>Cancer Nursing</i> , 2011 , 34, 302-14	2.6	37
36	Time perception of cancer patients without evidence of disease and advanced cancer patients in a palliative, end-of-life-care setting. <i>Cancer Nursing</i> , 2011 , 34, 453-63	2.6	18
35	Perspectives on death and an afterlife in relation to quality of life, depression, and hopelessness in cancer patients without evidence of disease and advanced cancer patients. <i>Journal of Pain and Symptom Management</i> , 2011 , 41, 1048-59	4.8	13
34	Scintigraphic techniques for early detection of cancer treatment-induced cardiotoxicity. <i>Journal of Nuclear Medicine</i> , 2011 , 52, 560-71	8.9	73
33	Group medical visits in the follow-up of women with a BRCA mutation: design of a randomized controlled trial. <i>BMC Womens Health</i> , 2011 , 11, 39	2.9	13
32	Hypoxic regulation and prognostic value of LAMP3 expression in breast cancer. <i>Cancer</i> , 2011 , 117, 3670-81	8.4	46

31	Fatal thrombotic microangiopathy after a single dose of gemcitabine as fourth-line palliative treatment for metastasized ductal breast carcinoma. <i>Acta Oncologica</i> , 2011 , 50, 462-5	3.2	9
30	When hope is all there is left. <i>Oncologist</i> , 2011 , 16, 914-6	5.7	2
29	Predicting IGF-1R therapy response in bone sarcomas: immuno-SPECT imaging with radiolabeled R1507. <i>Clinical Cancer Research</i> , 2011 , 17, 7693-703	12.9	37
28	Phase I clinical and magnetic resonance imaging study of the vascular agent NGR-hTNF in patients with advanced cancers (European Organization for Research and Treatment of Cancer Study 16041). <i>Clinical Cancer Research</i> , 2010 , 16, 1315-23	12.9	35
27	ImmunoSPECT and immunoPET of IGF-1R expression with the radiolabeled antibody R1507 in a triple-negative breast cancer model. <i>Journal of Nuclear Medicine</i> , 2010 , 51, 1565-72	8.9	77
26	Spiritual care in patients with advanced cancer: what does it imply?. <i>Journal of Clinical Oncology</i> , 2010 , 28, e332; author reply e333	2.2	2
25	Triple-negative breast cancer: present challenges and new perspectives. <i>Molecular Oncology</i> , 2010 , 4, 209-29	7.9	212
24	Images of god in relation to coping strategies of palliative cancer patients. <i>Journal of Pain and Symptom Management</i> , 2010 , 40, 495-501	4.8	21
23	Religious coping and life-prolonging care. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 257; author reply 257-8	27.4	2
22	Dying at the right time: a modern dilemma. <i>Oncologist</i> , 2009 , 14, 642-3	5.7	3
21	Chemotherapy response monitoring of colorectal liver metastases by dynamic Gd-DTPA-enhanced MRI perfusion parameters and 18F-FDG PET metabolic rate. <i>Journal of Nuclear Medicine</i> , 2009 , 50, 1777-84	8.9	25
20	Feasibility of concurrent dual contrast enhancement using CEST contrast agents and superparamagnetic iron oxide particles. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 970-4	4.4	27
19	Ischemic neuropathy and rhabdomyolysis as presenting symptoms of postpartum cardiomyopathy. <i>Journal of Thrombosis and Thrombolysis</i> , 2009 , 27, 458-60	5.1	
18	Beyond RECIST: molecular and functional imaging techniques for evaluation of response to targeted therapy. <i>Cancer Treatment Reviews</i> , 2009 , 35, 309-21	14.4	133
17	Magnetovaccination as a novel method to assess and quantify dendritic cell tumor antigen capture and delivery to lymph nodes. <i>Cancer Research</i> , 2009 , 69, 3180-7	10.1	74
16	Monitoring and predicting response to therapy with 18F-FDG PET in colorectal cancer: a systematic review. <i>Journal of Nuclear Medicine</i> , 2009 , 50 Suppl 1, 43S-54S	8.9	173
15	Chemotherapy response evaluation with FDG-PET in patients with colorectal cancer. <i>Annals of Oncology</i> , 2008 , 19, 348-52	10.3	86
14	Artificial reporter gene providing MRI contrast based on proton exchange. <i>Nature Biotechnology</i> , 2007 , 25, 217-9	44.5	334

13	Carbogen breathing differentially enhances blood plasma volume and 5-fluorouracil uptake in two murine colon tumor models with a distinct vascular structure. <i>Neoplasia</i> , 2006 , 8, 477-87	6.4	15
12	Hypoxia in relation to vasculature and proliferation in liver metastases in patients with colorectal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006 , 64, 473-82	4	62
11	Assessment of absolute blood volume in carcinoma by USPIO contrast-enhanced MRI. <i>Magnetic Resonance Imaging</i> , 2006 , 24, 279-86	3.3	21
10	Monitoring fluoropyrimidine metabolism in solid tumors with in vivo (19)F magnetic resonance spectroscopy. <i>Critical Reviews in Oncology/Hematology</i> , 2005 , 56, 321-43	7	31
9	Gadopentetate dimeglumine and FDG uptake in liver metastases of colorectal carcinoma as determined with MR imaging and PET. <i>Radiology</i> , 2005 , 237, 181-8	20.5	18
8	Pitfall in HPLC assay for urinary metanephrines: an unusual type of interference caused by methenamine intake. <i>Clinical Chemistry</i> , 2004 , 50, 1097-9	5.5	10
7	Effects of nicotinamide and carbogen in different murine colon carcinomas: immunohistochemical analysis of vascular architecture and microenvironmental parameters. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 60, 310-21	4	28
6	Systemic treatment of advanced colorectal carcinoma. <i>European Journal of Gastroenterology and Hepatology</i> , 2004 , 16, 283-9	2.2	13
5	Method for quantitation of dynamic MRI contrast agent uptake in colorectal liver metastases. <i>Journal of Magnetic Resonance Imaging</i> , 2003 , 18, 315-20	5.6	43
4	Optimization of localized 19F magnetic resonance spectroscopy for the detection of fluorinated drugs in the human liver. <i>Magnetic Resonance in Medicine</i> , 2003 , 50, 303-8	4.4	35
3	Guillain-Barré syndrome as presenting feature in a patient with lupus nephritis, with complete resolution after cyclophosphamide treatment. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16, 840-2	4.3	16
2	Muslim doctors and decision making in palliative care: a discourse analysis. <i>Mortality</i> , 1-18	1	0
1	Improving survival prediction of oesophageal cancer patients treated with external beam radiotherapy for dysphagia. <i>Acta Oncologica</i> , 1-7	3.2	