

Yuqian Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7791712/publications.pdf>

Version: 2024-02-01

66
papers

1,245
citations

516710

16
h-index

454955

30
g-index

66
all docs

66
docs citations

66
times ranked

1296
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of eating out frequency and other factors with serum uric acid levels and hyperuricemia in Chinese population. <i>European Journal of Nutrition</i> , 2022, 61, 243-254.	3.9	7
2	Association of sleep duration with risk of type 2 diabetes mellitus in a rural Chinese population: a nested case-control study. <i>Sleep and Breathing</i> , 2022, 26, 2025-2033.	1.7	4
3	Secular trends of age at menarche and the effect of famine exposure on age at menarche in rural Chinese women. <i>Annals of Human Biology</i> , 2022, 49, 35-40.	1.0	3
4	Independent and combined effects of sleep quality and night sleep duration on health-related quality of life in rural areas: a large-scale cross-sectional study. <i>Health and Quality of Life Outcomes</i> , 2022, 20, 31.	2.4	6
5	Snoring and napping independently increased the serum uric acid levels and hyperuricemia risk: The Henan Rural Cohort Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, , .	2.6	2
6	Prevalence and Health-Adjusted Life Expectancy Among Older Adults With Hypertension in Chinese Rural Areas. <i>Frontiers in Public Health</i> , 2022, 10, 802195.	2.7	0
7	Lower socioeconomic status strengthens the effect of cooking fuel use on anemia risk and anemia-related parameters: Findings from the Henan Rural Cohort. <i>Science of the Total Environment</i> , 2022, 831, 154958.	8.0	5
8	The independent and combined association of napping and night sleep duration with stroke in Chinese rural adults. <i>Sleep and Breathing</i> , 2022, , 1.	1.7	1
9	The Reliability and Validity of Recalled Body Shape and the Responsiveness of Obesity Classification Based on Recalled Body Shape Among the Chinese Rural Population. <i>Frontiers in Public Health</i> , 2022, 10, 792394.	2.7	0
10	Independent and interactive effect of sitting time and physical activity on prevalence of hyperuricemia: the Henan Rural Cohort Study. <i>Arthritis Research and Therapy</i> , 2021, 23, 7.	3.5	16
11	Health-related quality of life among rural adults with type 2 diabetes mellitus: a cross-sectional study. <i>European Journal of Public Health</i> , 2021, 31, 547-553.	0.3	15
12	The Association Between Ideal Cardiovascular Health and Health-Related Quality of Life in Adults: A Population-Based Cross-Sectional Study. <i>International Journal of Public Health</i> , 2021, 66, 592043.	2.3	3
13	Association of plant-based diet and type 2 diabetes mellitus in Chinese rural adults: The Henan Rural Cohort Study. <i>Journal of Diabetes Investigation</i> , 2021, 12, 1569-1576.	2.4	13
14	Associations of spicy food flavour and intake frequency with blood lipid levels and risk of abnormal serum lipid levels in Chinese rural population: a cross-sectional study. <i>Public Health Nutrition</i> , 2021, 24, 1-10.	2.2	6
15	Associations of midpoint of sleep and night sleep duration with type 2 diabetes mellitus in Chinese rural population: the Henan rural cohort study. <i>BMC Public Health</i> , 2021, 21, 879.	2.9	11
16	Prevalence and characteristics of alcohol consumption and risk of type 2 diabetes mellitus in rural China. <i>BMC Public Health</i> , 2021, 21, 1644.	2.9	13
17	Janus kinase 2 (JAK2) methylation and obesity: A Mendelian randomization study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 3484-3491.	2.6	2
18	The association of sleep quality and night sleep duration with coronary heart disease in a large-scale rural population. <i>Sleep Medicine</i> , 2021, 87, 233-240.	1.6	7

#	ARTICLE	IF	CITATIONS
19	Night sleep duration and sleep initiation time with hypertension in Chinese rural population: the Henan Rural Cohort. <i>European Journal of Public Health</i> , 2020, 30, 164-170.	0.3	17
20	Interaction analysis of gene variants of TCF7L2 and body mass index and waist circumference on type 2 diabetes. <i>Clinical Nutrition</i> , 2020, 39, 192-197.	5.0	15
21	Mediation effect of BMI on the relationship between age at menarche and hypertension: The Henan Rural Cohort Study. <i>Journal of Human Hypertension</i> , 2020, 34, 448-456.	2.2	22
22	Effect of the Age at Menarche and Menopause Status Interaction on Type 2 Diabetes: The Henan Rural Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e139-e147.	3.6	12
23	SOCS3 methylation mediated the effect of sedentary time on type 2 diabetes mellitus: The Henan Rural Cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 634-643.	2.6	10
24	Abnormal night sleep duration and poor sleep quality are independently and combinedly associated with elevated depressive symptoms in Chinese rural adults: Henan Rural Cohort. <i>Sleep Medicine</i> , 2020, 70, 71-78.	1.6	23
25	Evaluation of the Associations of <i>GC</i> and <i>CYP2R1</i> Genes and Gene-Obesity Interactions with Type 2 Diabetes Risk in a Chinese Rural Population. <i>Annals of Nutrition and Metabolism</i> , 2020, 76, 175-182.	1.9	5
26	Mediation effect of body mass index on the association between spicy food intake and hyperuricemia in rural Chinese adults: the Henan rural cohort study. <i>BMC Public Health</i> , 2020, 20, 1629.	2.9	8
27	Consumption of Dairy Products in Relation to Type 2 Diabetes Mellitus in Chinese People: The Henan Rural Cohort Study and an Updated Meta-Analysis. <i>Nutrients</i> , 2020, 12, 3827.	4.1	6
28	Fruit and vegetable intake modifies the associations between suppressor of cytokine signaling 3 genetic variants and type 2 diabetes. <i>European Journal of Nutrition</i> , 2020, 59, 3441-3449.	3.9	8
29	Age at menopause, body mass index, and risk of type 2 diabetes mellitus in postmenopausal Chinese women: The Henan Rural Cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1347-1354.	2.6	10
30	Meat and fish intake and type 2 diabetes: Dose-response meta-analysis of prospective cohort studies. <i>Diabetes and Metabolism</i> , 2020, 46, 345-352.	2.9	41
31	Association of Night Sleep Duration and Ideal Cardiovascular Health in Rural China: The Henan Rural Cohort Study. <i>Frontiers in Public Health</i> , 2020, 8, 606458.	2.7	9
32	Gender-Specific Inverse Associations Between Beans Intake, Serum Urate Levels, and Hyperuricemia: A Cross-Sectional Analysis Based on the Henan Rural Cohort Study. <i>Frontiers in Nutrition</i> , 2020, 7, 593599.	3.7	3
33	Adaptation of the two-item generalized anxiety disorder scale (GAD-2) to Chinese rural population: A validation study and meta-analysis. <i>General Hospital Psychiatry</i> , 2019, 60, 50-56.	2.4	51
34	The prevalence and related factors of familial hypercholesterolemia in rural population of China using Chinese modified Dutch Lipid Clinic Network definition. <i>BMC Public Health</i> , 2019, 19, 837.	2.9	17
35	Prevalence of impaired fasting glucose, type 2 diabetes and associated risk factors in undiagnosed Chinese rural population: the Henan Rural Cohort Study. <i>BMJ Open</i> , 2019, 9, e029628.	1.9	12
36	Cohort Profile: The Henan Rural Cohort: a prospective study of chronic non-communicable diseases. <i>International Journal of Epidemiology</i> , 2019, 48, 1756-1756j.	1.9	192

#	ARTICLE	IF	CITATIONS
37	The association between PSQI score and hypertension in a Chinese rural population: the Henan Rural Cohort Study. <i>Sleep Medicine</i> , 2019, 58, 27-34.	1.6	46
38	Contribution of serum lipids as effect modifiers to a relationship between mean arterial pressure and coronary artery disease in Chinese rural population: the Henan Rural Cohort Study. <i>BMJ Open</i> , 2019, 9, e029179.	1.9	1
39	The prevalence and influencing factors of physical activity and sedentary behaviour in the rural population in China: the Henan Rural Cohort Study. <i>BMJ Open</i> , 2019, 9, e029590.	1.9	29
40	Dietary Protein Consumption and the Risk of Type 2 Diabetes: A Dose-Response Meta-Analysis of Prospective Studies. <i>Nutrients</i> , 2019, 11, 2783.	4.1	44
41	Early menarche is associated with an increased risk of type 2 diabetes in rural Chinese women and is partially mediated by BMI: the Henan Rural Cohort Study. <i>Menopause</i> , 2019, 26, 1265-1271.	2.0	15
42	Gender-specific prevalence and associated factors of major depressive disorder and generalized anxiety disorder in a Chinese rural population: the Henan rural cohort study. <i>BMC Public Health</i> , 2019, 19, 1744.	2.9	28
43	Sex-specific relationship between adult height and the risk of stroke: A dose-response meta-analysis of prospective studies. <i>Journal of Clinical Hypertension</i> , 2019, 21, 262-270.	2.0	5
44	Gender-specific prevalence of poor sleep quality and related factors in a Chinese rural population: the Henan Rural Cohort Study. <i>Sleep Medicine</i> , 2019, 54, 134-141.	1.6	37
45	Prevalence and Influencing Factors of Coronary Heart Disease and Stroke in Chinese Rural Adults: The Henan Rural Cohort Study. <i>Frontiers in Public Health</i> , 2019, 7, 411.	2.7	35
46	Association of the frequency of spicy food intake and the risk of abdominal obesity in rural Chinese adults: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e028736.	1.9	7
47	Gender-specific independent and combined dose-response association of napping and night sleep duration with type 2 diabetes mellitus in rural Chinese adults: the RuralDiab study. <i>Sleep Medicine</i> , 2018, 45, 106-113.	1.6	30
48	Dose-response relationship between visceral fat index and untreated hypertension in Chinese rural population: the RuralDiab study. <i>Journal of the American Society of Hypertension</i> , 2018, 12, 448-456.e1.	2.3	9
49	The ϵ -allele of apolipoprotein A5 rs2075291 is significantly associated with higher total cholesterol and triglyceride and lower high-density lipoprotein cholesterol levels in Asians: a meta-analysis. <i>Nutrition Research</i> , 2018, 56, 11-22.	2.9	2
50	Sex-specific associations of serum uric acid with metabolic syndrome in Chinese rural population: The RuralDiab study. <i>Clinica Chimica Acta</i> , 2018, 480, 119-125.	1.1	16
51	The burden, management rates and influencing factors of high blood pressure in a Chinese rural population: the Rural Diabetes, Obesity and Lifestyle (RuralDiab) study. <i>Journal of Human Hypertension</i> , 2018, 32, 236-246.	2.2	19
52	C-src tyrosine kinase gene rs1378942 polymorphism and hypertension in Asians: Review and meta-analysis. <i>Clinica Chimica Acta</i> , 2018, 487, 202-209.	1.1	6
53	A dose-response association of night sleep duration with hypertension in a Chinese rural population: the Henan Rural Cohort Study. <i>Journal of the American Society of Hypertension</i> , 2018, 12, 867-879.e3.	2.3	12
54	Sex-specific relationship between visceral fat index and dyslipidemia in Chinese rural adults: The Henan Rural Cohort Study. <i>Preventive Medicine</i> , 2018, 116, 104-111.	3.4	18

#	ARTICLE	IF	CITATIONS
55	Prevalence and influencing factors of overweight and obesity in a Chinese rural population: the Henan Rural Cohort Study. <i>Scientific Reports</i> , 2018, 8, 13101.	3.3	51
56	Gene-gene interactions lead to higher risk for development of type 2 diabetes in a Chinese Han population: a prospective nested case-control study. <i>Lipids in Health and Disease</i> , 2018, 17, 179.	3.0	7
57	Dyslipidemia prevalence, awareness, treatment, control, and risk factors in Chinese rural population: the Henan rural cohort study. <i>Lipids in Health and Disease</i> , 2018, 17, 119.	3.0	69
58	Gender-specific associations of body mass index and waist circumference with type 2 diabetes mellitus in Chinese rural adults: The Henan Rural Cohort Study. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 824-829.	2.3	13
59	Independent and combined effects of resting heart rate and pulse pressure with metabolic syndrome in Chinese rural population: The Henan Rural Cohort study. <i>Clinica Chimica Acta</i> , 2018, 484, 246-252.	1.1	6
60	Development and evaluation of a risk score for type 2 diabetes mellitus among middle-aged Chinese rural population based on the RuralDiab Study. <i>Scientific Reports</i> , 2017, 7, 42685.	3.3	15
61	Age- and gender-specific associations of napping duration with type 2 diabetes mellitus in a Chinese rural population: the RuralDiab study. <i>Sleep Medicine</i> , 2017, 33, 119-124.	1.6	9
62	Independent and cumulative effects of resting heart rate and pulse pressure with type 2 diabetes mellitus in Chinese rural population. <i>Scientific Reports</i> , 2017, 7, 2625.	3.3	4
63	The Dynamics of Type 2 Diabetes Mellitus Prevalence and Management Rates among Rural Population in Henan Province, China. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-9.	2.3	15
64	Meta-analyses of the association of G6PC2 allele variants with elevated fasting glucose and type 2 diabetes. <i>PLoS ONE</i> , 2017, 12, e0181232.	2.5	13
65	Prevalence, awareness, treatment, control of type 2 diabetes mellitus and risk factors in Chinese rural population: the RuralDiab study. <i>Scientific Reports</i> , 2016, 6, 31426.	3.3	77
66	Association of the vitamin D binding protein polymorphisms with the risk of type 2 diabetes mellitus: a meta-analysis. <i>BMJ Open</i> , 2014, 4, e005617.	1.9	32