

List of Publications by Citations

Source: <https://exaly.com/author-pdf/779410/bing-wu-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74 papers	2,717 citations	31 h-index	50 g-index
74 ext. papers	3,237 ext. citations	8.2 avg, IF	5.73 L-index

#	Paper	IF	Citations
74	Biodegradation of p-nitrophenol by aerobic granules in a sequencing batch reactor. <i>Environmental Science & Technology</i> , 2006 , 40, 2396-401	10.3	178
73	Direct membrane filtration for wastewater treatment and resource recovery: A review. <i>Science of the Total Environment</i> , 2020 , 710, 136375	10.2	157
72	Gravity-driven membrane filtration for water and wastewater treatment: A review. <i>Water Research</i> , 2019 , 149, 553-565	12.5	153
71	Comparative eco-toxicities of nano-ZnO particles under aquatic and aerosol exposure modes. <i>Environmental Science & Technology</i> , 2010 , 44, 1484-9	10.3	134
70	A novel membrane bioreactor based on membrane distillation. <i>Desalination</i> , 2008 , 223, 386-395	10.3	116
69	Bacterial responses to Cu-doped TiO(2) nanoparticles. <i>Science of the Total Environment</i> , 2010 , 408, 1755-8	10.2	110
68	Anti-microbial activities of aerosolized transition metal oxide nanoparticles. <i>Chemosphere</i> , 2010 , 80, 5258-64	9.4	98
67	Gravity-driven membrane filtration as pretreatment for seawater reverse osmosis: linking biofouling layer morphology with flux stabilization. <i>Water Research</i> , 2015 , 70, 158-73	12.5	88
66	The feasibility of nanofiltration membrane bioreactor (NF-MBR)+reverse osmosis (RO) process for water reclamation: Comparison with ultrafiltration membrane bioreactor (UF-MBR)+RO process. <i>Water Research</i> , 2018 , 129, 180-189	12.5	70
65	Mixotrophic and photoheterotrophic metabolism in <i>Cyanothece</i> sp. ATCC 51142 under continuous light. <i>Microbiology (United Kingdom)</i> , 2010 , 156, 2566-2574	2.9	67
64	Experimental Study and Design of a Submerged Membrane Distillation Bioreactor. <i>Chemical Engineering and Technology</i> , 2009 , 32, 38-44	2	64
63	Microbial behaviors involved in cake fouling in membrane bioreactors under different solids retention times. <i>Bioresource Technology</i> , 2011 , 102, 2511-6	11	57
62	Membrane-based technology in greywater reclamation: A review. <i>Science of the Total Environment</i> , 2019 , 656, 184-200	10.2	57
61	Optimization of gravity-driven membrane (GDM) filtration process for seawater pretreatment. <i>Water Research</i> , 2016 , 93, 133-140	12.5	53
60	The roles of bacteriophages in membrane-based water and wastewater treatment processes: A review. <i>Water Research</i> , 2017 , 110, 120-132	12.5	52
59	Characterization of the central metabolic pathways in <i>Thermoanaerobacter</i> sp. strain X514 via isotopomer-assisted metabolite analysis. <i>Applied and Environmental Microbiology</i> , 2009 , 75, 5001-8	4.8	52
58	Optimization of membrane bioreactors by the addition of powdered activated carbon. <i>Bioresource Technology</i> , 2013 , 138, 38-47	11	49

57	Effect of adsorption/coagulation on membrane fouling in microfiltration process post-treating anaerobic digestion effluent. <i>Desalination</i> , 2009 , 242, 183-192	10.3	49
56	Improved performance of gravity-driven membrane filtration for seawater pretreatment: Implications of membrane module configuration. <i>Water Research</i> , 2017 , 114, 59-68	12.5	45
55	Single-stage versus two-stage anaerobic fluidized bed bioreactors in treating municipal wastewater: Performance, foulant characteristics, and microbial community. <i>Chemosphere</i> , 2017 , 171, 158-167	8.4	45
54	Alternative isoleucine synthesis pathway in cyanobacterial species. <i>Microbiology (United Kingdom)</i> , 2010 , 156, 596-602	2.9	44
53	Phytoextraction, phytotransformation and rhizodegradation of ibuprofen associated with <i>Typha angustifolia</i> in a horizontal subsurface flow constructed wetland. <i>Water Research</i> , 2016 , 102, 294-304	12.5	44
52	Effect of mechanical scouring by granular activated carbon (GAC) on membrane fouling mitigation. <i>Desalination</i> , 2017 , 403, 80-87	10.3	42
51	High-throughput pyrosequencing analysis of bacteria relevant to cometabolic and metabolic degradation of ibuprofen in horizontal subsurface flow constructed wetlands. <i>Science of the Total Environment</i> , 2016 , 562, 604-613	10.2	42
50	Microbial relevant fouling in membrane bioreactors: influencing factors, characterization, and fouling control. <i>Membranes</i> , 2012 , 2, 565-84	3.8	41
49	Correlating the hydrodynamics of fluidized granular activated carbon (GAC) with membrane-fouling mitigation. <i>Journal of Membrane Science</i> , 2016 , 510, 38-49	9.6	37
48	Characterizing the scouring efficiency of Granular Activated Carbon (GAC) particles in membrane fouling mitigation via wavelet decomposition of accelerometer signals. <i>Journal of Membrane Science</i> , 2016 , 498, 105-115	9.6	36
47	The integration of methanogenesis with shortcut nitrification and denitrification in a combined UASB with MBR. <i>Bioresource Technology</i> , 2008 , 99, 3714-20	11	36
46	Impact of membrane bioreactor operating conditions on fouling behavior of reverse osmosis membranes in MBRRO processes. <i>Desalination</i> , 2013 , 311, 37-45	10.3	35
45	Microbial community developments and biomass characteristics in membrane bioreactors under different organic loadings. <i>Bioresource Technology</i> , 2011 , 102, 6808-14	11	34
44	Gravity-driven microfiltration pretreatment for reverse osmosis (RO) seawater desalination: Microbial community characterization and RO performance. <i>Desalination</i> , 2017 , 418, 1-8	10.3	32
43	The potential roles of granular activated carbon in anaerobic fluidized membrane bioreactors: effect on membrane fouling and membrane integrity. <i>Desalination and Water Treatment</i> , 2015 , 53, 1450-1459		29
42	Cu-doped TiO ₂ nanoparticles enhance survival of <i>Shewanella oneidensis</i> MR-1 under ultraviolet light (UV) exposure. <i>Science of the Total Environment</i> , 2011 , 409, 4635-9	10.2	29
41	Mechanisms of Fouling Control in Membrane Bioreactors by the Addition of Powdered Activated Carbon. <i>Separation Science and Technology</i> , 2010 , 45, 873-889	2.5	29
40	Viability and metal reduction of <i>Shewanella oneidensis</i> MR-1 under CO ₂ stress: implications for ecological effects of CO ₂ leakage from geologic CO ₂ sequestration. <i>Environmental Science & Technology</i> , 2010 , 44, 9213-8	10.3	28

39	The roles of particles in enhancing membrane filtration: A review. <i>Journal of Membrane Science</i> , 2020 , 595, 117570	9.6	28
38	Enhanced performance of submerged hollow fibre microfiltration by fluidized granular activated carbon. <i>Journal of Membrane Science</i> , 2016 , 499, 47-55	9.6	27
37	Effect of fluidized granular activated carbon (GAC) on critical flux in the microfiltration of particulate foulants. <i>Journal of Membrane Science</i> , 2017 , 523, 409-417	9.6	24
36	Evaluating factors that influence microbial synthesis yields by linear regression with numerical and ordinal variables. <i>Biotechnology and Bioengineering</i> , 2011 , 108, 893-901	4.9	24
35	Membrane bioreactor with bubble-size transformer: Design and fouling control. <i>AIChE Journal</i> , 2007 , 53, 243-248	3.6	23
34	Spacer vibration for fouling control of submerged flat sheet membranes. <i>Separation and Purification Technology</i> , 2019 , 210, 719-728	8.3	23
33	Enhancing fouling mitigation of submerged flat-sheet membranes by vibrating 3D-spacers. <i>Separation and Purification Technology</i> , 2019 , 215, 70-80	8.3	22
32	Role of initially formed cake layers on limiting membrane fouling in membrane bioreactors. <i>Bioresource Technology</i> , 2012 , 118, 589-93	11	21
31	Biocarriers facilitated gravity-driven membrane (GDM) reactor for wastewater reclamation: Effect of intermittent aeration cycle. <i>Science of the Total Environment</i> , 2019 , 694, 133719	10.2	20
30	Nanoparticles facilitate gene delivery to microorganisms via an electrospray process. <i>Journal of Microbiological Methods</i> , 2011 , 84, 228-33	2.8	20
29	Integration of an anaerobic fluidized-bed membrane bioreactor (MBR) with zeolite adsorption and reverse osmosis (RO) for municipal wastewater reclamation: Comparison with an anoxic-aerobic MBR coupled with RO. <i>Chemosphere</i> , 2020 , 245, 125569	8.4	20
28	Anaerobic Membrane Bioreactors for Nonpotable Water Reuse and Energy Recovery. <i>Journal of Environmental Engineering, ASCE</i> , 2020 , 146, 03119002	2	20
27	Recycling rainwater by submerged gravity-driven membrane (GDM) reactors: Effect of hydraulic retention time and periodic backwash. <i>Science of the Total Environment</i> , 2019 , 654, 10-18	10.2	19
26	A comparison of gravity-driven membrane (GDM) reactor and biofiltration vs GDM reactor for seawater reverse osmosis desalination pretreatment. <i>Water Research</i> , 2019 , 154, 72-83	12.5	17
25	Post-treatment of upflow anaerobic sludge blanket effluent by combining the membrane filtration process: fouling control by intermittent permeation and air sparging. <i>Water and Environment Journal</i> , 2010 , 24, 32-38	1.7	16
24	Gravity-driven membrane (GDM) filtration of algae-polluted surface water. <i>Journal of Water Process Engineering</i> , 2020 , 36, 101257	6.7	15
23	Phytoremediation of pharmaceutical-contaminated wastewater: Insights into rhizobacterial dynamics related to pollutant degradation mechanisms during plant life cycle. <i>Chemosphere</i> , 2020 , 253, 126681	8.4	14
22	Effect of Substrate Composition (C/N/P ratio) on Microbial Community and Membrane Fouling Tendency of Biomass in Membrane Bioreactors. <i>Separation Science and Technology</i> , 2012 , 47, 440-445	2.5	13

21	Role of dopant concentration, crystal phase and particle size on microbial inactivation of Cu-doped TiO ₂ nanoparticles. <i>Nanotechnology</i> , 2011 , 22, 415704	3.4	12
20	Mitigation of emerging pollutants and pathogens in decentralized wastewater treatment processes: A review. <i>Science of the Total Environment</i> , 2021 , 779, 146545	10.2	12
19	A novel thin film composite hollow fiber osmotic membrane with one-step prepared dual-layer substrate for sludge thickening. <i>Journal of Membrane Science</i> , 2019 , 575, 98-108	9.6	11
18	Direct membrane filtration of municipal wastewater: Linking periodical physical cleaning with fouling mechanisms. <i>Separation and Purification Technology</i> , 2021 , 259, 118125	8.3	10
17	Monitoring local membrane fouling mitigation by fluidized GAC in lab-scale and pilot-scale AnFMBRs. <i>Separation and Purification Technology</i> , 2018 , 199, 331-345	8.3	9
16	Impact of salt accumulation in the bioreactor on the performance of nanofiltration membrane bioreactor (NF-MBR)+Reverse osmosis (RO) process for water reclamation. <i>Water Research</i> , 2020 , 170, 115352	12.5	9
15	Enhancing performance of biocarriers facilitated gravity-driven membrane (GDM) reactor for decentralized wastewater treatment: Effect of internal recirculation and membrane packing density. <i>Science of the Total Environment</i> , 2021 , 762, 144104	10.2	9
14	Flux-Dependent Fouling Phenomena in Membrane Bioreactors under Different Food to Microorganisms (F/M) Ratios. <i>Separation Science and Technology</i> , 2013 , 48, 840-848	2.5	8
13	High-strength N-methyl-2-pyrrolidone-containing process wastewater treatment using sequencing batch reactor and membrane bioreactor: A feasibility study. <i>Chemosphere</i> , 2018 , 194, 534-542	8.4	7
12	Membrane fouling mitigation by fluidized granular activated carbon: Effect of fiber looseness and impact on irreversible fouling. <i>Separation and Purification Technology</i> , 2020 , 242, 116764	8.3	6
11	Engineered bacterial biofloc formation enhancing phenol removal and cell tolerance. <i>Applied Microbiology and Biotechnology</i> , 2020 , 104, 1187-1199	5.7	6
10	Thermal associated pressure-retarded osmosis processes for energy production: A review. <i>Science of the Total Environment</i> , 2021 , 757, 143731	10.2	5
9	Fouling reduction in MBR-RO processes: the effect of MBR F/M ratio. <i>Desalination and Water Treatment</i> , 2013 , 51, 4829-4838		3
8	Fouling and mitigation mechanisms during direct microfiltration and ultrafiltration of primary wastewater. <i>Journal of Water Process Engineering</i> , 2021 , 44, 102331	6.7	3
7	Combined alginate-humic acid fouling mechanism and mitigation during microfiltration: Effect of alginate viscosity. <i>Journal of Water Process Engineering</i> , 2021 , 39, 101852	6.7	3
6	Gravity-driven membrane filtration of primary wastewater effluent for edible plant cultivations: Membrane performance and health risk assessment. <i>Journal of Environmental Chemical Engineering</i> , 2022 , 10, 107046	6.8	2
5	Membrane filtration of manganese (II) remediated-microalgae: Manganese (II) removal, extracellular organic matter, and membrane fouling. <i>Algal Research</i> , 2021 , 55, 102279	5	2
4	Gravity-Driven Membrane Reactor for Decentralized Wastewater Treatment: Effect of Reactor Configuration and Cleaning Protocol. <i>Membranes</i> , 2021 , 11,	3.8	2

- 3 Characterizing spatial distribution of fouling on flat-sheet membranes in a pilot-scale gravity-driven membrane reactor for seawater pretreatment. *Journal of Water Process Engineering*, **2021**, 44, 102436 6.7 ○
- 2 Design of nanofibre interlayer supported forward osmosis composite membranes and its evaluation in fouling study with cleaning. *Frontiers of Environmental Science and Engineering*, **2022**, 16, 1 5.8 ○
- 1 Biocarriers facilitated gravity-driven membrane filtration of domestic wastewater in cold climate: Combined effect of temperature and periodic cleaning.. *Science of the Total Environment*, **2022**, 155248 10.2 ○