
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7794833/publications.pdf Version: 2024-02-01



IANCSUP MOON

#	Article	IF	CITATIONS
1	Tocilizumab in Autoimmune Encephalitis Refractory to Rituximab: An Institutional Cohort Study. Neurotherapeutics, 2016, 13, 824-832.	4.4	197
2	VGKC-complex/LGI1-antibody encephalitis: Clinical manifestations and response to immunotherapy. Journal of Neuroimmunology, 2013, 265, 75-81.	2.3	194
3	Rituximab treatment for autoimmune limbic encephalitis in an institutional cohort. Neurology, 2016, 86, 1683-1691.	1.1	149
4	Anti‣GI1 encephalitis is associated with unique HLA subtypes. Annals of Neurology, 2017, 81, 183-192.	5.3	138
5	Spinal Cord Infarction after Cervical Transforaminal Epidural Steroid Injection: Case Report and Literature Review. Case Reports in Neurology, 2017, 9, 1-5.	0.7	120
6	Development of the clinical assessment scale in autoimmune encephalitis. Annals of Neurology, 2019, 85, 352-358.	5.3	107
7	Anti-N-Methyl-D-Aspartate Receptor Encephalitis in Korea: Clinical Features, Treatment, and Outcome.		

#	Article	IF	CITATIONS
19	Early diagnosis of Alzheimer's disease from elevated olfactory mucosal miR-206 level. Scientific Reports, 2016, 6, 20364.	3.3	50
20	New feasible treatment for refractory autoimmune encephalitis: Low-dose interleukin-2. Journal of Neuroimmunology, 2016, 299, 107-111.	2.3	48
21	Orthostatic intolerance symptoms are associated with depression and diminished quality of life in patients with postural tachycardia syndrome. Health and Quality of Life Outcomes, 2016, 14, 144.	2.4	48
22	Clinical manifestations of patients with CASPR2 antibodies. Journal of Neuroimmunology, 2015, 281, 17-22.	2.3	47
23	Prediction of mortality and functional outcome from status epilepticus and independent external validation of STESS and EMSE scores. Critical Care, 2015, 20, 25.	5.8	44
24	Altered resting-state thalamo-occipital functional connectivity is associated with cognition in isolated rapid eye movement sleep behavior disorder. Sleep Medicine, 2020, 69, 198-203.	1.6	43
25	The <scp>HLA</scp> â€ <scp>A</scp> *2402/ <scp>C</scp> w*0102 haplotype is associated with lamotrigineâ€induced maculopapular eruption in the <scp>K</scp> orean population. Epilepsia, 2015, 56, e161-7.	5.1	42
26	The Etiologies of Early Neurological Deterioration after Thrombolysis and Risk Factors of Ischemia Progression. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 383-388.	1.6	42
27	Inhibition of miR-203 Reduces Spontaneous Recurrent Seizures in Mice. Molecular Neurobiology, 2017, 54, 3300-3308.	4.0	40
28	Rapid diagnosis of bacterial meningitis by nanopore 16S amplicon sequencing: A pilot study. International Journal of Medical Microbiology, 2019, 309, 151338.	3.6	40
29	Non-stiff anti-amphiphysin syndrome: Clinical manifestations and outcome after immunotherapy. Journal of Neuroimmunology, 2014, 274, 209-214.	2.3	39
30	Unique Behavioral Characteristics and microRNA Signatures in a Drug Resistant Epilepsy Model. PLoS ONE, 2014, 9, e85617.	2.5	36
31	Dysregulated long non-coding RNAs in the temporal lobe epilepsy mouse model. Seizure: the Journal of the British Epilepsy Association, 2018, 58, 110-119.	2.0	34
32	Induction of burst suppression or coma using intravenous anesthetics in refractory status epilepticus. Journal of Clinical Neuroscience, 2015, 22, 854-858.	1.5	33
33	Seronegative autoimmune encephalitis: clinical characteristics and factors associated with outcomes. Brain, 2022, 145, 3509-3521.	7.6	32
34	Altered Expression of miR-202 in Cerebellum of Multiple-System Atrophy. Molecular Neurobiology, 2015, 51, 180-186.	4.0	30
35	<scp>HLA</scp> â€B*40:02 and <scp>DRB</scp> 1*04:03 are risk factors for oxcarbazepineâ€induced maculopapular eruption. Epilepsia, 2016, 57, 1879-1886.	5.1	30
36	Population pharmacokinetics and dose-response relationship of levetiracetam in adult patients with epilepsy. Epilepsy Research, 2017, 132, 8-14.	1.6	30

#	Article	IF	CITATIONS
37	Efficacy of single or combined midodrine and pyridostigmine in orthostatic hypotension. Neurology, 2017, 89, 1078-1086.	1.1	29
38	Diagnosis of <i>Haemophilus influenzae</i> Pneumonia by Nanopore 16S Amplicon Sequencing of Sputum. Emerging Infectious Diseases, 2018, 24, 1944-1946.	4.3	29
39	Etiology and prognosis of non-convulsive status epilepticus. Journal of Clinical Neuroscience, 2014, 21, 1915-1919.	1.5	28
40	Site-Specific Relationship Between Intracranial Aneurysm and Aortic Aneurysm. Stroke, 2015, 46, 1993-1996.	2.0	28
41	Clinical Applications of Simultaneous PET/MR Imaging Using ( <i>R</i> )-[ <sup>11</sup> C]-Verapamil with Cyclosporin A: Preliminary Results on a Surrogate Marker of Drug-Resistant Epilepsy. American Journal of Neuroradiology, 2016, 37, 600-606.	2.4	28
42	Campylobacter fetus meningitis confirmed by a 16S rRNA gene analysis using the MinION nanopore sequencer, South Korea, 2016. Emerging Microbes and Infections, 2017, 6, 1-3.	6.5	27
43	HLA-A*31:01 and lamotrigine-induced severe cutaneous adverse drug reactions in a Korean population. Annals of Allergy, Asthma and Immunology, 2017, 118, 629-630.	1.0	25
44	Efficacy of Propranolol, Bisoprolol, and Pyridostigmine for Postural Tachycardia Syndrome: a Randomized Clinical Trial. Neurotherapeutics, 2018, 15, 785-795.	4.4	25
45	Altered long noncoding RNA profile after intracerebral hemorrhage. Annals of Clinical and Translational Neurology, 2019, 6, 2014-2025.	3.7	25
46	High-resolution MR technique can distinguish moyamoya disease from atherosclerotic occlusion. Neurology, 2013, 80, 775-776.	1.1	24
47	Altered Vascular Permeability in Migraine-associated Brain Regions: Evaluation with Dynamic Contrast-enhanced MRI. Radiology, 2019, 292, 713-720.	7.3	23

Prognostic Value of Initial Standard EEG and MRI in Patients with Herpes Simplex Encephalitis. Journal

#	Article	IF	CITATIONS
55	Cerebral microbleeds are associated with nocturnal reverse dipping in hypertensive patients with ischemic stroke. BMC Neurology, 2014, 14, 8.	1.8	19
56	Megaâ€dose phenobarbital therapy for superâ€refractory status epilepticus. Epileptic Disorders, 2015, 17, 444-452.	1.3	19
57	Altered behavior and neural activity in conspecific cagemates co-housed with mouse models of brain disorders. Physiology and Behavior, 2016, 163, 167-176.	2.1	19
58	Factors influencing topiramate clearance in adult patients with epilepsy: A population pharmacokinetic analysis. Seizure: the Journal of the British Epilepsy Association, 2016, 37, 8-12.	2.0	19
59	Inhibition of Let7c MicroRNA Is Neuroprotective in a Rat Intracerebral Hemorrhage Model. PLoS ONE, 2014, 9, e97946.	2.5	19
60	Cardiac sympathetic dysfunction in anti-NMDA receptor encephalitis. Autonomic Neuroscience: Basic and Clinical, 2015, 193, 142-146.	2.8	17
61	Clustering of spontaneous recurrent seizures separated by long seizure-free periods: An extended video-EEG monitoring study of a pilocarpine mouse model. PLoS ONE, 2018, 13, e0194552.	2.5	17
62	Efficacy of atomoxetine versus midodrine for neurogenic orthostatic hypotension. Annals of Clinical and Translational Neurology, 2020, 7, 112-120.	3.7	17
63	Clinical characterization of unknown/cryptogenic status epilepticus suspected as encephalitis: A multicenter cohort study. Journal of Neuroimmunology, 2018, 315, 1-8.	2.3	16
64	Possible epigenetic regulatory effect of dysregulated circular RNAs in Alzheimer's disease model. Scientific Reports, 2019, 9, 11956.	3.3	16
65	Pneumonia in hospitalized neurologic patients: trends in pathogen distribution and antibiotic susceptibility. Antimicrobial Resistance and Infection Control, 2019, 8, 25.	4.1	16
66	The Korean Society for Neuro-Oncology (KSNO) Guideline for Adult Diffuse Midline Glioma: Version 2021.1. Brain Tumor Research and Treatment, 2021, 9, 1.	1.0	16
67	Applications of CRISPR/Cas9 for Gene Editing in Hereditary Movement Disorders. Journal of Movement Disorders, 2016, 9, 136-143.	1.3	16
68	Clinical Characteristics of Severe Japanese Encephalitis: A Case Series from South Korea. American Journal of Tropical Medicine and Hygiene, 2017, 97, 369-375.	1.4	16
69	Mefloquine improved progressive multifocal leukoencephalopathy in a patient with immunoglobulin A nephropathy. Journal of Clinical Neuroscience, 2014, 21, 1661-1664.	1.5	15
70	Intrathecal-specific glutamic acid decarboxylase antibodies at low titers in autoimmune neurological disorders. Journal of Neuroimmunology, 2016, 290, 15-21.	2.3	15
71	Usefulness of saliva for perampanel therapeutic drug monitoring. Epilepsia, 2020, 61, 1120-1128.	5.1	15
72	A hospital-based study on etiology and prognosis of bacterial meningitis in adults. Scientific Reports, 2021, 11, 6028.	3.3	15

#	Article	IF	CITATIONS
73	Microbial diagnosis of endophthalmitis using nanopore amplicon sequencing. International Journal of Medical Microbiology, 2021, 311, 151505.	3.6	15
74	ls obstructive sleep apnea associated with the presence of intracranial cerebral atherosclerosis?. Sleep and Breathing, 2017, 21, 639-646.	1.7	14
75	Reduced P300 amplitude during a visuospatial attention task in idiopathic rapid eye movement sleep behavior disorder. Sleep Medicine, 2017, 38, 78-84.	1.6	14
76	Maternal immune activation alters brain microRNA expression in mouse offspring. Annals of Clinical and Translational Neurology, 2018, 5, 1264-1276.	3.7	14
77	The Korean undiagnosed diseases program: lessons from a one-year pilot project. Orphanet Journal of Rare Diseases, 2019, 14, 68.	2.7	14
78	Prevalence of antineuronal antibodies in patients with encephalopathy of unknown etiology: Data from a nationwide registry in Korea. Journal of Neuroimmunology, 2016, 293, 34-38.	2.3	13
79	Increasing prevalence of antimicrobial resistance in urinary tract infections of neurological patients, Seoul, South Korea, 2007–2016. International Journal of Infectious Diseases, 2019, 84, 109-115.	3.3	13
80	Nanopore 16S Amplicon Sequencing Enhances the Understanding of Pathogens in Medically Intractable Diabetic Foot Infections. Diabetes, 2021, 70, 1357-1371.	0.6	13
81	The complexity of diagnosing postural orthostatic tachycardia syndrome:Âinfluence of the diurnal variability. Journal of the American Society of Hypertension, 2016, 10, 263-270.	2.3	12
82	Prognosis of spontaneous cervical artery dissection and transcranial Doppler findings associated with clinical outcomes. European Radiology, 2016, 26, 1284-1291.	4.5	12
83	Altered insular functional connectivity in isolated REM sleep behavior disorder: a data-driven functional MRI study. Sleep Medicine, 2021, 79, 88-93.	1.6	12
84	Enlarged periventricular space and periventricular lesion extension on baseline brain MRI predicts poor neurological outcomes in cryptococcus meningoencephalitis. Scientific Reports, 2021, 11, 6446.	3.3	12
85	Serum neurofilament light chain as a severity marker for spinocerebellar ataxia. Scientific Reports, 2021, 11, 13517.	3.3	11
86	Psychiatric symptoms delay the diagnosis of anti-LGI1 encephalitis. Journal of Neuroimmunology, 2018, 317, 8-14.	2.3	10
87	Association of Bone Mineral Density With the Risk of Intracranial Aneurysm. JAMA Neurology, 2018, 75, 179.	9.0	10
88	Increased adverse events associated with antiepileptic drugs in anti–leucineâ€rich gliomaâ€inactivated protein 1 encephalitis. Epilepsia, 2018, 59, 108-112.	5.1	10
89	Association of blood pressure variability with orthostatic intolerance symptoms. PLoS ONE, 2017, 12, e0179132.	2.5	10
90	Adultâ€onset rapidly worsening progressive myoclonic epilepsy caused by a novel variant in DHDDS. Annals of Clinical and Translational Neurology, 2021, 8, 2319-2326.	3.7	9

#	Article	IF	CITATIONS
91	Nanopore <scp>16S</scp> sequencing enhances the detection of bacterial meningitis after neurosurgery. Annals of Clinical and Translational Neurology, 2022, 9, 312-325.	3.7	9
92	Delayed orthostatic hypotension: Severity of clinical symptoms and response to medical treatment. Autonomic Neuroscience: Basic and Clinical, 2018, 213, 81-85.	2.8	8
93	HLA-A*11:01 is associated with levetiracetam-induced psychiatric adverse events. PLoS ONE, 2018, 13, e0200812.	2.5	8
94	Central Nervous System Infection Associated with Orientia tsutsugamushi in South Korea. American Journal of Tropical Medicine and Hygiene, 2017, 97, 1094-1098.	1.4	8
95	A new rapid titration protocol for lamotrigine that reduces the risk of skin rash. Epilepsia Open, 2021, 6, 394-401.	2.4	7
96	Human leukocyte antigen associations in postural tachycardia syndrome. Annals of Clinical and Translational Neurology, 2019, 6, 962-967.	3.7	6
97	A National Consensus Survey for Current Practice in Brain Tumor Management I: Antiepileptic Drug and Steroid Usage. Brain Tumor Research and Treatment, 2020, 8, 1.	1.0	6
98	An illustrative case of mixed pesticide poisoning with remarkable improvement: A case report. Journal of the Neurological Sciences, 2014, 344, 232-233.	0.6	5
99	Safety of tianeptine use in patients with epilepsy. Epilepsy and Behavior, 2014, 34, 116-119.	1.7	5
100	Novel mutation in the ATL1 with autosomal dominant hereditary spastic paraplegia presented as dysautonomia. Autonomic Neuroscience: Basic and Clinical, 2014, 185, 141-143.	2.8	5
101	Unfavorable surgical outcomes in partial epilepsy with secondary bilateral synchrony: Intracranial electroencephalography study. Epilepsy Research, 2016, 122, 102-109.	1.6	5
102	The effect of dim light at night on cerebral hemodynamic oscillations during sleep: A near-infrared spectroscopy study. Chronobiology International, 2017, 34, 1325-1338.	2.0	5
103	Tolerability of lacosamide rapid dose titration: A randomized, multicenter, prospective, open-label study. Epilepsy and Behavior, 2021, 115, 107663.	1.7	5
104	The c-Abl inhibitor, nilotinib, as a potential therapeutic agent for chronic cerebellar ataxia. Journal of Neuroimmunology, 2017, 309, 82-87.	2.3	4
105	A National Consensus Survey for Current Practice in Brain Tumor Management III: Brain Metastasis and Primary Central Nervous System Lymphoma. Brain Tumor Research and Treatment, 2020, 8, 20.	1.0	4
106	Painful oculomotor nerve palsy due to lymphocytic hypophysitis. Neurology, 2011, 76, 104-104.	1.1	3
107	Case of <italic>Rickettsia typhi</italic> -induced Brain Abscess Mimicking Brain Tumor. Osong Public Health and Research Perspectives, 2018, 9, 122-125.	1.9	3
108	HLAs associated with perampanel-induced psychiatric adverse effects in a Korean population. Scientific Reports, 2020, 10, 13667.	3.3	3

#	Article	IF	CITATIONS
109	Clinical manifestations and treatment outcomes of parvovirus B19 encephalitis in immunocompetent adults. Journal of NeuroVirology, 2017, 23, 903-907.	2.1	3
110	First familial cases of P102L Gerstmann–Strässler–Scheinker syndrome in South Korea: diffusion-weighted imaging might reflect intrafamilial phenotypic variability. Neurological Sciences, 2022, 43, 3419-3422.	1.9	3
111	The Korean Society for Neuro-Oncology (KSNO) Guideline for Antiepileptic Drug Usage of Brain Tumor: Version 2021.1. Brain Tumor Research and Treatment, 2021, 9, 9.	1.0	2

Multiple Cranial Neuropathies Due to a Mixed Infection in Skull Base Osteomyelitis: A Nanopore