

Joanne Verheij

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7795410/joanne-verheij-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

1,559
citations

18
h-index

38
g-index

80
ext. papers

2,412
ext. citations

5
avg, IF

4.76
L-index

#	Paper	IF	Citations
75	Analysis of the glyco-code in pancreatic ductal adenocarcinoma identifies glycan-mediated immune regulatory circuits.. <i>Communications Biology</i> , 2022 , 5, 41	6.7	2
74	Metastasis in the gallbladder: does literature reflect reality?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022 , 1	5.1	0
73	Nationwide Validation of the 8th American Joint Committee on Cancer TNM Staging System and Five Proposed Modifications for Resected Pancreatic Cancer.. <i>Annals of Surgical Oncology</i> , 2022 , 1	3.1	1
72	Bayesian log-normal deconvolution for enhanced in silico microdissection of bulk gene expression data. <i>Nature Communications</i> , 2021 , 12, 6106	17.4	1
71	Resection of the Portal-Superior Mesenteric Vein in Pancreatic Cancer: Pathological Assessment and Recurrence Patterns. <i>Pancreas</i> , 2021 , 50, 1218-1229	2.6	0
70	Nationwide treatment and outcomes of perihilar cholangiocarcinoma. <i>Liver International</i> , 2021 , 41, 1945-1953	19.53	3
69	Readily available biomarkers predict poor survival in metastatic pancreatic cancer. <i>Biomarkers</i> , 2021 , 26, 325-334	2.6	0
68	Short- and long-term outcomes after hemihepatectomy for perihilar cholangiocarcinoma: does left or right side matter?. <i>Hepatobiliary Surgery and Nutrition</i> , 2021 , 10, 154-162	2.1	2
67	FibroTest for Evaluating Fibrosis in Non-Alcoholic Fatty Liver Disease Patients: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	5
66	Preoperative serum ADAM12 levels as a stromal marker for overall survival and benefit of adjuvant therapy in patients with resected pancreatic and periampullary cancer. <i>Hpb</i> , 2021 ,	3.8	1
65	Quality Assessment of Gallbladder Cancer Pathology Reports: A Dutch Nationwide Study. <i>Cancers</i> , 2021 , 13,	6.6	1
64	Surgical management and pathological assessment of pancreatoduodenectomy with venous resection: an international survey among surgeons and pathologists. <i>Hpb</i> , 2021 , 23, 80-89	3.8	4
63	Amsterdam International Consensus Meeting: tumor response scoring in the pathology assessment of resected pancreatic cancer after neoadjuvant therapy. <i>Modern Pathology</i> , 2021 , 34, 4-12	9.8	12
62	Systematic review on percutaneous aspiration and sclerotherapy versus surgery in symptomatic simple hepatic cysts. <i>Hpb</i> , 2021 , 23, 11-24	3.8	1
61	Axial slicing versus bivalving in the pathological examination of pancreatoduodenectomy specimens (APOLLO): a multicentre randomized controlled trial. <i>Hpb</i> , 2021 , 23, 1349-1359	3.8	2
60	Surgical Therapy for Perihilar Cholangiocarcinoma: State of the Art. <i>Visceral Medicine</i> , 2021 , 37, 18-25	2.4	2
59	Unaltered Liver Regeneration in Post-Cholestatic Rats Treated with the FXR Agonist Obeticholic Acid. <i>Biomolecules</i> , 2021 , 11,	5.9	2

58	Collagen proportionate area correlates with histological stage and predicts clinical events in primary sclerosing cholangitis. <i>Liver International</i> , 2021 , 41, 2681-2692	7.9	1
57	Hepatocellular adenoma in men: A nationwide assessment of pathology and correlation with clinical course. <i>Liver International</i> , 2021 , 41, 2474-2484	7.9	1
56	Preoperative misdiagnosis of pancreatic and periampullary cancer in patients undergoing pancreatoduodenectomy: A multicentre retrospective cohort study. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2525-2532	3.6	2
55	Multidetector computed tomography assessment of vascular involvement in perihilar cholangiocarcinoma. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021 , 11, 4514-4521	3.6	1
54	Synergistic Effect of Feeding Time and Diet on Hepatic Steatosis and Gene Expression in Male Wistar Rats. <i>Obesity</i> , 2020 , 28 Suppl 1, S81-S92	8	6
53	Gut microbiota and human NAFLD: disentangling microbial signatures from metabolic disorders. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2020 , 17, 279-297	24.2	207
52	Interpatient heterogeneity in hepatic microvascular blood flow during vascular inflow occlusion (Pringle manoeuvre). <i>Hepatobiliary Surgery and Nutrition</i> , 2020 , 9, 271-283	2.1	3
51	Unsupervised class discovery in pancreatic ductal adenocarcinoma reveals cell-intrinsic mesenchymal features and high concordance between existing classification systems. <i>Scientific Reports</i> , 2020 , 10, 337	4.9	21
50	Occurrence of seeding metastases in resectable perihilar cholangiocarcinoma and the role of low-dose radiotherapy to prevent this. <i>World Journal of Hepatology</i> , 2020 , 12, 1089-1097	3.4	
49	Clinical outcomes of patients with duodenal adenocarcinoma and intestinal-type papilla of Vater adenocarcinoma. <i>World Journal of Gastrointestinal Oncology</i> , 2020 , 12, 347-357	3.4	3
48	Nationwide trends in incidence, treatment and survival of pancreatic ductal adenocarcinoma. <i>European Journal of Cancer</i> , 2020 , 125, 83-93	7.5	41
47	Viral presence and immunopathology in patients with lethal COVID-19: a prospective autopsy cohort study. <i>Lancet Microbe</i> , 2020 , 1, e290-e299	22.2	245
46	Staging Laparoscopy in Patients with Intrahepatic Cholangiocarcinoma: Is It Still Useful?. <i>Visceral Medicine</i> , 2020 , 36, 501-505	2.4	2
45	Characterization of gut-homing molecules in non-endstage livers of patients with primary sclerosing cholangitis and inflammatory bowel disease. <i>Journal of Translational Autoimmunity</i> , 2020 , 3, 100054	4.1	1
44	Accuracy of cytokeratin 18 (M30 and M65) in detecting non-alcoholic steatohepatitis and fibrosis: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2020 , 15, e0238717	3.7	14
43	Comparison of short- and long-term outcomes between anatomical subtypes of resected biliary tract cancer in a Western high-volume center. <i>Hpb</i> , 2020 , 22, 405-414	3.8	6
42	RET gene rearrangements occur in a subset of pancreatic acinar cell carcinomas. <i>Modern Pathology</i> , 2020 , 33, 657-664	9.8	7
41	Circulating tumor DNA quantity is related to tumor volume and both predict survival in metastatic pancreatic ductal adenocarcinoma. <i>International Journal of Cancer</i> , 2020 , 146, 1445-1456	7.5	31

40	High-grade mesenchymal pancreatic ductal adenocarcinoma drives stromal deactivation through CSF-1. <i>EMBO Reports</i> , 2020 , 21, e48780	6.5	17
39	Pathological validation and prognostic potential of quantitative MRI in the characterization of pancreas cancer: preliminary experience. <i>Molecular Oncology</i> , 2020 , 14, 2176-2189	7.9	9
38	Lost in translation: confusion on resection and dissection planes hampers the interpretation of pathology reports for perihilar cholangiocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 475, 435-443	5.1	9
37	Time-Dependent Impact of Irreversible Electroporation on Pathology and Ablation Size in the Porcine Liver: A 24-Hour Experimental Study. <i>Technology in Cancer Research and Treatment</i> , 2019 , 18, 1533033819876899	2.7	11
36	The damage-associated molecular pattern HMGB1 is released early after clinical hepatic ischemia/reperfusion. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019 , 1865, 1192-1200	6.9	13
35	Hepatic symptoms and histology in 13 patients with a Zellweger spectrum disorder. <i>Journal of Inherited Metabolic Disease</i> , 2019 , 42, 955-965	5.4	5
34	Anatomical, histomorphological and molecular classification of cholangiocarcinoma. <i>Liver International</i> , 2019 , 39 Suppl 1, 7-18	7.9	93
33	Treatment and survival of resected and unresected distal cholangiocarcinoma: a nationwide study. <i>Acta Oncologica</i> , 2019 , 58, 1048-1055	3.2	30
32	Liver-directed gene therapy results in long-term correction of progressive familial intrahepatic cholestasis type 3 in mice. <i>Journal of Hepatology</i> , 2019 , 71, 153-162	13.4	18
31	Transarterial (Chemo-)Embolization and Lipiodolization for Hepatic Haemangioma. <i>CardioVascular and Interventional Radiology</i> , 2019 , 42, 800-811	2.7	16
30	Impact of expanding indications on surgical and oncological outcome in 1434 consecutive pancreatoduodenectomies. <i>Hpb</i> , 2019 , 21, 865-875	3.8	13
29	microRNA-206 modulates the hepatic expression of the organic anion-transporting polypeptide 1B1. <i>Liver International</i> , 2019 , 39, 2350-2359	7.9	4
28	Treatment of mid-bile duct carcinoma: Local resection or pancreatoduodenectomy?. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 2180-2187	3.6	4
27	Impact of open and minimally invasive resection of symptomatic solid benign liver tumours on symptoms and quality of life: a systematic review. <i>Hpb</i> , 2019 , 21, 1119-1130	3.8	10
26	Scintigraphic liver function and transient elastography in the assessment of patients with resectable hepatocellular carcinoma. <i>Hpb</i> , 2019 , 21, 626-635	3.8	3
25	Spatial Systems Lipidomics Reveals Nonalcoholic Fatty Liver Disease Heterogeneity. <i>Analytical Chemistry</i> , 2018 , 90, 5130-5138	7.8	31
24	MR Spectroscopy-derived Proton Density Fat Fraction Is Superior to Controlled Attenuation Parameter for Detecting and Grading Hepatic Steatosis. <i>Radiology</i> , 2018 , 286, 547-556	20.5	52
23	Endoscopic versus percutaneous biliary drainage in patients with resectable perihilar cholangiocarcinoma: a multicentre, randomised controlled trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 681-690	18.8	65

22	The pathophysiology of human obstructive cholestasis is mimicked in cholestatic Gold Syrian hamsters. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018 , 1864, 942-951	6.9	6
21	Tuberculosis presenting as a pancreatic cystic neoplasm. <i>BMJ Case Reports</i> , 2018 , 11,	0.9	1
20	FXR agonist obeticholic acid induces liver growth but exacerbates biliary injury in rats with obstructive cholestasis. <i>Scientific Reports</i> , 2018 , 8, 16529	4.9	13
19	International Validation of the Eighth Edition of the American Joint Committee on Cancer (AJCC) TNM Staging System in Patients With Resected Pancreatic Cancer. <i>JAMA Surgery</i> , 2018 , 153, e183617	5.4	107
18	PD-L1, Galectin-9 and CD8 tumor-infiltrating lymphocytes are associated with survival in hepatocellular carcinoma. <i>Oncolmmunology</i> , 2017 , 6, e1273309	7.2	93
17	Hepatic parenchymal transection increases liver volume but not function after portal vein embolization in rabbits. <i>Surgery</i> , 2017 , 162, 732-741	3.6	13
16	Hypothermic perfusion with retrograde outflow during right hepatectomy is safe and feasible. <i>Surgery</i> , 2017 , 162, 48-58	3.6	4
15	Warm ischemia time-dependent variation in liver damage, inflammation, and function in hepatic ischemia/reperfusion injury. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017 , 1863, 375-385	6.9	34
14	A casein hydrolysate based formulation attenuates obesity and associated non-alcoholic fatty liver disease and atherosclerosis in LDLr ^{-/-} .Leiden mice. <i>PLoS ONE</i> , 2017 , 12, e0180648	3.7	23
13	Atorvastatin does not protect against ischemia-reperfusion damage in cholestatic rat livers. <i>BMC Surgery</i> , 2017 , 17, 35	2.3	3
12	Simple steatosis sensitizes cholestatic rats to liver injury and dysregulates bile salt synthesis and transport. <i>Scientific Reports</i> , 2016 , 6, 31829	4.9	9
11	A de novo mutation in KCNN3 associated with autosomal dominant idiopathic non-cirrhotic portal hypertension. <i>Journal of Hepatology</i> , 2016 , 64, 974-7	13.4	24
10	Inhibition of hypoxia inducible factor 1 and topoisomerase with acriflavine sensitizes perihilar cholangiocarcinomas to photodynamic therapy. <i>Oncotarget</i> , 2016 , 7, 3341-56	3.3	46
9	Clinical outcomes and prevalence of cancer in patients with possible groove pancreatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 1895-1900	4	7
8	Solutions to the discrepancies in the extent of liver damage following ischemia/reperfusion in standard mouse models. <i>Journal of Hepatology</i> , 2015 , 62, 975-7	13.4	15
7	Lymph Node Micrometastases are Associated with Worse Survival in Patients with Otherwise Node-Negative Hilar Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S1107-15	3.1	11
6	Idiopathic non-cirrhotic portal hypertension: a review. <i>Orphanet Journal of Rare Diseases</i> , 2015 , 10, 67	4.2	56
5	IL-23 and IL-17A are not involved in hepatic/ischemia reperfusion injury in mouse and man. <i>Journal of Clinical and Translational Research</i> , 2015 , 1, 180-189	1.1	4

4	Immunoglobulin G4-related prostatitis: a case-control study focusing on clinical and pathologic characteristics. <i>Urology</i> , 2014 , 83, 521-6	1.6	31
3	In situ hypothermic perfusion with retrograde outflow during right hemihepatectomy: first experiences with a new technique. <i>Journal of the American College of Surgeons</i> , 2014 , 218, e7-16	4.4	12
2	Quantitative determination of liver triglyceride levels with 3T 1 H-MR spectroscopy in mice with moderately elevated liver fat content. <i>Academic Radiology</i> , 2014 , 21, 1446-54	4.3	6
1	Esophageal perforation during endoscopic removal of food impaction in eosinophilic esophagitis: stent well spent?. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E193-4	3.4	5