

# Jose Guilherme Cecatti

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7796501/jose-guilherme-cecatti-publications-by-citations.pdf>  
**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

248 papers	5,923 citations	40 h-index	64 g-index
283 ext. papers	7,271 ext. citations	3.4 avg, IF	5.55 L-index

#	Paper	IF	Citations
248	Moving beyond essential interventions for reduction of maternal mortality (the WHO Multicountry Survey on Maternal and Newborn Health): a cross-sectional study. <i>Lancet, The</i> , <b>2013</b> , 381, 1747-55	4.0	439
247	The World Health Organization Fetal Growth Charts: A Multinational Longitudinal Study of Ultrasound Biometric Measurements and Estimated Fetal Weight. <i>PLoS Medicine</i> , <b>2017</b> , 14, e1002220	11.6	251
246	Physical exercise during pregnancy: a systematic review. <i>Current Opinion in Obstetrics and Gynecology</i> , <b>2012</b> , 24, 387-94	2.4	165
245	Effects of antenatal diet and physical activity on maternal and fetal outcomes: individual patient data meta-analysis and health economic evaluation. <i>Health Technology Assessment</i> , <b>2017</b> , 21, 1-158	4.4	136
244	Maternal complications and perinatal mortality: findings of the World Health Organization Multicountry Survey on Maternal and Newborn Health. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2014</b> , 121 Suppl 1, 76-88	3.7	130
243	The role of delays in severe maternal morbidity and mortality: expanding the conceptual framework. <i>Reproductive Health Matters</i> , <b>2012</b> , 20, 155-63		113
242	Antioxidant therapy to prevent preeclampsia: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , <b>2007</b> , 110, 1311-8	4.9	113
241	Mandatory second opinion to reduce rates of unnecessary caesarean sections in Latin America: a cluster randomised controlled trial. <i>Lancet, The</i> , <b>2004</b> , 363, 1934-40	4.0	112
240	Maternal near miss and maternal death in the World Health Organization's 2005 global survey on maternal and perinatal health. <i>Bulletin of the World Health Organization</i> , <b>2010</b> , 88, 113-9	8.2	111
239	The WHO maternal near-miss approach and the maternal severity index model (MSI): tools for assessing the management of severe maternal morbidity. <i>PLoS ONE</i> , <b>2012</b> , 7, e44129	3.7	107
238	Delays in receiving obstetric care and poor maternal outcomes: results from a national multicentre cross-sectional study. <i>BMC Pregnancy and Childbirth</i> , <b>2014</b> , 14, 159	3.2	95
237	Water aerobics II: maternal body composition and perinatal outcomes after a program for low risk pregnant women. <i>Reproductive Health</i> , <b>2009</b> , 6, 1	3.5	93
236	Dietary interventions in overweight and obese pregnant women: a systematic review of the content, delivery, and outcomes of randomized controlled trials. <i>Nutrition Reviews</i> , <b>2016</b> , 74, 312-28	6.4	82
235	Preeclampsia in 2018: Revisiting Concepts, Physiopathology, and Prediction. <i>Scientific World Journal, The</i> , <b>2018</b> , 2018, 6268276	2.2	65
234	A global reference for caesarean section rates (C-Model): a multicountry cross-sectional study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2016</b> , 123, 427-36	3.7	64
233	Constructing maternal morbidity - towards a standard tool to measure and monitor maternal health beyond mortality. <i>BMC Pregnancy and Childbirth</i> , <b>2016</b> , 16, 45	3.2	62
232	Factors associated with the prevalence of periodontal disease in low-risk pregnant women. <i>Reproductive Health</i> , <b>2012</b> , 9, 3	3.5	60

231	Development of criteria for identifying neonatal near-miss cases: analysis of two WHO multicountry cross-sectional studies. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2014</b> , 121 Suppl 1, 110-8	3.7	59
230	Appropriate criteria for identification of near-miss maternal morbidity in tertiary care facilities: a cross sectional study. <i>BMC Pregnancy and Childbirth</i> , <b>2007</b> , 7, 20	3.2	59
229	Twin Pregnancy and Severe Maternal Outcomes: The World Health Organization Multicountry Survey on Maternal and Newborn Health. <i>Obstetrics and Gynecology</i> , <b>2016</b> , 127, 631-641	4.9	59
228	An emerging "maternal near-miss syndrome": narratives of women who almost died during pregnancy and childbirth. <i>Birth</i> , <b>2009</b> , 36, 149-58	3.1	58
227	Postpartum hemorrhage: new insights for definition and diagnosis. <i>American Journal of Obstetrics and Gynecology</i> , <b>2018</b> , 219, 162-168	6.4	57
226	The prevalence of perinatal depression and its associated factors in two different settings in Brazil. <i>Journal of Affective Disorders</i> , <b>2012</b> , 136, 1204-8	6.6	57
225	Which policy for caesarian sections in Brazil? An analysis of trends and consequences. <i>Health Policy and Planning</i> , <b>1993</b> , 8, 33-42	3.4	55
224	Water aerobics in pregnancy: Cardiovascular response, labor and neonatal outcomes. <i>Reproductive Health</i> , <b>2008</b> , 5, 10	3.5	54
223	Serum inhibin A and angiogenic factor levels in pregnancies with previous preeclampsia and/or chronic hypertension: are they useful markers for prediction of subsequent preeclampsia?. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 199, 268.e1-9	6.4	54
222	Brazilian multicentre study on preterm birth (EMIP): prevalence and factors associated with spontaneous preterm birth. <i>PLoS ONE</i> , <b>2014</b> , 9, e109069	3.7	52
221	Predictors of preterm birth. <i>International Journal of Gynecology and Obstetrics</i> , <b>2006</b> , 94, 5-11	4	52
220	Pre-validation of the WHO organ dysfunction based criteria for identification of maternal near miss. <i>Reproductive Health</i> , <b>2011</b> , 8, 22	3.5	50
219	Maternal near miss and death among women with severe hypertensive disorders: a Brazilian multicenter surveillance study. <i>Reproductive Health</i> , <b>2014</b> , 11, 4	3.5	46
218	Effectiveness of a clinically integrated e-learning course in evidence-based medicine for reproductive health training: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2012</b> , 308, 2218-25	27.4	46
217	Applying the new concept of maternal near-miss in an intensive care unit. <i>Clinics</i> , <b>2012</b> , 67, 225-30	2.3	45
216	A population-based surveillance study on severe acute maternal morbidity (near-miss) and adverse perinatal outcomes in Campinas, Brazil: the Vigimoma Project. <i>BMC Pregnancy and Childbirth</i> , <b>2011</b> , 11, 9	3.2	44
215	Factors and outcomes associated with the induction of labour in Latin America. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2009</b> , 116, 1762-72	3.7	43
214	Factors associated with maternal death in women admitted to an intensive care unit with severe maternal morbidity. <i>International Journal of Gynecology and Obstetrics</i> , <b>2009</b> , 105, 252-6	4	42

213	Brazilian network for the surveillance of maternal potentially life threatening morbidity and maternal near-miss and a multidimensional evaluation of their long term consequences. <i>Reproductive Health</i> , <b>2009</b> , 6, 15	3.5	40
212	Elective induction versus spontaneous labour in Latin America. <i>Bulletin of the World Health Organization</i> , <b>2011</b> , 89, 657-65	8.2	40
211	Antioxidant supplementation and premature rupture of the membranes: a planned secondary analysis. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 199, 433.e1-8	6.4	40
210	Research on severe maternal morbidities and near-misses in Brazil: what we have learned. <i>Reproductive Health Matters</i> , <b>2007</b> , 15, 125-33		40
209	Evaluation of a birth preparation program on lumbopelvic pain, urinary incontinence, anxiety and exercise: a randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , <b>2013</b> , 13, 154	3.2	39
208	Gestational weight gain outside the Institute of Medicine recommendations and adverse pregnancy outcomes: analysis using individual participant data from randomised trials. <i>BMC Pregnancy and Childbirth</i> , <b>2019</b> , 19, 322	3.2	38
207	Setting research priorities to improve global newborn health and prevent stillbirths by 2025. <i>Journal of Global Health</i> , <b>2016</b> , 6, 010508	4.3	38
206	The impact of prior preeclampsia on the risk of superimposed preeclampsia and other adverse pregnancy outcomes in patients with chronic hypertension. <i>American Journal of Obstetrics and Gynecology</i> , <b>2011</b> , 204, 345.e1-6	6.4	35
205	A randomized controlled trial comparing vaginal misoprostol versus Foley catheter plus oxytocin for labor induction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2010</b> , 89, 1045-52	3.8	35
204	Neonatal near miss: a systematic review. <i>BMC Pregnancy and Childbirth</i> , <b>2015</b> , 15, 320	3.2	34
203	Neonatal Near Miss: the need for a standard definition and appropriate criteria and the rationale for a prospective surveillance system. <i>Clinics</i> , <b>2015</b> , 70, 820-6	2.3	33
202	Network for Surveillance of Severe Maternal Morbidity: a powerful national collaboration generating data on maternal health outcomes and care. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2016</b> , 123, 946-53	3.7	32
201	The associations between inter-pregnancy interval and maternal and neonatal outcomes in Brazil. <i>Maternal and Child Health Journal</i> , <b>2008</b> , 12, 275-81	2.4	32
200	Severe maternal morbidity and maternal near miss in the extremes of reproductive age: results from a national cross- sectional multicenter study. <i>BMC Pregnancy and Childbirth</i> , <b>2014</b> , 14, 77	3.2	31
199	Frequency and management of maternal infection in health facilities in 52 countries (GLOSS): a 1-week inception cohort study. <i>The Lancet Global Health</i> , <b>2020</b> , 8, e661-e671	13.6	30
198	Sexual life and dysfunction after maternal morbidity: a systematic review. <i>BMC Pregnancy and Childbirth</i> , <b>2015</b> , 15, 307	3.2	30
197	The burden of eclampsia: results from a multicenter study on surveillance of severe maternal morbidity in Brazil. <i>PLoS ONE</i> , <b>2014</b> , 9, e97401	3.7	30
196	From planning to practice: building the national network for the Surveillance of Severe Maternal Morbidity. <i>BMC Public Health</i> , <b>2011</b> , 11, 283	4.1	30

195	The Burden of Provider-Initiated Preterm Birth and Associated Factors: Evidence from the Brazilian Multicenter Study on Preterm Birth (EMIP). <i>PLoS ONE</i> , <b>2016</b> , 11, e0148244	3.7	30
194	Maternal morbidity and near miss in the community: findings from the 2006 Brazilian demographic health survey. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2010</b> , 117, 1586-92	3.7	29
193	Neonatal near miss approach in the 2005 WHO Global Survey Brazil. <i>Jornal De Pediatria</i> , <b>2010</b> , 86, 21-6	2.6	29
192	Rationale for a long-term evaluation of the consequences of potentially life-threatening maternal conditions and maternal "near-miss" incidents using a multidimensional approach. <i>Journal of Obstetrics and Gynaecology Canada</i> , <b>2010</b> , 32, 730-8	1.3	28
191	O panorama da atenção pré-natal no Brasil e o Programa de Humanização do Pré-natal e Nascimento. <i>Revista Brasileira De Saude Materno Infantil</i> , <b>2004</b> , 4, 269-279	0.3	27
190	Perinatal outcomes in twin pregnancies complicated by maternal morbidity: evidence from the WHO Multicountry Survey on Maternal and Newborn Health. <i>BMC Pregnancy and Childbirth</i> , <b>2018</b> , 18, 449	3.2	27
189	A framework for healthcare interventions to address maternal morbidity. <i>International Journal of Gynecology and Obstetrics</i> , <b>2018</b> , 141 Suppl 1, 61-68	4	26
188	Antenatal education and the birthing experience of Brazilian women: a qualitative study. <i>BMC Pregnancy and Childbirth</i> , <b>2013</b> , 13, 171	3.2	26
187	Water exercises and quality of life during pregnancy. <i>Reproductive Health</i> , <b>2011</b> , 8, 14	3.5	26
186	Development of composite outcomes for individual patient data (IPD) meta-analysis on the effects of diet and lifestyle in pregnancy: a Delphi survey. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2016</b> , 123, 190-8	3.7	26
185	Development and validation of a questionnaire to identify severe maternal morbidity in epidemiological surveys. <i>Reproductive Health</i> , <b>2010</b> , 7, 16	3.5	25
184	Incidence and risk factors for Preeclampsia in a cohort of healthy nulliparous pregnant women: a nested case-control study. <i>Scientific Reports</i> , <b>2019</b> , 9, 9517	4.9	24
183	The burden of unintended pregnancies in Brazil: a social and public health system cost analysis. <i>International Journal of Women's Health</i> , <b>2014</b> , 6, 663-70	2.8	24
182	Brazilian multicenter study on prevalence of preterm birth and associated factors. <i>BMC Pregnancy and Childbirth</i> , <b>2010</b> , 10, 22	3.2	24
181	Periodontal disease and some adverse perinatal outcomes in a cohort of low risk pregnant women. <i>Reproductive Health</i> , <b>2010</b> , 7, 29	3.5	24
180	Systemic lupus erythematosus and pregnancy: clinical evolution, maternal and perinatal outcomes and placental findings. <i>Sao Paulo Medical Journal</i> , <b>2007</b> , 125, 91-5	1.6	24
179	Multiple Pregnancy: Epidemiology and Association with Maternal and Perinatal Morbidity. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2018</b> , 40, 554-562	1.1	24
178	Severe maternal morbidity and near miss due to postpartum hemorrhage in a national multicenter surveillance study. <i>International Journal of Gynecology and Obstetrics</i> , <b>2015</b> , 128, 131-6	4	23

177	Sonographic measurement of the umbilical cord area and the diameters of its vessels during pregnancy. <i>Journal of Obstetrics and Gynaecology</i> , <b>2012</b> , 32, 230-6	1.3	23
176	Using a Caesarean Section Classification System based on characteristics of the population as a way of monitoring obstetric practice. <i>Reproductive Health</i> , <b>2010</b> , 7, 13	3.5	23
175	Severe maternal morbidity (near miss) as a sentinel event of maternal death. An attempt to use routine data for surveillance. <i>Reproductive Health</i> , <b>2008</b> , 5, 6	3.5	23
174	Use of metabolomics for the identification and validation of clinical biomarkers for preterm birth: Preterm SAMBA. <i>BMC Pregnancy and Childbirth</i> , <b>2016</b> , 16, 212	3.2	23
173	Severe maternal morbidity due to abortion prospectively identified in a surveillance network in Brazil. <i>International Journal of Gynecology and Obstetrics</i> , <b>2012</b> , 119, 44-8	4	22
172	Misoprostol versus expectant management in premature rupture of membranes at term. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2005</b> , 112, 1284-90	3.7	22
171	Perinatal outcomes associated with low birth weight in a historical cohort. <i>Reproductive Health</i> , <b>2011</b> , 8, 18	3.5	20
170	Factors associated with low birth weight in a historical series of deliveries in Campinas, Brazil. <i>Revista Da Associação Médica Brasileira</i> , <b>2009</b> , 55, 692-9	1.4	20
169	Impact of stillbirths on international comparisons of preterm birth rates: a secondary analysis of the WHO multi-country survey of Maternal and Newborn Health. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2017</b> , 124, 1346-1354	3.7	19
168	WHO multicentre study for the development of growth standards from fetal life to childhood: the fetal component. <i>BMC Pregnancy and Childbirth</i> , <b>2014</b> , 14, 157	3.2	19
167	Mode and timing of twin delivery and perinatal outcomes in low- and middle-income countries: a secondary analysis of the WHO Multicountry Survey on Maternal and Newborn Health. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2014</b> , 121 Suppl 1, 89-100	3.7	19
166	Population surveys using validated questionnaires provided useful information on the prevalence of maternal morbidities. <i>Journal of Clinical Epidemiology</i> , <b>2008</b> , 61, 169-76	5.7	19
165	The Robson ten-group classification system for appraising deliveries at a tertiary referral hospital in Brazil. <i>International Journal of Gynecology and Obstetrics</i> , <b>2015</b> , 129, 236-9	4	18
164	Pregnancy outcome in female liver transplant recipients. <i>Transplantation Proceedings</i> , <b>2011</b> , 43, 1337-9	1.1	18
163	Variation in the amniotic fluid index following moderate physical activity in water during pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2007</b> , 86, 547-52	3.8	18
162	Validation of the WHO Disability Assessment Schedule (WHODAS 2.0) 12-item tool against the 36-item version for measuring functioning and disability associated with pregnancy and history of severe maternal morbidity. <i>International Journal of Gynecology and Obstetrics</i> , <b>2018</b> , 141 Suppl 1, 39-47	4	17
161	Atenção ao pré-natal e parto em mulheres usuárias do sistema público de saúde residentes na Amazônia Legal e no Nordeste, Brasil 2010. <i>Revista Brasileira De Saude Materno Infantil</i> , <b>2015</b> , 15, 91-104	0.3	17
160	Applying the maternal near miss approach for the evaluation of quality of obstetric care: a worked example from a Multicenter Surveillance Study. <i>BioMed Research International</i> , <b>2014</b> , 2014, 989815	3	17



159	Sequential organ failure assessment score for evaluating organ failure and outcome of severe maternal morbidity in obstetric intensive care. <i>Scientific World Journal, The</i> , <b>2012</b> , 2012, 172145	2.2	17
158	Mother-to-child transmission of human immunodeficiency virus in aten years period. <i>Reproductive Health</i> , <b>2011</b> , 8, 35	3.5	17
157	Contraceptive use and pregnancy before and after introducing lactational amenorrhea (LAM) in a postpartum program. <i>Advances in Contraception: the Official Journal of the Society for the Advancement of Contraception</i> , <b>1998</b> , 14, 59-68		17
156	Upright position during the first stage of labor: a randomised controlled trial. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2007</b> , 86, 553-8	3.8	17
155	Association of Nitric Oxide Synthase and Matrix Metalloprotease Single Nucleotide Polymorphisms with Preeclampsia and Its Complications. <i>PLoS ONE</i> , <b>2015</b> , 10, e0136693	3.7	17
154	Mobile technology in health (mHealth) and antenatal care-Searching for apps and available solutions: A systematic review. <i>International Journal of Medical Informatics</i> , <b>2019</b> , 127, 1-8	5.3	16
153	A cohort study of functioning and disability among women after severe maternal morbidity. <i>International Journal of Gynecology and Obstetrics</i> , <b>2016</b> , 134, 87-92	4	16
152	Severe maternal morbidity and factors associated with the occurrence of abortion in Brazil. <i>International Journal of Gynecology and Obstetrics</i> , <b>2011</b> , 112, 88-92	4	16
151	Subsequent reproductive outcome in women who have experienced a potentially life-threatening condition or a maternal near-miss during pregnancy. <i>Clinics</i> , <b>2011</b> , 66, 1367-72	2.3	16
150	Knowledge, attitude and practice of mammography among women users of public health services. <i>Revista De Saude Publica</i> , <b>2008</b> , 42, 200-207	2.4	16
149	Intervenções benéficas no pré-natal para prevenção da mortalidade materna. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2006</b> , 28, 310	1.1	16
148	Role of Body Mass Index and gestational weight gain on preterm birth and adverse perinatal outcomes. <i>Scientific Reports</i> , <b>2019</b> , 9, 13093	4.9	15
147	COHELLP: collaborative randomized controlled trial on corticosteroids in HELLP syndrome. <i>Reproductive Health</i> , <b>2013</b> , 10, 28	3.5	15
146	Does Severe Maternal Morbidity Affect Female Sexual Activity and Function? Evidence from a Brazilian Cohort Study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0143581	3.7	15
145	Adverse perinatal outcomes are associated with severe maternal morbidity and mortality: evidence from a national multicentre cross-sectional study. <i>Archives of Gynecology and Obstetrics</i> , <b>2019</b> , 299, 645-654	2.5	15
144	Contribution of antepartum and intrapartum hemorrhage to the burden of maternal near miss and death in a national surveillance study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2015</b> , 94, 50-8	3.8	14
143	The Impact of Cardiac Diseases during Pregnancy on Severe Maternal Morbidity and Mortality in Brazil. <i>PLoS ONE</i> , <b>2015</b> , 10, e0144385	3.7	13
142	Progestin-only contraception prevents bone loss in postpartum breastfeeding women. <i>Contraception</i> , <b>2012</b> , 85, 374-80	2.5	13

141	Avaliação preliminar do programa de humanização no pré-natal e nascimento no Brasil. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2004</b> , 26, 517-525	1.1	13
140	Fatores associados à gravidade da morbidade materna na caracterização do near miss. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2005</b> , 27, 197-203	1.1	13
139	The impact of hypertension, hemorrhage, and other maternal morbidities on functioning in the postpartum period as assessed by the WHODAS 2.0 36-item tool. <i>International Journal of Gynecology and Obstetrics</i> , <b>2018</b> , 141 Suppl 1, 55-60	4	12
138	Estimation of preterm birth rate, associated factors and maternal morbidity from a demographic and health survey in Brazil. <i>Maternal and Child Health Journal</i> , <b>2013</b> , 17, 1638-47	2.4	12
137	Microbiological characteristics and inflammatory cytokines associated with preterm labor. <i>Archives of Gynecology and Obstetrics</i> , <b>2011</b> , 283, 501-8	2.5	12
136	Maternal morbidity and near miss associated with maternal age: the innovative approach of the 2006 Brazilian demographic health survey. <i>Clinics</i> , <b>2013</b> , 68, 922-7	2.3	12
135	Obstetric transition in the World Health Organization Multicountry Survey on Maternal and Newborn Health: exploring pathways for maternal mortality reduction. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , <b>2015</b> , 37, 203-10	4.1	12
134	Fetal Growth Restriction Prediction: How to Move beyond. <i>Scientific World Journal, The</i> , <b>2019</b> , 2019, 1519248	2.4	11
133	Examining the predictive accuracy of metabolomics for small-for-gestational-age babies: a systematic review. <i>BMJ Open</i> , <b>2019</b> , 9, e031238	3	11
132	Intraclass correlation coefficients for the Brazilian Multicenter Study on Preterm Birth (EMIP): methodological and practical implications. <i>BMC Medical Research Methodology</i> , <b>2014</b> , 14, 54	4.7	11
131	Intraclass correlation coefficients in the Brazilian Network for Surveillance of Severe Maternal Morbidity study. <i>BMC Pregnancy and Childbirth</i> , <b>2012</b> , 12, 101	3.2	11
130	Forearm bone mineral density changes during postpartum and the effects of breastfeeding, amenorrhea, body mass index and contraceptive use. <i>Osteoporosis International</i> , <b>2012</b> , 23, 1691-8	5.3	11
129	Audit and feedback: effects on professional obstetrical practice and healthcare outcomes in a university hospital. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2009</b> , 88, 793-800	3.8	11
128	Feticide does not modify duration of labor induction in cases of medical termination of pregnancy. <i>Fetal Diagnosis and Therapy</i> , <b>2008</b> , 23, 192-7	2.4	11
127	Curve of amniotic fluid index measurements in low-risk pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2007</b> , 86, 37-41	3.8	11
126	Effectiveness and safety of a new vaginal misoprostol product specifically labeled for cervical ripening and labor induction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2006</b> , 85, 706-11	3.8	11
125	Quality of Life after an Episode of Severe Maternal Morbidity: Evidence from a Cohort Study in Brazil. <i>BioMed Research International</i> , <b>2018</b> , 2018, 9348647	3	11
124	Computer-assisted telephone interviewing (CATI): using the telephone for obtaining information on reproductive health. <i>Cadernos De Saude Publica</i> , <b>2011</b> , 27, 1801-8	3.2	10



123	Area of Wharton's jelly as an estimate of the thickness of the umbilical cord and its relationship with estimated fetal weight. <i>Reproductive Health</i> , <b>2011</b> , 8, 32	3.5	10
122	Fetal cardiotocography before and after water aerobics during pregnancy. <i>Reproductive Health</i> , <b>2010</b> , 7, 23	3.5	10
121	The near-miss maternal morbidity scoring system was tested in a clinical setting in Brazil. <i>Journal of Clinical Epidemiology</i> , <b>2005</b> , 58, 962; author reply 962-3	5.7	10
120	Self-reported maternal morbidity and associated factors among Brazilian women. <i>Revista Da Associação Médica Brasileira</i> , <b>2008</b> , 54, 249-55	1.4	10
119	Factors associated with vaginal birth after previous cesarean section in Brazilian women. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , <b>2005</b> , 18, 107-13	4.1	10
118	Metabolomics applied to maternal and perinatal health: a review of new frontiers with a translation potential. <i>Clinics</i> , <b>2019</b> , 74, e894	2.3	9
117	Clinical and epidemiological factors associated with spontaneous preterm birth: a multicentre cohort of low risk nulliparous women. <i>Scientific Reports</i> , <b>2020</b> , 10, 855	4.9	9
116	Standard reference values for the shock index during pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , <b>2016</b> , 135, 11-5	4	9
115	SISPRENATAL as a tool for evaluating quality of prenatal care. <i>Revista De Saude Publica</i> , <b>2011</b> , 45, 854-64	4.4	9
114	Post-Traumatic Stress Disorder and severe maternal morbidity: is there an association?. <i>Clinics</i> , <b>2018</b> , 73, e309	2.3	9
113	Variations in reporting of outcomes in randomized trials on diet and physical activity in pregnancy: A systematic review. <i>Journal of Obstetrics and Gynaecology Research</i> , <b>2017</b> , 43, 1101-1110	1.9	8
112	Trace biomarkers associated with spontaneous preterm birth from the maternal serum metabolome of asymptomatic nulliparous women - parallel case-control studies from the SCOPE cohort. <i>Scientific Reports</i> , <b>2019</b> , 9, 13701	4.9	8
111	Exploring the Concept of Degrees of Maternal Morbidity as a Tool for Surveillance of Maternal Health in Latin American and Caribbean Settings. <i>BioMed Research International</i> , <b>2017</b> , 2017, 8271042	3	8
110	Management of pregnancy at and beyond 41 completed weeks of gestation in low-risk women: a secondary analysis of two WHO multi-country surveys on maternal and newborn health. <i>Reproductive Health</i> , <b>2017</b> , 14, 141	3.5	8
109	Case-control study of shock index among women who did and did not receive blood transfusions due to postpartum hemorrhage. <i>International Journal of Gynecology and Obstetrics</i> , <b>2018</b> , 140, 93-97	4	8
108	Reference ranges of the WHO Disability Assessment Schedule (WHODAS 2.0) score and diagnostic validity of its 12-item version in identifying altered functioning in healthy postpartum women. <i>International Journal of Gynecology and Obstetrics</i> , <b>2018</b> , 141 Suppl 1, 48-54	4	8
107	Methodological issues on planning and running the Brazilian Multicenter Study on Preterm Birth. <i>Scientific World Journal, The</i> , <b>2015</b> , 2015, 719104	2.2	8
106	Reference values for Doppler velocimetry of the ophthalmic and central retinal arteries in low-risk pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , <b>2012</b> , 117, 251-6	4	8

105	Sistemas de informação em saúde e monitoramento de morbidade materna grave e mortalidade materna. <i>Revista Brasileira De Saude Materno Infantil</i> , <b>2006</b> , 6, 161-168	0.3	8
104	Situational analysis of facilitators and barriers to availability and utilization of magnesium sulfate for eclampsia and severe preeclampsia in the public health system in Brazil. <i>BMC Pregnancy and Childbirth</i> , <b>2016</b> , 16, 254	3.2	8
103	Planning, Implementing, and Running a Multicentre Preterm Birth Study with Biobank Resources in Brazil: The Preterm SAMBA Study. <i>BioMed Research International</i> , <b>2019</b> , 2019, 5476350	3	7
102	Longitudinal reference intervals for Doppler velocimetric parameters of the fetal renal artery correlated with amniotic fluid index among low-risk pregnancies. <i>International Journal of Gynecology and Obstetrics</i> , <b>2015</b> , 131, 45-8	4	7
101	Robson Ten Group Classification System applied to women with severe maternal morbidity. <i>Birth</i> , <b>2015</b> , 42, 38-47	3.1	7
100	Outcomes associated with anaesthetic techniques for caesarean section in low- and middle-income countries: a secondary analysis of WHO surveys. <i>Scientific Reports</i> , <b>2020</b> , 10, 10176	4.9	7
99	The Burden of Indirect Causes of Maternal Morbidity and Mortality in the Process of Obstetric Transition: A Cross-Sectional Multicenter Study. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2018</b> , 40, 106-114	1.1	7
98	Developing strategies to be added to the protocol for antenatal care: an exercise and birth preparation program. <i>Clinics</i> , <b>2015</b> , 70, 231-6	2.3	7
97	A cluster randomized controlled trial to evaluate the effectiveness of the clinically integrated RHL evidence -based medicine course. <i>Reproductive Health</i> , <b>2010</b> , 7, 8	3.5	7
96	Intervenções benéficas durante o parto para a prevenção da mortalidade materna. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2005</b> , 27, 357-365	1.1	7
95	A randomized controlled trial on the use of pessary plus progesterone to prevent preterm birth in women with short cervical length (P5 trial). <i>BMC Pregnancy and Childbirth</i> , <b>2019</b> , 19, 442	3.2	7
94	General and reproductive health among women after an episode of severe maternal morbidity: Results from the COMMAG study. <i>International Journal of Gynecology and Obstetrics</i> , <b>2020</b> , 150, 83-91	4	7
93	Twin Pregnancy in Brazil: A Profile Analysis Exploring Population Information from the National Birth E-Registry on Live Births. <i>BioMed Research International</i> , <b>2018</b> , 2018, 9189648	3	7
92	Metabolomics for predicting fetal growth restriction: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , <b>2018</b> , 8, e022743	3	7
91	Validation of the 36-item version of the WHO Disability Assessment Schedule 2.0 (WHODAS 2.0) for assessing women's disability and functioning associated with maternal morbidity. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2017</b> , 39, 44-52	1.1	6
90	Cluster analysis identifying clinical phenotypes of preterm birth and related maternal and neonatal outcomes from the Brazilian Multicentre Study on Preterm Birth. <i>International Journal of Gynecology and Obstetrics</i> , <b>2019</b> , 146, 110-117	4	6
89	Analgesia during Labor and Vaginal Birth among Women with Severe Maternal Morbidity: Secondary Analysis from the WHO Multicountry Survey on Maternal and Newborn Health. <i>BioMed Research International</i> , <b>2019</b> , 2019, 7596165	3	6
88	Drug Use during Pregnancy and its Consequences: A Nested Case Control Study on Severe Maternal Morbidity. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2018</b> , 40, 518-526	1.1	6

87	Reference Ranges for Ultrasonographic Measurements of the Uterine Cervix in Low-Risk Pregnant Women. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2017</b> , 39, 443-452	1.1	6
86	Inter- and intra-observer variability in Sonographic measurements of the cross-sectional diameters and area of the umbilical cord and its vessels during pregnancy. <i>Reproductive Health</i> , <b>2008</b> , 5, 5	3.5	6
85	Hyaluronidase versus Foley catheter for cervical ripening in high-risk term and post term pregnancies. <i>International Journal of Gynecology and Obstetrics</i> , <b>2005</b> , 88, 258-64	4	6
84	Brazilian doctors' perspective on the second opinion strategy before a C-section. <i>Revista De Saude Publica</i> , <b>2006</b> , 40, 233-9	2.4	6
83	Mean arterial blood pressure: potential predictive tool for preeclampsia in a cohort of healthy nulliparous pregnant women. <i>BMC Pregnancy and Childbirth</i> , <b>2019</b> , 19, 460	3.2	6
82	Prediction of Severe Maternal Outcome Among Pregnant and Puerperal Women in Obstetric ICU. <i>Critical Care Medicine</i> , <b>2019</b> , 47, e136-e143	1.4	6
81	Exploring Epidemiological Aspects, Distribution of WHO Maternal Near Miss Criteria, and Organ Dysfunction Defined by SOFA in Cases of Severe Maternal Outcome Admitted to Obstetric ICU: A Cross-Sectional Study. <i>BioMed Research International</i> , <b>2018</b> , 2018, 5714890	3	6
80	Call to action for a South American network to fight COVID-19 in pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , <b>2020</b> , 150, 260-261	4	5
79	Use of Intensive Care Unit in Women with Severe Maternal Morbidity and Maternal Death: Results from a National Multicenter Study. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2020</b> , 42, 124-132	1.1	5
78	Impact of a nationwide study for surveillance of maternal near-miss on the quality of care provided by participating centers: a quantitative and qualitative approach. <i>BMC Pregnancy and Childbirth</i> , <b>2014</b> , 14, 122	3.2	5
77	Symphysis-fundal height curve in the diagnosis of fetal growth deviations. <i>Revista De Saude Publica</i> , <b>2010</b> , 44, 1031-8	2.4	5
76	685: Antioxidant therapy and PROM. <i>American Journal of Obstetrics and Gynecology</i> , <b>2007</b> , 197, S196	6.4	5
75	Validation study of the capacity of the reference curves of ultrasonographic measurements of the umbilical cord to identify deviations in estimated fetal weight. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2008</b> , 87, 286-91	3.8	5
74	Ability of shock index and heart rate to predict the percentage of body blood volume lost after vaginal delivery as an indicator of severity: results from a prospective cohort study. <i>Journal of Global Health</i> , <b>2019</b> , 9, 020432	4.3	5
73	Maternal near miss among women using the public health system in the Amazon and Northeast regions of Brazil. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , <b>2015</b> , 37, 232-8	4.1	5
72	Provider-initiated delivery, late preterm birth and perinatal mortality: a secondary analysis of the WHO multicountry survey on maternal and newborn health. <i>BMJ Global Health</i> , <b>2017</b> , 2, e000204	6.6	4
71	Identification of earlier predictors of pregnancy complications through wearable technologies in a Brazilian multicentre cohort: Maternal Actigraphy Exploratory Study I (MAES-I) study protocol. <i>BMJ Open</i> , <b>2019</b> , 9, e023101	3	4
70	Provision of intensive care to severely ill pregnant women is associated with reduced mortality: Results from the WHO Multicountry Survey on Maternal and Newborn Health. <i>International Journal of Gynecology and Obstetrics</i> , <b>2020</b> , 150, 346-353	4	4

69	Obstetrician's risk perception on the prescription of magnesium sulfate in severe preeclampsia and eclampsia: A qualitative study in Brazil. <i>PLoS ONE</i> , <b>2017</b> , 12, e0172602	3.7	4
68	New Approaches to Fetal Growth Restriction: The Time for Metabolomics Has Come. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2019</b> , 41, 454-462	1.1	4
67	Perspectives of professionals participating in the Brazilian Network for the Surveillance of Severe Maternal Morbidity regarding the implementation of routine surveillance: a qualitative study. <i>Reproductive Health</i> , <b>2014</b> , 11, 29	3.5	4
66	EXPERIENCE WITH THE BRAZILIAN NETWORK FOR STUDIES IN REPRODUCTIVE AND PERINATAL HEALTH: THE POWER OF COLLABORATION IN POSTGRADUATE PROGRAMS. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , <b>2015</b> , 42 Suppl 1, 89-93	0.5	4
65	Awareness about a life-threatening condition: ectopic pregnancy in a network for surveillance of severe maternal morbidity in Brazil. <i>BioMed Research International</i> , <b>2014</b> , 2014, 965724	3	4
64	Risk factors associated to fetal death. <i>Sao Paulo Medical Journal</i> , <b>1998</b> , 116, 1852-7	1.6	4
63	Building a Digital Tool for the Adoption of the World Health Organization's Antenatal Care Recommendations: Methodological Intersection of Evidence, Clinical Logic, and Digital Technology. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e16355	7.6	4
62	Fetal Hemodynamic Parameters in Low Risk Pregnancies: Doppler Velocimetry of Uterine, Umbilical, and Middle Cerebral Artery. <i>Scientific World Journal, The</i> , <b>2016</b> , 2016, 1693704	2.2	4
61	Impact of maternal education on response to lifestyle interventions to reduce gestational weight gain: individual participant data meta-analysis. <i>BMJ Open</i> , <b>2019</b> , 9, e025620	3	4
60	Ethnic differences in maternal near miss. <i>Archives of Gynecology and Obstetrics</i> , <b>2017</b> , 296, 1063-1070	2.5	3
59	Use of metabolomics for predicting spontaneous preterm birth in asymptomatic pregnant women: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , <b>2019</b> , 9, e026033	3	3
58	Maternal factors associated with hyperglycemia in pregnancy and perinatal outcomes: a Brazilian reference center cohort study. <i>Diabetology and Metabolic Syndrome</i> , <b>2020</b> , 12, 49	5.6	3
57	Maternal Work and Spontaneous Preterm Birth: A Multicenter Observational Study in Brazil. <i>Scientific Reports</i> , <b>2020</b> , 10, 9684	4.9	3
56	A Comprehensive Integrative Review of the Factors Associated with Spontaneous Preterm Birth, Its Prevention and Prediction, Including Metabolomic Markers. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2020</b> , 42, 51-60	1.1	3
55	Severe maternal morbidity and perinatal outcomes of multiple pregnancy in the Brazilian Network for the Surveillance of Severe Maternal Morbidity. <i>International Journal of Gynecology and Obstetrics</i> , <b>2017</b> , 139, 230-238	4	3
54	752: The impact of a history of previous preeclampsia (PE) on the risk of superimposed preeclampsia and adverse pregnancy outcome in patients with chronic hypertension (CHTN). <i>American Journal of Obstetrics and Gynecology</i> , <b>2009</b> , 201, S271	6.4	3
53	Pessary Plus Progesterone to Prevent Preterm Birth in Women With Short Cervixes: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , <b>2021</b> , 139,	4.9	3
52	The role of maternal infection in preterm birth: evidence from the Brazilian Multicentre Study on Preterm Birth (EMIP). <i>Clinics</i> , <b>2020</b> , 75, e1508	2.3	3

51	Perinatal outcomes from preterm and early term births in a multicenter cohort of low risk nulliparous women. <i>Scientific Reports</i> , <b>2020</b> , 10, 8508	4.9	3
50	Measurement of maternal functioning during pregnancy and postpartum: findings from the cross-sectional WHO pilot study in Jamaica, Kenya, and Malawi. <i>BMC Pregnancy and Childbirth</i> , <b>2020</b> , 20, 518	3.2	3
49	Approaching literature review for academic purposes: The Literature Review Checklist. <i>Clinics</i> , <b>2019</b> , 74, e1403	2.3	3
48	Long-Term Consequences of Severe Maternal Morbidity on Infant Growth and Development. <i>Maternal and Child Health Journal</i> , <b>2021</b> , 25, 487-496	2.4	3
47	Kinesio Taping for pain control during labor: Protocol of a randomized, controlled trial. <i>Australian Journal of Cancer Nursing</i> , <b>2017</b> , 19, 95-99	1.9	2
46	The SARS-CoV-2 pandemic scenario in Africa: What should be done to address the needs of pregnant women?. <i>International Journal of Gynecology and Obstetrics</i> , <b>2020</b> , 151, 468-470	4	2
45	Incidence and risk factors for hyperglycemia in pregnancy among nulliparous women: A Brazilian multicenter cohort study. <i>PLoS ONE</i> , <b>2020</b> , 15, e0232664	3.7	2
44	Maternal and perinatal outcomes and factors associated with twin pregnancies among preterm births: Evidence from the Brazilian Multicenter Study on Preterm Birth (EMIP). <i>International Journal of Gynecology and Obstetrics</i> , <b>2020</b> , 149, 184-191	4	2
43	Kinesiologic tape for labor pain control: Randomized controlled trial. <i>Physiotherapy Theory and Practice</i> , <b>2019</b> , 35, 614-621	1.5	2
42	Lessons from the Field Beyond the Numbers: Narratives of Professionals on Women who Experienced Severe Maternal Morbidity. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2019</b> , 41, 379-386 <sup>1.1</sup>		2
41	Evaluation of prenatal corticosteroid use in spontaneous preterm labor in the Brazilian Multicenter Study on Preterm Birth (EMIP). <i>International Journal of Gynecology and Obstetrics</i> , <b>2017</b> , 139, 222-229	4	2
40	Skin Color and Maternal Near Miss: Exploring a Demographic and Health Survey in Brazil. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2017</b> , 39, 209-216	1.1	2
39	Correction: Building a Digital Tool for the Adoption of the World Health Organization's Antenatal Care Recommendations: Methodological Intersection of Evidence, Clinical Logic, and Digital Technology. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e24891	7.6	2
38	Prognostic Value of an Estimate-of-Risk Model in Critically Ill Obstetric Patients in Brazil.. <i>Obstetrics and Gynecology</i> , <b>2022</b> , 139, 83-90	4.9	2
37	The effect of maternal near miss on adverse infant nutritional outcomes. <i>Clinics</i> , <b>2016</b> , 71, 593-599	2.3	2
36	Networks for studies on reproductive and perinatal health: Searching for a consensus. <i>International Journal of Gynecology and Obstetrics</i> , <b>2020</b> , 148, 344-354	4	2
35	EviSIP: using evidence to change practice through mentorship - an innovative experience for reproductive health in the Latin American and Caribbean regions. <i>Global Health Action</i> , <b>2020</b> , 13, 1811482	3	2
34	Ultrasound Measurements of Fetal Thyroid: Reference Ranges from a Cohort of Low-Risk Pregnant Women. <i>BioMed Research International</i> , <b>2019</b> , 2019, 9524378	3	2



33	Analgesia for vaginal birth: Secondary analysis from the WHO Multicountry Survey on Maternal and Newborn Health. <i>International Journal of Gynecology and Obstetrics</i> , <b>2021</b> , 152, 401-408	4	2
32	Availability of facility resources and services and infection-related maternal outcomes in the WHO Global Maternal Sepsis Study: a cross-sectional study. <i>The Lancet Global Health</i> , <b>2021</b> , 9, e1252-e1261	13.6	2
31	Preeclampsia among women with COVID-19 during pregnancy and its impact on maternal and perinatal outcomes: Results from a national multicenter study on COVID in Brazil, the REBRACO initiative.. <i>Pregnancy Hypertension</i> , <b>2022</b> , 28, 168-173	2.6	2
30	Evaluating vaginal-delivery rates after previous cesarean delivery using the Robson 10-group classification system at a tertiary center in Brazil. <i>International Journal of Gynecology and Obstetrics</i> , <b>2017</b> , 136, 354-355	4	1
29	Skin Color and Severe Maternal Outcomes: Evidence from the Brazilian Network for Surveillance of Severe Maternal Morbidity. <i>BioMed Research International</i> , <b>2019</b> , 2019, 2594343	3	1
28	Postpartum Women's Perspectives on the Donation of Placentas for Scientific Research in Campinas, Brazil. <i>Journal of Empirical Research on Human Research Ethics</i> , <b>2015</b> , 10, 76-87	1.6	1
27	Postpartum psychoactive substance abuse after severe maternal morbidity. <i>International Journal of Gynecology and Obstetrics</i> , <b>2019</b> , 147, 368-374	4	1
26	Multidimensional assessment of women after severe maternal morbidity: the COMMAG cohort study. <i>BMJ Open</i> , <b>2020</b> , 10, e041138	3	1
25	Overall Maternal Morbidity during Pregnancy Identified with the WHO-WOICE Instrument. <i>BioMed Research International</i> , <b>2020</b> , 2020, 9740232	3	1
24	Near miss materno - entendendo e aplicando o conceito <b>2018</b> , 97, 187	0.1	1
23	"Babies born early?" - silences about prematurity and their consequences. <i>Reproductive Health</i> , <b>2018</b> , 15, 154	3.5	1
22	Tocolysis among Women with Preterm Birth: Associated Factors and Outcomes from a Multicenter Study in Brazil. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2018</b> , 40, 171-179	1.1	1
21	Resilience and Stress during Pregnancy: A Comprehensive Multidimensional Approach in Maternal and Perinatal Health. <i>Scientific World Journal, The</i> , <b>2021</b> , 2021, 9512854	2.2	1
20	Perinatal outcomes among births to women with infection during pregnancy. <i>Archives of Disease in Childhood</i> , <b>2021</b> , 106, 946-953	2.2	1
19	Metabolomics for predicting hyperglycemia in pregnancy: a protocol for a systematic review and potential meta-analysis. <i>Systematic Reviews</i> , <b>2019</b> , 8, 218	3	0
18	Antenatal corticosteroid therapy modulates hepatic AMPK phosphorylation and maternal lipid metabolism in early lactating rats. <i>Biomedicine and Pharmacotherapy</i> , <b>2021</b> , 144, 112355	7.5	0
17	Risk stratification for small for gestational age for the Brazilian population: a secondary analysis of the Birth in Brazil study. <i>Scientific Reports</i> , <b>2020</b> , 10, 14725	4.9	0
16	Profile of calories and nutrients intake in a Brazilian multicenter study of nulliparous women. <i>International Journal of Gynecology and Obstetrics</i> , <b>2022</b> , 156, 34-41	4	0



15	Proposal of MUAC as a fast tool to monitor pregnancy nutritional status: results from a cohort study in Brazil. <i>BMJ Open</i> , <b>2021</b> , 11, e047463	3	o
14	Reference ranges for ultrasound measurements of fetal kidneys in a cohort of low-risk pregnant women. <i>Archives of Gynecology and Obstetrics</i> , <b>2019</b> , 299, 585-591	2.5	o
13	Women's well-being and functioning after evidence-based antenatal care: a protocol for a systematic review of intervention studies. <i>BMJ Open</i> , <b>2021</b> , 11, e042667	3	o
12	Facing the COVID-19 pandemic inside maternities in Brazil: A mixed-method study within the REBRACO initiative. <i>PLoS ONE</i> , <b>2021</b> , 16, e0254977	3.7	o
11	The food patterns of a multicenter cohort of Brazilian nulliparous pregnant women. <i>Scientific Reports</i> , <b>2021</b> , 11, 15554	4.9	o
10	Brazilian network of COVID-19 during pregnancy (REBRACO: a multicentre study protocol).. <i>BMJ Open</i> , <b>2021</b> , 11, e051284	3	o
9	Metabolomics for prediction of hypertension in pregnancy: a systematic review and meta-analysis protocol <b>2020</b> , 10, e040652		o
8	Prediction of pregnancy-related hypertensive disorders using metabolomics: a systematic review.. <i>BMJ Open</i> , <b>2022</b> , 12, e054697	3	o
7	Health systems analysis and evaluation of the barriers to availability, utilisation and readiness of sexual and reproductive health services in COVID-19-affected areas: a WHO mixed-methods study protocol. <i>BMJ Open</i> , <b>2022</b> , 12, e057810	3	o
6	Powerful evidence on HELLP syndrome from a routine health database. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2020</b> , 127, 1199	3.7	
5	STRATEGIES IN SEARCHING HOMOGENEITY IN A FACULTY OF A POSTGRADUATE PROGRAM. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , <b>2015</b> , 42 Suppl 1, 83-6	0.5	
4	Perinatal Outcomes and Factors Associated with Ethnic Group in cases of Preterm Birth: the Multicenter Study on Preterm Birth in Brazil. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , <b>2021</b> , 43, 811-819	1.1	
3	Metabolomics for prediction of hypertension in pregnancy: a systematic review and meta-analysis protocol. <i>BMJ Open</i> , <b>2020</b> , 10, e040652	3	
2	Beliefs and misbeliefs about current interventions during labor and delivery in Brazil. <i>Cadernos De Saude Publica</i> , <b>2014</b> , 30 Suppl 1, S17-8	3.2	
1	Fetal and neonatal growth restriction: new criteria, renew challenges. <i>Journal of Pediatrics</i> , <b>2018</b> , 203, 462-463	3.6	