

# Yoshitaka Kaneita

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7797459/publications.pdf>

Version: 2024-02-01

99  
papers

4,360  
citations

196777

29  
h-index

129628

63  
g-index

106  
all docs

106  
docs citations

106  
times ranked

6145  
citing authors

#	ARTICLE	IF	CITATIONS
1	Awareness, Attitudes, and Concerns Regarding Heated Tobacco Products Among Physicians in Japan. <i>Journal of Epidemiology</i> , 2023, 33, 441-449.	1.1	4
2	A cross-sectional epidemiological study of the relationship between sleep duration, quality, and rhythm and presenteeism in workers. <i>Sleep and Biological Rhythms</i> , 2022, 20, 53-63.	0.5	7
3	Association between nighttime urinary frequency and sleep problems among Japanese adolescents. <i>International Journal of Urology</i> , 2022, 29, 152-157.	0.5	2
4	Associations Between the 2011 Great East Japan Earthquake and Tsunami and the Sleep and Mental Health of Japanese People: A 3-Wave Repeated Survey. <i>Nature and Science of Sleep</i> , 2022, Volume 14, 61-73.	1.4	6
5	The validity and reliability of the Japanese version of RU-SATED. <i>Sleep Medicine</i> , 2022, 91, 109-114.	0.8	6
6	Associations between Coping Profile and Work Performance in a Cohort of Japanese Employees. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4806.	1.2	3
7	Psychometric Properties of a New Simplified Scale to Assess the Quality of Workers' Rest and Recreation on Their Days Off. <i>Yonago Acta Medica</i> , 2021, 64, 67-79.	0.3	0
8	Trends in sleep problems and patterns among Japanese adolescents: 2004 to 2017. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 9, 100107.	1.3	12
9	Clarifying the factors affecting the implementation of the "early to bed, early to rise, and don't forget your breakfast" campaign aimed at adolescents in Japan. <i>Sleep and Biological Rhythms</i> , 2021, 19, 325-336.	0.5	3
10	A nationwide cross-sectional study of difficulty waking up for school among adolescents. <i>Sleep</i> , 2021, 44, .	0.6	1
11	The association between Internet usage and sleep problems among Japanese adolescents: three repeated cross-sectional studies. <i>Sleep</i> , 2021, 44, .	0.6	16
12	A Nationwide Cohort Study of Parasomnias Among Adolescents. <i>Journal of Clinical Psychiatry</i> , 2021, 82, .	1.1	1
13	Trends in the co-use of alcohol and tobacco among Japanese adolescents: periodical nationwide cross-sectional surveys 1996-2017. <i>BMJ Open</i> , 2021, 11, e045063.	0.8	8
14	Associations between coping strategies and insomnia: a longitudinal study of Japanese workers. <i>Sleep</i> , 2021, , .	0.6	3
15	Effectiveness of Screening and Brief Alcohol Intervention at the Workplace: A Study Protocol for a Randomized Controlled Trial at Five Japan-Based Companies. <i>Yonago Acta Medica</i> , 2021, 64, 330-338.	0.3	1
16	A school-based sleep hygiene education program for adolescents in Japan: a large-scale comparative intervention study. <i>Sleep and Biological Rhythms</i> , 2020, 18, 27-36.	0.5	10
17	Association between reduced serum BDNF levels and insomnia with short sleep duration among female hospital nurses. <i>Sleep Medicine</i> , 2020, 68, 167-172.	0.8	26
18	A composite measure of sleep health is associated with symptoms of depression among Japanese female hospital nurses. <i>Comprehensive Psychiatry</i> , 2020, 97, 152151.	1.5	27

#	ARTICLE	IF	CITATIONS
19	Association between Typus melancholicus and depressive symptoms: A Japanese general population survey. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 672-673.	1.0	2
20	Skipping breakfast, poor sleep quality, and Internet usage and their relation with unhappiness in Japanese adolescents. <i>PLoS ONE</i> , 2020, 15, e0235252.	1.1	6
21	Relationship between internet addiction and sleep disturbance in high school students: a cross-sectional study. <i>BMC Pediatrics</i> , 2020, 20, 379.	0.7	17
22	Gender differences in dietary behaviors among Japanese adolescents. <i>Preventive Medicine Reports</i> , 2020, 20, 101203.	0.8	8
23	The relationship between subjective happiness and sleep problems in Japanese adolescents. <i>Sleep Medicine</i> , 2020, 69, 120-126.	0.8	27
24	Factors Associated with the Development of Childhood Asthma in Japan: A Nationwide Longitudinal Study. <i>Maternal and Child Health Journal</i> , 2020, 24, 911-922.	0.7	8
25	Heat-not-burn tobacco, electronic cigarettes, and combustible cigarette use among Japanese adolescents: a nationwide population survey 2017. <i>BMC Public Health</i> , 2020, 20, 741.	1.2	18
26	Stress-Coping Strategies and Factors Related Distress among Japanese Physicians. <i>Iranian Journal of Public Health</i> , 2020, 49, 1387-1389.	0.3	0
27	Relationship between Internet Addiction and Poor Mental Health among Japanese Adolescents. <i>Iranian Journal of Public Health</i> , 2020, 49, 2069-2077.	0.3	1
28	Sleep disturbance is associated with not only shorter sleep duration, but also longer time in bed: a Japanese general population survey. <i>Sleep and Biological Rhythms</i> , 2019, 17, 407-415.	0.5	6
29	Association between unhealthy dietary behaviors and sleep disturbances among Japanese adolescents: a nationwide representative survey. <i>Sleep and Biological Rhythms</i> , 2019, 17, 93-102.	0.5	27
30	Factors Related to Alcohol Consumption Among Japanese Physicians. <i>Asia-Pacific Journal of Public Health</i> , 2018, 30, 296-306.	0.4	8
31	Sleep-related factors associated with industrial accidents among factory workers and sleep hygiene education intervention. <i>Sleep and Biological Rhythms</i> , 2018, 16, 239-251.	0.5	13
32	Unhealthy lifestyle factors and depressive symptoms: A Japanese general adult population survey. <i>Journal of Affective Disorders</i> , 2018, 234, 156-161.	2.0	26
33	Long sleep duration and health outcomes: A systematic review, meta-analysis and meta-regression. <i>Sleep Medicine Reviews</i> , 2018, 39, 25-36.	3.8	464
34	The association between sleep disturbance and second-hand smoke exposure: a large-scale, nationwide, cross-sectional study of adolescents in Japan. <i>Sleep Medicine</i> , 2018, 50, 29-35.	0.8	29
35	Stressful events and coping strategies associated with symptoms of depression: A Japanese general population survey. <i>Journal of Affective Disorders</i> , 2018, 238, 482-488.	2.0	33
36	Longitudinal Epidemiologic Study of Poor Mental Health Status in Japanese Adolescents. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	1.1	4

#	ARTICLE	IF	CITATIONS
37	The association between alcohol use and problematic internet use: A large-scale nationwide cross-sectional study of adolescents in Japan. <i>Journal of Epidemiology</i> , 2017, 27, 107-111.	1.1	48
38	Short sleep duration, shift work, and actual days taken off work are predictive life-style risk factors for new-onset metabolic syndrome: a seven-year cohort study of 40,000 male workers. <i>Sleep Medicine</i> , 2017, 39, 87-94.	0.8	60
39	Relationship between stress coping and sleep disorders among the general Japanese population: a nationwide representative survey. <i>Sleep Medicine</i> , 2017, 37, 38-45.	0.8	43
40	Short sleep duration and health outcomes: a systematic review, meta-analysis, and meta-regression. <i>Sleep Medicine</i> , 2017, 32, 246-256.	0.8	710
41	Nightmares and sleep paralysis among the general Japanese population: a nationwide representative survey. <i>Sleep and Biological Rhythms</i> , 2017, 16, 187.	0.5	1
42	An Aggregate Measure of Sleep Health Is Associated With Prevalent and Incident Clinically Significant Depression Symptoms Among Community-Dwelling Older Women. <i>Sleep</i> , 2017, 40, .	0.6	78
43	Predictors of insomnia onset in adolescents in Japan. <i>Sleep Medicine</i> , 2017, 38, 37-43.	0.8	16
44	An Epidemiological Study on Psychosocial Factors Associated with Depression among Japanese General Adult Population. <i>Journal of the Nihon University Medical Association</i> , 2016, 75, 81-87.	0.0	0
45	The Association Between Alcohol-Flavoured Non-Alcoholic Beverages and Alcohol Use in Japanese Adolescents. <i>Alcohol and Alcoholism</i> , 2016, 52, 351-357.	0.9	3
46	The association between shift work and health: a review. <i>Sleep and Biological Rhythms</i> , 2016, 14, 231-239.	0.5	13
47	Nationwide epidemiological study of insomnia in Japan. <i>Sleep Medicine</i> , 2016, 25, 130-138.	0.8	57
48	Association Between Smoking and Problematic Internet Use Among Japanese Adolescents: Large-Scale Nationwide Epidemiological Study. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2016, 19, 557-561.	2.1	25
49	Factors influencing adherence to nasal continuous positive airway pressure in obstructive sleep apnea patients in Japan. <i>Sleep and Biological Rhythms</i> , 2016, 14, 339-349.	0.5	3
50	Internet use and problematic Internet use among adolescents in Japan: A nationwide representative survey. <i>Addictive Behaviors Reports</i> , 2016, 4, 58-64.	1.0	70
51	Efficacy of sleep education program based on principles of cognitive behavioral therapy to alleviate workers'™ distress. <i>Sleep and Biological Rhythms</i> , 2016, 14, 211-219.	0.5	10
52	Napping and associated factors: a Japanese nationwide general population survey. <i>Sleep Medicine</i> , 2016, 20, 72-79.	0.8	38
53	Anger and Impulsivity Among Japanese Adolescents. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e860-e866.	1.1	11
54	Irritable bowel syndrome among Japanese adolescents: A nationally representative survey. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 1354-1360.	1.4	19

#	ARTICLE	IF	CITATIONS
55	Association of short sleep duration and short time in bed with depression: A Japanese general population survey. <i>Sleep and Biological Rhythms</i> , 2015, 13, 136-145.	0.5	38
56	Prevalence of fatigue symptoms and correlations in the general adult population. <i>Sleep and Biological Rhythms</i> , 2015, 13, 146-154.	0.5	17
57	Epidemiological study of the associations between sleep complaints and metabolic syndrome in Japan. <i>Sleep and Biological Rhythms</i> , 2014, 12, 269-278.	0.5	27
58	Excessive daytime sleepiness among pregnant women: An epidemiological study. <i>Sleep and Biological Rhythms</i> , 2014, 12, 12-21.	0.5	4
59	Sleep and Health Promotion. <i>Sleep and Biological Rhythms</i> , 2014, 12, 73-73.	0.5	2
60	Sleep environments of Japanese adolescents: An epidemiological study. <i>Sleep and Biological Rhythms</i> , 2014, 12, 116-126.	0.5	1
61	Factors Affecting Unhappiness at School among Japanese Adolescents: An Epidemiological Study. <i>PLoS ONE</i> , 2014, 9, e111844.	1.1	15
62	Disorders of arousal and sleep-related bruxism among Japanese adolescents: a nationwide representative survey. <i>Sleep Medicine</i> , 2013, 14, 532-541.	0.8	31
63	Associations between sleep disturbance and alcohol drinking: A large-scale epidemiological study of adolescents in Japan. <i>Alcohol</i> , 2013, 47, 619-628.	0.8	29
64	Associations of Work Hours and Actual Availability of Weekly Rest Days with Cardiovascular Risk Factors. <i>Journal of Occupational Health</i> , 2013, 55, 11-20.	1.0	19
65	Prescription hypnotics and associated background factors in a large-scale Japanese database. <i>Sleep and Biological Rhythms</i> , 2012, 10, 319-327.	0.5	5
66	The association between sleep problems and perceived health status: A Japanese nationwide general population survey. <i>Sleep Medicine</i> , 2012, 13, 831-837.	0.8	72
67	Clarification of the factor structure of the 12-item General Health Questionnaire among Japanese adolescents and associated sleep status. <i>Psychiatry Research</i> , 2011, 188, 138-146.	1.7	38
68	Nightmare and sleep paralysis among Japanese adolescents: A nationwide representative survey. <i>Sleep Medicine</i> , 2011, 12, 56-64.	0.8	82
69	Association of onset of obesity with sleep duration and shift work among Japanese adults. <i>Sleep Medicine</i> , 2011, 12, 341-345.	0.8	82
70	The Association between Use of Mobile Phones after Lights Out and Sleep Disturbances among Japanese Adolescents: A Nationwide Cross-Sectional Survey. <i>Sleep</i> , 2011, 34, 1013-1020.	0.6	254
71	Stress coping behaviors and sleep hygiene practices in a sample of Japanese adults with insomnia. <i>Sleep and Biological Rhythms</i> , 2011, 9, 35-45.	0.5	11
72	New onset and natural remission of excessive daytime sleepiness and its correlates among high-school students. <i>Sleep and Biological Rhythms</i> , 2011, 9, 117-126.	0.5	1

#	ARTICLE	IF	CITATIONS
73	Association of Current Work and Sleep Situations with Excessive Daytime Sleepiness and Medical Incidents among Japanese Physicians. <i>Journal of Clinical Sleep Medicine</i> , 2011, 07, 512-522.	1.4	23
74	Insomnia symptoms associated with hyperglycemia. <i>Sleep and Biological Rhythms</i> , 2010, 8, 203-211.	0.5	5
75	Excessive daytime sleepiness and sleep behavior among Japanese adolescents: A nation-wide representative survey. <i>Sleep and Biological Rhythms</i> , 2010, 8, 282-294.	0.5	10
76	Association between Depression and Insomnia Subtypes: A Longitudinal Study on the Elderly in Japan. <i>Sleep</i> , 2010, 33, 1693-1702.	0.6	149
77	Epidemiological study of smoking among Japanese physicians. <i>Preventive Medicine</i> , 2010, 51, 164-167.	1.6	11
78	Decrease in the Prevalence of Adolescent Alcohol Use and its Possible Causes in Japan: Periodical Nationwide Cross-sectional Surveys. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 247-254.	1.4	31
79	Epidemiological study of nightmare and sleep paralysis among Japanese adolescents. <i>Sleep and Biological Rhythms</i> , 2009, 7, 201-210.	0.5	17
80	Coping strategies and their correlates with depression in the Japanese general population. <i>Psychiatry Research</i> , 2009, 168, 57-66.	1.7	63
81	Associations between sleep disturbance and mental health status: A longitudinal study of Japanese junior high school students. <i>Sleep Medicine</i> , 2009, 10, 780-786.	0.8	118
82	Decrease in the prevalence of smoking among Japanese adolescents and its possible causes: periodic nationwide cross-sectional surveys. <i>Environmental Health and Preventive Medicine</i> , 2008, 13, 219-226.	1.4	21
83	Prevalence of restless legs syndrome with pregnancy and the relationship with sleep disorders in the Japanese large population. <i>Sleep and Biological Rhythms</i> , 2008, 6, 102-109.	0.5	22
84	Associations of Usual Sleep Duration with Serum Lipid and Lipoprotein Levels. <i>Sleep</i> , 2008, 31, 645-652.	0.6	198
85	Is Passive Smoking Associated With Sleep Disturbance Among Pregnant Women?. <i>Sleep</i> , 2007, , .	0.6	0
86	Use of alcohol and hypnotic medication as aids to sleep among the Japanese general population. <i>Sleep Medicine</i> , 2007, 8, 723-732.	0.8	69
87	Prevalence of smoking and associated factors among pregnant women in Japan. <i>Preventive Medicine</i> , 2007, 45, 15-20.	1.6	39
88	Association Between Mental Health Status and Sleep Status Among Adolescents in Japan. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1426-1435.	1.1	118
89	Epidemiological study on passive smoking among Japanese infants and smoking behavior of their respective parents: A nationwide cross-sectional survey. <i>Preventive Medicine</i> , 2006, 42, 210-217.	1.6	19
90	Insomnia Among Japanese Adolescents: A Nationwide Representative Survey. <i>Sleep</i> , 2006, 29, 1543-1550.	0.6	114

#	ARTICLE	IF	CITATIONS
91	Epidemiological study of the relationship between sleep disturbances and somatic and psychological complaints among the Japanese general population. <i>Sleep and Biological Rhythms</i> , 2006, 4, 55-62.	0.5	22
92	The Relationship Between Depression and Sleep Disturbances. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 196-203.	1.1	184
93	Excessive Daytime Sleepiness among the Japanese General Population. <i>Journal of Epidemiology</i> , 2005, 15, 1-8.	1.1	118
94	Relation of smoking and drinking to sleep disturbance among Japanese pregnant women. <i>Preventive Medicine</i> , 2005, 41, 877-882.	1.6	35
95	An Epidemiologic Study of Self-Reported Sleep Problems among Japanese Adolescents. <i>Sleep</i> , 2004, 27, 978-985.	0.6	139
96	Hepatitis C virus is frequently coinfecting with serum marker-negative hepatitis B virus: Probable replication promotion of the former by the latter as demonstrated by in vitro cotransfection. , 1997, 52, 399-405.		63
97	Longitudinal epidemiological study of subjective sleep quality in Japanese adolescents to investigate predictors of poor sleep quality. <i>Sleep and Biological Rhythms</i> , 0, , 1.	0.5	3
98	The Japanese Youth Version of the Smartphone Addiction Scale Among the Youth in Japan: Reliability and Validity Assessment. <i>International Journal of Mental Health and Addiction</i> , 0, , 1.	4.4	3
99	Association of insomnia symptoms and non-restorative sleep with <i>Typus melancholicus</i> : a Japanese general population survey. <i>Sleep and Biological Rhythms</i> , 0, , 1.	0.5	0