

Fem Murtagh

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7798243/fem-murtagh-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139
papers

6,133
citations

38
h-index

74
g-index

161
ext. papers

7,670
ext. citations

4.4
avg, IF

5.87
L-index

#	Paper	IF	Citations
139	The prevalence of symptoms in end-stage renal disease: a systematic review. <i>Advances in Chronic Kidney Disease</i> , 2007 , 14, 82-99	4.7	538
138	Dialysis or not? A comparative survival study of patients over 75 years with chronic kidney disease stage 5. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 1955-62	4.3	420
137	Preferences for place of death if faced with advanced cancer: a population survey in England, Flanders, Germany, Italy, the Netherlands, Portugal and Spain. <i>Annals of Oncology</i> , 2012 , 23, 2006-2015	10.3	330
136	How many people will need palliative care in 2040? Past trends, future projections and implications for services. <i>BMC Medicine</i> , 2017 , 15, 102	11.4	254
135	Executive summary of the KDIGO Controversies Conference on Supportive Care in Chronic Kidney Disease: developing a roadmap to improving quality care. <i>Kidney International</i> , 2015 , 88, 447-59	9.9	250
134	How many people need palliative care? A study developing and comparing methods for population-based estimates. <i>Palliative Medicine</i> , 2014 , 28, 49-58	5.5	220
133	Symptoms in advanced renal disease: a cross-sectional survey of symptom prevalence in stage 5 chronic kidney disease managed without dialysis. <i>Journal of Palliative Medicine</i> , 2007 , 10, 1266-76	2.2	183
132	Trajectories of kidney function decline in the 2 years before initiation of long-term dialysis. <i>American Journal of Kidney Diseases</i> , 2012 , 59, 513-22	7.4	165
131	Patterns of dying: palliative care for non-malignant disease. <i>Clinical Medicine</i> , 2004 , 4, 39-44	1.9	141
130	What is the impact of population ageing on the future provision of end-of-life care? Population-based projections of place of death. <i>Palliative Medicine</i> , 2018 , 32, 329-336	5.5	127
129	Capture, transfer, and feedback of patient-centered outcomes data in palliative care populations: does it make a difference? A systematic review. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, 611-24	4.8	119
128	Understanding symptoms in patients with advanced chronic kidney disease managed without dialysis: use of a short patient-completed assessment tool. <i>Nephron Clinical Practice</i> , 2009 , 111, c74-80		114
127	Comparative pilot study of symptoms and quality of life in cancer patients and patients with end stage renal disease. <i>Palliative Medicine</i> , 2006 , 20, 631-6	5.5	106
126	The challenges of uncertainty and interprofessional collaboration in palliative care for non-cancer patients in the community: a systematic review of views from patients, carers and health-care professionals. <i>Palliative Medicine</i> , 2014 , 28, 1081-98	5.5	105
125	A brief, patient- and proxy-reported outcome measure in advanced illness: Validity, reliability and responsiveness of the Integrated Palliative care Outcome Scale (IPOS). <i>Palliative Medicine</i> , 2019 , 33, 1045-1057 ⁹¹	5.5	91
124	Symptoms in the month before death for stage 5 chronic kidney disease patients managed without dialysis. <i>Journal of Pain and Symptom Management</i> , 2010 , 40, 342-52	4.8	86
123	How to routinely collect data on patient-reported outcome and experience measures in renal registries in Europe: an expert consensus meeting. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1605-14 ³	4.3	84

122	The effectiveness and cost-effectiveness of inpatient specialist palliative care in acute hospitals for adults with advanced illness and their caregivers. <i>The Cochrane Library</i> ,	5.2	78
121	Discovering the hidden benefits of cognitive interviewing in two languages: The first phase of a validation study of the Integrated Palliative care Outcome Scale. <i>Palliative Medicine</i> , 2016 , 30, 599-610	5.5	75
120	Trajectories of illness in stage 5 chronic kidney disease: a longitudinal study of patient symptoms and concerns in the last year of life. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 1580-90	6.9	75
119	End-stage renal disease: a new trajectory of functional decline in the last year of life. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 304-8	5.6	73
118	Supportive Care: Comprehensive Conservative Care in End-Stage Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016 , 11, 1909-1914	6.9	71
117	How does uncertainty shape patient experience in advanced illness? A secondary analysis of qualitative data. <i>Palliative Medicine</i> , 2017 , 31, 171-180	5.5	69
116	Understanding by older patients of dialysis and conservative management for chronic kidney failure. <i>American Journal of Kidney Diseases</i> , 2015 , 65, 443-50	7.4	69
115	The value of cognitive interviewing techniques in palliative care research. <i>Palliative Medicine</i> , 2007 , 21, 87-93	5.5	66
114	Symptom management for the adult patient dying with advanced chronic kidney disease: a review of the literature and development of evidence-based guidelines by a United Kingdom Expert Consensus Group. <i>Palliative Medicine</i> , 2009 , 23, 103-10	5.5	65
113	Social and clinical determinants of preferences and their achievement at the end of life: prospective cohort study of older adults receiving palliative care in three countries. <i>BMC Geriatrics</i> , 2017 , 17, 271	4.1	58
112	A Systematic Review of the Use of the Palliative Care Outcome Scale and the Support Team Assessment Schedule in Palliative Care. <i>Journal of Pain and Symptom Management</i> , 2015 , 50, 842-53.e19	4.8	54
111	Socioeconomic position and use of healthcare in the last year of life: A systematic review and meta-analysis. <i>PLoS Medicine</i> , 2019 , 16, e1002782	11.6	53
110	Patient and health care professional decision-making to commence and withdraw from renal dialysis: a systematic review of qualitative research. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 1201-15	6.9	53
109	How common are palliative care needs among older people who die in the emergency department?. <i>Emergency Medicine Journal</i> , 2011 , 28, 491-5	1.5	50
108	Episodic and continuous breathlessness: a new categorization of breathlessness. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 1019-29	4.8	49
107	A framework for complexity in palliative care: A qualitative study with patients, family carers and professionals. <i>Palliative Medicine</i> , 2018 , 32, 1078-1090	5.5	43
106	Development of a caregiver-reported measure to support systematic assessment of people with dementia in long-term care: The Integrated Palliative care Outcome Scale for Dementia. <i>Palliative Medicine</i> , 2017 , 31, 651-660	5.5	42
105	Episodes of breathlessness: types and patterns - a qualitative study exploring experiences of patients with advanced diseases. <i>Palliative Medicine</i> , 2013 , 27, 524-32	5.5	42

104	Funding models in palliative care: Lessons from international experience. <i>Palliative Medicine</i> , 2017 , 31, 296-305	5.5	41
103	The gap between policy and practice: a systematic review of patient-centred care interventions in chronic heart failure. <i>Heart Failure Reviews</i> , 2015 , 20, 673-87	5	40
102	Conservative care for ESRD in the United Kingdom: a national survey. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 120-6	6.9	38
101	Understanding What Influences the Health-Related Quality of Life of Hemodialysis Patients: A Collaborative Study in England and Ireland. <i>Journal of Pain and Symptom Management</i> , 2015 , 50, 778-85	4.8	38
100	Using routine data to improve palliative and end of life care. <i>BMJ Supportive and Palliative Care</i> , 2016 , 6, 257-62	2.2	38
99	Conservative Management and End-of-Life Care in an Australian Cohort with ESRD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016 , 11, 2195-2203	6.9	38
98	The need for palliative care in Ireland: a population-based estimate of palliative care using routine mortality data, inclusive of nonmalignant conditions. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, 726-733.e1	4.8	35
97	Palliative care for advanced renal disease: a summary of the evidence and future direction. <i>Palliative Medicine</i> , 2013 , 27, 817-21	5.5	34
96	Feasibility and acceptability of a patient-reported outcome intervention in chronic heart failure. <i>BMJ Supportive and Palliative Care</i> , 2017 , 7, 470-479	2.2	33
95	To be involved or not to be involved: a survey of public preferences for self-involvement in decision-making involving mental capacity (competency) within Europe. <i>Palliative Medicine</i> , 2013 , 27, 418-27	5.5	33
94	How integrated are neurology and palliative care services? Results of a multicentre mapping exercise. <i>BMC Neurology</i> , 2016 , 16, 63	3.1	33
93	The conceptual models and mechanisms of action that underpin advance care planning for cancer patients: A systematic review of randomised controlled trials. <i>Palliative Medicine</i> , 2019 , 33, 5-23	5.5	32
92	Influences on Care Preferences of Older People with Advanced Illness: A Systematic Review and Thematic Synthesis. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 1031-1039	5.6	31
91	Thinking ahead--the need for early Advance Care Planning for people on haemodialysis: A qualitative interview study. <i>Palliative Medicine</i> , 2015 , 29, 443-50	5.5	31
90	Health-related quality-of-life outcome measures in paediatric palliative care: A systematic review of psychometric properties and feasibility of use. <i>Palliative Medicine</i> , 2016 , 30, 935-949	5.5	30
89	Evaluation and ethical review of a tool to explore patient preferences for information and involvement in decision making. <i>Journal of Medical Ethics</i> , 2006 , 32, 311-5	2.5	30
88	Dialysis discontinuation: quo vadis?. <i>Advances in Chronic Kidney Disease</i> , 2007 , 14, 379-401	4.7	29
87	Measuring health-related quality of life in patients with conservatively managed stage 5 chronic kidney disease: limitations of the Medical Outcomes Study Short Form 36: SF-36. <i>Quality of Life Research</i> , 2016 , 25, 2799-2809	3.7	28

86	International variation in classification of dialysis withdrawal: a systematic review. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 625-35	4.3	28
85	Does advance care planning in addition to usual care reduce hospitalisation for patients with advanced heart failure: A systematic review and narrative synthesis. <i>Palliative Medicine</i> , 2018 , 32, 1539-1551	5.5	28
84	The development and piloting of the REnal specific Advanced Communication Training (REACT) programme to improve Advance Care Planning for renal patients. <i>Palliative Medicine</i> , 2014 , 28, 360-6	5.5	27
83	Understanding how a palliative-specific patient-reported outcome intervention works to facilitate patient-centred care in advanced heart failure: A qualitative study. <i>Palliative Medicine</i> , 2018 , 32, 143-155	5.5	27
82	The "no dialysis" option. <i>Advances in Chronic Kidney Disease</i> , 2011 , 18, 443-9	4.7	25
81	End-of-life care in end-stage renal disease: renal and palliative care. <i>British Journal of Nursing</i> , 2006 , 15, 8-11	0.7	25
80	Symptom burden and associated factors in renal transplant patients in the U.K. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, 229-38	4.8	24
79	"I Can Breathe Again!" Patients' Self-Management Strategies for Episodic Breathlessness in Advanced Disease, Derived From Qualitative Interviews. <i>Journal of Pain and Symptom Management</i> , 2016 , 52, 228-34	4.8	24
78	Validation of the IPOS-Renal Symptom Survey in Advanced Kidney Disease: A Cross-sectional Study. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 281-287	4.8	24
77	Towards person-centred care for people living with HIV: what core outcomes matter, and how might we assess them? A cross-national multi-centre qualitative study with key stakeholders. <i>HIV Medicine</i> , 2019 , 20, 542-554	2.7	23
76	Qualitative research methods in renal medicine: an introduction. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1424-31	4.3	23
75	A national study of practice patterns in UK renal units in the use of dialysis and conservative kidney management to treat people aged 75 years and over with chronic kidney failure. <i>Health Services and Delivery Research</i> , 2015 , 3, 1-186	1.5	23
74	'Necessity is the mother of invention': Specialist palliative care service innovation and practice change in response to COVID-19. Results from a multinational survey (CovPall). <i>Palliative Medicine</i> , 2021 , 35, 814-829	5.5	23
73	Symptom management in patients with established renal failure managed without dialysis. <i>Journal of Renal Care</i> , 2006 , 32, 93-8		22
72	Patient empowerment, what does it mean for adults in the advanced stages of a life-limiting illness: A systematic review using critical interpretive synthesis. <i>Palliative Medicine</i> , 2018 , 32, 1288-1304	5.5	22
71	Characterizing episodic breathlessness in patients with advanced disease. <i>Journal of Palliative Medicine</i> , 2013 , 16, 1275-9	2.2	21
70	Symptoms and Concerns Among Children and Young People with Life-Limiting and Life-Threatening Conditions: A Systematic Review Highlighting Meaningful Health Outcomes. <i>Patient</i> , 2019 , 12, 15-55	3.7	21
69	Perspectives of patients, family caregivers and health professionals on the use of outcome measures in palliative care and lessons for implementation: a multi-method qualitative study. <i>Annals of Palliative Medicine</i> , 2018 , 7, S137-S150	1.7	21

68	Advance Care Planning With Patients Who Have End-Stage Kidney Disease: A Systematic Realist Review. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 795-807.e18	4.8	20
67	Time to Improve Informed Consent for Dialysis: An International Perspective. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 1001-1009	6.9	19
66	Development of a core outcome set for disease modification trials in mild to moderate dementia: a systematic review, patient and public consultation and consensus recommendations. <i>Health Technology Assessment</i> , 2017 , 21, 1-192	4.4	19
65	Supporting patients with uncertain recovery: the use of the AMBER care bundle in an acute hospital. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, 95-8	2.2	17
64	Identification of patients with potential palliative care needs: A systematic review of screening tools in primary care. <i>Palliative Medicine</i> , 2020 , 34, 989-1005	5.5	17
63	GPs' views on managing advanced chronic kidney disease in primary care: a qualitative study. <i>British Journal of General Practice</i> , 2015 , 65, e469-77	1.6	16
62	Finding a 'new normal' following acute illness: A qualitative study of influences on frail older people's care preferences. <i>Palliative Medicine</i> , 2019 , 33, 301-311	5.5	16
61	Health-related quality of life and well-being in people over 75 years of age with end-stage kidney disease managed with dialysis or comprehensive conservative care: a cross-sectional study in the UK and Australia. <i>BMJ Open</i> , 2019 , 9, e027776	3	15
60	Phase of illness in palliative care: Cross-sectional analysis of clinical data from community, hospital and hospice patients. <i>Palliative Medicine</i> , 2018 , 32, 404-412	5.5	15
59	Establishing key criteria to define and compare models of specialist palliative care: A mixed-methods study using qualitative interviews and Delphi survey. <i>Palliative Medicine</i> , 2019 , 33, 1114-1124	5.5	15
58	Managing uncertain recovery for patients nearing the end of life in hospital: a mixed-methods feasibility cluster randomised controlled trial of the AMBER care bundle. <i>Trials</i> , 2019 , 20, 506	2.8	14
57	Taking patient and public involvement online: qualitative evaluation of an online forum for palliative care and rehabilitation research. <i>Research Involvement and Engagement</i> , 2018 , 4, 14	4.4	14
56	Which outcome domains are important in palliative care and when? An international expert consensus workshop, using the nominal group technique. <i>Palliative Medicine</i> , 2019 , 33, 1058-1068	5.5	13
55	Managing cancer pain at the end of life with multiple strong opioids: a population-based retrospective cohort study in primary care. <i>PLoS ONE</i> , 2014 , 9, e79266	3.7	13
54	Considerations on equity in management of end-stage kidney disease in low- and middle-income countries. <i>Kidney International Supplements</i> , 2020 , 10, e63-e71	6.3	12
53	Systematic review of pharmacological therapies for the management of ischaemic pain in patients with non-reconstructable critical limb ischaemia. <i>BMJ Supportive and Palliative Care</i> , 2018 , 8, 400-410	2.2	12
52	Understanding patterns and factors associated with place of death in patients with end-stage kidney disease: A retrospective cohort study. <i>Palliative Medicine</i> , 2017 , 31, 283-288	5.5	12
51	National survey of the current provision of specialist palliative care services for patients with end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 1275-81	4.3	12

50	Conservative (non dialytic) management of end-stage renal disease and withdrawal of dialysis. <i>Progress in Palliative Care</i> , 2009 , 17, 179-185	1	12
49	What are the main palliative care symptoms and concerns of older people with multimorbidity?-a comparative cross-sectional study using routinely collected Phase of Illness, Australia-modified Karnofsky Performance Status and Integrated Palliative Care Outcome Scale data. <i>Annals of Palliative Medicine</i> , 2018 , 7, S164-S175	1.7	12
48	Development of a Patient-Reported Palliative Care-Specific Health Classification System: The POS-E. <i>Patient</i> , 2017 , 10, 353-365	3.7	11
47	The Effects of Opioids on Cognition in Older Adults With Cancer and Chronic Noncancer Pain: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 871-893.e1	4.8	11
46	Survival among older adults with kidney failure is better in the first three years with chronic dialysis treatment than not. <i>Kidney International</i> , 2018 , 94, 582-588	9.9	11
45	Screening for depression in advanced disease: psychometric properties, sensitivity, and specificity of two items of the Palliative Care Outcome Scale (POS). <i>Journal of Pain and Symptom Management</i> , 2015 , 49, 277-88	4.8	10
44	Changes in mortality patterns and place of death during the COVID-19 pandemic: A descriptive analysis of mortality data across four nations. <i>Palliative Medicine</i> , 2021 , 35, 1975-1984	5.5	10
43	The views and experiences of older people with conservatively managed renal failure: a qualitative study of communication, information and decision-making. <i>BMC Nephrology</i> , 2019 , 20, 38	2.7	9
42	A review of specialist palliative care provision and access across London - mapping the capital. <i>London Journal of Primary Care</i> , 2017 , 9, 33-37		9
41	Capturing activity, costs, and outcomes: The challenges to be overcome for successful economic evaluation in palliative care. <i>Progress in Palliative Care</i> , 2013 , 21, 232-235	1	9
40	Understanding usual care in randomised controlled trials of complex interventions: A multi-method approach. <i>Palliative Medicine</i> , 2020 , 34, 667-679	5.5	8
39	Development and validation of a casemix classification to predict costs of specialist palliative care provision across inpatient hospice, hospital and community settings in the UK: a study protocol. <i>BMJ Open</i> , 2018 , 8, e020071	3	8
38	How common are palliative care needs among older people who die in the emergency department?. <i>BMJ Supportive and Palliative Care</i> , 2011 , 1, 184-8	2.2	8
37	A systematic review of the effectiveness of palliative interventions to treat rectal tenesmus in cancer. <i>Palliative Medicine</i> , 2017 , 31, 975-981	5.5	7
36	What are the main symptoms and concerns reported by patients with advanced chronic heart failure?-a secondary analysis of the Palliative care Outcome Scale (POS) and Integrated Palliative care Outcome Scale (IPOS). <i>Annals of Palliative Medicine</i> , 2019 , 8, 775-780	1.7	7
35	The AMBER care bundle for hospital inpatients with uncertain recovery nearing the end of life: the ImproveCare feasibility cluster RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-150	4.4	7
34	Implementing person-centred outcome measures in palliative care: An exploratory qualitative study using Normalisation Process Theory to understand processes and context. <i>Palliative Medicine</i> , 2021 , 35, 397-407	5.5	7
33	Quality of life among caregivers of people with end-stage kidney disease managed with dialysis or comprehensive conservative care. <i>BMC Nephrology</i> , 2020 , 21, 160	2.7	6

32	Understanding and addressing challenges for advance care planning in the COVID-19 pandemic: An analysis of the UK CovPall survey data from specialist palliative care services. <i>Palliative Medicine</i> , 2021 , 35, 1225-1237	5.5	6
31	Specialist palliative care services response to ethnic minority groups with COVID-19: equal but inequitable-an observational study. <i>BMJ Supportive and Palliative Care</i> , 2021 ,	2.2	6
30	Invisible and intangible illness: a qualitative interview study of patients' experiences and understandings of conservatively managed end-stage kidney disease. <i>Annals of Palliative Medicine</i> , 2019 , 8, 121-129	1.7	5
29	Prescribing Non-Opioid Drugs in End-Stage Kidney Disease. <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 776-787	4.8	5
28	The challenges of caring for people dying from COVID-19: a multinational, observational study of palliative and hospice services (CovPall)		5
27	Development of a core outcome set to use in the research and assessment of malignant bowel obstruction: protocol for the RAMBO study. <i>BMJ Open</i> , 2020 , 10, e039154	3	4
26	The development and cognitive testing of the positive outcomes HIV PROM: a brief novel patient-reported outcome measure for adults living with HIV. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 214	3	4
25	Experiences of staff providing specialist palliative care during COVID-19: a multiple qualitative case study.. <i>Journal of the Royal Society of Medicine</i> , 2022 , 1410768221077366	2.3	4
24	Living and dying with COPD. End of life trajectories across conditions. <i>BMJ, The</i> , 2011 , 342, d989	5.9	4
23	“Necessity is the mother of invention” Specialist palliative care service innovation and practice change in response to COVID-19. Results from a multi-national survey (CovPall)		4
22	Virtual models of care for people with palliative care needs living in their own home: A systematic meta-review and narrative synthesis. <i>Palliative Medicine</i> , 2021 , 35, 1385-1406	5.5	4
21	Towards person-centred quality care for children with life-limiting and life-threatening illness: Self-reported symptoms, concerns and priority outcomes from a multi-country qualitative study. <i>Palliative Medicine</i> , 2020 , 34, 319-335	5.5	3
20	Strategies to address the shortcomings of commonly used advanced chronic heart failure descriptors to improve recruitment in palliative care research: A parallel mixed-methods feasibility study. <i>Palliative Medicine</i> , 2018 , 32, 517-524	5.5	3
19	Understanding and addressing challenges for Advance Care Planning in the COVID-19 pandemic: An analysis of the UK CovPall survey data from specialist palliative care services		3
18	Prohibit, protect, or adapt? The changing role of volunteers in palliative and hospice care services during the COVID-19 pandemic. A multinational survey (CovPall)		3
17	Patients' views on care and their association with outcomes in palliative care. <i>Palliative Medicine</i> , 2019 , 33, 467-469	5.5	2
16	Palliative and end of life needs in dialysis patients. <i>Seminars in Dialysis</i> , 2008 , 21, 196	2.5	2
15	Palliative care for management of small-cell lung cancer. <i>Lancet, The</i> , 2006 , 367, 474	4.0	2

14	Understanding the impact of the Covid-19 pandemic on delivery of rehabilitation in specialist palliative care services: An analysis of the CovPall-Rehab survey data		2
13	Understanding the impact of the Covid-19 pandemic on delivery of rehabilitation in specialist palliative care services: An analysis of the CovPall-Rehab survey data.. <i>Palliative Medicine</i> , 2021 , 26921632211063397	5.5	3
12	Reply to: MASCC/ESMO consensus recommendations for the management of nausea and vomiting in advanced cancer. <i>Supportive Care in Cancer</i> , 2017 , 25, 2989-2990	3.9	1
11	The effectiveness and cost-effectiveness of inpatient specialist palliative care in acute hospitals for adults with advanced illness and their caregivers 2015 ,		1
10	Palliative medicine in the intensive care unit: needs, delivery, quality. <i>BMJ Supportive and Palliative Care</i> , 2021 ,	2.2	1
9	Improving caring quality for people with dementia in nursing homes using IPOS-Dem: A stepped-wedge cluster randomized controlled trial protocol. <i>Journal of Advanced Nursing</i> , 2021 , 77, 4234-4245 ¹	2.1	1
8	Symptom burden and lived experiences of patients, caregivers and healthcare professionals on the management of malignant bowel obstruction: A qualitative systematic review.. <i>Palliative Medicine</i> , 2022 , 2692163221081331	5.5	1
7	Hospital-based specialist palliative care compared with usual care for adults with advanced illness and their caregivers: a systematic review. <i>Health Services and Delivery Research</i> , 2021 , 9, 1-218	1.5	0
6	Experiences of transitioning between settings of care from the perspectives of patients with advanced illness receiving specialist palliative care and their family caregivers: A qualitative interview study. <i>Palliative Medicine</i> , 2021 , 26921632211043371	5.5	0
5	PWE-119 Complex symptom burden and unmet need in end-stage liver disease. <i>Gut</i> , 2015 , 64, A264.2-A265.2	2.6	2
4	End-of-Life Care219-236		
3	A longitudinal cohort study of symptoms and other concerns among Nigerian people with stages 3-5 chronic kidney diseases: study protocol. <i>Annals of Palliative Medicine</i> , 2019 , 8, 190-198	1.7	
2	End of life care for infants, children and young people (ENHANCE): Protocol for a mixed methods evaluation of current practice in the United Kingdom. <i>NIHR Open Research</i> , 2021 , 2, 37		
1	Face and content validity, acceptability, feasibility, and implementability of a novel outcome measure for children with life-limiting or life-threatening illness in three sub-Saharan African countries. <i>Palliative Medicine</i> , 2021 , 26921632210995	5.5	