

# Delphine Cappelle

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7798701/publications.pdf>

Version: 2024-02-01

23  
papers

554  
citations

623734  
14  
h-index

677142  
22  
g-index

23  
all docs

23  
docs citations

23  
times ranked

642  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ethyl glucuronide and alcohol abstinence: A correlation study in hair and fingernails to establish a cut-off value in fingernails for teetotalers. <i>Forensic Science International</i> , 2022, 335, 111278.	2.2	2
2	Diagnostic Accuracy of Biomarkers of Alcohol Use in Patients With Liver Disease: A Systematic Review. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 25-37.	2.4	26
3	Automated antibody identification using the Bio-Rad IH-AbID software. <i>Transfusion and Apheresis Science</i> , 2019, 58, 32-33.	1.0	0
4	Sub-picomolar quantification of PTH 1-34 in plasma by UHPLC-MS/MS after subcutaneous injection of teriparatide and identification of PTH 1-33, its degradation product. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019, 166, 205-212.	2.8	3
5	Lower Limbic Metabotropic Glutamate Receptor 5 Availability in Alcohol Dependence. <i>Journal of Nuclear Medicine</i> , 2018, 59, 682-690.	5.0	27
6	Keratinous matrices for the assessment of drugs of abuse consumption: A correlation study between hair and nails. <i>Drug Testing and Analysis</i> , 2018, 10, 1110-1118.	2.6	22
7	Assessment of ethyl sulphate in hair as a marker for alcohol consumption using liquid chromatography-tandem mass spectrometry. <i>Drug Testing and Analysis</i> , 2018, 10, 1566-1572.	2.6	8
8	Hair ethyl glucuronide concentrations in teetotalers: Should we re-evaluate the lower cut-off?. <i>Forensic Science International</i> , 2017, 274, 107-108.	2.2	12
9	A straightforward, validated liquid chromatography coupled to tandem mass spectrometry method for the simultaneous detection of nine drugs of abuse and their metabolites in hair and nails. <i>Analytica Chimica Acta</i> , 2017, 960, 101-109.	5.4	23
10	Ethyl glucuronide in keratinous matrices as biomarker of alcohol use: A correlation study between hair and nails. <i>Forensic Science International</i> , 2017, 279, 187-191.	2.2	25
11	Influence of Body Mass Index on Hair Ethyl Glucuronide Concentrations. <i>Alcohol and Alcoholism</i> , 2017, 52, 19-23.	1.6	16
12	Kinetic modeling and long-term test-retest reproducibility of the mGluR5 PET tracer <sup>18</sup> F-FPEB in human brain. <i>Synapse</i> , 2016, 70, 153-162.	1.2	18
13	Ethyl glucuronide concentrations in hair: a controlled alcohol-dosing study in healthy volunteers. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 2019-2025.	3.7	16
14	Ethyl glucuronide in nails: method validation, influence of decontamination and pulverization, and particle size evaluation. <i>Forensic Toxicology</i> , 2016, 34, 158-165.	2.4	5
15	Ethyl glucuronide in hair of non-excessive alcohol consumers: correlations and gender influence. <i>Forensic Toxicology</i> , 2016, 34, 186-190.	2.4	8
16	Hair ethyl glucuronide and serum carbohydrate deficient transferrin for the assessment of relapse in alcohol-dependent patients. <i>Clinical Biochemistry</i> , 2016, 49, 554-559.	1.9	13
17	Gas chromatographic determination of ethyl glucuronide in hair: Comparison between tandem mass spectrometry and single quadrupole mass spectrometry. <i>Forensic Science International</i> , 2015, 249, 20-24.	2.2	29
18	Nail analysis for the detection of drugs of abuse and pharmaceuticals: a review. <i>Forensic Toxicology</i> , 2015, 33, 12-36.	2.4	55

#	ARTICLE	IF	CITATIONS
19	Influence of repeated permanent coloring and bleaching on ethyl glucuronide concentrations in hair from alcohol-dependent patients. <i>Forensic Science International</i> , 2015, 247, 18-22.	2.2	31
20	Advances in detection of antipsychotics in biological matrices. <i>Clinica Chimica Acta</i> , 2015, 441, 11-22.	1.1	45
21	Combining Serum Carbohydrate-Deficient Transferrin and Hair Ethyl Glucuronide to Provide Optimal Information on Alcohol Use. <i>Clinical Chemistry</i> , 2014, 60, 1347-1348.	3.2	12
22	Hair ethyl glucuronide levels as a marker for alcohol use and abuse: A review of the current state of the art. <i>Drug and Alcohol Dependence</i> , 2014, 134, 1-11.	3.2	120
23	Hair ethyl glucuronide as a biomarker of alcohol consumption in alcohol-dependent patients: Role of gender differences. <i>Drug and Alcohol Dependence</i> , 2014, 141, 163-166.	3.2	38