

# Paul E Brenchley

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7799011/publications.pdf>

Version: 2024-02-01

61  
papers

4,186  
citations

279487

23  
h-index

149479

56  
g-index

62  
all docs

62  
docs citations

62  
times ranked

4538  
citing authors

#	ARTICLE	IF	CITATIONS
1	Peptide <sc>GAM</sc> immunoabsorption in <sc>anti-PLA<sub>2</sub>R</sc> positive autoimmune membranous nephropathy. The <sc>PRISM</sc> trial. Journal of Clinical Apheresis, 2022, 37, 40-53.	0.7	3
2	Structure of PLA2R reveals presentation of the dominant membranous nephropathy epitope and an immunogenic patch. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	3.3	10
3	HLA-D and PLA2R1 risk alleles associate with recurrent primary membranous nephropathy in kidney transplant recipients. Kidney International, 2021, 99, 671-685.	2.6	24
4	Identification of a Locus on the X Chromosome Linked to Familial Membranous Nephropathy. Kidney International Reports, 2021, 6, 1669-1676.	0.4	3
5	The investigative burden of membranous nephropathy in the UK. CKJ: Clinical Kidney Journal, 2020, 13, 27-34.	1.4	6
6	The genetic architecture of membranous nephropathy and its potential to improve non-invasive diagnosis. Nature Communications, 2020, 11, 1600.	5.8	120
7	The anti-PLA2R antibody in membranous nephropathy: what we know and what remains a decade after its discovery. Kidney International, 2019, 96, 1292-1302.	2.6	97
8	Primary Membranous Nephropathy as a Model of Autoimmune Disease. , 2019, , .		0
9	Genetics of membranous nephropathy. Nephrology Dialysis Transplantation, 2018, 33, 1493-1502.	0.4	22
10	Rituximab versus the modified Ponticelli regimen in the treatment of primary membranous nephropathy: a Health Economic Model. Nephrology Dialysis Transplantation, 2018, 33, 2145-2155.	0.4	15
11	Peptide GAM immunoabsorption therapy in primary membranous nephropathy (PRISM): Phase II trial investigating the safety and feasibility of peptide GAM immunoabsorption in anti-PLA<sub>2</sub>R positive primary membranous nephropathy. Journal of Clinical Apheresis, 2018, 33, 283-290.	0.7	10
12	Genetic risk variants for membranous nephropathy: extension of and association with other chronic kidney disease aetiologies. Nephrology Dialysis Transplantation, 2017, 32, 325-332.	0.4	63
13	Membranous nephropathy: integrating basic science into improved clinical management. Kidney International, 2017, 91, 566-574.	2.6	160
14	Membranous nephropathy: thinking through the therapeutic options. Nephrology Dialysis Transplantation, 2017, 32, i22-i29.	0.4	35
15	PLA2R binds to the annexin A2-S100A10 complex in human podocytes. Scientific Reports, 2017, 7, 6876.	1.6	22
16	Time to recovery from haemodialysis : location, intensity and beyond. Nephrology, 2016, 21, 1017-1026.	0.7	11
17	Healthcare decision-making in end stage renal disease-patient preferences and clinical correlates. BMC Nephrology, 2015, 16, 189.	0.8	19
18	Self-Cannulation for Haemodialysis: Patient Attributes, Clinical Correlates and Self-Cannulation Predilection Models. PLoS ONE, 2015, 10, e0125606.	1.1	7

#	ARTICLE	IF	CITATIONS
19	A Study to Inform the Design of a National Multicentre Randomised Controlled Trial to Evaluate If Reducing Serum Phosphate to Normal Levels Improves Clinical Outcomes including Mortality, Cardiovascular Events, Bone Pain, or Fracture in Patients on Dialysis. <i>International Journal of Nephrology</i> , 2015, 2015, 1-12.	0.7	5
20	FP123RESULTS OF SURVEY ON MANAGEMENT OF MEMBRANOUS NEPHROPATHY IN UNITED KINGDOM *ON BEHALF OF UK MN RADAR STEERING GROUP. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii108-iii108.	0.4	2
21	FP424COMPARISON OF TWO FGF23 ELISA KITS. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii211-iii212.	0.4	0
22	FP432TREATMENT WITH ORAL PHOSPHATE BINDERS TO A LOW TARGET PHOSPHATE DECREASES FGF23 LEVELS IN DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii215-iii215.	0.4	0
23	Acute Arteriovenous Access Failure: Long-Term Outcomes of Endovascular Salvage and Assessment of Co-Variates Affecting Patency. <i>Nephron</i> , 2015, 129, 241-246.	0.9	11
24	Genetic Polymorphisms and Peritoneal Membrane Function. <i>Peritoneal Dialysis International</i> , 2015, 35, 517-529.	1.1	12
25	A Multicenter Randomized Controlled Trial of Rituximab versus Cyclosporine in the Treatment of Idiopathic Membranous Nephropathy (MENTOR). <i>Nephron</i> , 2015, 130, 159-168.	0.9	49
26	Prospective controlled pilot study of arteriovenous fistula placement using the novel Optiflow device. <i>Journal of Vascular Surgery</i> , 2015, 61, 1020-1025.	0.6	27
27	rhErythropoietin-b as a tissue protective agent in kidney transplantation: a pilot randomized controlled trial. <i>BMC Research Notes</i> , 2015, 8, 21.	0.6	8
28	Identification of a Major Epitope Recognized by PLA2R Autoantibodies in Primary Membranous Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 302-313.	3.0	185
29	Global Analysis Reveals the Complexity of the Human Glomerular Extracellular Matrix. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 939-951.	3.0	158
30	Towards radiological diagnosis of abdominal adhesions based on motion signatures derived from sequences of cine-MRI images. <i>Physica Medica</i> , 2014, 30, 437-447.	0.4	11
31	Association of Anti-PLA2R Antibodies with Outcomes after Immunosuppressive Therapy in Idiopathic Membranous Nephropathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 1386-1392.	2.2	152
32	The genetic contribution to recurrent autoimmune nephritis. <i>Transplantation Reviews</i> , 2014, 28, 140-144.	1.2	1
33	Transforming growth factor $\beta$ 2-induced peritoneal fibrosis is mouse strain dependent*. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 2015-2027.	0.4	27
34	Anti-PLA2R antibodies measured by ELISA predict long-term outcome in a prevalent population of patients with idiopathic membranous nephropathy. <i>Kidney International</i> , 2013, 83, 940-948.	2.6	287
35	Barriers to successful implementation of care in home haemodialysis (BASIC-HHD):1. Study design, methods and rationale. <i>BMC Nephrology</i> , 2013, 14, 197.	0.8	18
36	The role of mouse strain differences in the susceptibility to fibrosis: a systematic review. <i>Fibrogenesis and Tissue Repair</i> , 2013, 6, 18.	3.4	110

#	ARTICLE	IF	CITATIONS
37	Subcutaneous interstitial pressure and volume characteristics in renal impairment associated with edema. <i>Kidney International</i> , 2013, 84, 980-988.	2.6	46
38	Phospholipase A2 Receptor (PLA2R1) Sequence Variants in Idiopathic Membranous Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 677-683.	3.0	108
39	Proof-of-principle study to detect metabolic changes in peritoneal dialysis effluent in patients who develop encapsulating peritoneal sclerosis. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2502-2510.	0.4	23
40	Antiphospholipase A2 Receptor Antibody Titer and Subclass in Idiopathic Membranous Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 1735-1743.	3.0	270
41	Development of Novel Single-Stranded Nucleic Acid Aptamers against the Pro-Angiogenic and Metastatic Enzyme Heparanase (HPSE1). <i>PLoS ONE</i> , 2012, 7, e37938.	1.1	22
42	Genetically Distinct Subsets within ANCA-Associated Vasculitis. <i>New England Journal of Medicine</i> , 2012, 367, 214-223.	13.9	820
43	Reverse iontophoresis of urea in health and chronic kidney disease: a potential diagnostic and monitoring tool?. <i>European Journal of Clinical Investigation</i> , 2012, 42, 840-847.	1.7	15
44	Measuring the thickness of the peritoneal membrane in mice with optical coherence tomography. <i>Proceedings of SPIE</i> , 2011, , .	0.8	0
45	Initial Observations using a Novel "Cine" Magnetic Resonance Imaging Technique to Detect Changes in Abdominal Motion Caused by Encapsulating Peritoneal Sclerosis. <i>Peritoneal Dialysis International</i> , 2011, 31, 287-290.	1.1	19
46	A Modified in vivo Flow Variation Technique of Microdialysis for Sampling Uremic Toxins in the Subcutaneous Interstitial Compartment. <i>Blood Purification</i> , 2011, 32, 96-103.	0.9	7
47	Risk HLA-DQA1 and PLA <sub>2</sub> R1 Alleles in Idiopathic Membranous Nephropathy. <i>New England Journal of Medicine</i> , 2011, 364, 616-626.	13.9	442
48	Immunosuppression Is Essential for Successful Allogeneic Transplantation of the Metanephros. <i>Transplantation</i> , 2009, 88, 151-159.	0.5	14
49	Development and functional capacity of transplanted rat metanephroi. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 871-879.	0.4	21
50	The Emergence of Networks in Human Genome Epidemiology. <i>Epidemiology</i> , 2007, 18, 1-8.	1.2	102
51	A road map for efficient and reliable human genome epidemiology. <i>Nature Genetics</i> , 2006, 38, 3-5.	9.4	244
52	Association of the VEGF Gene With Proliferative Diabetic Retinopathy But Not Proteinuria in Diabetes. <i>Diabetes</i> , 2004, 53, 861-864.	0.3	170
53	Mechanisms of disease: angiogenesis, vascular endothelial growth factor (VEGF) and psoriasis. <i>Journal of the American Academy of Dermatology</i> , 2004, 50, P146.	0.6	3
54	Inhibition of chronic vascular rejection by donor-specific blood transfusion is associated with a reduction in transforming growth factor- $\beta$ 1 expression. <i>Transplantation</i> , 2002, 73, 1573-1581.	0.5	7

#	ARTICLE	IF	CITATIONS
55	Recent Approaches to Understanding Clinical Glomerular Disease. <i>Renal Failure</i> , 1996, 18, 705-709.	0.8	0
56	Urinary C5b-9 excretion and clinical course in idiopathic human membranous nephropathy. <i>Kidney International</i> , 1995, 48, 1953-1958.	2.6	51
57	Urinary C3dg and C5b-9 indicate active immune disease in human membranous nephropathy. <i>Kidney International</i> , 1992, 41, 933-937.	2.6	72
58	Detection of anti-epithelial cell antibodies in association with pediatric renal transplant failure using a novel microcytotoxicity assay. <i>Tissue Antigens</i> , 1991, 37, 152-155.	1.0	16
59	Some factors affecting the quantitation of rheumatoid factors by enzyme immunoassay. <i>Journal of Immunological Methods</i> , 1983, 65, 343-350.	0.6	4
60	Frequent elevation of tissue polypeptide antigen in the sera of workers exposed to bladder carcinogens. <i>International Journal of Cancer</i> , 1978, 22, 542-545.	2.3	18
61	Connective-Tissue Glycoconjugates of Bovine Tendon and Skin. <i>Biochemical Society Transactions</i> , 1977, 5, 431-433.	1.6	2