Elisabeth Naschberger

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7799289/elisabeth-naschberger-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84 2,902 29 52 g-index

104 3,657 7-3 4-43 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
84	Pleural Resident Macrophages and Pleural IRA B Cells Promote Efficient Immunity Against Pneumonia by Inducing Early Pleural Space Inflammation <i>Frontiers in Immunology</i> , 2022 , 13, 821480	8.4	O
83	Patients with COVID-19: in the dark-NETs of neutrophils. Cell Death and Differentiation, 2021, 28, 3125	-312. 9	61
82	Protein tyrosine phosphatase nonreceptor type 2 controls colorectal cancer development. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	4
81	Matricellular Protein SPARCL1 Regulates Blood Vessel Integrity and Antagonizes Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2021 , 27, 1491-1502	4.5	2
80	Interleukin-3 is a predictive marker for severity and outcome during SARS-CoV-2 infections. <i>Nature Communications</i> , 2021 , 12, 1112	17.4	18
79	Angiocrine Regulation of Epithelial Barrier Integrity in Inflammatory Bowel Disease. <i>Frontiers in Medicine</i> , 2021 , 8, 643607	4.9	5
78	Melanocytes as emerging key players in niche regulation of limbal epithelial stem cells. <i>Ocular Surface</i> , 2021 , 22, 172-189	6.5	4
77	Neutrophil extracellular traps drive epithelial-mesenchymal transition of human colon cancer <i>Journal of Pathology</i> , 2021 ,	9.4	4
76	Cytokine-Induced Guanylate Binding Protein 1 (GBP1) Release from Human Ovarian Cancer Cells. <i>Cancers</i> , 2020 , 12,	6.6	4
75	Investigating Intestinal Barrier Breakdown in Living Organoids. <i>Journal of Visualized Experiments</i> , 2020 ,	1.6	2
74	Species-, organ- and cell-type-dependent expression of SPARCL1 in human and mouse tissues. <i>PLoS ONE</i> , 2020 , 15, e0233422	3.7	5
73	Vascular occlusion by neutrophil extracellular traps in COVID-19. EBioMedicine, 2020, 58, 102925	8.8	210
72	Mycobacterial Cord Factor Reprograms the Macrophage Response to IFN-Itowards Enhanced Inflammation yet Impaired Antigen Presentation and Expression of GBP1. <i>Journal of Immunology</i> , 2020 , 205, 1580-1592	5.3	3
71	Species-, organ- and cell-type-dependent expression of SPARCL1 in human and mouse tissues 2020 , 15, e0233422		
70	Species-, organ- and cell-type-dependent expression of SPARCL1 in human and mouse tissues 2020 , 15, e0233422		
69	Species-, organ- and cell-type-dependent expression of SPARCL1 in human and mouse tissues 2020 , 15, e0233422		
68	Species-, organ- and cell-type-dependent expression of SPARCL1 in human and mouse tissues 2020 , 15, e0233422		

67	PU.1 controls fibroblast polarization and tissue fibrosis. <i>Nature</i> , 2019 , 566, 344-349	50.4	67
66	Non-professional phagocytosis: a general feature of normal tissue cells. <i>Scientific Reports</i> , 2019 , 9, 1187	'5 4.9	28
65	IFN-ldrives inflammatory bowel disease pathogenesis through VE-cadherin-directed vascular barrier disruption. <i>Journal of Clinical Investigation</i> , 2019 , 129, 4691-4707	15.9	54
64	Permeability analyses and three dimensional imaging of interferon gamma-induced barrier disintegration in intestinal organoids. <i>Stem Cell Research</i> , 2019 , 35, 101383	1.6	18
63	Soluble intercellular adhesion molecule-1 is a prognostic marker in colorectal carcinoma. <i>International Journal of Colorectal Disease</i> , 2019 , 34, 309-317	3	8
62	Gintegrin serves as a novel serum tumor marker for colorectal carcinoma. <i>International Journal of Cancer</i> , 2019 , 145, 678-685	7.5	15
61	Isolation of Human Endothelial Cells from Normal Colon and Colorectal Carcinoma - An Improved Protocol. <i>Journal of Visualized Experiments</i> , 2018 ,	1.6	3
60	A model of chronic enthesitis and new bone formation characterized by multimodal imaging. <i>DMM Disease Models and Mechanisms</i> , 2018 , 11,	4.1	7
59	IFN-Eresponse mediator GBP-1 represses human cell proliferation by inhibiting the Hippo signaling transcription factor TEAD. <i>Biochemical Journal</i> , 2018 , 475, 2955-2967	3.8	9
58	Processing and secretion of guanylate binding protein-1 depend on inflammatory caspase activity. Journal of Cellular and Molecular Medicine, 2017 , 21, 1954-1966	5.6	9
57	Efficacy of aflibercept (EYLEA) on inhibition of human VEGF in vitro. <i>Annals of Anatomy</i> , 2017 , 211, 135-	1239	3
56	Usability and Suitability of the Omics-Integrating Analysis Platform tranSMART for Translational Research and Education. <i>Applied Clinical Informatics</i> , 2017 , 8, 1173-1183	3.1	6
55	Matricellular protein SPARCL1 regulates tumor microenvironment-dependent endothelial cell heterogeneity in colorectal carcinoma. <i>Journal of Clinical Investigation</i> , 2016 , 126, 4187-4204	15.9	43
54	Identification of Predictive Markers for Response to Neoadjuvant Chemoradiation in Rectal Carcinomas by Proteomic Isotope Coded Protein Label (ICPL) Analysis. <i>International Journal of Molecular Sciences</i> , 2016 , 17, 209	6.3	15
53	Pathophysiological role of guanylate-binding proteins in gastrointestinal diseases. <i>World Journal of Gastroenterology</i> , 2016 , 22, 6434-43	5.6	31
52	IRAK-M Expression in Tumor Cells Supports Colorectal Cancer Progression through Reduction of Antimicrobial Defense and Stabilization of STAT3. <i>Cancer Cell</i> , 2016 , 29, 684-696	24.3	46
51	Structural proteins of Kaposid sarcoma-associated herpesvirus antagonize p53-mediated apoptosis. <i>Oncogene</i> , 2015 , 34, 639-49	9.2	16
50	Absolute quantification of DcR3 and GDF15 from human serum by LC-ESI MS. <i>Journal of Cellular and Molecular Medicine</i> , 2015 , 19, 1656-71	5.6	6

49	Interferon Gamma Counteracts the Angiogenic Switch and Induces Vascular Permeability in Dextran Sulfate Sodium Colitis in Mice. <i>Inflammatory Bowel Diseases</i> , 2015 , 21, 2360-71	4.5	20
48	Guanylate binding protein 1-mediated interaction of T cell antigen receptor signaling with the cytoskeleton. <i>Journal of Immunology</i> , 2014 , 192, 771-81	5.3	29
47	Quantitative proteome profiling of lymph node-positive vsnegative colorectal carcinomas pinpoints MX1 as a marker for lymph node metastasis. <i>International Journal of Cancer</i> , 2014 , 135, 2878-	8 7 .5	15
46	Aggregated neutrophil extracellular traps limit inflammation by degrading cytokines and chemokines. <i>Nature Medicine</i> , 2014 , 20, 511-7	50.5	516
45	Tumor-associated fibroblasts isolated from colorectal cancer tissues exhibit increased ICAM-1 expression and affinity for monocytes. <i>Oncology Reports</i> , 2014 , 31, 255-61	3.5	14
44	Gamma interferon-induced guanylate binding protein 1 is a novel actin cytoskeleton remodeling factor. <i>Molecular and Cellular Biology</i> , 2014 , 34, 196-209	4.8	48
43	Tumor microenvironment-dependent heterogeneity and cytogenetic abnormality of tumor endothelial cells in human colorectal carcinoma <i>Journal of Clinical Oncology</i> , 2014 , 32, e22012-e22012	2.2	
42	Cell-Based Microarrays: Recent Advances for Gene Function Analyses 2014 , 1-15		
41	Expression and localization of axin 2 in colorectal carcinoma and its clinical implication. <i>International Journal of Colorectal Disease</i> , 2013 , 28, 1469-78	3	12
40	IFN-Edriven intratumoral microenvironment exhibits superior prognostic effect compared with an IFN-Edriven microenvironment in patients with colon carcinoma. <i>American Journal of Pathology</i> , 2013 , 183, 1897-1909	5.8	13
39	GBP-1 acts as a tumor suppressor in colorectal cancer cells. <i>Carcinogenesis</i> , 2013 , 34, 153-62	4.6	63
38	Multiple interferon regulatory factor and NF- B sites cooperate in mediating cell-type- and maturation-specific activation of the human CD83 promoter in dendritic cells. <i>Molecular and Cellular Biology</i> , 2013 , 33, 1331-44	4.8	18
37	Tetramerization of human guanylate-binding protein 1 is mediated by coiled-coil formation of the C-terminal Helices. <i>FEBS Journal</i> , 2012 , 279, 2544-54	5.7	23
36	Molecular characterization of peripheral arterial disease in proximal extremity arteries. <i>Journal of Surgical Research</i> , 2012 , 178, 1046-58	2.5	9
35	A novel chip-based parallel transfection assay to evaluate paracrine cell interactions. <i>Lab on A Chip</i> , 2012 , 12, 1363-72	7.2	9
34	Guanylate-binding protein 1 expression from embryonal endothelial progenitor cells reduces blood vessel density and cellular apoptosis in an axially vascularised tissue-engineered construct. <i>BMC Biotechnology</i> , 2012 , 12, 94	3.5	10
33	The ephrin receptor tyrosine kinase A2 is a cellular receptor for Kaposid sarcomalissociated herpesvirus. <i>Nature Medicine</i> , 2012 , 18, 961-6	50.5	131
32	IFN-land TNF-landuced GBP-1 inhibits epithelial cell proliferation through suppression of Eatenin/TCF signaling. <i>Mucosal Immunology</i> , 2012 , 5, 681-90	9.2	43

31	Isolation of endothelial cells from human tumors. <i>Methods in Molecular Biology</i> , 2011 , 731, 209-18	1.4	8
30	Increased expression of guanylate binding protein-1 in lesional skin of patients with cutaneous lupus erythematosus. <i>Experimental Dermatology</i> , 2011 , 20, 102-6	4	20
29	Role of guanylate binding protein-1 in vascular defects associated with chronic inflammatory diseases. <i>Journal of Cellular and Molecular Medicine</i> , 2011 , 15, 1582-92	5.6	21
28	Endothelial progenitor cells are integrated in newly formed capillaries and alter adjacent fibrovascular tissue after subcutaneous implantation in a fibrin matrix. <i>Journal of Cellular and Molecular Medicine</i> , 2011 , 15, 2452-61	5.6	34
27	Notch3 signalling promotes tumour growth in colorectal cancer. <i>Journal of Pathology</i> , 2011 , 224, 448-6	5 0 9.4	59
26	Formation of gouty tophi is initiated by extranuclear DNA. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, A8-A8	2.4	
25	The clinical value of von Willebrand factor in colorectal carcinomas. <i>American Journal of Translational Research (discontinued)</i> , 2011 , 3, 445-53	3	19
24	Reverse transfected cell microarrays in infectious disease research. <i>Methods in Molecular Biology</i> , 2011 , 706, 107-18	1.4	4
23	Intracellular trafficking of guanylate-binding proteins is regulated by heterodimerization in a hierarchical manner. <i>PLoS ONE</i> , 2010 , 5, e14246	3.7	80
22	Interferon gamma-induced human guanylate binding protein 1 inhibits mammary tumor growth in mice. <i>Molecular Medicine</i> , 2010 , 16, 177-87	6.2	38
21	One step nucleic acid amplification (OSNA) - a new method for lymph node staging in colorectal carcinomas. <i>Journal of Translational Medicine</i> , 2010 , 8, 83	8.5	30
20	Viral inhibitor of apoptosis vFLIP/K13 protects endothelial cells against superoxide-induced cell death. <i>Journal of Virology</i> , 2009 , 83, 598-611	6.6	38
19	O-linked N-acetylglucosaminylation of Sp1 inhibits the human immunodeficiency virus type 1 promoter. <i>Journal of Virology</i> , 2009 , 83, 3704-18	6.6	34
18	Interferon-alpha counteracts the angiogenic switch and reduces tumor cell proliferation in a spontaneous model of prostatic cancer. <i>Carcinogenesis</i> , 2009 , 30, 851-60	4.6	25
17	A systems biology approach to identify the combination effects of human herpesvirus 8 genes on NF-kappaB activation. <i>Journal of Virology</i> , 2009 , 83, 2563-74	6.6	43
16	Malignant progression of invasive tumour cells seen in hypoxia present an accumulation of beta-catenin in the nucleus at the tumour front. <i>Experimental and Molecular Pathology</i> , 2009 , 87, 109-1	6 ^{4.4}	18
15	T17b murine embryonal endothelial progenitor cells can be induced towards both proliferation and differentiation in a fibrin matrix. <i>Journal of Cellular and Molecular Medicine</i> , 2009 , 13, 926-35	5.6	23
14	Hypoxia generates a more invasive phenotype of tumour cells: an in vivo experimental setup based on the chorioallantoic membrane. <i>Pathology and Oncology Research</i> , 2009 , 15, 417-22	2.6	14

13	Guanylate binding protein-1 inhibits spreading and migration of endothelial cells through induction of integrin alpha4 expression. <i>FASEB Journal</i> , 2008 , 22, 4168-78	0.9	56
12	High throughput screening of gene functions in mammalian cells using reversely transfected cell arrays: review and protocol. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2008 , 11, 159-72	1.3	23
11	Angiostatic immune reaction in colorectal carcinoma: Impact on survival and perspectives for antiangiogenic therapy. <i>International Journal of Cancer</i> , 2008 , 123, 2120-9	7.5	72
10	Endothelial cells of human colorectal cancer and healthy colon reveal phenotypic differences in culture. <i>Laboratory Investigation</i> , 2007 , 87, 1159-70	5.9	21
9	Unique features of different members of the human guanylate-binding protein family. <i>Journal of Interferon and Cytokine Research</i> , 2007 , 27, 44-52	3.5	75
8	Human guanylate binding protein-1 is a secreted GTPase present in increased concentrations in the cerebrospinal fluid of patients with bacterial meningitis. <i>American Journal of Pathology</i> , 2006 , 169, 1088	3-5 ₉ 8	40
7	EBV latent membrane protein-1 protects B cells from apoptosis by inhibition of BAX. <i>Blood</i> , 2005 , 105, 3263-9	2.2	8o
6	Human guanylate binding protein-1 (hGBP-1) characterizes and establishes a non-angiogenic endothelial cell activation phenotype in inflammatory diseases. <i>Advances in Enzyme Regulation</i> , 2005 , 45, 215-27		34
5	Maternal HIV type 1 infection suppresses MMP-1 expression in endothelial cells of uninfected newborns: nonviral vertical transmission of HIV type 1-related effects. <i>AIDS Research and Human Retroviruses</i> , 2005 , 21, 940-4	1.6	5
4	Phage-displayed recombinant single-chain antibody fragments with high affinity for cholesteryl ester transfer protein (CETP): cDNA cloning, characterization and CETP quantification. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004 , 42, 247-55	5.9	10
3	Nuclear factor-kappaB motif and interferon-alpha-stimulated response element co-operate in the activation of guanylate-binding protein-1 expression by inflammatory cytokines in endothelial cells. <i>Biochemical Journal</i> , 2004 , 379, 409-20	3.8	64
2	The guanylate binding protein-1 GTPase controls the invasive and angiogenic capability of endothelial cells through inhibition of MMP-1 expression. <i>EMBO Journal</i> , 2003 , 22, 3772-82	13	120
1	Guanylate-binding protein-1 expression is selectively induced by inflammatory cytokines and is an activation marker of endothelial cells during inflammatory diseases. <i>American Journal of Pathology</i> , 2002 , 161, 1749-59	5.8	112