

Maria Luiza BAZZO

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7799498/maria-luiza-bazzo-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

696
citations

14
h-index

23
g-index

75
ext. papers

885
ext. citations

3.1
avg, IF

3.6
L-index

#	Paper	IF	Citations
65	Genomic characterization of variants on mycolic acid metabolism genes in Mycobacterium tuberculosis isolates from Santa Catarina, Southern Brazil. <i>Infection, Genetics and Evolution</i> , 2021 , 96, 105107	4.5	0
64	Systemic Inflammatory Response Syndrome in Patients Hospitalized for Acute Decompensation of Cirrhosis. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2021 , 2021, 5581587	2.8	0
63	An investigation about chronic prostatitis in ankylosing spondylitis. <i>Advances in Rheumatology</i> , 2021 , 61, 23	3	0
62	Genomic analysis of Neisseria elongata isolate from a patient with infective endocarditis. <i>FEBS Open Bio</i> , 2021 , 11, 1987-1996	2.7	0
61	The presence of SARS-CoV-2 RNA in human sewage in Santa Catarina, Brazil, November 2019. <i>Science of the Total Environment</i> , 2021 , 778, 146198	10.2	35
60	Brazilian Protocol for Sexually Transmitted Infections 2020: human papillomavirus (HPV) infection. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2021 , 54, e2020790	1.5	0
59	Brazilian Protocol for Sexually Transmitted Infections 2020: syphilis diagnostic tests. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2021 , 54, e2020630	1.5	2
58	Swab pooling: A new method for large-scale RT-qPCR screening of SARS-CoV-2 avoiding sample dilution. <i>PLoS ONE</i> , 2021 , 16, e0246544	3.7	11
57	Serum Complement Activation by C4BP-IgM Fusion Protein Can Restore Susceptibility to Antibiotics in. <i>Frontiers in Immunology</i> , 2021 , 12, 726801	8.4	1
56	Phase II trial evaluating the clinical efficacy of cefixime for treatment of active syphilis in non-pregnant women in Brazil (CeBra). <i>BMC Infectious Diseases</i> , 2020 , 20, 405	4	7
55	Free-living amoebae and their relationship to air quality in hospital environments: characterization of spp. obtained from air-conditioning systems. <i>Parasitology</i> , 2020 , 147, 782-790	2.7	6
54	IncX4 Plasmid-Mediated in Polymyxin-Resistant from Outpatients in Santa Catarina, Southern Brazil. <i>Microbial Drug Resistance</i> , 2020 , 26, 1326-1333	2.9	5
53	Genomic epidemiology of Mycobacterium tuberculosis in Santa Catarina, Southern Brazil. <i>Scientific Reports</i> , 2020 , 10, 12891	4.9	3
52	Genomic epidemiology of Neisseria gonorrhoeae elucidating the gonococcal antimicrobial resistance and lineages/sublineages across Brazil, 2015-16. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 3163-3172	5.1	14
51	Search for Antimicrobial Activity Among Fifty-Two Natural and Synthetic Compounds Identifies Anthraquinone and Polyacetylene Classes That Inhibit. <i>Frontiers in Microbiology</i> , 2020 , 11, 622629	5.7	2
50	Serial assessment of hepatic encephalopathy in patients hospitalised for acute decompensation of cirrhosis. <i>Annals of Hepatology</i> , 2019 , 18, 331-337	3.1	4
49	First nationwide antimicrobial susceptibility surveillance for Neisseria gonorrhoeae in Brazil, 2015-16. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 1854-1861	5.1	21

48	Molecular epidemiology of Mycobacterium tuberculosis strains from prison populations in Santa Catarina, Southern Brazil. <i>Infection, Genetics and Evolution</i> , 2018 , 58, 34-39	4.5	3
47	PCR-RFLP assay as an option for primary HPV test. <i>Brazilian Journal of Medical and Biological Research</i> , 2018 , 51, e7098	2.8	3
46	Performance of centralized versus decentralized tuberculosis treatment services in Southern Brazil, 2006-2015. <i>BMC Public Health</i> , 2018 , 18, 554	4.1	2
45	Evaluation of leucocytes from sputum samples of pulmonary tuberculosis patients using flow cytometry. <i>International Journal of Tuberculosis and Lung Disease</i> , 2018 , 22, 1071-1076	2.1	0
44	Contact lens-related polymicrobial keratitis: Acanthamoeba spp. genotype T4 and Candida albicans. <i>Parasitology Research</i> , 2018 , 117, 3431-3436	2.4	8
43	Prognostic Significance of The New Criteria for Acute Kidney Injury in Cirrhosis. <i>Annals of Hepatology</i> , 2018 , 17, 461-469	3.1	7
42	External quality assessment for CD4 + T-lymphocyte count test: Performance of the Brazilian public health laboratories network. <i>Medicine (United States)</i> , 2018 , 97, S32-S37	1.8	4
41	From stable disease to acute-on-chronic liver failure: Circulating cytokines are related to prognosis in different stages of cirrhosis. <i>Cytokine</i> , 2017 , 91, 162-169	4	21
40	Circulating levels of pentraxin-3 (PTX3) in patients with liver cirrhosis. <i>Annals of Hepatology</i> , 2017 , 16, 780-787	3.1	11
39	Evaluation of seven rapid tests for syphilis available in Brazil using defibrinated plasma panels. <i>Sexually Transmitted Infections</i> , 2017 , 93, S46-S50	2.8	5
38	Prognostic significance of insulin-like growth factor-I serum levels in acute decompensation of cirrhosis. <i>Biomarkers</i> , 2017 , 22, 127-132	2.6	3
37	Multidrug-resistant gonorrhoea: A research and development roadmap to discover new medicines. <i>PLoS Medicine</i> , 2017 , 14, e1002366	11.6	89
36	Analytical performance of glucometers in a tertiary care hospital. <i>Accreditation and Quality Assurance</i> , 2016 , 21, 143-149	0.7	3
35	First insight into the molecular epidemiology of Mycobacterium tuberculosis in Santa Catarina, southern Brazil. <i>Tuberculosis</i> , 2016 , 97, 57-64	2.6	11
34	Comparative evaluation of the GP5+/6+, MY09/11 and PGMY09/11 primer sets for HPV detection by PCR in oral squamous cell carcinomas. <i>Experimental and Molecular Pathology</i> , 2016 , 100, 13-6	4.4	15
33	Circulating insulin-like growth factor-binding protein 3 as prognostic biomarker in liver cirrhosis. <i>World Journal of Hepatology</i> , 2016 , 8, 739-48	3.4	7
32	Determination of lymphocyte subset reference ranges in peripheral blood of healthy adults by a dual-platform flow cytometry method. <i>Immunology Letters</i> , 2015 , 163, 96-101	4.1	15
31	Phytochemical analysis of the hot tea infusion of Hedyosmum brasiliense. <i>Phytochemistry Letters</i> , 2015 , 13, 267-274	1.9	6

30	An investigation into the relationship between anti-Helicobacter pylori and anti-Saccharomyces cerevisiae antibodies in patients with axial spondyloarthritis and Crohn disease. <i>Rheumatology International</i> , 2015 , 35, 359-66	3.6	10
29	External quality assessment in the voluntary counseling and testing centers in the Brazilian Amazon using dried tube specimens: results of an effectiveness evaluation. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2015 , 48 Suppl 1, 87-97	1.5	3
28	Molecular profiling of drug resistant isolates of Mycobacterium tuberculosis in the state of Santa Catarina, southern Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2015 , 110, 618-23	2.6	16
27	The performance of prognostic models as predictors of mortality in patients with acute decompensation of cirrhosis. <i>Annals of Hepatology</i> , 2015 , 14, 83-92	3.1	7
26	Factors associated with 25-hydroxyvitamin D levels in patients with liver cirrhosis. <i>Annals of Hepatology</i> , 2015 , 14, 99-107	3.1	6
25	Single-centre validation of the EASL-CLIF consortium definition of acute-on-chronic liver failure and CLIF-SOFA for prediction of mortality in cirrhosis. <i>Liver International</i> , 2015 , 35, 1516-23	7.9	59
24	The performance of prognostic models as predictors of mortality in patients with acute decompensation of cirrhosis. <i>Annals of Hepatology</i> , 2015 , 14, 83-92	3.1	2
23	Factors associated with 25-hydroxyvitamin D levels in patients with liver cirrhosis. <i>Annals of Hepatology</i> , 2015 , 14, 99-107	3.1	3
22	Herbalists, traditional healers and pharmacists: a view of the tuberculosis in Ghana. <i>Revista Brasileira De Farmacognosia</i> , 2014 , 24, 89-95	2	16
21	External quality assurance with dried tube specimens (DTS) for point-of-care syphilis and HIV tests: experience in an indigenous populations screening programme in the Brazilian Amazon. <i>Sexually Transmitted Infections</i> , 2014 , 90, 14-8	2.8	27
20	Mycobacteria mobility shift assay: a method for the rapid identification of Mycobacterium tuberculosis and nontuberculous mycobacteria. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2014 , 109, 356-61	2.6	2
19	Comparison between two portable hemoglobinometers and a reference method to verify the reliability of screening in blood donors. <i>Transfusion and Apheresis Science</i> , 2013 , 49, 578-82	2.4	8
18	IGF-I and IGFBP-3 serum levels in patients hospitalized for complications of liver cirrhosis. <i>Annals of Hepatology</i> , 2013 , 12, 456-463	3.1	8
17	Acute phase proteins for the diagnosis of bacterial infection and prediction of mortality in acute complications of cirrhosis. <i>Annals of Hepatology</i> , 2013 , 12, 431-439	3.1	28
16	IGF-I and IGFBP-3 serum levels in patients hospitalized for complications of liver cirrhosis. <i>Annals of Hepatology</i> , 2013 , 12, 456-63	3.1	5
15	Tumor markers are elevated in patients with rheumatoid arthritis and do not indicate presence of cancer. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, 179-82	2.3	17
14	Performance of RT-PCR in the detection of Streptococcus agalactiae in the anogenital tract of pregnant women. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 286, 1437-42	2.5	12
13	Diagnosis of the pulmonary tuberculosis by polymerase chain reaction: a comparative study between HIV - positive and - negative individuals. <i>Brazilian Journal of Microbiology</i> , 2012 , 43, 261-265	2.2	3

12	A study on the short-term effect of cafeteria diet and pioglitazone on insulin resistance and serum levels of adiponectin and ghrelin. <i>Brazilian Journal of Medical and Biological Research</i> , 2012 , 45, 935-941	2.8	1
11	Alternative sputum preparation to improve polymerase chain reaction assay for Mycobacterium tuberculosis detection. <i>International Journal of Tuberculosis and Lung Disease</i> , 2012 , 16, 783-7	2.1	1
10	Evaluation of multidrug resistance in 46 newly diagnosed patients with acute leukemia. <i>Hematology</i> , 2012 , 17, 59-65	2.2	4
9	Quality of sputum in the performance of polymerase chain reaction for diagnosis of pulmonary tuberculosis. <i>Brazilian Journal of Infectious Diseases</i> , 2010 , 14, 116-120	2.8	1
8	Intrahospital spread of carbapenem-resistant <i>Pseudomonas aeruginosa</i> in a University Hospital in Florianópolis, Santa Catarina, Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2010 , 43, 367-71	1.5	11
7	The use of polymerase chain reaction for early diagnosis of tuberculosis in Mycobacterium tuberculosis culture. <i>Brazilian Journal of Medical and Biological Research</i> , 2010 , 43, 543-8	2.8	5
6	Quality of sputum in the performance of polymerase chain reaction for diagnosis of pulmonary tuberculosis. <i>Brazilian Journal of Infectious Diseases</i> , 2010 , 14, 116-120	2.8	2
5	Ester derivatives of gallic acid with potential toxicity toward L1210 leukemia cells. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 3791-9	3.4	68
4	Induced sputum versus bronchoalveolar lavage in the diagnosis of pneumocystis jiroveci pneumonia in human immunodeficiency virus-positive patients. <i>Brazilian Journal of Infectious Diseases</i> , 2007 , 11, 549-53	2.8	13
3	Use of synthetic cardiolipin and lecithin in the antigen used by the venereal disease research laboratory test for serodiagnosis of syphilis. <i>Vaccine Journal</i> , 2000 , 7, 658-61		6
2	Swab pooling for large-scale RT-qPCR screening of SARS-CoV-2		3
1	SARS-CoV-2 in human sewage in Santa Catalina, Brazil, November 2019		23