
Theo Lange

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7800538/publications.pdf Version: 2024-02-01



THEOLANCE

#	Article	IF	CITATIONS
1	Brassinosteroid-regulated bHLH transcription factor CESTA induces the gibberellin 2-oxidase <i>GA2ox7</i> . Plant Physiology, 2022, 188, 2012-2025.	4.8	12
2	The Class III Gibberellin 2-Oxidases AtGA2ox9 and AtGA2ox10 Contribute to Cold Stress Tolerance and Fertility. Plant Physiology, 2020, 184, 478-486.	4.8	31
3	The Multifunctional Dioxygenases of Gibberellin Synthesis. Plant and Cell Physiology, 2020, 61, 1869-1879.	3.1	20
4	Cucumber gibberellin 1-oxidase/desaturase initiates novel gibberellin catabolic pathways. Journal of Biological Chemistry, 2020, 295, 8442-8448.	3.4	6
5	Root-derived GA12 contributes to temperature-induced shoot growth in Arabidopsis. Nature Plants, 2019, 5, 1216-1221.	9.3	28
6	A Specific Gibberellin 20-Oxidase Dictates the Flowering-Runnering Decision in Diploid Strawberry. Plant Cell, 2017, 29, 2168-2182.	6.6	83
7	Ovary-derived precursor gibberellin A9 essential for cucumber female flower development. Development (Cambridge), 2016, 143, 4425-4429.	2.5	26
8	NO FLOWERING IN SHORT DAY (NFL) is a bHLH transcription factor that promotes flowering specifically under short-day in <i>Arabidopsis</i> . Development (Cambridge), 2016, 143, 682-90.	2.5	35
9	Touch-induced changes in Arabidopsis morphology dependent on gibberellin breakdown. Nature Plants, 2015, 1, 14025.	9.3	54
10	Brassinosteroids Are Master Regulators of Gibberellin Biosynthesis in Arabidopsis. Plant Cell, 2015, 27, 2261-2272.	6.6	190
11	The gibberellin biosynthetic genes <i>At<scp>KAO</scp>1</i> and <i>At<scp>KAO</scp>2</i> have overlapping roles throughout <i><scp>A</scp>rabidopsis</i> development. Plant Journal, 2014, 80, 462-474.	5.7	83
12	A glycine-rich RNA-binding protein affects gibberellin biosynthesis in Arabidopsis. Molecular Biology Reports, 2014, 41, 439-445.	2.3	25
13	High levels of jasmonic acid antagonize the biosynthesis of gibberellins and inhibit the growth of <i><scp>N</scp>icotiana attenuata</i> stems. Plant Journal, 2013, 73, 591-606.	5.7	127
14	Down regulation of StGA3ox genes in potato results in altered GA content and affect plant and tuber growth characteristics. Journal of Plant Physiology, 2013, 170, 1228-1234.	3.5	32
15	Functional characterization of gibberellin oxidases from cucumber, Cucumis sativus L Phytochemistry, 2013, 90, 62-69.	2.9	46
16	Genetic Variation in Plant CYP51s Confers Resistance against Voriconazole, a Novel Inhibitor of Brassinosteroid-Dependent Sterol Biosynthesis. PLoS ONE, 2013, 8, e53650.	2.5	18
17	Stamen-derived bioactive gibberellin is essential for male flower development of Cucurbita maxima L Journal of Experimental Botany, 2012, 63, 2681-2691.	4.8	24
18	Release of Hormones from Conjugates: Chloroplast Expression of β-Glucosidase Results in Elevated Phytohormone Levels Associated with Significant Increase in Biomass and Protection from Aphids or Whiteflies Conferred by Sucrose Esters. Plant Physiology, 2011, 155, 222-235.	4.8	94

Theo Lange

#	Article	IF	CITATIONS
19	Expression of the Arabidopsis Mutant <i>abi1</i> Gene Alters Abscisic Acid Sensitivity, Stomatal Development, and Growth Morphology in Gray Poplars. Plant Physiology, 2009, 151, 2110-2119.	4.8	72
20	Geranyl diphosphate synthase is required for biosynthesis of gibberellins. Plant Journal, 2007, 52, 752-762.	5.7	87
21	Stable expression of <i>AtGA2ox1</i> in a lowâ€input turfgrass (<i>Paspalum notatum</i> Flugge) reduces bioactive gibberellin levels and improves turf quality under field conditions. Plant Biotechnology Journal, 2007, 5, 791-801.	8.3	86
22	<i>StGA2ox1</i> is induced prior to stolon swelling and controls GA levels during potato tuber development. Plant Journal, 2007, 52, 362-373.	5.7	122
23	Gibberellin Biosynthesis and the Regulation of Plant Development. Plant Biology, 2006, 8, 281-290.	3.8	109
24	Ectopic Expression of Pumpkin Gibberellin Oxidases Alters Gibberellin Biosynthesis and Development of Transgenic Arabidopsis Plants. Plant Physiology, 2006, 140, 528-536.	4.8	47
25	Gibberellin Biosynthesis in Developing Pumpkin Seedlings. Plant Physiology, 2005, 139, 213-223.	4.8	56
26	Expression Studies of Gibberellin Oxidases in Developing Pumpkin Seeds. Plant Physiology, 2003, 131, 1220-1227.	4.8	31
27	Cloning and characterization of a cDNA encoding a multifunctional gibberellin 20-oxidase from perennial ryegrass (Lolium perenne L.). Plant Science, 2002, 163, 147-155.	3.6	10
28	Production of Dwarf Lettuce by Overexpressing a Pumpkin Gibberellin 20-Oxidase Gene. Plant Physiology, 2001, 126, 965-972.	4.8	32
29	Gibberellin Biosynthesis in Maize. Metabolic Studies with GA15, GA24, GA25, GA7, and 2,3-Dehydro-GA9. Plant Physiology, 1999, 121, 1037-1045.	4.8	7
30	Molecular biology of gibberellin synthesis. Planta, 1998, 204, 409-419.	3.2	96
31	Cloning and expression of a gibberellin 2 beta,3 beta-hydroxylase cDNA from pumpkin endosperm Plant Cell, 1997, 9, 1459-1467.	6.6	53
32	Molecular characterisation of gibberellin 20-oxidases. Structure-function studies on recombinant enzymes and chimaeric proteins. Physiologia Plantarum, 1997, 100, 543-549.	5.2	2
33	Cloning and Expression of a Gibberellin 2b,3b-Hydroxylase cDNA from Pumpkin Endosperm. Plant Cell, 1997, 9, 1459.	6.6	25
34	Gibberellin Biosynthesis from Gibberellin A12-Aldehyde in Endosperm and Embryos of Marah macrocarpus. Plant Physiology, 1997, 113, 1369-1377.	4.8	63
35	Cloning gibberellin dioxygenase genes from pumpkin endosperm by heterologous expression of enzyme activities in Escherichia coli. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 6553-6558.	7.1	75
36	Molecular characterisation of gibberellin 20-oxidases. Structure-function studies on recombinant enzymes and chimaeric proteins. Physiologia Plantarum, 1997, 100, 543-549.	5.2	30

THEO LANGE

#	Article	IF	CITATIONS
37	The IBP genes of maize are expressed in non-meristematic, elongating cells of the seedling and in abortive floral organs. Molecular Genetics and Genomics, 1997, 255, 248-257.	2.4	9
38	Feed-back regulation of gibberellin biosynthesis and gene expression in Pisum sativum L Planta, 1996, 200, 159-66.	3.2	101
39	Isolation and Expression of Three Gibberellin 20-Oxidase cDNA Clones from Arabidopsis. Plant Physiology, 1995, 108, 1049-1057.	4.8	414
40	Separation and characterisation of three 2-oxoglutarate-dependent dioxygenases from Cucurbita maxima L. endosperm involved in gibberellin biosynthesis. Planta, 1994, 195, 98.	3.2	43
41	Purification and partial amino-acid sequence of gibberellin 20-oxidase from Cucurbita maxima L. endosperm. Planta, 1994, 195, 108-15.	3.2	42
42	Expression cloning of a gibberellin 20-oxidase, a multifunctional enzyme involved in gibberellin biosynthesis Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 8552-8556.	7.1	174
43	Biosynthesis of 12α-and 13-hydroxylated gibberellins in a cell-free system from Cucurbita maxima endosperm and the identification of new endogenous gibberellins. Planta, 1993, 189, 340-349.	3.2	36
44	Gibberellin biosynthesis in cell-free extracts from developing Cucurbita maxima embryos and the identification of new endogenous gibberellins. Planta, 1993, 189, 350-358.	3.2	28
45	The partial purification and characterization of a gibberellin C-20 hydroxylase from immature Pisum sativum L. seeds. Planta, 1989, 179, 211-221.	3.2	29
46	SICESTA Is a Brassinosteroid-Regulated bHLH Transcription Factor of Tomato That Promotes Chilling Tolerance and Fruit Growth When Over-Expressed. Frontiers in Plant Science, 0, 13, .	3.6	1