List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7800599/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Body-Mass Index and Mortality among 1.46 Million White Adults. New England Journal of Medicine, 2010, 363, 2211-2219.	27.0	1,926
2	Polygenic Risk Scores for Prediction of Breast Cancer and Breast Cancer Subtypes. American Journal of Human Genetics, 2019, 104, 21-34.	6.2	711
3	Association analyses of more than 140,000 men identify 63 new prostate cancer susceptibility loci. Nature Genetics, 2018, 50, 928-936.	21.4	652
4	Detectable clonal mosaicism and its relationship to aging and cancer. Nature Genetics, 2012, 44, 651-658.	21.4	519
5	Association between Class III Obesity (BMI of 40–59 kg/m2) and Mortality: A Pooled Analysis of 20 Prospective Studies. PLoS Medicine, 2014, 11, e1001673.	8.4	299
6	Sunburns and Risk of Cutaneous Melanoma: Does Age Matter? A Comprehensive Meta-Analysis. Annals of Epidemiology, 2008, 18, 614-627.	1.9	279
7	Trans-ancestry genome-wide association meta-analysis of prostate cancer identifies new susceptibility loci and informs genetic risk prediction. Nature Genetics, 2021, 53, 65-75.	21.4	264
8	Obesity and Thyroid Cancer Risk among U.S. Men and Women: A Pooled Analysis of Five Prospective Studies. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 464-472.	2.5	228
9	Mortality From Lymphohematopoietic Malignancies and Brain Cancer Among Embalmers Exposed to Formaldehyde. Journal of the National Cancer Institute, 2009, 101, 1696-1708.	6.3	193
10	Mortality From Lymphohematopoietic Malignancies Among Workers in Formaldehyde Industries: The National Cancer Institute Cohort. Journal of the National Cancer Institute, 2009, 101, 751-761.	6.3	187
11	Glyphosate Use and Cancer Incidence in the Agricultural Health Study. Journal of the National Cancer Institute, 2018, 110, 509-516.	6.3	179
12	Organophosphate insecticide use and cancer incidence among spouses of pesticide applicators in the Agricultural Health Study. Occupational and Environmental Medicine, 2015, 72, 736-744.	2.8	178
13	Sunscreen Use and the Risk for Melanoma: A Quantitative Review. Annals of Internal Medicine, 2003, 139, 966.	3.9	167
14	Occupational Exposure to Formaldehyde, Hematotoxicity, and Leukemia-Specific Chromosome Changes in Cultured Myeloid Progenitor Cells. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 80-88.	2.5	160
15	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. Journal of the National Cancer Institute, 2015, 107, djv279.	6.3	152
16	Anthropometric Factors and Thyroid Cancer Risk by Histological Subtype: Pooled Analysis of 22 Prospective Studies. Thyroid, 2016, 26, 306-318.	4.5	148
17	Pesticide exposure and risk of monoclonal gammopathy of undetermined significance in the Agricultural Health Study. Blood, 2009, 113, 6386-6391.	1.4	137
18	Risk of Total and Aggressive Prostate Cancer and Pesticide Use in the Agricultural Health Study. American Journal of Epidemiology, 2013, 177, 59-74.	3.4	137

#	Article	IF	CITATIONS
19	Pesticides and human health. Occupational and Environmental Medicine, 2015, 72, 81-82.	2.8	134
20	An Update of Cancer Incidence in the Agricultural Health Study. Journal of Occupational and Environmental Medicine, 2010, 52, 1098-1105.	1.7	133
21	Pesticide use and adult-onset asthma among male farmers in the Agricultural Health Study. European Respiratory Journal, 2009, 34, 1296-1303.	6.7	131
22	Epidemiologic Studies in Agricultural Populations: Observations and Future Directions. Journal of Agromedicine, 2009, 14, 125-131.	1.5	129
23	Heterocyclic aromatic amine pesticide use and human cancer risk: Results from the U.S. Agricultural Health Study. International Journal of Cancer, 2009, 124, 1206-1212.	5.1	128
24	Non-Hodgkin Lymphoma Risk and Insecticide, Fungicide and Fumigant Use in the Agricultural Health Study. PLoS ONE, 2014, 9, e109332.	2.5	119
25	Body Mass Index, Waist Circumference, Diabetes, and Risk of Liver Cancer for U.S. Adults. Cancer Research, 2016, 76, 6076-6083.	0.9	119
26	Malathion Exposure and the Incidence of Cancer in the Agricultural Health Study. American Journal of Epidemiology, 2007, 166, 1023-1034.	3.4	118
27	Atrazine and Cancer Incidence Among Pesticide Applicators in the Agricultural Health Study (1994–2007). Environmental Health Perspectives, 2011, 119, 1253-1259.	6.0	118
28	Occupational Exposure to Pesticides and the Incidence of Lung Cancer in the Agricultural Health Study. Environmental Health Perspectives, 2017, 125, 544-551.	6.0	115
29	Body mass index, effect modifiers, and risk of pancreatic cancer: a pooled study of seven prospective cohorts. Cancer Causes and Control, 2010, 21, 1305-1314.	1.8	112
30	Cancer Incidence among Male Pesticide Applicators in the Agricultural Health Study Cohort Exposed to Diazinon. American Journal of Epidemiology, 2005, 162, 1070-1079.	3.4	107
31	Cigarette smoking, alcohol intake, and thyroid cancer risk: a pooled analysis of five prospective studies in the United States. Cancer Causes and Control, 2012, 23, 1615-1624.	1.8	107
32	Genome-wide association study identifies multiple risk loci for renal cell carcinoma. Nature Communications, 2017, 8, 15724.	12.8	106
33	Agricultural pesticide use and pancreatic cancer risk in the Agricultural Health Study Cohort. International Journal of Cancer, 2009, 124, 2495-2500.	5.1	104
34	Pesticide use and risk of non-Hodgkin lymphoid malignancies in agricultural cohorts from France, Norway and the USA: a pooled analysis from the AGRICOH consortium. International Journal of Epidemiology, 2019, 48, 1519-1535.	1.9	104
35	Elevated Bladder Cancer in Northern New England: The Role of Drinking Water and Arsenic. Journal of the National Cancer Institute, 2016, 108, .	6.3	102
36	Cancer Incidence among Pesticide Applicators Exposed to Permethrin in the Agricultural Health Study. Environmental Health Perspectives, 2009, 117, 581-586.	6.0	101

#	Article	IF	CITATIONS
37	Nitrate from Drinking Water and Diet and Bladder Cancer Among Postmenopausal Women in Iowa. Environmental Health Perspectives, 2016, 124, 1751-1758.	6.0	100
38	Mortality in the Agricultural Health Study, 1993-2007. American Journal of Epidemiology, 2011, 173, 71-83.	3.4	93
39	Cigarette Smoking Prior to First Cancer and Risk of Second Smoking-Associated Cancers Among Survivors of Bladder, Kidney, Head and Neck, and Stage I Lung Cancers. Journal of Clinical Oncology, 2014, 32, 3989-3995.	1.6	93
40	Toenail Arsenic Content and Cutaneous Melanoma in Iowa. American Journal of Epidemiology, 2004, 160, 679-687.	3.4	91
41	A Review of Nonoccupational Pathways for Pesticide Exposure in Women Living in Agricultural Areas. Environmental Health Perspectives, 2015, 123, 515-524.	6.0	91
42	Formaldehyde and leukemia: Epidemiology, potential mechanisms, and implications for risk assessment. Environmental and Molecular Mutagenesis, 2010, 51, 181-191.	2.2	90
43	Body size and multiple myeloma mortality: a pooled analysis of 20 prospective studies. British Journal of Haematology, 2014, 166, 667-676.	2.5	90
44	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. Human Molecular Genetics, 2014, 23, 6616-6633.	2.9	90
45	Occupational exposure to terbufos and the incidence of cancer in the Agricultural Health Study. Cancer Causes and Control, 2010, 21, 871-877.	1.8	89
46	Use of acetochlor and cancer incidence in the <scp>A</scp> gricultural <scp>H</scp> ealth <scp>S</scp> tudy. International Journal of Cancer, 2015, 137, 1167-1175.	5.1	89
47	Two susceptibility loci identified for prostate cancer aggressiveness. Nature Communications, 2015, 6, 6889.	12.8	88
48	Fine-mapping of prostate cancer susceptibility loci in a large meta-analysis identifies candidate causal variants. Nature Communications, 2018, 9, 2256.	12.8	88
49	Occupational exposure to pesticides and bladder cancer risk. International Journal of Epidemiology, 2016, 45, 792-805.	1.9	85
50	Pesticides are Associated with Allergic and Non-Allergic Wheeze among Male Farmers. Environmental Health Perspectives, 2017, 125, 535-543.	6.0	82
51	An Updated Algorithm for Estimation of Pesticide Exposure Intensity in the Agricultural Health Study. International Journal of Environmental Research and Public Health, 2011, 8, 4608-4622.	2.6	73
52	Pesticide Use and Incident Hypothyroidism in Pesticide Applicators in the Agricultural Health Study. Environmental Health Perspectives, 2018, 126, 97008.	6.0	72
53	Ingested nitrate, disinfection by-products, and risk of colon and rectal cancers in the Iowa Women's Health Study cohort. Environment International, 2019, 126, 242-251.	10.0	68
54	Respiratory disease in United States farmers. Occupational and Environmental Medicine, 2014, 71, 484-491.	2.8	66

#	Article	IF	CITATIONS
55	Insecticide Use and Breast Cancer Risk among Farmers' Wives in the Agricultural Health Study. Environmental Health Perspectives, 2017, 125, 097002.	6.0	66
56	Poultry and livestock exposure and cancer risk among farmers in the agricultural health study. Cancer Causes and Control, 2012, 23, 663-670.	1.8	64
57	Lifetime Pesticide Use and Telomere Shortening among Male Pesticide Applicators in the Agricultural Health Study. Environmental Health Perspectives, 2013, 121, 919-924.	6.0	63
58	Early-life farm exposures and adult asthma and atopy in the Agricultural Lung Health Study. Journal of Allergy and Clinical Immunology, 2017, 140, 249-256.e14.	2.9	61
59	Occupation and bladder cancer in a population-based case-control study in Northern New England. Occupational and Environmental Medicine, 2011, 68, 239-249.	2.8	60
60	Physical activity, diabetes, and thyroid cancer risk: a pooled analysis of five prospective studies. Cancer Causes and Control, 2012, 23, 463-471.	1.8	59
61	The influence of obesity-related factors in the etiology of renal cell carcinoma—A mendelian randomization study. PLoS Medicine, 2019, 16, e1002724.	8.4	59
62	Cancer incidence among pesticide applicators exposed to trifluralin in the Agricultural Health Study. Environmental Research, 2008, 107, 271-276.	7.5	58
63	Cancer incidence among pesticide applicators exposed to butylate in the Agricultural Health Study (AHS). Environmental Research, 2009, 109, 860-868.	7.5	57
64	Body Mass Index and Risk of Second Obesity-Associated Cancers After Colorectal Cancer: A Pooled Analysis of Prospective Cohort Studies. Journal of Clinical Oncology, 2014, 32, 4004-4011.	1.6	56
65	Pooled analysis of active cigarette smoking and invasive breast cancer risk in 14 cohort studies. International Journal of Epidemiology, 2017, 46, dyw288.	1.9	56
66	Chlorothalonil exposure and cancer incidence among pesticide applicator participants in the agricultural health study. Environmental Research, 2008, 108, 400-403.	7.5	54
67	Incidence of solid tumours among pesticide applicators exposed to the organophosphate insecticide diazinon in the Agricultural Health Study: an updated analysis. Occupational and Environmental Medicine, 2015, 72, 496-503.	2.8	54
68	Relative Contributions of Agricultural Drift, Para-Occupational, and Residential Use Exposure Pathways to House Dust Pesticide Concentrations: Meta-Regression of Published Data. Environmental Health Perspectives, 2017, 125, 296-305.	6.0	52
69	Ingested nitrate and nitrite, disinfection byâ€products, and pancreatic cancer risk in postmenopausal women. International Journal of Cancer, 2018, 142, 251-261.	5.1	50
70	Cancer incidence in the Agricultural Health Study after 20 years of follow-up. Cancer Causes and Control, 2019, 30, 311-322.	1.8	50
71	Body mass index, agricultural pesticide use, and cancer incidence in the Agricultural Health Study cohort. Cancer Causes and Control, 2010, 21, 1759-1775.	1.8	49
72	Occupational exposure to trichloroethylene is associated with a decline in lymphocyte subsets and soluble CD27 and CD30 markers. Carcinogenesis, 2010, 31, 1592-1596.	2.8	48

#	Article	IF	CITATIONS
73	Ingested Nitrate, Disinfection By-products, and Kidney Cancer Risk in Older Women. Epidemiology, 2017, 28, 703-711.	2.7	48
74	High pesticide exposure events and <scp>DNA</scp> methylation among pesticide applicators in the agricultural health study. Environmental and Molecular Mutagenesis, 2017, 58, 19-29.	2.2	48
75	Inorganic Arsenic in Drinking Water: An Evolving Public Health Concern. Journal of the National Cancer Institute, 2007, 99, 906-907.	6.3	47
76	House Dust Endotoxin Levels Are Associated with Adult Asthma in a U.S. Farming Population. Annals of the American Thoracic Society, 2017, 14, 324-331.	3.2	47
77	Bladder Cancer and Water Disinfection By-product Exposures through Multiple Routes: A Population-Based Case–Control Study (New England, USA). Environmental Health Perspectives, 2017, 125, 067010.	6.0	47
78	Pesticide exposure and risk of aggressive prostate cancer among private pesticide applicators. Environmental Health, 2020, 19, 30.	4.0	46
79	Pesticide exposure and incident thyroid cancer among male pesticide applicators in agricultural health study. Environment International, 2021, 146, 106187.	10.0	46
80	<i>S</i> -Ethyl- <i>N,N</i> -dipropylthiocarbamate Exposure and Cancer Incidence among Male Pesticide Applicators in the Agricultural Health Study: A Prospective Cohort. Environmental Health Perspectives, 2008, 116, 1541-1546.	6.0	45
81	Xenobiotic-metabolizing gene variants, pesticide use, and the risk of prostate cancer. Pharmacogenetics and Genomics, 2011, 21, 615-623.	1.5	45
82	Combined Associations of a Polygenic Risk Score and Classical Risk Factors With Breast Cancer Risk. Journal of the National Cancer Institute, 2021, 113, 329-337.	6.3	45
83	A prospective study of cancer risk among Agricultural Health Study farm spouses associated with personal use of organochlorine insecticides. Environmental Health, 2017, 16, 95.	4.0	44
84	A case-control study of occupational exposure to metalworking fluids and bladder cancer risk among men. Occupational and Environmental Medicine, 2014, 71, 667-674.	2.8	43
85	Multiple myeloma and family history of lymphohaematopoietic cancers: Results from the International Multiple Myeloma Consortium. British Journal of Haematology, 2016, 175, 87-101.	2.5	43
86	A longitudinal study of atrazine and 2,4â€D exposure and oxidative stress markers among iowa corn farmers. Environmental and Molecular Mutagenesis, 2017, 58, 30-38.	2.2	42
87	Pesticide Use and Relative Leukocyte Telomere Length in the Agricultural Health Study. PLoS ONE, 2015, 10, e0133382.	2.5	42
88	Pesticide Use Modifies the Association Between Genetic Variants on Chromosome 8q24 and Prostate Cancer. Cancer Research, 2010, 70, 9224-9233.	0.9	41
89	Impact of pesticide exposure misclassification on estimates of relative risks in the Agricultural Health Study. Occupational and Environmental Medicine, 2011, 68, 537-541.	2.8	41
90	Methyl bromide exposure and cancer risk in the Agricultural Health Study. Cancer Causes and Control, 2012, 23, 807-818.	1.8	41

#	Article	IF	CITATIONS
91	Mortality from solid tumors among workers in formaldehyde industries: An update of the NCI cohort. American Journal of Industrial Medicine, 2013, 56, 1015-1026.	2.1	41
92	Occupational pesticide exposure and subclinical hypothyroidism among male pesticide applicators. Occupational and Environmental Medicine, 2018, 75, 79-89.	2.8	41
93	Pesticide use and incident Parkinson's disease in a cohort of farmers and their spouses. Environmental Research, 2020, 191, 110186.	7.5	41
94	AGRICOH: A Consortium of Agricultural Cohorts. International Journal of Environmental Research and Public Health, 2011, 8, 1341-1357.	2.6	40
95	Comparison of hematological alterations and markers of B-cell activation in workers exposed to benzene, formaldehyde and trichloroethylene. Carcinogenesis, 2016, 37, 692-700.	2.8	40
96	Pesticide Exposure and Risk of Rheumatoid Arthritis among Licensed Male Pesticide Applicators in the Agricultural Health Study. Environmental Health Perspectives, 2017, 125, 077010.	6.0	40
97	Genetic Variants Related to Longer Telomere Length are Associated with Increased Risk of Renal Cell Carcinoma. European Urology, 2017, 72, 747-754.	1.9	39
98	Pesticide exposures and the risk of multiple myeloma in men: An analysis of the North American Pooled Project. International Journal of Cancer, 2016, 139, 1703-1714.	5.1	38
99	Ingested Nitrate and Nitrite and Bladder Cancer in Northern New England. Epidemiology, 2020, 31, 136-144.	2.7	37
100	Genetic Variation in Base Excision Repair Pathway Genes, Pesticide Exposure, and Prostate Cancer Risk. Environmental Health Perspectives, 2011, 119, 1726-1732.	6.0	35
101	Genetic variation in nucleotide excision repair pathway genes, pesticide exposure and prostate cancer risk. Carcinogenesis, 2012, 33, 331-337.	2.8	34
102	Exposure to atrazine and selected non-persistent pesticides among corn farmers during a growing season. Journal of Exposure Science and Environmental Epidemiology, 2009, 19, 544-554.	3.9	33
103	Occupational exposure to formaldehyde and alterations in lymphocyte subsets. American Journal of Industrial Medicine, 2013, 56, 252-257.	2.1	33
104	Prediagnostic Serum Organochlorine Concentrations and Metastatic Prostate Cancer: A Nested Case–Control Study in the Norwegian Janus Serum Bank Cohort. Environmental Health Perspectives, 2015, 123, 867-872.	6.0	33
105	Body Size Indicators and Risk of Gallbladder Cancer: Pooled Analysis of Individual-Level Data from 19 Prospective Cohort Studies. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 597-606.	2.5	33
106	Cancer incidence and metolachlor use in the <scp>A</scp> gricultural <scp>H</scp> ealth <scp>S</scp> tudy: An update. International Journal of Cancer, 2015, 137, 2630-2643.	5.1	32
107	The Biomarkers of Exposure and Effect in Agriculture (BEEA) Study: Rationale, Design, Methods, and Participant Characteristics. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2015, 78, 1338-1347.	2.3	32
108	Anthropometry and head and neck cancer:a pooled analysis of cohort data. International Journal of Epidemiology, 2015, 44, 673-681.	1.9	32

#	Article	IF	CITATIONS
109	Assessment of occupational exposure to pesticides in a pooled analysis of agricultural cohorts within the AGRICOH consortium. Occupational and Environmental Medicine, 2016, 73, 359-367.	2.8	32
110	Occupational Exposure to Metribuzin and the Incidence of Cancer in the Agricultural Health Study. Annals of Epidemiology, 2009, 19, 388-395.	1.9	31
111	Pesticide Use and Myocardial Infarction Incidence Among Farm Women in the Agricultural Health Study. Journal of Occupational and Environmental Medicine, 2010, 52, 693-697.	1.7	31
112	Elevated urinary levels of kidney injury molecule-1 among Chinese factory workers exposed to trichloroethylene. Carcinogenesis, 2012, 33, 1538-1541.	2.8	31
113	Using multiple imputation to assign pesticide use for non-responders in the follow-up questionnaire in the Agricultural Health Study. Journal of Exposure Science and Environmental Epidemiology, 2012, 22, 409-416.	3.9	31
114	Genetic Susceptibility Loci, Pesticide Exposure and Prostate Cancer Risk. PLoS ONE, 2013, 8, e58195.	2.5	31
115	Anthropometric Risk Factors for Cancers of the Biliary Tract in the Biliary Tract Cancers Pooling Project. Cancer Research, 2019, 79, 3973-3982.	0.9	31
116	Estimating Water Supply Arsenic Levels in the New England Bladder Cancer Study. Environmental Health Perspectives, 2011, 119, 1279-1285.	6.0	30
117	Lifetime Pesticide Use and Antinuclear Antibodies in Male Farmers From the Agricultural Health Study. Frontiers in Immunology, 2019, 10, 1476.	4.8	29
118	Accuracy of residential geocoding in the Agricultural Health Study. International Journal of Health Geographics, 2014, 13, 37.	2.5	28
119	The FANCM:p.Arg658* truncating variant is associated with risk of triple-negative breast cancer. Npj Breast Cancer, 2019, 5, 38.	5.2	28
120	Sex specific associations in genome wide association analysis of renal cell carcinoma. European Journal of Human Genetics, 2019, 27, 1589-1598.	2.8	27
121	Test-retest of self-reported exposure to artificial tanning devices, self-tanning creams, and sun sensitivity showed consistency. Journal of Clinical Epidemiology, 2005, 58, 430-432.	5.0	26
122	Association between adult height, genetic susceptibility and risk of glioma. International Journal of Epidemiology, 2012, 41, 1075-1085.	1.9	26
123	Potential effect modifiers of the arsenic–bladder cancer risk relationship. International Journal of Cancer, 2018, 143, 2640-2646.	5.1	25
124	Farming tasks and the development of rheumatoid arthritis in the agricultural health study. Occupational and Environmental Medicine, 2019, 76, 243-249.	2.8	25
125	Dicamba use and cancer incidence in the agricultural health study: an updated analysis. International Journal of Epidemiology, 2020, 49, 1326-1337.	1.9	25
126	Occupational cancer in developed countries. Environmental Health, 2011, 10, S9.	4.0	24

#	Article	IF	CITATIONS
127	Incident thyroid disease in female spouses of private pesticide applicators. Environment International, 2018, 118, 282-292.	10.0	24
128	Abdominal and gluteofemoral size and risk of liver cancer: The liver cancer pooling project. International Journal of Cancer, 2020, 147, 675-685.	5.1	24
129	Cancer incidence in agricultural workers: Findings from an international consortium of agricultural cohort studies (AGRICOH). Environment International, 2021, 157, 106825.	10.0	24
130	Joint effects between five identified risk variants, allergy, and autoimmune conditions on glioma risk. Cancer Causes and Control, 2013, 24, 1885-1891.	1.8	23
131	Alachlor Use and Cancer Incidence in the Agricultural Health Study: An Updated Analysis. Journal of the National Cancer Institute, 2018, 110, 950-958.	6.3	23
132	Exposures Related to House Dust Microbiota in a U.S. Farming Population. Environmental Health Perspectives, 2018, 126, 067001.	6.0	23
133	Non-Hodgkin lymphoma risk and organophosphate and carbamate insecticide use in the north American pooled project. Environment International, 2019, 127, 199-205.	10.0	23
134	Associations Between Prediagnostic Concentrations of Circulating Sex Steroid Hormones and Liver Cancer Among Postmenopausal Women. Hepatology, 2020, 72, 535-547.	7.3	23
135	Tobacco Use and Cancer Risk in the Agricultural Health Study. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 769-778.	2.5	22
136	High Pesticide Exposure Events and Olfactory Impairment among U.S. Farmers. Environmental Health Perspectives, 2019, 127, 17005.	6.0	22
137	Occupational Pesticide Use and Risk of Renal Cell Carcinoma in the Agricultural Health Study. Environmental Health Perspectives, 2020, 128, 67011.	6.0	22
138	Pesticide use and fatal injury among farmers in the Agricultural Health Study. International Archives of Occupational and Environmental Health, 2013, 86, 177-187.	2.3	21
139	Sleep apnea and pesticide exposure in a study of US farmers. Sleep Health, 2018, 4, 20-26.	2.5	21
140	Characterization of inhalable endotoxin, glucan, and dust exposures in Iowa farmers. International Journal of Hygiene and Environmental Health, 2020, 228, 113525.	4.3	21
141	House dust microbiota in relation to adult asthma and atopy in a US farming population. Journal of Allergy and Clinical Immunology, 2021, 147, 910-920.	2.9	21
142	Polymorphisms in chemokine and receptor genes and gastric cancer risk and survival in a high risk Polish population. Scandinavian Journal of Gastroenterology, 2011, 46, 333-340.	1.5	20
143	Nonsteroidal antiâ€inflammatory drugs and other analgesic use and bladder cancer in northern New England. International Journal of Cancer, 2013, 132, 162-173.	5.1	20
144	Pesticide Exposure and Inherited Variants in Vitamin D Pathway Genes in Relation to Prostate Cancer. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 1557-1566.	2.5	20

#	Article	IF	CITATIONS
145	Exogenous hormone use, reproductive factors and risk of intrahepatic cholangiocarcinoma among women: results from cohort studies in the Liver Cancer Pooling Project and theÂUK Biobank. British Journal of Cancer, 2020, 123, 316-324.	6.4	20
146	Epigenome-Wide DNA Methylation and Pesticide Use in the Agricultural Lung Health Study. Environmental Health Perspectives, 2021, 129, 97008.	6.0	20
147	Further Confirmation of Germline Glioma Risk Variant rs78378222 in <i>TP53</i> and Its Implication in Tumor Tissues via Integrative Analysis of TCGA Data. Human Mutation, 2015, 36, 684-688.	2.5	19
148	Raw milk consumption and other early-life farm exposures and adult pulmonary function in the Agricultural Lung Health Study. Thorax, 2018, 73, 279-282.	5.6	19
149	Breast Cancer Risk Factors and Survival by Tumor Subtype: Pooled Analyses from the Breast Cancer Association Consortium. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 623-642.	2.5	19
150	Extended Mortality Follow-up of a Cohort of 25,460 Workers Exposed to Acrylonitrile. American Journal of Epidemiology, 2019, 188, 1484-1492.	3.4	18
151	Associations between Genetically Predicted Blood Protein Biomarkers and Pancreatic Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1501-1508.	2.5	18
152	Lung Cancer Among Nonsmokers. Epidemiology, 2006, 17, 601-603.	2.7	17
153	Animal production, insecticide use and self-reported symptoms and diagnoses of COPD, including chronic bronchitis, in the Agricultural Health Study. Environment International, 2019, 127, 764-772.	10.0	17
154	Pesticide use and kidney function among farmers in the Biomarkers of Exposure and Effect in Agriculture study. Environmental Research, 2021, 199, 111276.	7.5	17
155	Effects of selfâ€reported health conditions and pesticide exposures on probability of followâ€up in a prospective cohort study. American Journal of Industrial Medicine, 2010, 53, 486-496.	2.1	16
156	Pesticide use and LINE-1 methylation among male private pesticide applicators in the Agricultural Health Study. Environmental Epigenetics, 2017, 3, dvx005.	1.8	16
157	Factors associated with dream enacting behaviors among US farmers. Parkinsonism and Related Disorders, 2018, 57, 9-15.	2.2	16
158	Pilot study of global endocrine disrupting activity in Iowa public drinking water utilities using cell-based assays. Science of the Total Environment, 2020, 714, 136317.	8.0	15
159	Lifetime Pesticide Use and Monoclonal Gammopathy of Undetermined Significance in a Prospective Cohort of Male Farmers. Environmental Health Perspectives, 2021, 129, 17003.	6.0	15
160	Circulating immune/inflammation markers in Chinese workers occupationally exposed to formaldehyde. Carcinogenesis, 2015, 36, 852-857.	2.8	14
161	Pesticide use and risk of Hodgkin lymphoma: results from the North American Pooled Project (NAPP). Cancer Causes and Control, 2020, 31, 583-599.	1.8	14
162	Distinct Reproductive Risk Profiles for Intrinsic-Like Breast Cancer Subtypes: Pooled Analysis of Population-Based Studies. Journal of the National Cancer Institute, 2022, 114, 1706-1719.	6.3	14

#	Article	IF	CITATIONS
163	Herbicide, fumigant, and fungicide use and breast cancer risk among farmers' wives. Environmental Epidemiology, 2020, 4, e097.	3.0	13
164	Nonmotor symptoms and Parkinson disease in United States farmers and spouses. PLoS ONE, 2017, 12, e0185510.	2.5	13
165	Evaluation of Agricultural Exposures: The Agricultural Health Study and the Agricultural Cohort Consortium. Reviews on Environmental Health, 2009, 24, 311-8.	2.4	12
166	Lifetime organophosphorous insecticide use among private pesticide applicators in the Agricultural Health Study. Journal of Exposure Science and Environmental Epidemiology, 2012, 22, 584-592.	3.9	12
167	Is the Inverse Association Between Selenium and Bladder Cancer Due to Confounding by Smoking?. American Journal of Epidemiology, 2015, 181, 488-495.	3.4	12
168	Longitudinal investigation of haematological alterations among permethrin-exposed pesticide applicators in the Biomarkers of Exposure and Effect in Agriculture study. Occupational and Environmental Medicine, 2019, 76, 467-470.	2.8	12
169	Agricultural Exposures and Stroke Mortality in the Agricultural Health Study. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2013, 76, 798-814.	2.3	11
170	Assessing the Potential for Bias From Nonresponse to a Study Follow-up Interview: An Example From the Agricultural Health Study. American Journal of Epidemiology, 2017, 186, 395-404.	3.4	11
171	Occupational Exposure to Formaldehyde, Hematotoxicity and Leukemia-Specific Chromosome Changes in Cultured Myeloid Progenitor Cells – Response. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1884-1885.	2.5	10
172	Overall and cause-specific mortality in a cohort of farmers and their spouses. Occupational and Environmental Medicine, 2019, 76, 632-643.	2.8	10
173	An algorithm for quantitatively estimating non-occupational pesticide exposure intensity for spouses in the Agricultural Health Study. Journal of Exposure Science and Environmental Epidemiology, 2019, 29, 344-357.	3.9	10
174	Occupational pesticide use and self-reported olfactory impairment in US farmers. Occupational and Environmental Medicine, 2021, 78, 179-191.	2.8	10
175	The Interaction between Pesticide Use and Genetic Variants Involved in Lipid Metabolism on Prostate Cancer Risk. Journal of Cancer Epidemiology, 2012, 2012, 1-11.	1.1	9
176	Pooling Prospective Studies to Investigate the Etiology of Second Cancers. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1598-1608.	2.5	9
177	Farm Characteristics, Allergy Symptoms, and Risk of Non-Hodgkin Lymphoid Neoplasms in the Agricultural Health Study. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 587-594.	2.5	9
178	Use of Dieselized Farm Equipment and Incident Lung Cancer: Findings from the Agricultural Health Study Cohort. Environmental Health Perspectives, 2016, 124, 611-618.	6.0	9
179	Mendelian randomisation study of smoking exposure in relation to breast cancer risk. British Journal of Cancer, 2021, 125, 1135-1145.	6.4	9
180	A task-based analysis of black carbon exposure in Iowa farmers during harvest. Journal of Occupational and Environmental Hygiene, 2018, 15, 293-304.	1.0	8

#	Article	IF	CITATIONS
181	Industrial hog farming is associated with altered circulating immunological markers. Occupational and Environmental Medicine, 2018, 75, 212-217.	2.8	8
182	Neurologic Symptoms Associated With Raising Poultry and Swine Among Participants in the Agricultural Health Study. Journal of Occupational and Environmental Medicine, 2011, 53, 190-195.	1.7	7
183	Greater Coronary Heart Disease Risk With Lower Intensity and Longer Duration Smoking Compared With Higher Intensity and Shorter Duration Smoking: Congruent Results Across Diverse Cohorts. Nicotine and Tobacco Research, 2017, 19, ntw290.	2.6	7
184	Pesticide use and incident hyperthyroidism in farmers in the Agricultural Health Study. Occupational and Environmental Medicine, 2019, 76, 332-335.	2.8	7
185	Residential Proximity to Intensive Animal Agriculture and Risk of Lymphohematopoietic Cancers in the Agricultural Health Study. Epidemiology, 2020, 31, 478-489.	2.7	7
186	Insecticide use and risk of nonâ€Hodgkin lymphoma subtypes: A subset metaâ€analysis of the North American Pooled Project. International Journal of Cancer, 2020, 147, 3370-3383.	5.1	7
187	2,4-D exposure and urinary markers of oxidative DNA damage and lipid peroxidation: a longitudinal study. Occupational and Environmental Medicine, 2020, 77, 276-280.	2.8	7
188	Interaction between Genetic Risk Scores for reduced pulmonary function and smoking, asthma and endotoxin. Thorax, 2021, 76, 1219-1226.	5.6	7
189	Association of germline genetic variants with breast cancer-specific survival in patient subgroups defined by clinic-pathological variables related to tumor biology and type of systemic treatment. Breast Cancer Research, 2021, 23, 86.	5.0	7
190	Mendelian Randomization Analysis of n-6 Polyunsaturated Fatty Acid Levels and Pancreatic Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 2735-2739.	2.5	6
191	Rare germline copy number variants (CNVs) and breast cancer risk. Communications Biology, 2022, 5, 65.	4.4	6
192	High Pesticide Exposure Events and Dreamâ€Enacting Behaviors Among US Farmers. Movement Disorders, 2022, 37, 962-971.	3.9	6
193	A Genome-Wide Gene-Based Gene–Environment Interaction Study of Breast Cancer in More than 90,000 Women. Cancer Research Communications, 2022, 2, 211-219.	1.7	6
194	Neurologic Symptoms Associated With Cattle Farming in the Agricultural Health Study. Journal of Occupational and Environmental Medicine, 2012, 54, 1253-1258.	1.7	5
195	Sex Steroid Hormone Single-Nucleotide Polymorphisms, Pesticide Use, and the Risk of Prostate Cancer: A Nested Case–Control Study within the Agricultural Health Study. Frontiers in Oncology, 2016, 6, 237.	2.8	5
196	Family History of Cancer and Risk of Biliary Tract Cancers: Results from the Biliary Tract Cancers Pooling Project. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 348-351.	2.5	5
197	Two truncating variants in FANCC and breast cancer risk. Scientific Reports, 2019, 9, 12524.	3.3	5
198	Genome-Wide Gene–Diabetes and Gene–Obesity Interaction Scan in 8,255 Cases and 11,900 Controls from PanScan and PanC4 Consortia. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1784-1791.	2.5	5

#	Article	IF	CITATIONS
199	Genome-Wide Association Study Data Reveal Genetic Susceptibility to Chronic Inflammatory Intestinal Diseases and Pancreatic Ductal Adenocarcinoma Risk. Cancer Research, 2020, 80, 4004-4013.	0.9	5
200	Challenges of pesticide exposure assessment in occupational studies of chronic diseases. Occupational and Environmental Medicine, 2020, 77, 355-356.	2.8	5
201	CYP3A7*1C allele: linking premenopausal oestrone and progesterone levels with risk of hormone receptor-positive breast cancers. British Journal of Cancer, 2021, 124, 842-854.	6.4	5
202	Agricultural Pesticides and Shingles Risk in a Prospective Cohort of Licensed Pesticide Applicators. Environmental Health Perspectives, 2021, 129, 77005.	6.0	5
203	Disinfection By-Products in Drinking Water and Bladder Cancer: Evaluation of Risk Modification by Common Genetic Polymorphisms in Two Case–Control Studies. Environmental Health Perspectives, 2022, 130, 57006.	6.0	5
204	Diesel Exhaust Exposure during Farming Activities: Statistical Modeling of Continuous Black Carbon Concentrations. Annals of Work Exposures and Health, 2020, 64, 503-513.	1.4	4
205	Spatial Heterogeneity in Positional Errors: A Comparison of Two Residential Geocoding Efforts in the Agricultural Health Study. International Journal of Environmental Research and Public Health, 2021, 18, 1637.	2.6	4
206	Observed vs. self-reported agricultural activities: Evaluating 24-hr recall in a pilot study. Journal of Occupational and Environmental Hygiene, 2022, 19, 87-90.	1.0	4
207	Drinking Water Disinfection Byproducts, Ingested Nitrate, and Risk of Endometrial Cancer in Postmenopausal Women. Environmental Health Perspectives, 2022, 130, .	6.0	4
208	Fungal and atopic sensitization are low among farmers in the Agricultural Health Study. Journal of Allergy and Clinical Immunology, 2012, 130, 267-270.e1.	2.9	3
209	Animal farming and the risk of lymphohaematopoietic cancers: a meta-analysis of three cohort studies within the AGRICOH consortium. Occupational and Environmental Medicine, 2019, 76, 827-837.	2.8	3
210	Drinking water sources and water quality in a prospective agricultural cohort. Environmental Epidemiology, 2022, 6, e210.	3.0	3
211	Use of permethrin and other pyrethroids and mortality in the Agricultural Health Study. Occupational and Environmental Medicine, 2022, 79, 664-672.	2.8	3
212	Response to Tarone and McLaughlin: RE: Mortality from solid tumors in the updated NCI formaldehyde worker cohort. American Journal of Industrial Medicine, 2014, 57, 488-489.	2.1	2
213	Assessment of occupational exposure to pesticides in a pooled analysis of agricultural cohorts within the AGRICOH consortium: authors' response. Occupational and Environmental Medicine, 2017, 74, 81-81.	2.8	2
214	0084â€A Case-Control Study of Occupational Exposure to Metalworking Fluids and Bladder Cancer Risk among Men. Occupational and Environmental Medicine, 2014, 71, A71.1-A71.	2.8	1
215	0127â€Pesticide use and relative telomere length in the Agricultural Health Study. Occupational and Environmental Medicine, 2014, 71, A14.3-A15.	2.8	1
216	Occupation and Bladder Cancer in a Population-Based Case-Control Study in Northern New England. Epidemiology, 2009, 20, S128.	2.7	1

#	Article	IF	CITATIONS
217	Single-Nucleotide Polymorphism Data Support the General Unrelatedness of the Males in the Agricultural Health Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2192-2195.	2.5	Ο
218	0411â€Separating within- and between-group exposure effects in a panel study on pesticide use and early biological effects in the Corn Farmers study. Occupational and Environmental Medicine, 2014, 71, A52.2-A52.	2.8	0
219	SIX AUTHORS REPLY. American Journal of Epidemiology, 2020, 189, 361-362.	3.4	Ο
220	Drinking water disinfection byproducts and ingested nitrate with the risk of endometrial cancer in postmenopausal women. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
221	Residential proximity to animal feeding operations and risk of lymphohematopoietic cancers in the Iowa Women's Health Study. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
222	Drinking Water Sources and Water Quality in the Agricultural Health Study. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
223	Residential proximity to animal feeding operations and mortality among postmenopausal women in the Iowa Women's Health Study. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
224	Occupational formaldehyde exposure and cancer risk. FASEB Journal, 2012, 26, 340.1.	0.5	0
225	Abstract 829: Circulating immune/inflammation markers in Chinese workers occupationally exposed to formaldehyde. , 2015, , .		0
226	Completeness of cohort-linked U.S. Medicare data: An example from the Agricultural Health Study (1999–2016). Preventive Medicine Reports, 2022, 27, 101766.	1.8	0