

Motoki Takano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/780105/publications.pdf>

Version: 2024-02-01

25
papers

127
citations

1307366

7
h-index

1281743

11
g-index

26
all docs

26
docs citations

26
times ranked

211
citing authors

#	ARTICLE	IF	CITATIONS
1	Intratumoral Hemorrhage After Endoscopic Third Ventriculostomy for Obstructive Hydrocephalus Caused by Brain Tumors. <i>World Neurosurgery</i> , 2022, 158, e256-e264.	0.7	2
2	Diffusion-weighted imaging-gadolinium enhancement mismatch sign in diffuse midline glioma. <i>European Journal of Radiology</i> , 2022, 147, 110103.	1.2	3
3	T2-FLAIR Mismatch Sign and Response to Radiotherapy in Diffuse Intrinsic Pontine Glioma. <i>Pediatric Neurosurgery</i> , 2021, 56, 1-9.	0.4	6
4	Detecting non-germinomatous germ cell tumor component by arterial spin labeling perfusion-weighted MR imaging in central nervous system germ cell tumor. <i>European Journal of Radiology</i> , 2021, 136, 109523.	1.2	4
5	COT-11 Relationship between preoperative liquid biopsy and prognosis of glioblastoma -Next Generation Sequencing of small noncoding RNA-. <i>Neuro-Oncology Advances</i> , 2021, 3, vi29-vi29.	0.4	0
6	Bevacizumab for optic pathway glioma with worsening visual field in absence of imaging progression: 2 case reports and literature review. <i>Child's Nervous System</i> , 2020, 36, 635-639.	0.6	10
7	Primary and Recurrent Growing Teratoma Syndrome in Central Nervous System Nongerminomatous Germ Cell Tumors: Case Series and Review of the Literature. <i>World Neurosurgery</i> , 2020, 134, e360-e371.	0.7	10
8	Radiology Profile as a Potential Instrument to Differentiate Between Posterior Fossa Ependymoma (PF-EPN) Group A and B. <i>World Neurosurgery</i> , 2020, 140, e320-e327.	0.7	10
9	Advantage of high b value diffusion-weighted imaging for differentiation of common pediatric brain tumors in posterior fossa. <i>European Journal of Radiology</i> , 2020, 128, 108983.	1.2	4
10	T2-FLAIR mismatch sign in dysembryoplasticneuroepithelial tumor. <i>European Journal of Radiology</i> , 2020, 126, 108924.	1.2	18
11	COT-04 Circulating biomarker for glioblastoma and primary central nervous system lymphoma -Next Generation Sequencing of small noncoding RNA-. <i>Neuro-Oncology Advances</i> , 2020, 2, ii21-ii21.	0.4	0
12	NI-11 Clinical significance of intracystic diffusion hyperintensity lesions remaining after treatment of intracranial germ cell tumor. <i>Neuro-Oncology Advances</i> , 2020, 2, ii14-ii14.	0.4	0
13	Usefulness of Histogram-Profile Analysis in Ring-Enhancing Intracranial Lesions. <i>World Neurosurgery</i> , 2019, 131, e226-e236.	0.7	2
14	Effect of bevacizumab against cystic components of brain tumors. <i>Cancer Medicine</i> , 2019, 8, 6519-6527.	1.3	5
15	Immunostaining of Increased Expression of Enhancer of Zeste Homolog 2 (EZH2) in Diffuse Midline Glioma H3K27M-Mutant Patients with Poor Survival. <i>Pathobiology</i> , 2019, 86, 152-161.	1.9	25
16	Abscess Formation in Metastatic Brain Tumor with History of Immune Checkpoint Inhibitor: A Case Report. <i>NMC Case Report Journal</i> , 2019, 6, 11-15.	0.2	1
17	PATH-03. DIFFERENCES IN CLINICAL COURSE OF GROUP-A AND GROUP-B POSTERIOR FOSSA EPENDYMOMA (PFA, PFB) AS DEFINED BY H3K27ME3 IMMUNOHISTOCHEMICAL ANALYSIS. <i>Neuro-Oncology</i> , 2019, 21, vi143-vi143.	0.6	0
18	NIMG-18. EFFECT OF BEVACIZUMAB AGAINST CYSTIC PART OF BRAIN TUMOR. <i>Neuro-Oncology</i> , 2019, 21, vi165-vi165.	0.6	1

#	ARTICLE	IF	CITATIONS
19	NCMP-06. THE INCIDENCE OF POST-IRRADIATION CAVERNOUS ANGIOMA AND CYSTIC MALACIA AFTER HIGH DOSE CRANIAL IRRADIATION IN PEDIATRIC AND ADULT MALIGNANT BRAIN TUMORS. <i>Neuro-Oncology</i> , 2019, 21, vi180-vi180.	0.6	0
20	COT-17 EFFECT OF BEVACIZUMAB AGAINST CYSTIC COMPONENT OF PRIMARY/METASTATIC BRAIN TUMORS. <i>Neuro-Oncology Advances</i> , 2019, 1, ii43-ii43.	0.4	0
21	NI-17 T2-FLAIR MISMATCH SIGN IN DIFFUSE GLIOMA AND DYSEMBRYOPLASTIC NEUROEPITHELIAL TUMOR. <i>Neuro-Oncology Advances</i> , 2019, 1, ii28-ii28.	0.4	0
22	NIMG-01. T2WI-FLAIR MISMATCH SIGN IN LOWER GRADE GLIOMA AND DYSEMBRYOPLASTIC NEUROEPITHELIAL TUMOR. <i>Neuro-Oncology</i> , 2019, 21, vi161-vi161.	0.6	2
23	Advantages of high b-value diffusion-weighted imaging for preoperative differential diagnosis between embryonal and ependymal tumors at 3T MRI. <i>European Journal of Radiology</i> , 2018, 101, 136-143.	1.2	8
24	Proton Magnetic Resonance Spectroscopy Detection of High Lipid Levels and Low Apparent Diffusion Coefficient Is Characteristic of Germinomas. <i>World Neurosurgery</i> , 2018, 112, e84-e94.	0.7	16
25	GERM-14. ADVANCED MR IMAGING OF GERMINOMA. <i>Neuro-Oncology</i> , 2018, 20, i86-i86.	0.6	0