Veronique Chajes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7801932/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association between Serum trans-Monounsaturated Fatty Acids and Breast Cancer Risk in the E3N-EPIC Study. American Journal of Epidemiology, 2008, 167, 1312-1320.	1.6	202
2	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2009, 89, 331-346.	2.2	188
3	Contribution of highly industrially processed foods to the nutrient intakes and patterns of middle-aged populations in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Clinical Nutrition, 2009, 63, S206-S225.	1.3	163
4	Fatty-acid composition in serum phospholipids and risk of breast cancer: An incident case-control study in Sweden. , 1999, 83, 585-590.		127
5	Dietary Fat Intake and Development of Specific Breast Cancer Subtypes. Journal of the National Cancer Institute, 2014, 106, .	3.0	92
6	Serum carotenoids as biomarkers of fruit and vegetable consumption in the New York Women's Health Study. Public Health Nutrition, 2001, 4, 829-835.	1.1	82
7	ï‰-3 and ï‰-6 Polyunsaturated Fatty Acid Intakes and the Risk of Breast Cancer in Mexican Women: Impact of Obesity Status. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 319-326.	1.1	77
8	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. Clinical Gastroenterology and Hepatology, 2020, 18, 654-666.e6.	2.4	74
9	Reliability of fatty acid composition in human serum phospholipids. European Journal of Clinical Nutrition, 2000, 54, 367-372.	1.3	73
10	The fatty acid desaturation index of blood lipids, as a biomarker of hepatic stearoyl-CoA desaturase expression, is a predictive factor of breast cancer risk. Current Opinion in Lipidology, 2011, 22, 6-10.	1.2	70
11	Alcohol intake and breast cancer in the <scp>E</scp> uropean prospective investigation into cancer and nutrition. International Journal of Cancer, 2015, 137, 1921-1930.	2.3	65
12	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. European Journal of Nutrition, 2018, 57, 2399-2408.	1.8	58
13	Circulating Fatty Acids and Prostate Cancer Risk: Individual Participant Meta-Analysis of Prospective Studies. Journal of the National Cancer Institute, 2014, 106, .	3.0	49
14	Correlation Between Serum Phospholipid Fatty Acids and Dietary Intakes Assessed a Few Years Earlier. Nutrition and Cancer, 2009, 61, 500-509.	0.9	46
15	Nutrition and breast cancer. Maturitas, 2014, 77, 7-11.	1.0	46
16	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). American Journal of Clinical Nutrition, 2011, 94, 1304-1313.	2.2	41
17	Menstrual and reproductive factors and risk of breast cancer: A case-control study in the Fez region, Morocco. PLoS ONE, 2018, 13, e0191333.	1.1	41
18	A prospective evaluation of plasma phospholipid fatty acids and breast cancer risk in the EPIC study. Annals of Oncology, 2017, 28, 2836-2842.	0.6	36

VERONIQUE CHAJES

#	Article	IF	CITATIONS
19	Dietary trans-fatty acid intake in relation to cancer risk: a systematic review and meta-analysis. Nutrition Reviews, 2021, 79, 758-776.	2.6	36
20	Ecological-Level Associations Between Highly Processed Food Intakes and Plasma Phospholipid Elaidic Acid Concentrations: Results From a Cross-Sectional Study Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). Nutrition and Cancer, 2011, 63, 1235-1250.	0.9	34
21	Prospective Associations between Plasma Saturated, Monounsaturated and Polyunsaturated Fatty Acids and Overall and Breast Cancer Risk – Modulation by Antioxidants: A Nested Case-Control Study. PLoS ONE, 2014, 9, e90442.	1.1	34
22	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and <i>trans</i> fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. International Journal of Cancer, 2021, 149, 865-882.	2.3	29
23	Association between serum phospholipid fatty acid levels and adiposity in Mexican women. Journal of Lipid Research, 2017, 58, 1462-1470.	2.0	28
24	Plasma Elaidic Acid Level as Biomarker of Industrial Trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. PLoS ONE, 2015, 10, e0118206.	1.1	27
25	Circulating plasma phospholipid fatty acids and risk of pancreatic cancer in a large European cohort. International Journal of Cancer, 2018, 143, 2437-2448.	2.3	27
26	Metabolic signature of healthy lifestyle and its relation with risk of hepatocellular carcinoma in a large European cohort. American Journal of Clinical Nutrition, 2018, 108, 117-126.	2.2	26
27	Dietary intake of trans fatty acids and breast cancer risk in 9 European countries. BMC Medicine, 2021, 19, 81.	2.3	24
28	Are Metabolic Signatures Mediating the Relationship between Lifestyle Factors and Hepatocellular Carcinoma Risk? Results from a Nested Case–Control Study in EPIC. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 531-540.	1.1	23
29	Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. Clinical Gastroenterology and Hepatology, 2022, 20, e1061-e1082.	2.4	23
30	Healthy lifestyle and breast cancer risk: A case-control study in Morocco. Cancer Epidemiology, 2019, 58, 160-166.	0.8	17
31	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology, 2014, 38, 528-537.	0.8	16
32	Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. Environmental Research, 2019, 169, 417-433.	3.7	16
33	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1739-1749.	1.1	15
34	Association between Serum Phospholipid Fatty Acid Levels and Adiposity among Lebanese Adults: A Cross-Sectional Study. Nutrients, 2018, 10, 1371.	1.7	13
35	Plasma Carotenoids in Relation to Food Consumption in Granada (Southern Spain) and Malmö (Southern Sweden). International Journal for Vitamin and Nutrition Research, 2001, 71, 97-102.	0.6	12
36	Intake of individual fatty acids and risk of prostate cancer in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2020, 146, 44-57.	2.3	11

VERONIQUE CHAJES

#	ARTICLE	IF	CITATIONS
37	Serum Phospholipid Fatty Acids Levels, Anthropometric Variables and Adiposity in Spanish Premenopausal Women. Nutrients, 2020, 12, 1895.	1.7	10
38	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 874-885.	1.1	10
39	Changes in dietary intake, plasma carotenoids and erythrocyte membrane fatty acids in breast cancer survivors after a lifestyle intervention: results from a singleâ€arm trial. Journal of Human Nutrition and Dietetics, 2019, 32, 468-479.	1.3	9
40	Occupation and risk of female breast cancer: A caseâ€control study in Morocco. American Journal of Industrial Medicine, 2019, 62, 838-846.	1.0	7
41	Consumption of industrial processed foods and risk of premenopausal breast cancer among Latin American women: the PRECAMA study. BMJ Nutrition, Prevention and Health, 2022, 5, 1-9.	1.9	7
42	Fatty acid composition in serum phospholipids and risk of breast cancer: A prospective cohort study in northern sweden. Lipids, 1999, 34, S113-S113.	0.7	6
43	Temporal trends in food group availability and cancer incidence in Africa: an ecological analysis. Public Health Nutrition, 2019, 22, 2569-2580.	1.1	6
44	Body size, silhouette trajectory and the risk of breast cancer in a Moroccan case–control study. Breast Cancer, 2020, 27, 748-758.	1.3	6
45	Determinants of blood acylcarnitine concentrations in healthy individuals of the European Prospective Investigation into Cancer and Nutrition. Clinical Nutrition, 2022, 41, 1735-1745.	2.3	6
46	Plasma Phospholipid Long-Chain n-3 Polyunsaturated Fatty Acids and Body Weight Change. Obesity Facts, 2011, 4, 312-318.	1.6	5
47	The influence of prenatal exposure to trans-fatty acids for development of childhood haematopoietic neoplasms (EnTrance): a natural societal experiment and a case-control study. Nutrition Journal, 2018, 17, 13.	1.5	3
48	Serum Phospholipid Fatty Acids and Mammographic Density in Premenopausal Women. Journal of Nutrition, 2020, 150, 2419-2428.	1.3	3
49	Trends of serum phospholipid fatty acids over time in rural Uganda: evidence of nutritional transition?. British Journal of Nutrition, 2019, 121, 130-136.	1.2	2
50	Can legal restrictions of prenatal exposure to industrial trans-fatty acids reduce risk of childhood hematopoietic neoplasms? A population-based study. European Journal of Clinical Nutrition, 2019, 73, 311-318.	1.3	0
51	Plasma Elaidic Acid Level as Biomarker of Industrial trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. FASEB Journal, 2015, 29, 598.17.	0.2	0
52	Dietary trans fatty acid intakes and cancer risk: results from the NutriNet-Santé cohort. European Journal of Public Health, 2021, 31, .	0.1	0