

# Veronique Chajes

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7801932/publications.pdf>

Version: 2024-02-01

52  
papers

2,021  
citations

257357

24  
h-index

254106

43  
g-index

52  
all docs

52  
docs citations

52  
times ranked

3368  
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, e1061-e1082.	2.4	23
2	Consumption of industrial processed foods and risk of premenopausal breast cancer among Latin American women: the PRECAMA study. <i>BMJ Nutrition, Prevention and Health</i> , 2022, 5, 1-9.	1.9	7
3	Determinants of blood acylcarnitine concentrations in healthy individuals of the European Prospective Investigation into Cancer and Nutrition. <i>Clinical Nutrition</i> , 2022, 41, 1735-1745.	2.3	6
4	Dietary trans-fatty acid intake in relation to cancer risk: a systematic review and meta-analysis. <i>Nutrition Reviews</i> , 2021, 79, 758-776.	2.6	36
5	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 874-885.	1.1	10
6	Dietary intake of trans fatty acids and breast cancer risk in 9 European countries. <i>BMC Medicine</i> , 2021, 19, 81.	2.3	24
7	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and <i>trans</i> fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>International Journal of Cancer</i> , 2021, 149, 865-882.	2.3	29
8	Dietary trans fatty acid intakes and cancer risk: results from the NutriNet-Sant� cohort. <i>European Journal of Public Health</i> , 2021, 31, .	0.1	0
9	Intake of individual fatty acids and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2020, 146, 44-57.	2.3	11
10	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 654-666.e6.	2.4	74
11	Serum Phospholipid Fatty Acids Levels, Anthropometric Variables and Adiposity in Spanish Premenopausal Women. <i>Nutrients</i> , 2020, 12, 1895.	1.7	10
12	Body size, silhouette trajectory and the risk of breast cancer in a Moroccan case�control study. <i>Breast Cancer</i> , 2020, 27, 748-758.	1.3	6
13	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1739-1749.	1.1	15
14	Serum Phospholipid Fatty Acids and Mammographic Density in Premenopausal Women. <i>Journal of Nutrition</i> , 2020, 150, 2419-2428.	1.3	3
15	Occupation and risk of female breast cancer: A case�control study in Morocco. <i>American Journal of Industrial Medicine</i> , 2019, 62, 838-846.	1.0	7
16	Changes in dietary intake, plasma carotenoids and erythrocyte membrane fatty acids in breast cancer survivors after a lifestyle intervention: results from a single�arm trial. <i>Journal of Human Nutrition and Dietetics</i> , 2019, 32, 468-479.	1.3	9
17	Temporal trends in food group availability and cancer incidence in Africa: an ecological analysis. <i>Public Health Nutrition</i> , 2019, 22, 2569-2580.	1.1	6
18	Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. <i>Environmental Research</i> , 2019, 169, 417-433.	3.7	16

#	ARTICLE	IF	CITATIONS
19	Healthy lifestyle and breast cancer risk: A case-control study in Morocco. <i>Cancer Epidemiology</i> , 2019, 58, 160-166.	0.8	17
20	Trends of serum phospholipid fatty acids over time in rural Uganda: evidence of nutritional transition?. <i>British Journal of Nutrition</i> , 2019, 121, 130-136.	1.2	2
21	Can legal restrictions of prenatal exposure to industrial trans-fatty acids reduce risk of childhood hematopoietic neoplasms? A population-based study. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 311-318.	1.3	0
22	Are Metabolic Signatures Mediating the Relationship between Lifestyle Factors and Hepatocellular Carcinoma Risk? Results from a Nested Case-Control Study in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 531-540.	1.1	23
23	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. <i>European Journal of Nutrition</i> , 2018, 57, 2399-2408.	1.8	58
24	Association between Serum Phospholipid Fatty Acid Levels and Adiposity among Lebanese Adults: A Cross-Sectional Study. <i>Nutrients</i> , 2018, 10, 1371.	1.7	13
25	The influence of prenatal exposure to trans-fatty acids for development of childhood haematopoietic neoplasms (EnTrance): a natural societal experiment and a case-control study. <i>Nutrition Journal</i> , 2018, 17, 13.	1.5	3
26	Circulating plasma phospholipid fatty acids and risk of pancreatic cancer in a large European cohort. <i>International Journal of Cancer</i> , 2018, 143, 2437-2448.	2.3	27
27	Metabolic signature of healthy lifestyle and its relation with risk of hepatocellular carcinoma in a large European cohort. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 117-126.	2.2	26
28	Menstrual and reproductive factors and risk of breast cancer: A case-control study in the Fez region, Morocco. <i>PLoS ONE</i> , 2018, 13, e0191333.	1.1	41
29	Association between serum phospholipid fatty acid levels and adiposity in Mexican women. <i>Journal of Lipid Research</i> , 2017, 58, 1462-1470.	2.0	28
30	A prospective evaluation of plasma phospholipid fatty acids and breast cancer risk in the EPIC study. <i>Annals of Oncology</i> , 2017, 28, 2836-2842.	0.6	36
31	Plasma Elaidic Acid Level as Biomarker of Industrial Trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. <i>PLoS ONE</i> , 2015, 10, e0118206.	1.1	27
32	Alcohol intake and breast cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015, 137, 1921-1930.	2.3	65
33	Plasma Elaidic Acid Level as Biomarker of Industrial trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. <i>FASEB Journal</i> , 2015, 29, 598.17.	0.2	0
34	Prospective Associations between Plasma Saturated, Monounsaturated and Polyunsaturated Fatty Acids and Overall and Breast Cancer Risk Modulation by Antioxidants: A Nested Case-Control Study. <i>PLoS ONE</i> , 2014, 9, e90442.	1.1	34
35	Circulating Fatty Acids and Prostate Cancer Risk: Individual Participant Meta-Analysis of Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	49
36	Nutrition and breast cancer. <i>Maturitas</i> , 2014, 77, 7-11.	1.0	46

#	ARTICLE	IF	CITATIONS
37	Dietary Fat Intake and Development of Specific Breast Cancer Subtypes. Journal of the National Cancer Institute, 2014, 106, .	3.0	92
38	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology, 2014, 38, 528-537.	0.8	16
39	̈%̈-3 and ̈%̈-6 Polyunsaturated Fatty Acid Intakes and the Risk of Breast Cancer in Mexican Women: Impact of Obesity Status. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 319-326.	1.1	77
40	The fatty acid desaturation index of blood lipids, as a biomarker of hepatic stearyl-CoA desaturase expression, is a predictive factor of breast cancer risk. Current Opinion in Lipidology, 2011, 22, 6-10.	1.2	70
41	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). American Journal of Clinical Nutrition, 2011, 94, 1304-1313.	2.2	41
42	Plasma Phospholipid Long-Chain n-3 Polyunsaturated Fatty Acids and Body Weight Change. Obesity Facts, 2011, 4, 312-318.	1.6	5
43	Ecological-Level Associations Between Highly Processed Food Intakes and Plasma Phospholipid Elaidic Acid Concentrations: Results From a Cross-Sectional Study Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). Nutrition and Cancer, 2011, 63, 1235-1250.	0.9	34
44	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2009, 89, 331-346.	2.2	188
45	Correlation Between Serum Phospholipid Fatty Acids and Dietary Intakes Assessed a Few Years Earlier. Nutrition and Cancer, 2009, 61, 500-509.	0.9	46
46	Contribution of highly industrially processed foods to the nutrient intakes and patterns of middle-aged populations in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Clinical Nutrition, 2009, 63, S206-S225.	1.3	163
47	Association between Serum trans-Monounsaturated Fatty Acids and Breast Cancer Risk in the E3N-EPIC Study. American Journal of Epidemiology, 2008, 167, 1312-1320.	1.6	202
48	Plasma Carotenoids in Relation to Food Consumption in Granada (Southern Spain) and MalmÅ¶ (Southern Sweden). International Journal for Vitamin and Nutrition Research, 2001, 71, 97-102.	0.6	12
49	Serum carotenoids as biomarkers of fruit and vegetable consumption in the New York Women's Health Study. Public Health Nutrition, 2001, 4, 829-835.	1.1	82
50	Reliability of fatty acid composition in human serum phospholipids. European Journal of Clinical Nutrition, 2000, 54, 367-372.	1.3	73
51	Fatty acid composition in serum phospholipids and risk of breast cancer: A prospective cohort study in northern sweden. Lipids, 1999, 34, S113-S113.	0.7	6
52	Fatty-acid composition in serum phospholipids and risk of breast cancer: An incident case-control study in Sweden. , 1999, 83, 585-590.		127