

Dean Morton

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7802022/dean-morton-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46
papers

655
citations

14
h-index

24
g-index

52
ext. papers

929
ext. citations

3.5
avg, IF

4.35
L-index

#	Paper	IF	Citations
46	Influences of build angle on the accuracy, printing time, and material consumption of additively manufactured surgical templates. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 658-663	4	10
45	Coronavirus disease 2019 (COVID-19): Experiences and protocols from the Department of Prosthodontics at the Wuhan University. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 41-50	4	7
44	Addition of an irrigation channel to a surgical template to facilitate cooling during implant osteotomy. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 164-166	4	2
43	The effect of surface treatments on the color stability of CAD-CAM interim fixed dental prostheses. <i>Journal of Prosthetic Dentistry</i> , 2021 , 126, 248-253	4	4
42	Use of intraoral scan for implant-supported dental prosthesis to design and fabricate a CAD-CAM verification device: A dental technique. <i>Journal of Prosthetic Dentistry</i> , 2021 , 125, 204-207	4	2
41	Using existing interim complete dentures as an aid for an interocclusal record to align edentulous intraoral scans for implant-retained overdentures. <i>Journal of Prosthetic Dentistry</i> , 2021 , 125, 854-857	4	1
40	Effect of additive manufacturing process and storage condition on the dimensional accuracy and stability of 3D-printed dental casts. <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4	2
39	The effect of theobromine on the in vitro de- and remineralization of enamel carious lesions. <i>Journal of Dentistry</i> , 2020 , 103S, 100013	4.8	
38	Using an existing surgical template as an aid for a virtual interocclusal record. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 400-401	4	
37	Internal and marginal discrepancies associated with stereolithography (SLA) additively manufactured zirconia crowns. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 730-737	4	13
36	Accuracy of virtual interocclusal records for partially edentulous patients. <i>Journal of Prosthetic Dentistry</i> , 2020 , 123, 860-865	4	7
35	Evaluation of esthetic parameters related to a single implant restoration by laypeople and dentists. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 94-99	4	2
34	CAD-CAM cobalt-chromium surgical template for static computer-aided implant surgery: A dental technique. <i>Journal of Prosthetic Dentistry</i> , 2020 , 123, 42-44	4	7
33	Consideration for Contemporary Implant Surgery. <i>Dental Clinics of North America</i> , 2019 , 63, 309-329	3.3	7
32	Use of an open-source CAD software program and additive manufacturing technology to design and fabricate a definitive cast for retrofitting a crown to an existing removable partial denture. <i>Journal of Prosthetic Dentistry</i> , 2019 , 122, 351-354	4	8
31	Accuracy, reproducibility, and dimensional stability of additively manufactured surgical templates. <i>Journal of Prosthetic Dentistry</i> , 2019 , 122, 309-314	4	33
30	Computer-guided implant surgery and full-arch immediate loading with prefabricated-metal framework-provisional prosthesis created from a 3D printed model. <i>Journal of Esthetic and Restorative Dentistry</i> , 2019 , 31, 199-208	3.5	8

29	Accuracy and reproducibility of virtual edentulous casts created by laboratory impression scan protocols. <i>Journal of Prosthetic Dentistry</i> , 2018 , 120, 389-395	4	10
28	Fabrication of an interim complete removable dental prosthesis with an in-office digital light processing three-dimensional printer: A proof-of-concept technique. <i>Journal of Prosthetic Dentistry</i> , 2018 , 120, 331-334	4	32
27	Integrating a facial scan, virtual smile design, and 3D virtual patient for treatment with CAD-CAM ceramic veneers: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 200-205	4	34
26	Integrating hinge axis approximation and the virtual facial simulation of prosthetic outcomes for treatment with CAD-CAM immediate dentures: A clinical report of a patient with microstomia. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 879-886	4	6
25	Prosthodontic rehabilitation with monolithic, multichromatic, CAD-CAM complete overdentures in an adolescent patient with ectodermal dysplasia: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 873-878	4	6
24	Group 2 ITI Consensus Report: Prosthodontics and implant dentistry. <i>Clinical Oral Implants Research</i> , 2018 , 29 Suppl 16, 215-223	4.8	45
23	Number of implants placed for complete-arch fixed prostheses: A systematic review and meta-analysis. <i>Clinical Oral Implants Research</i> , 2018 , 29 Suppl 16, 154-183	4.8	21
22	Managing complications resulting from limited prosthetic space with a monolithic, multichromatic CAD-CAM implant-retained overdenture: A dental technique. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 712-716	4	7
21	Clinician assessments and patient perspectives of single-tooth implant restorations in the esthetic zone of the maxilla: A systematic review. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 10-17	4	22
20	Prosthodontic Rehabilitation of an Ectodermal Dysplasia Patient with Implant Telescopic Crown Attachments. <i>Journal of Prosthodontics</i> , 2017 , 26, 622-627	3.9	3
19	The effect of membrane exposure on lateral ridge augmentation: a case-controlled study. <i>International Journal of Implant Dentistry</i> , 2017 , 3, 26	2.8	9
18	Creation of a 3-dimensional virtual dental patient for computer-guided surgery and CAD-CAM interim complete removable and fixed dental prostheses: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2017 , 117, 197-204	4	34
17	The Lip-Tooth-Ridge Classification: A Guidepost for Edentulous Maxillary Arches. Diagnosis, Risk Assessment, and Implant Treatment Indications. <i>International Journal of Periodontics and Restorative Dentistry</i> , 2017 , 37, 835-841	2.1	6
16	Use of CBCT Imaging, Open-Source Modeling Software, and Desktop Stereolithography 3D Printing to Duplicate a Removable Dental Prosthesis-A Proof of Concept. <i>Compendium of Continuing Education in Dentistry (Jamesburg, N J: 1995)</i> , 2017 , 38, e5-e8	0.3	1
15	Survival of cast-metal, resin-bonded fixed partial dental prostheses after nearly 20-year follow-up: A retrospective study. <i>Journal of Prosthetic Dentistry</i> , 2016 , 116, 507-515	4	7
14	Digital approach to planning computer-guided surgery and immediate provisionalization in a partially edentulous patient. <i>Journal of Prosthetic Dentistry</i> , 2016 , 116, 8-14	4	17
13	Cone beam computed tomography imaging as a primary diagnostic tool for computer-guided surgery and CAD-CAM interim removable and fixed dental prostheses. <i>Journal of Prosthetic Dentistry</i> , 2016 , 116, 157-65	4	5
12	Comparison of the marginal fit of lithium disilicate crowns fabricated with CAD/CAM technology by using conventional impressions and two intraoral digital scanners. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 554-9	4	91

11	Use of intraoral digital scanning for a CAD/CAM-fabricated milled bar and superstructure framework for an implant-supported, removable complete dental prosthesis. <i>Journal of Prosthetic Dentistry</i> , 2015 , 113, 509-15	4	25
10	Complete oral rehabilitation of a patient with hereditary gingival fibromatosis: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2015 , 113, 1-7	4	2
9	Maxillary and mandibular immediately loaded implant-supported interim complete fixed dental prostheses on immediately placed dental implants with a digital approach: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 315-22	4	12
8	Use of prefabricated titanium abutments and customized anatomic lithium disilicate structures for cement-retained implant restorations in the esthetic zone. <i>Journal of Prosthetic Dentistry</i> , 2014 , 111, 181-5	4	18
7	Digital data acquisition for a CAD/CAM-fabricated titanium framework and zirconium oxide restorations for an implant-supported fixed complete dental prosthesis. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 1324-9	4	8
6	A technique for verifying and correcting a milled polyurethane definitive cast for nonsegmental implant restoration in an edentulous jaw. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 658-62	4	4
5	Application of digital diagnostic impression, virtual planning, and computer-guided implant surgery for a CAD/CAM-fabricated, implant-supported fixed dental prosthesis: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 402-8	4	36
4	Relationship between Abutment Geometry and Peri-implant Tissue in Esthetic Zone Cases 2014 , 102-121		
3	Use of digital data acquisition and CAD/CAM technology for the fabrication of a fixed complete dental prosthesis on dental implants. <i>Journal of Prosthetic Dentistry</i> , 2014 , 111, 1-5	4	28
2	Treatment of a maxillary central incisor with class III invasive cervical resorption and compromised ferrule: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2014 , 111, 356-61	4	6
1	Early loading after 21 days of healing of nonsubmerged titanium implants with a chemically modified sandblasted and acid-etched surface: two-year results of a prospective two-center study. <i>Clinical Implant Dentistry and Related Research</i> , 2010 , 12, 9-17	3.9	44