

Zsolt Radak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7802113/publications.pdf>

Version: 2024-02-01

158
papers

10,383
citations

28190

55
h-index

35952

97
g-index

163
all docs

163
docs citations

163
times ranked

11861
citing authors

#	ARTICLE	IF	CITATIONS
1	Exercise, oxidative stress and hormesis. <i>Ageing Research Reviews</i> , 2008, 7, 34-42.	5.0	490
2	Oxygen Consumption and Usage During Physical Exercise: The Balance Between Oxidative Stress and ROS-Dependent Adaptive Signaling. <i>Antioxidants and Redox Signaling</i> , 2013, 18, 1208-1246.	2.5	457
3	Systemic adaptation to oxidative challenge induced by regular exercise. <i>Free Radical Biology and Medicine</i> , 2008, 44, 153-159.	1.3	456
4	The COVID-19 pandemic and physical activity. <i>Sports Medicine and Health Science</i> , 2020, 2, 55-64.	0.7	354
5	Exercise and hormesis: oxidative stress-related adaptation for successful aging. <i>Biogerontology</i> , 2005, 6, 71-75.	2.0	332
6	Regular exercise improves cognitive function and decreases oxidative damage in rat brain. <i>Neurochemistry International</i> , 2001, 38, 17-23.	1.9	319
7	Traumatic Brain Injury: Oxidative Stress and Neuroprotection. <i>Antioxidants and Redox Signaling</i> , 2013, 19, 836-853.	2.5	261
8	Exercise Plays a Preventive Role Against Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2010, 20, 777-783.	1.2	252
9	Exercise-induced oxidative stress: past, present and future. <i>Journal of Physiology</i> , 2016, 594, 5081-5092.	1.3	232
10	Exercise alters SIRT1, SIRT6, NAD and NAMPT levels in skeletal muscle of aged rats. <i>Mechanisms of Ageing and Development</i> , 2010, 131, 21-28.	2.2	230
11	The effects of training and detraining on memory, neurotrophins and oxidative stress markers in rat brain. <i>Neurochemistry International</i> , 2006, 49, 387-392.	1.9	220
12	The effect of exercise training on oxidative damage of lipids, proteins, and DNA in rat skeletal muscle: evidence for beneficial outcomes. <i>Free Radical Biology and Medicine</i> , 1999, 27, 69-74.	1.3	213
13	High altitude and oxidative stress. <i>Respiratory Physiology and Neurobiology</i> , 2007, 158, 128-131.	0.7	203
14	Exercise training decreases DNA damage and increases DNA repair and resistance against oxidative stress of proteins in aged rat skeletal muscle. <i>Pflugers Archiv European Journal of Physiology</i> , 2002, 445, 273-278.	1.3	201
15	Age-associated neurodegeneration and oxidative damage to lipids, proteins and DNA. <i>Molecular Aspects of Medicine</i> , 2011, 32, 305-315.	2.7	179
16	Exercise and probiotics attenuate the development of Alzheimer's disease in transgenic mice: Role of microbiome. <i>Experimental Gerontology</i> , 2019, 115, 122-131.	1.2	177
17	Age-associated increases in oxidative stress and nuclear transcription factor $\hat{\text{P}}\text{B}$ activation are attenuated in rat liver by regular exercise. <i>FASEB Journal</i> , 2004, 18, 749-750.	0.2	172
18	Serum brain-derived neurotrophic factor level is increased and associated with obesity in newly diagnosed female patients with type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 852-857.	1.5	168

#	ARTICLE	IF	CITATIONS
19	Endurance exercise increases the SIRT1 and peroxisome proliferator-activated receptor β coactivator-1 α protein expressions in rat skeletal muscle. <i>Metabolism: Clinical and Experimental</i> , 2008, 57, 986-998.	1.5	163
20	Oxidized Guanine Base Lesions Function in 8-Oxoguanine DNA Glycosylase-1-mediated Epigenetic Regulation of Nuclear Factor κ B-driven Gene Expression. <i>Journal of Biological Chemistry</i> , 2016, 291, 25553-25566.	1.6	151
21	The effects of moderate-, strenuous- and over-training on oxidative stress markers, DNA repair, and memory, in rat brain. <i>Neurochemistry International</i> , 2005, 46, 635-640.	1.9	129
22	8-Oxo-7,8-dihydroguanine: Links to gene expression, aging, and defense against oxidative stress. <i>Free Radical Biology and Medicine</i> , 2010, 49, 587-596.	1.3	129
23	Age-associated declines in mitochondrial biogenesis and protein quality control factors are minimized by exercise training. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012, 303, R127-R134.	0.9	127
24	Exercise, oxidants, and antioxidants change the shape of the bell-shaped hormesis curve. <i>Redox Biology</i> , 2017, 12, 285-290.	3.9	125
25	Muscle soreness-induced reduction in force generation is accompanied by increased nitric oxide content and DNA damage in human skeletal muscle. <i>Free Radical Biology and Medicine</i> , 1999, 26, 1059-1063.	1.3	111
26	Activation of Ras Signaling Pathway by 8-Oxoguanine DNA Glycosylase Bound to Its Excision Product, 8-Oxoguanine. <i>Journal of Biological Chemistry</i> , 2012, 287, 20769-20773.	1.6	109
27	Effects of exercise on brain function: role of free radicals. <i>Applied Physiology, Nutrition and Metabolism</i> , 2007, 32, 942-946.	0.9	108
28	Physical exercise, reactive oxygen species and neuroprotection. <i>Free Radical Biology and Medicine</i> , 2016, 98, 187-196.	1.3	108
29	8-Oxoguanine DNA Glycosylase-1 Augments Proinflammatory Gene Expression by Facilitating the Recruitment of Site-Specific Transcription Factors. <i>Journal of Immunology</i> , 2014, 192, 2384-2394.	0.4	105
30	The Role of 8-Oxoguanine DNA Glycosylase-1 in Inflammation. <i>International Journal of Molecular Sciences</i> , 2014, 15, 16975-16997.	1.8	96
31	Single bout of exercise eliminates the immobilization-induced oxidative stress in rat brain. <i>Neurochemistry International</i> , 2001, 39, 33-38.	1.9	91
32	Marathon running alters the DNA base excision repair in human skeletal muscle. <i>Life Sciences</i> , 2003, 72, 1627-1633.	2.0	91
33	Redox-regulating sirtuins in aging, caloric restriction, and exercise. <i>Free Radical Biology and Medicine</i> , 2013, 58, 87-97.	1.3	90
34	Decreased serum brain-derived neurotrophic factor in trained men. <i>Neuroscience Letters</i> , 2008, 437, 29-32.	1.0	88
35	Regular exercise reduces 8-oxodG in the nuclear and mitochondrial DNA and modulates the DNA repair activity in the liver of old rats. <i>Experimental Gerontology</i> , 2007, 42, 287-295.	1.2	87
36	Effect of aging and late onset dietary restriction on antioxidant enzymes and proteasome activities, and protein carbonylation of rat skeletal muscle and tendon. <i>Experimental Gerontology</i> , 2002, 37, 1423-1430.	1.2	86

#	ARTICLE	IF	CITATIONS
37	Innate Inflammation Induced by the 8-Oxoguanine DNA Glycosylase-1 α “KRAS”NF- κ B Pathway. <i>Journal of Immunology</i> , 2014, 193, 4643-4653.	0.4	85
38	The effect of exercise and nettle supplementation on oxidative stress markers in the rat brain. <i>Brain Research Bulletin</i> , 2005, 65, 487-493.	1.4	84
39	Age-dependent changes in 8-oxoguanine-DNA glycosylase activity are modulated by adaptive responses to physical exercise in human skeletal muscle. <i>Free Radical Biology and Medicine</i> , 2011, 51, 417-423.	1.3	82
40	The effects of aging, physical training, and a single bout of exercise on mitochondrial protein expression in human skeletal muscle. <i>Experimental Gerontology</i> , 2012, 47, 417-424.	1.2	81
41	High Altitude Training Increases Reactive Carbonyl Derivatives But Not Lipid Peroxidation in Skeletal Muscle of Rats. <i>Free Radical Biology and Medicine</i> , 1997, 22, 1109-1114.	1.3	78
42	Implications of Protein Degradation in Aging. <i>Annals of the New York Academy of Sciences</i> , 2001, 928, 54-64.	1.8	76
43	8-Oxoguanine DNA glycosylase-1 links DNA repair to cellular signaling via the activation of the small GTPase Rac1. <i>Free Radical Biology and Medicine</i> , 2013, 61, 384-394.	1.3	76
44	Resveratrol enhances exercise training responses in rats selectively bred for high running performance. <i>Food and Chemical Toxicology</i> , 2013, 61, 53-59.	1.8	75
45	The Effects of Moderate, Strenuous, and Overtraining on Oxidative Stress Markers and DNA Repair in Rat Liver. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2005, 30, 186-195.	1.7	73
46	Exercise Preconditioning against Hydrogen Peroxide-Induced Oxidative Damage in Proteins of Rat Myocardium. <i>Archives of Biochemistry and Biophysics</i> , 2000, 376, 248-251.	1.4	71
47	Down-regulation of 8-oxoguanine DNA glycosylase 1 expression in the airway epithelium ameliorates allergic lung inflammation. <i>DNA Repair</i> , 2013, 12, 18-26.	1.3	71
48	Antioxidative Effects of a New Lychee Fruit-Derived Polyphenol Mixture, Oligonol, Converted into a Low-Molecular Form in Adipocytes. <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 463-476.	0.6	70
49	Exercise effects on physiological function during aging. <i>Free Radical Biology and Medicine</i> , 2019, 132, 33-41.	1.3	70
50	High altitude and free radicals. <i>Journal of Sports Science and Medicine</i> , 2004, 3, 64-9.	0.7	68
51	Changes in urine 8-hydroxydeoxyguanosine levels of super-marathon runners during a four-day race period. <i>Life Sciences</i> , 2000, 66, 1763-1767.	2.0	67
52	Hormetic effects of regular exercise in aging: correlation with oxidative stress. <i>Applied Physiology, Nutrition and Metabolism</i> , 2007, 32, 948-953.	0.9	67
53	Superoxide dismutase derivative prevents oxidative damage in liver and kidney of rats induced by exhausting exercise. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1996, 72, 189-194.	1.2	60
54	8-Oxoguanosine and uracil repair of nuclear and mitochondrial DNA in red and white skeletal muscle of exercise-trained old rats. <i>Journal of Applied Physiology</i> , 2007, 102, 1696-1701.	1.2	60

#	ARTICLE	IF	CITATIONS
55	Activation of cellular signaling by 8-oxoguanine DNA glycosylase-1-initiated DNA base excision repair. <i>DNA Repair</i> , 2013, 12, 856-863.	1.3	60
56	8-Oxoguanine DNA glycosylase-1-mediated DNA repair is associated with Rho GTPase activation and β -smooth muscle actin polymerization. <i>Free Radical Biology and Medicine</i> , 2014, 73, 430-438.	1.3	58
57	Exercise training increases anabolic and attenuates catabolic and apoptotic processes in aged skeletal muscle of male rats. <i>Experimental Gerontology</i> , 2015, 67, 9-14.	1.2	58
58	Aging and exercise affect the level of protein acetylation and SIRT1 activity in cerebellum of male rats. <i>Biogerontology</i> , 2010, 11, 679-686.	2.0	57
59	Lactoferrin decreases LPS-induced mitochondrial dysfunction in cultured cells and in animal endotoxemia model. <i>Innate Immunity</i> , 2010, 16, 67-79.	1.1	55
60	Regular Training Modulates the Accumulation of Reactive Carbonyl Derivatives in Mitochondrial and Cytosolic Fractions of Rat Skeletal Muscle. <i>Archives of Biochemistry and Biophysics</i> , 2000, 383, 114-118.	1.4	54
61	Beneficial Biochemical Outcomes of Late-Onset Dietary Restriction in Rodents. <i>Annals of the New York Academy of Sciences</i> , 2007, 1100, 431-441.	1.8	53
62	Exercise Training Attenuates the Dysregulated Expression of Adipokines and Oxidative Stress in White Adipose Tissue. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-12.	1.9	52
63	The systemic role of SIRT1 in exercise mediated adaptation. <i>Redox Biology</i> , 2020, 35, 101467.	3.9	50
64	Oligomerized grape seed polyphenols attenuate inflammatory changes due to antioxidative properties in coculture of adipocytes and macrophages. <i>Journal of Nutritional Biochemistry</i> , 2010, 21, 47-54.	1.9	49
65	The complex role of physical exercise and reactive oxygen species on brain. <i>Journal of Sport and Health Science</i> , 2013, 2, 87-93.	3.3	49
66	Regular Exercise: An Effective Means to Reduce Oxidative Stress in Old Rats. <i>Annals of the New York Academy of Sciences</i> , 2004, 1019, 471-474.	1.8	48
67	Exercise improves import of 8-oxoguanine DNA glycosylase into the mitochondrial matrix of skeletal muscle and enhances the relative activity. <i>Free Radical Biology and Medicine</i> , 2009, 46, 238-243.	1.3	48
68	Effects of the stimuli-dependent enrichment of 8-oxoguanine DNA glycosylase1 on chromatinized DNA. <i>Redox Biology</i> , 2018, 18, 43-53.	3.9	47
69	Reactive Oxygen and Nitrogen Species Regulate Key Metabolic, Anabolic, and Catabolic Pathways in Skeletal Muscle. <i>Antioxidants</i> , 2018, 7, 85.	2.2	47
70	The redox-associated adaptive response of brain to physical exercise. <i>Free Radical Research</i> , 2014, 48, 84-92.	1.5	46
71	Exercise, redox system and neurodegenerative diseases. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020, 1866, 165778.	1.8	45
72	Master athletes have higher miR-7, SIRT3 and SOD2 expression in skeletal muscle than age-matched sedentary controls. <i>Redox Biology</i> , 2018, 19, 46-51.	3.9	44

#	ARTICLE	IF	CITATIONS
73	The beneficial effects of nettle supplementation and exercise on brain lesion and memory in rat. <i>Journal of Nutritional Biochemistry</i> , 2009, 20, 974-981.	1.9	43
74	Combined Exercise and Insulin-Like Growth Factor-1 Supplementation Induces Neurogenesis in Old Rats, but Do Not Attenuate Age-Associated DNA Damage. <i>Rejuvenation Research</i> , 2011, 14, 585-596.	0.9	43
75	Differentiation-Associated Downregulation of Poly(ADP-Ribose) Polymerase-1 Expression in Myoblasts Serves to Increase Their Resistance to Oxidative Stress. <i>PLoS ONE</i> , 2015, 10, e0134227.	1.1	42
76	Mitochondrial biogenesis-associated factors underlie the magnitude of response to aerobic endurance training in rats. <i>Pflügers Archiv European Journal of Physiology</i> , 2015, 467, 779-788.	1.3	41
77	Relationship between ventilatory function and age in master athletes and a sedentary reference population. <i>Age</i> , 2013, 35, 1007-1015.	3.0	39
78	Whole transcriptome analysis reveals an 8-oxoguanine DNA glycosylase-1-driven DNA repair-dependent gene expression linked to essential biological processes. <i>Free Radical Biology and Medicine</i> , 2015, 81, 107-118.	1.3	35
79	Short-term adenosine monophosphate-activated protein kinase activator 5-aminoimidazole-4-carboxamide-1- β -D-ribofuranoside treatment increases the sirtuin 1 protein expression in skeletal muscle. <i>Metabolism: Clinical and Experimental</i> , 2011, 60, 394-403.	1.5	32
80	Whole transcriptome analysis reveals a role for OGG1-initiated DNA repair signaling in airway remodeling. <i>Free Radical Biology and Medicine</i> , 2015, 89, 20-33.	1.3	32
81	Are the neuroprotective effects of estradiol and physical exercise comparable during ageing in female rats?. <i>Biogerontology</i> , 2012, 13, 413-427.	2.0	30
82	Aerobic endurance capacity affects spatial memory and SIRT1 is a potent modulator of 8-oxoguanine repair. <i>Neuroscience</i> , 2013, 252, 326-336.	1.1	30
83	SIRT1 may play a crucial role in overload-induced hypertrophy of skeletal muscle. <i>Journal of Physiology</i> , 2017, 595, 3361-3376.	1.3	29
84	Higher Levels of ATGL Are Associated with Exercise-Induced Enhancement of Lipolysis in Rat Epididymal Adipocytes. <i>PLoS ONE</i> , 2012, 7, e40876.	1.1	28
85	High intensity interval training and molecular adaptive response of skeletal muscle. <i>Sports Medicine and Health Science</i> , 2019, 1, 24-32.	0.7	28
86	The Effects of Statin Medications on Aerobic Exercise Capacity and Training Adaptations. <i>Sports Medicine</i> , 2014, 44, 1519-1530.	3.1	27
87	α -Lipoic acid modulates thiol antioxidant defences and attenuates exercise-induced oxidative stress in standardbred trotters. <i>Free Radical Research</i> , 2009, 43, 697-705.	1.5	26
88	Effects of Resistance Exercise on Cerebral Redox Regulation and Cognition: An Interplay Between Muscle and Brain. <i>Antioxidants</i> , 2019, 8, 529.	2.2	26
89	The impact of aerobic and resistance training intensity on markers of neuroplasticity in health and disease. <i>Ageing Research Reviews</i> , 2022, 80, 101698.	5.0	25
90	Hormetic Effects of Reactive Oxygen Species by Exercise: A View from Animal Studies for Successful Aging in Human. <i>Dose-Response</i> , 2010, 8, dose-response.0.	0.7	23

#	ARTICLE	IF	CITATIONS
91	Exercise combined with a probiotics treatment alters the microbiome, but moderately affects signalling pathways in the liver of male APP/PS1 transgenic mice. <i>Biogerontology</i> , 2020, 21, 807-815.	2.0	23
92	Exercise Increases Markers of Spermatogenesis in Rats Selectively Bred for Low Running Capacity. <i>PLoS ONE</i> , 2014, 9, e114075.	1.1	22
93	Resveratrol Attenuates Exercise-Induced Adaptive Responses in Rats Selectively Bred for Low Running Performance. <i>Dose-Response</i> , 2014, 12, dose-response.1.	0.7	22
94	Acute bout of exercise does not alter the antioxidant enzyme status and lipid peroxidation of rat hippocampus and cerebellum. <i>Pathophysiology</i> , 1995, 2, 243-245.	1.0	21
95	Voluntary exercise may engage proteasome function to benefit the brain after trauma. <i>Brain Research</i> , 2010, 1341, 25-31.	1.1	21
96	Nitric oxide: Is it the cause of muscle soreness?. <i>Nitric Oxide - Biology and Chemistry</i> , 2012, 26, 89-94.	1.2	21
97	Single Dose Administration of Taheebo Polyphenol Enhances Endurance Capacity in Mice. <i>Scientific Reports</i> , 2018, 8, 14625.	1.6	21
98	The roles of microRNA in redox metabolism and exercise-mediated adaptation. <i>Journal of Sport and Health Science</i> , 2020, 9, 405-414.	3.3	21
99	Attenuation of the Development of Murine Solid Leukemia Tumor by Physical Exercise. <i>Antioxidants and Redox Signaling</i> , 2002, 4, 213-219.	2.5	20
100	Lung cancer in smoking patients inversely alters the activity of hOGG1 and hNTH1. <i>Cancer Letters</i> , 2005, 219, 191-195.	3.2	20
101	Multivitamin-Mineral Supplementation Prevents Lipid Peroxidation during "The Marathon des Sables". <i>Journal of the American College of Nutrition</i> , 2007, 26, 111-120.	1.1	20
102	High altitude exposure alters gene expression levels of DNA repair enzymes, and modulates fatty acid metabolism by SIRT4 induction in human skeletal muscle. <i>Respiratory Physiology and Neurobiology</i> , 2014, 196, 33-37.	0.7	20
103	Cardioprotective Effects of Voluntary Exercise in a Rat Model: Role of Matrix Metalloproteinase-2. <i>Oxidative Medicine and Cellular Longevity</i> , 2015, 2015, 1-9.	1.9	18
104	Does Compression Sensory Axonopathy in the Proximal Tibia Contribute to Noncontact Anterior Cruciate Ligament Injury in a Causative Way?"A New Theory for the Injury Mechanism. <i>Life</i> , 2021, 11, 443.	1.1	16
105	The effects of cold water immersion after rugby training on muscle power and biochemical markers. <i>Journal of Sports Science and Medicine</i> , 2014, 13, 616-23.	0.7	16
106	Exogenous nicotinamide supplementation and moderate physical exercise can attenuate the aging process in skeletal muscle of rats. <i>Biogerontology</i> , 2017, 18, 593-600.	2.0	15
107	Pollen-induced oxidative DNA damage response regulates miRNAs controlling allergic inflammation. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2017, 313, L1058-L1068.	1.3	15
108	Blood flow restriction in human skeletal muscle during rest periods after high-load resistance training down-regulates miR-206 and induces Pax7. <i>Journal of Sport and Health Science</i> , 2021, 10, 470-477.	3.3	15

#	ARTICLE	IF	CITATIONS
109	Absence of an aging-related increase in fiber type grouping in athletes and non-athletes. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 2057-2069.	1.3	15
110	The effect of high altitude and caloric restriction on reactive carbonyl derivatives and activity of glutamine synthetase in rat brain. <i>Life Sciences</i> , 1998, 62, 1317-1322.	2.0	14
111	Biochemical identification of a hydroperoxide derivative of the free 8-oxo-7,8-dihydroguanine base. <i>Free Radical Biology and Medicine</i> , 2012, 52, 749-756.	1.3	13
112	Implications of oxidative damage to proteins and DNA in aging and its intervention by caloric restriction and exercise. <i>Journal of Sport and Health Science</i> , 2013, 2, 75-80.	3.3	13
113	Active Recovery between Interval Bouts Reduces Blood Lactate While Improving Subsequent Exercise Performance in Trained Men. <i>Sports</i> , 2017, 5, 40.	0.7	13
114	Protein Carbonyl Content Roughly Reflects the Unsaturation of Lipids in Muscle but Not in Other Tissues of Stroke-Prone Spontaneously Hypertensive Strain (SHRSP) Rats Fed Different Fats and Oils.. <i>Biological and Pharmaceutical Bulletin</i> , 1998, 21, 1271-1276.	0.6	12
115	The effects of cocoa supplementation, caloric restriction, and regular exercise, on oxidative stress markers of brain and memory in the rat model. <i>Food and Chemical Toxicology</i> , 2013, 61, 36-41.	1.8	12
116	Exercise-mitigated sex-based differences in aging: from genetic alterations to heart performance. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021, 320, H854-H866.	1.5	12
117	8-Oxoguanine DNA glycosylase1-driven DNA repairA paradoxical role in lung aging. <i>Mechanisms of Ageing and Development</i> , 2017, 161, 51-65.	2.2	11
118	The role of exercise in brain DNA damage. <i>Neural Regeneration Research</i> , 2020, 15, 1981.	1.6	11
119	N-acetyl-L-cysteine Prevents Lactate-Mediated PGC1-alpha Expression in C2C12 Myotubes. <i>Biology</i> , 2019, 8, 44.	1.3	10
120	Innate Immune Responses to RSV Infection Facilitated by OGG1, an Enzyme Repairing Oxidatively Modified DNA Base Lesions. <i>Journal of Innate Immunity</i> , 2022, 14, 593-614.	1.8	10
121	The Systemic Effects of Exercise on the Systemic Effects of Alzheimer's Disease. <i>Antioxidants</i> , 2022, 11, 1028.	2.2	10
122	Eating habits modulate short term memory and epigenetical regulation of brain derived neurotrophic factor in hippocampus of low- and high running capacity rats. <i>Brain Research Bulletin</i> , 2014, 107, 54-60.	1.4	9
123	The rate of training response to aerobic exercise affects brain function of rats. <i>Neurochemistry International</i> , 2016, 99, 16-23.	1.9	9
124	Lactate Metabolism and Satellite Cell Fate. <i>Frontiers in Physiology</i> , 2020, 11, 610983.	1.3	9
125	Effects of Nitric Oxide Synthase Inhibition on Fiber-Type Composition, Mitochondrial Biogenesis, and SIRT1 Expression in Rat Skeletal Muscle. <i>Journal of Sports Science and Medicine</i> , 2015, 14, 548-55.	0.7	9
126	A comparison of chronic AICAR treatment-induced metabolic adaptations in red and white muscles of rats. <i>Journal of Physiological Sciences</i> , 2015, 65, 121-130.	0.9	8

#	ARTICLE	IF	CITATIONS
127	Influence of pulsing electromagnetic field therapy on resting blood pressure in aging adults. <i>Electromagnetic Biology and Medicine</i> , 2013, 32, 165-172.	0.7	7
128	The Effects of High-Altitude Exposure on Reactive Oxygen and Nitrogen Species. , 2014, , 407-416.		7
129	COVID-19 Infection Alters the Microbiome: Elite Athletes and Sedentary Patients Have Similar Bacterial Flora. <i>Genes</i> , 2021, 12, 1577.	1.0	7
130	Exercise and Hormesis. , 2019, , 63-73.		6
131	Alzheimer's Disease Mouse as a Model of Testis Degeneration. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5726.	1.8	6
132	Hypertrophy of Rat Skeletal Muscle Is Associated with Increased SIRT1/Akt/mTOR/S6 and Suppressed Sestrin2/SIRT3/FOXO1 Levels. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7588.	1.8	6
133	The Effects of Exercise Training and High Triglyceride Diet in an Estrogen Depleted Rat Model: The Role of the Heme Oxygenase System and Inflammatory Processes in Cardiovascular Risk. <i>Journal of Sports Science and Medicine</i> , 2018, 17, 580-588.	0.7	6
134	Physical Activity Protects the Pathological Alterations of Alzheimer's Disease Kidneys via the Activation of PACAP and BMP Signaling Pathways. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 243.	1.8	5
135	Introduction to special topic on exercise and oxidative stress. <i>Journal of Sport and Health Science</i> , 2020, 9, 385.	3.3	5
136	The effect of regular exercise on development of sarcoma tumor and oxidative damage in mice liver. <i>Journal of Sports Science and Medicine</i> , 2011, 10, 93-6.	0.7	5
137	Biological Implications of Protein Oxidation. , 2002, , 350-365.		4
138	Epigenetic Modulation of Gene Expression by Exercise. <i>Healthy Ageing and Longevity</i> , 2015, , 85-100.	0.2	4
139	Skeletal Muscle, Function, and Muscle Fiber Types. , 2018, , 15-31.		4
140	Issues on Trainability. <i>Frontiers in Physiology</i> , 2021, 12, 790196.	1.3	4
141	Physical Training and Prevention. , 2018, , 141-155.		3
142	Blood flow restriction during the resting periods of high-intensity resistance training does not alter performance but decreases MIR-1 and MIR-133A levels in human skeletal muscle. <i>Sports Medicine and Health Science</i> , 2021, 3, 40-45.	0.7	3
143	Physical Training Inhibits the Fibrosis Formation in Alzheimer's Disease Kidney Influencing the TGF β 2 Signaling Pathways. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 1195-1209.	1.2	3
144	Fundamentals of Endurance Training. , 2018, , 81-109.		2

#	ARTICLE	IF	CITATIONS
145	Regular Exercise Results in Systemic Adaptation Against Oxidative Stress. , 2014, , 3855-3869.		1
146	Oxidant Antioxidants and Adaptive Responses to Exercise. Oxidative Medicine and Cellular Longevity, 2015, 2015, 1-2.	1.9	1
147	Exercise in the Prevention and Management of Oxidative Stress-Linked Diseases. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-2.	1.9	1
148	Diet and Sport. , 2018, , 127-139.		1
149	The Effects of Aging and Exercise on Protein Acetylation/Deacetylation : Role of Sirtuins. Juntendo, Igaku, 2010, 56, 257-259.	0.1	1
150	Posttranslational Modification of Proteins. , 2015, , 165-169.		0
151	Physical Training and Aging. , 2018, , 157-170.		0
152	Physiology of Training Plan: Periodization. , 2018, , 185-227.		0
153	Basic Cellular Functions, Cellular Adaptation, and Metabolism. , 2018, , 1-13.		0
154	Adaptation, Phenotypic Adaptation, Fatigue, and Overtraining. , 2018, , 33-54.		0
155	Sport Genetics. , 2018, , 171-183.		0
156	The Role of Reactive Oxygen and Nitrogen Species in Skeletal Muscle. , 2019, , 309-315.		0
157	Exercise training and the promotion of neurogenesis and neurite outgrowth in the hippocampus. The Journal of Physical Fitness and Sports Medicine, 2012, 1, 333-337.	0.2	0
158	The role of neurogranin in exercise-induced adaptation to brain. Journal of Sport and Health Science, 2022, , .	3.3	0