

Gary L Grunewald

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7802144/publications.pdf>

Version: 2024-02-01

46
papers

1,103
citations

279701

23
h-index

414303

32
g-index

46
all docs

46
docs citations

46
times ranked

864
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Ring Size or an Additional Heteroatom on the Potency and Selectivity of Bicyclic Benzylamine-Type Inhibitors of Phenylethanolamine N-Methyltransferase. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 3539-3546.	2.9	75
2	Getting the Adrenaline Going. <i>Structure</i> , 2001, 9, 977-985.	1.6	60
3	Synthesis and Biochemical Evaluation of 3-Fluoromethyl-1,2,3,4-tetrahydroisoquinolines as Selective Inhibitors of Phenylethanolamine N-Methyltransferase versus the α_2 -Adrenoceptor. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 3588-3601.	2.9	55
4	Application of the Goldilocks Effect to the Design of Potent and Selective Inhibitors of Phenylethanolamine N-Methyltransferase: Balancing pKa and Steric Effects in the Optimization of 3-Methyl-1,2,3,4-tetrahydroisoquinoline Inhibitors by α_2 -Fluorination. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 2939-2952.	2.9	44
5	Fragment-based screening by X-ray crystallography, MS and isothermal titration calorimetry to identify PNMT (phenylethanolamine N-methyltransferase) inhibitors. <i>Biochemical Journal</i> , 2010, 431, 51-61.	1.7	41
6	Comparison of the Binding of 3-Fluoromethyl-7-sulfonyl-1,2,3,4-tetrahydroisoquinolines with Their Isosteric Sulfonamides to the Active Site of Phenylethanolamine N-Methyltransferase. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 5424-5433.	2.9	40
7	Synthesis and evaluation of 3-substituted analogs of 1,2,3,4-tetrahydroisoquinoline as inhibitors of phenylethanolamine N-methyltransferase. <i>Journal of Medicinal Chemistry</i> , 1988, 31, 824-830.	2.9	39
8	Synthesis and Evaluation of 3-Trifluoromethyl-7-substituted-1,2,3,4-tetrahydroisoquinolines as Selective Inhibitors of Phenylethanolamine N-Methyltransferase versus the α_2 -Adrenoceptor. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 3315-3323.	2.9	39
9	The NH-FC Dipole Orientation Effect for Pendant Exocyclic CH ₂ F. <i>Organic Letters</i> , 2002, 4, 3557-3560.	2.4	38
10	Conformationally defined adrenergic agents. 13. Conformational and steric aspects of the inhibition of phenylethanolamine N-methyltransferase by benzylamines. <i>Journal of Medicinal Chemistry</i> , 1988, 31, 433-444.	2.9	37
11	Inhibition of phenylethanolamine N-methyltransferase (PNMT) by aromatic hydroxy-substituted 1,2,3,4-tetrahydroisoquinolines. Further studies on the hydrophilic pocket of the aromatic ring binding region of the active site. <i>Journal of Medicinal Chemistry</i> , 1987, 30, 2208-2216.	2.9	36
12	Role of epinephrine stimulation of CNS α_1 -adrenoceptors in motor activity in mice. <i>Synapse</i> , 2003, 49, 67-76.	0.6	34
13	Inhibitors of phenylethanolamine N-methyltransferase devoid of α_2 -adrenoceptor affinity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 5319-5323.	1.0	34
14	3,7-Disubstituted-1,2,3,4-tetrahydroisoquinolines Display Remarkable Potency and Selectivity as Inhibitors of Phenylethanolamine N-Methyltransferase versus the α_2 -Adrenoceptor. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 1982-1990.	2.9	33
15	Synthesis, Biochemical Evaluation, and Classical and Three-Dimensional Quantitative Structure-Activity Relationship Studies of 7-Substituted-1,2,3,4-tetrahydroisoquinolines and Their Relative Affinities toward Phenylethanolamine N-Methyltransferase and the α_2 -Adrenoceptor. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 118-134.	2.9	33
16	Molecular recognition of physiological substrate noradrenaline by the adrenaline-synthesizing enzyme PNMT and factors influencing its methyltransferase activity. <i>Biochemical Journal</i> , 2009, 422, 463-471.	1.7	30
17	Synthesis and Evaluation of 4-Fluoro-8-substituted-2,3,4,5-tetrahydro-1H-2-benzazapines as Selective Inhibitors of Phenylethanolamine N-Methyltransferase versus the α_2 -Adrenoceptor. <i>Journal of Medicinal Chemistry</i> , 2001, 44, 2849-2856.	2.9	27
18	Examination of the Role of the Acidic Hydrogen in Imparting Selectivity of 7-(Aminosulfonyl)-1,2,3,4-tetrahydroisoquinoline (SK&F 29661) Toward Inhibition of Phenylethanolamine N-Methyltransferase versus the α_2 -Adrenoceptor. <i>Journal of Medicinal Chemistry</i> , 1997, 40, 3997-4005.	2.9	26

#	ARTICLE	IF	CITATIONS
19	Structural, Mutagenic, and Kinetic Analysis of the Binding of Substrates and Inhibitors of Human Phenylethanolamine N-Methyltransferase. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 7243-7252.	2.9	26
20	Enzyme Adaptation to Inhibitor Binding: A Cryptic Binding Site in Phenylethanolamine N-Methyltransferase. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 4845-4853.	2.9	26
21	Molecular Recognition of Sub-micromolar Inhibitors by the Epinephrine-Synthesizing Enzyme Phenylethanolamine N-Methyltransferase. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 37-44.	2.9	25
22	Synthesis of 3-alkyl- and 4-hydroxy-2,3,4,5-tetrahydro-1H-2-benzazepines. <i>Journal of Heterocyclic Chemistry</i> , 1994, 31, 1609-1617.	1.4	24
23	Mode of Binding of Methyl Acceptor Substrates to the Adrenaline-Synthesizing Enzyme Phenylethanolamine N-Methyltransferase: Implications for Catalysis. <i>Biochemistry</i> , 2005, 44, 16875-16885.	1.2	24
24	Inhibitors of Phenylethanolamine N-Methyltransferase That Are Predicted To Penetrate the Blood-Brain Barrier: Design, Synthesis, and Evaluation of 3-Fluoromethyl-7-(N-substituted) 1,2,3,4-tetrahydro-1H-2-benzazepines. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 4483-4493.	2.9	23
25	Enantiospecific Synthesis of 3-Fluoromethyl-, 3-Hydroxymethyl-, and 3-Chloromethyl-1,2,3,4-tetrahydroisoquinolines as Selective Inhibitors of Phenylethanolamine N-Methyltransferase versus the β -Adrenoceptor. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 4351-4361.	2.9	22
26	Synthesis of 4,5,6,7-tetrahydrothieno[3,2-c]pyridines and comparison with their isosteric 1,2,3,4-tetrahydroisoquinolines as inhibitors of phenylethanolamine N-methyltransferase. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 542-559.	1.4	22
27	Recombinant Human Phenylethanolamine N-Methyltransferase: Overproduction in <i>Escherichia coli</i> , Purification, and Characterization. <i>Protein Expression and Purification</i> , 1996, 8, 160-166.	0.6	20
28	Effects of a 3-Alkyl-, 4-Hydroxy- and/or 8-Aromatic-substituent on the Phenylethanolamine N-Methyltransferase Inhibitor Potency and β -Adrenoceptor Affinity of 2,3,4,5-Tetrahydro-1H-2-benzazepines. <i>Bioorganic and Medicinal Chemistry</i> , 2001, 9, 1957-1965.	1.4	19
29	3-Hydroxymethyl-7-(N-substituted aminosulfonyl)-1,2,3,4-tetrahydroisoquinoline Inhibitors of Phenylethanolamine N-Methyltransferase that Display Remarkable Potency and Selectivity. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 134-140.	2.9	17
30	Conformational preferences in alkylbenzenes and aryl-alkylamines: A comparative study using CAMSEQ, MM2 and molecular dynamics methods. <i>Journal of Computational Chemistry</i> , 1988, 9, 315-326.	1.5	16
31	Comparative molecular field analysis (CoMFA) models of phenylethanolamine N-methyltransferase (PNMT) and the β -adrenoceptor: The development of new, highly selective inhibitors of PNMT. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1999, 9, 481-486.	1.0	15
32	Phenylethanolamine N-methyltransferase inhibition: re-evaluation of kinetic data. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 4217-4220.	1.0	15
33	Nanomolar Inhibitors of CNS Epinephrine Biosynthesis: (R)-(+)-3-Fluoromethyl-7-(N-substituted) 1,2,3,4-tetrahydro-1H-2-benzazepines. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 1806-1812.	2.9	15
34	A RAPID, CONVENIENT, HIGH YIELD PROCEDURE FOR THE REGENERATION OF 2,3-DICHLORO-5,6-DICYANOBENZOQUINONE (DDQ) FROM THE CORRESPONDING HYDROQUINONE (DDHQ). <i>Organic Preparations and Procedures International</i> , 1976, 8, 141-143.	0.6	13
35	Importance of the aromatic ring in adrenergic amines. 7. Comparison of the stereoselectivity of norepinephrine N-methyltransferase for aromatics. Nonaromatic substrates and inhibitors. <i>Journal of Medicinal Chemistry</i> , 1982, 25, 1198-1204.	2.9	13
36	Exploring the active site of phenylethanolamine N-methyltransferase: 3-alkyl-7-substituted-1,2,3,4-tetrahydroisoquinoline inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 1261-1273.	1.4	9

#	ARTICLE	IF	CITATIONS
37	Exploring the active site of phenylethanolamine N-methyltransferase with 1,2,3,4-tetrahydrobenz[h]isoquinoline inhibitors†. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 1298-1310.	1.4	9
38	Exploring the active site of phenylethanolamine N-methyltransferase with 3-hydroxyethyl- and 3-hydroxypropyl-7-substituted-1,2,3,4-tetrahydroisoquinolines. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 1143-1147.	1.0	8
39	A new procedure for regioselective synthesis of 8,9-dichloro-2,3,4,5-tetrahydro-1H-2-benzazepine (LY134046) and its 3-methyl analogue as inhibitors of phenylethanolamine N-methyltransferase (PNMT). <i>Journal of Heterocyclic Chemistry</i> , 1991, 28, 1587-1592.	1.4	7
40	Carbon-13 nuclear magnetic resonance examination of benzonorbornene derivatives. Assignment of site of aromatic ring substitution in benzonorbornen-2-ones. <i>Magnetic Resonance in Chemistry</i> , 1983, 21, 596-601.	0.7	5
41	Application of CNDO/2 Calculations and X-Ray Crystallographic Analysis to the Design of Conformationally Defined Analogs of Methamphetamine. <i>ACS Symposium Series</i> , 1979, , 439-487.	0.5	4
42	Structure-Based Drug Design of Bisubstrate Inhibitors of Phenylethanolamine N-Methyltransferase Possessing Low Nanomolar Affinity at Both Substrate Binding Domains ¹ . <i>Journal of Medicinal Chemistry</i> , 2020, 63, 13878-13898.	2.9	2
43	Design and stereoselective synthesis of conformationally constrained analogues of Zimeldine. <i>Archives of Pharmacal Research</i> , 1996, 19, 168-170.	2.7	1
44	Stereochemical aspects of binding of aromatic and non-aromatic substrates and inhibitors to phenylethanolamine N-methyltransferase. , 1981, , 691-699.		1
45	SOME NEW INHIBITORS OF EPINEPHRINE BIOSYNTHESIS. IMPORTANCE OF THE AROMATIC RING IN ADRENERGIC AMINES. 4. (Ref. 1)., 1979, , 189-191.		1
46	Eulogy to Mathias P. Mertes, 1932-1989. <i>Medicinal Research Reviews</i> , 2009, 29, 1-2.	5.0	0