

Firas Abdollah

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7802686/firas-abdollah-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

362
papers

9,367
citations

54
h-index

79
g-index

537
ext. papers

11,131
ext. citations

3.8
avg, IF

5.7
L-index

#	Paper	IF	Citations
362	Updated nomogram predicting lymph node invasion in patients with prostate cancer undergoing extended pelvic lymph node dissection: the essential importance of percentage of positive cores. <i>European Urology</i> , 2012 , 61, 480-7	10.2	425
361	Age-adjusted incidence, mortality, and survival rates of stage-specific renal cell carcinoma in North America: a trend analysis. <i>European Urology</i> , 2011 , 59, 135-41	10.2	214
360	Distribution of metastatic sites in patients with prostate cancer: A population-based analysis. <i>Prostate</i> , 2014 , 74, 210-6	4.2	208
359	Impact of adjuvant radiotherapy on survival of patients with node-positive prostate cancer. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3939-47	2.2	184
358	Incidence, survival and mortality rates of stage-specific bladder cancer in United States: a trend analysis. <i>Cancer Epidemiology</i> , 2013 , 37, 219-25	2.8	178
357	Pelvic/retroperitoneal salvage lymph node dissection for patients treated with radical prostatectomy with biochemical recurrence and nodal recurrence detected by [11C]choline positron emission tomography/computed tomography. <i>European Urology</i> , 2011 , 60, 935-43	10.2	163
356	Genomic classifier identifies men with adverse pathology after radical prostatectomy who benefit from adjuvant radiation therapy. <i>Journal of Clinical Oncology</i> , 2015 , 33, 944-51	2.2	151
355	A competing-risks analysis of survival after alternative treatment modalities for prostate cancer patients: 1988-2006. <i>European Urology</i> , 2011 , 59, 88-95	10.2	136
354	More extensive pelvic lymph node dissection improves survival in patients with node-positive prostate cancer. <i>European Urology</i> , 2015 , 67, 212-9	10.2	134
353	Individual Patient-Level Meta-Analysis of the Performance of the Decipher Genomic Classifier in High-Risk Men After Prostatectomy to Predict Development of Metastatic Disease. <i>Journal of Clinical Oncology</i> , 2017 , 35, 1991-1998	2.2	127
352	Chronic kidney disease after nephrectomy in patients with small renal masses: a retrospective observational analysis. <i>European Urology</i> , 2012 , 62, 696-703	10.2	110
351	Development and Validation of a Novel Integrated Clinical-Genomic Risk Group Classification for Localized Prostate Cancer. <i>Journal of Clinical Oncology</i> , 2018 , 36, 581-590	2.2	107
350	A Pragmatic Randomized Controlled Trial Examining the Impact of the Retzius-sparing Approach on Early Urinary Continence Recovery After Robot-assisted Radical Prostatectomy. <i>European Urology</i> , 2017 , 72, 677-685	10.2	99
349	The Impact of Local Treatment on Overall Survival in Patients with Metastatic Prostate Cancer on Diagnosis: A National Cancer Data Base Analysis. <i>European Urology</i> , 2017 , 72, 14-19	10.2	97
348	Identifying optimal candidates for local treatment of the primary tumor among patients diagnosed with metastatic prostate cancer: a SEER-based study. <i>European Urology</i> , 2015 , 67, 3-6	10.2	95
347	Performance characteristics of computed tomography in detecting lymph node metastases in contemporary patients with prostate cancer treated with extended pelvic lymph node dissection. <i>European Urology</i> , 2012 , 61, 1132-8	10.2	95
346	A non-cancer-related survival benefit is associated with partial nephrectomy. <i>European Urology</i> , 2012 , 61, 725-31	10.2	95

345	Identifying the best candidate for radical prostatectomy among patients with high-risk prostate cancer. <i>European Urology</i> , 2012 , 61, 584-92	10.2	94
344	Are infertile men less healthy than fertile men? Results of a prospective case-control survey. <i>European Urology</i> , 2009 , 56, 1025-31	10.2	94
343	Selecting the optimal candidate for adjuvant radiotherapy after radical prostatectomy for prostate cancer: a long-term survival analysis. <i>European Urology</i> , 2013 , 63, 998-1008	10.2	88
342	Prostate-Specific Antigen Screening After 2012 US Preventive Services Task Force Recommendations. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 2077-9	27.4	84
341	Management of localized kidney cancer: calculating cancer-specific mortality and competing risks of death for surgery and nonsurgical management. <i>European Urology</i> , 2014 , 65, 235-41	10.2	83
340	Biopsy schemes with the fewest cores for detecting 95% of the prostate cancers detected by a 24-core biopsy. <i>European Urology</i> , 2010 , 57, 1-8	10.2	83
339	Comparative effectiveness of robot-assisted versus open radical prostatectomy cancer control. <i>European Urology</i> , 2014 , 66, 666-72	10.2	81
338	Impact of age and comorbidities on long-term survival of patients with high-risk prostate cancer treated with radical prostatectomy: a multi-institutional competing-risks analysis. <i>European Urology</i> , 2013 , 63, 693-701	10.2	78
337	Local Therapy Improves Survival in Metastatic Prostate Cancer. <i>European Urology</i> , 2017 , 72, 118-124	10.2	77
336	Comparison of mortality outcomes after radical prostatectomy versus radiotherapy in patients with localized prostate cancer: a population-based analysis. <i>International Journal of Urology</i> , 2012 , 19, 836-44 ^{2,3}		76
335	Decreasing rate and extent of lymph node staging in patients undergoing radical prostatectomy may undermine the rate of diagnosis of lymph node metastases in prostate cancer. <i>European Urology</i> , 2010 , 58, 882-92	10.2	75
334	Treatment management of small renal masses in the 21st century: a paradigm shift. <i>Annals of Surgical Oncology</i> , 2012 , 19, 2380-7	3.1	74
333	Functional Recovery, Oncologic Outcomes and Postoperative Complications after Robot-Assisted Radical Prostatectomy: An Evidence-Based Analysis Comparing the Retzius Sparing and Standard Approaches. <i>Journal of Urology</i> , 2018 , 199, 1210-1217	2.5	73
332	Nerve-sparing approach during radical prostatectomy is strongly associated with the rate of postoperative urinary continence recovery. <i>BJU International</i> , 2013 , 111, 717-22	5.6	73
331	Trans-rectal versus trans-perineal saturation rebiopsy of the prostate: is there a difference in cancer detection rate?. <i>Urology</i> , 2011 , 77, 921-5	1.6	73
330	Head-to-head comparison of prostate health index and urinary PCA3 for predicting cancer at initial or repeat biopsy. <i>Journal of Urology</i> , 2013 , 190, 496-501	2.5	72
329	¹¹ C-choline PET/CT predicts prostate cancer-specific survival in patients with biochemical failure during androgen-deprivation therapy. <i>Journal of Nuclear Medicine</i> , 2014 , 55, 233-41	8.9	71
328	Racial/Ethnic Disparities in Perioperative Outcomes of Major Procedures: Results From the National Surgical Quality Improvement Program. <i>Annals of Surgery</i> , 2015 , 262, 955-64	7.8	69

327	Impact of adjuvant radiation therapy on urinary continence recovery after radical prostatectomy. <i>European Urology</i> , 2014 , 65, 546-51	10.2	68
326	Contemporary incidence and mortality rates of kidney cancer in the United States. <i>Canadian Urological Association Journal</i> , 2014 , 8, 247-52	1.2	68
325	The impact of androgen-deprivation therapy (ADT) on the risk of cardiovascular (CV) events in patients with non-metastatic prostate cancer: a population-based study. <i>BJU International</i> , 2014 , 114, E82-E89	5.6	66
324	Comparative Effectiveness of Trimodal Therapy Versus Radical Cystectomy for Localized Muscle-invasive Urothelial Carcinoma of the Bladder. <i>European Urology</i> , 2017 , 72, 483-487	10.2	65
323	Extended pelvic lymph node dissection in prostate cancer: a 20-year audit in a single center. <i>Annals of Oncology</i> , 2013 , 24, 1459-66	10.3	65
322	Long-term cancer control outcomes in patients with clinically high-risk prostate cancer treated with robot-assisted radical prostatectomy: results from a multi-institutional study of 1100 patients. <i>European Urology</i> , 2015 , 68, 497-505	10.2	63
321	Contemporary role of salvage lymphadenectomy in patients with recurrence following radical prostatectomy. <i>European Urology</i> , 2015 , 67, 839-49	10.2	63
320	Racial Differences in the Surgical Care of Medicare Beneficiaries With Localized Prostate Cancer. <i>JAMA Oncology</i> , 2016 , 2, 85-93	13.4	61
319	Predicting survival of patients with node-positive prostate cancer following multimodal treatment. <i>European Urology</i> , 2014 , 65, 554-62	10.2	61
318	Racial disparities and socioeconomic status in men diagnosed with testicular germ cell tumors: a survival analysis. <i>Cancer</i> , 2011 , 117, 4277-85	6.4	61
317	Cancer-specific and other-cause mortality after radical prostatectomy versus observation in patients with prostate cancer: competing-risks analysis of a large North American population-based cohort. <i>European Urology</i> , 2011 , 60, 920-30	10.2	60
316	Lymphatic spread of nodal metastases in high-risk prostate cancer: The ascending pathway from the pelvis to the retroperitoneum. <i>Prostate</i> , 2012 , 72, 186-92	4.2	58
315	Genomic Classifier Augments the Role of Pathological Features in Identifying Optimal Candidates for Adjuvant Radiation Therapy in Patients With Prostate Cancer: Development and Internal Validation of a Multivariable Prognostic Model. <i>Journal of Clinical Oncology</i> , 2017 , 35, 1982-1990	2.2	56
314	Utilization of a Genomic Classifier for Prediction of Metastasis Following Salvage Radiation Therapy after Radical Prostatectomy. <i>European Urology</i> , 2016 , 70, 588-596	10.2	56
313	Perioperative mortality is significantly greater in septuagenarian and octogenarian patients treated with radical cystectomy for urothelial carcinoma of the bladder. <i>Urology</i> , 2011 , 77, 660-6	1.6	55
312	Impact of travel distance to the treatment facility on overall mortality in US patients with prostate cancer. <i>Cancer</i> , 2017 , 123, 3241-3252	6.4	54
311	Clinical nodal staging scores for bladder cancer: a proposal for preoperative risk assessment. <i>European Urology</i> , 2012 , 61, 237-42	10.2	54
310	Prediction of functional outcomes after nerve-sparing radical prostatectomy: results of conditional survival analyses. <i>European Urology</i> , 2012 , 62, 42-52	10.2	54

309	Utility of [11C]choline PET/CT in guiding lesion-targeted salvage therapies in patients with prostate cancer recurrence localized to a single lymph node at imaging: results from a pathologically validated series. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 38.e9-16	2.8	54
308	Serum sex steroids depict a nonlinear u-shaped association with high-risk prostate cancer at radical prostatectomy. <i>Clinical Cancer Research</i> , 2012 , 18, 3648-57	12.9	53
307	The effect of neoadjuvant chemotherapy on perioperative outcomes in patients who have bladder cancer treated with radical cystectomy: a population-based study. <i>European Urology</i> , 2014 , 66, 561-8	10.2	52
306	Stage-specific impact of pelvic lymph node dissection on survival in patients with non-metastatic bladder cancer treated with radical cystectomy. <i>BJU International</i> , 2012 , 109, 1147-54	5.6	52
305	Extent of lymph node dissection at nephrectomy affects cancer-specific survival and metastatic progression in specific sub-categories of patients with renal cell carcinoma (RCC). <i>BJU International</i> , 2014 , 114, 210-5	5.6	51
304	Hospital volume is a determinant of postoperative complications, blood transfusion and length of stay after radical or partial nephrectomy. <i>Journal of Urology</i> , 2012 , 187, 405-10	2.5	50
303	Mortality and morbidity after cytoreductive nephrectomy for metastatic renal cell carcinoma: a population-based study. <i>Annals of Surgical Oncology</i> , 2011 , 18, 2988-96	3.1	49
302	Radical prostatectomy vs radiotherapy vs observation among older patients with clinically localized prostate cancer: a comparative effectiveness evaluation. <i>BJU International</i> , 2014 , 113, 200-8	5.6	48
301	The Effect of Body Mass Index on Perioperative Outcomes After Major Surgery: Results from the National Surgical Quality Improvement Program (ACS-NSQIP) 2005-2011. <i>World Journal of Surgery</i> , 2015 , 39, 2376-85	3.3	47
300	Comparison of partial vs radical nephrectomy with regard to other-cause mortality in T1 renal cell carcinoma among patients aged ≥ 5 years with multiple comorbidities. <i>BJU International</i> , 2013 , 111, 67-73	5.6	46
299	In-hospital mortality and failure to rescue after cytoreductive nephrectomy. <i>European Urology</i> , 2013 , 63, 1107-14	10.2	45
298	Lymph node count threshold for optimal pelvic lymph node staging in prostate cancer. <i>International Journal of Urology</i> , 2012 , 19, 645-51	2.3	45
297	Preoperative hypogonadism is not an independent predictor of high-risk disease in patients undergoing radical prostatectomy. <i>Cancer</i> , 2011 , 117, 3953-62	6.4	44
296	Predicting Life Expectancy in Men Diagnosed with Prostate Cancer. <i>European Urology</i> , 2015 , 68, 756-65	10.2	43
295	Predicting the risk of bone metastasis in prostate cancer. <i>Cancer Treatment Reviews</i> , 2014 , 40, 3-11	14.4	43
294	How can we predict lymphorrhoea and clinically significant lymphocoeles after radical prostatectomy and pelvic lymphadenectomy? Clinical implications. <i>BJU International</i> , 2011 , 107, 1095-101	5.6	42
293	The impact of robot-assisted radical prostatectomy on the use and extent of pelvic lymph node dissection in the "post-dissemination" period. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 1080-6	3.6	40
292	Conditional survival of patients with urothelial carcinoma of the urinary bladder treated with radical cystectomy. <i>European Journal of Cancer</i> , 2012 , 48, 1503-11	7.5	39

291	The impact of resident involvement in minimally-invasive urologic oncology procedures. <i>Canadian Urological Association Journal</i> , 2014 , 8, 334-40	1.2	38
290	Metabolic syndrome and benign prostatic hyperplasia: evidence of a potential relationship, hypothesized etiology, and prevention. <i>Korean Journal of Urology</i> , 2011 , 52, 507-16		38
289	The effect of marital status on stage and survival of prostate cancer patients treated with radical prostatectomy: a population-based study. <i>Cancer Causes and Control</i> , 2011 , 22, 1085-95	2.8	37
288	Holmium laser enucleation of the prostate and holmium laser ablation of the prostate: indications and outcome. <i>Current Opinion in Urology</i> , 2009 , 19, 38-43	2.8	37
287	Is robot-assisted radical prostatectomy safe in men with high-risk prostate cancer? Assessment of perioperative outcomes, positive surgical margins, and use of additional cancer treatments. <i>Journal of Endourology</i> , 2014 , 28, 784-91	2.7	36
286	Determinants of long-term survival of patients with locally advanced prostate cancer: the role of extensive pelvic lymph node dissection. <i>Prostate Cancer and Prostatic Diseases</i> , 2016 , 19, 63-7	6.2	36
285	Performance of a Prostate Cancer Genomic Classifier in Predicting Metastasis in Men with Prostate-specific Antigen Persistence Postprostatectomy. <i>European Urology</i> , 2018 , 74, 107-114	10.2	36
284	Comparative effectiveness of robot-assisted vs. open radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 88.e1-88.e9	2.8	35
283	When to perform lymph node dissection in patients with renal cell carcinoma: a novel approach to the preoperative assessment of risk of lymph node invasion at surgery and of lymph node progression during follow-up. <i>BJU International</i> , 2013 , 112, E59-66	5.6	35
282	Patterns of Declining Use and the Adverse Effect of Primary Androgen Deprivation on All-cause Mortality in Elderly Men with Prostate Cancer. <i>European Urology</i> , 2015 , 68, 32-9	10.2	35
281	Survival benefit of radical prostatectomy in patients with localized prostate cancer: estimations of the number needed to treat according to tumor and patient characteristics. <i>Journal of Urology</i> , 2012 , 188, 73-83	2.5	35
280	Effectiveness of Neoadjuvant Chemotherapy for Muscle-invasive Bladder Cancer in the Current Real World Setting in the USA. <i>European Urology Oncology</i> , 2018 , 1, 83-90	6.7	34
279	Survival following biochemical recurrence after radical prostatectomy and adjuvant radiotherapy in patients with prostate cancer: the impact of competing causes of mortality and patient stratification. <i>European Urology</i> , 2013 , 64, 557-64	10.2	33
278	Annual surgical caseload and open radical prostatectomy outcomes: improving temporal trends. <i>Journal of Urology</i> , 2010 , 184, 2285-90	2.5	33
277	Impact of Adjuvant Radiotherapy in Node-positive Prostate Cancer Patients: The Importance of Patient Selection. <i>European Urology</i> , 2018 , 74, 253-256	10.2	32
276	Survival after radical cystectomy of non-bilharzial squamous cell carcinoma vs urothelial carcinoma: a competing-risks analysis. <i>BJU International</i> , 2012 , 109, 564-9	5.6	32
275	Rates of open versus laparoscopic and partial versus radical nephrectomy for T1a renal cell carcinoma: a population-based evaluation. <i>International Journal of Urology</i> , 2013 , 20, 1064-71	2.3	32
274	Contemporary Trends in the Incidence of Metastatic Prostate Cancer Among US Men: Results from Nationwide Analyses. <i>European Urology Focus</i> , 2019 , 5, 77-80	5.1	32

273	Does diabetes mellitus increase the risk of high-grade prostate cancer in patients undergoing radical prostatectomy?. <i>Prostate Cancer and Prostatic Diseases</i> , 2011 , 14, 74-8	6.2	31
272	Circulating estradiol, but not testosterone, is a significant predictor of high-grade prostate cancer in patients undergoing radical prostatectomy. <i>Cancer</i> , 2011 , 117, 5029-38	6.4	31
271	Racial Disparities in End-of-Life Care Among Patients With Prostate Cancer: A Population-Based Study. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015 , 13, 1131-8	7.3	30
270	Preoperative erectile function represents a significant predictor of postoperative urinary continence recovery in patients treated with bilateral nerve sparing radical prostatectomy. <i>Journal of Urology</i> , 2012 , 187, 569-74	2.5	30
269	Development and validation of a reference table for prediction of postoperative mortality rate in patients treated with radical cystectomy: a population-based study. <i>Annals of Surgical Oncology</i> , 2012 , 19, 309-17	3.1	30
268	Suicide and accidental deaths among patients with non-metastatic prostate cancer. <i>BJU International</i> , 2016 , 118, 286-97	5.6	30
267	Efficacy of Local Treatment in Prostate Cancer Patients with Clinically Pelvic Lymph Node-positive Disease at Initial Diagnosis. <i>European Urology</i> , 2018 , 73, 452-461	10.2	29
266	Choosing the best candidates for penile rehabilitation after bilateral nerve-sparing radical prostatectomy. <i>Journal of Sexual Medicine</i> , 2012 , 9, 608-17	1.1	29
265	Erectile function outcome after bilateral nerve sparing radical prostatectomy: which patients may be left untreated?. <i>Journal of Sexual Medicine</i> , 2012 , 9, 903-8	1.1	29
264	External validation of the European association of urology recommendations for pelvic lymph node dissection in patients treated with robot-assisted radical prostatectomy. <i>Journal of Endourology</i> , 2014 , 28, 416-23	2.7	29
263	The role of transrectal saturation biopsy in tumour localization: pathological correlation after retropubic radical prostatectomy and implication for focal ablative therapy. <i>BJU International</i> , 2011 , 108, 366-71	5.6	29
262	Conditional survival predictions after surgery for patients with penile carcinoma. <i>Cancer</i> , 2011 , 117, 3723-30	3.3	29
261	Decipher correlation patterns post prostatectomy: initial experience from 2 342 prospective patients. <i>Prostate Cancer and Prostatic Diseases</i> , 2016 , 19, 374-379	6.2	28
260	Validation of a Genomic Classifier for Predicting Post-Prostatectomy Recurrence in a Community Based Health Care Setting. <i>Journal of Urology</i> , 2016 , 195, 1748-53	2.5	28
259	A population-based analysis of the effect of marital status on overall and cancer-specific mortality in patients with squamous cell carcinoma of the penis. <i>Cancer Causes and Control</i> , 2013 , 24, 71-9	2.8	28
258	Differential effect on survival of pelvic lymph node dissection at radical cystectomy for muscle invasive bladder cancer. <i>European Journal of Surgical Oncology</i> , 2015 , 41, 353-60	3.6	28
257	Impact of the introduction of a robotic training programme on prostate cancer stage migration at a single tertiary referral centre. <i>BJU International</i> , 2013 , 111, 1222-30	5.6	28
256	A stage-for-stage and grade-for-grade analysis of cancer-specific mortality rates in renal cell carcinoma according to age: a competing-risks regression analysis. <i>European Urology</i> , 2011 , 60, 1152-9	10.2	28

255	Unilateral positive biopsies in low risk prostate cancer patients diagnosed with extended transrectal ultrasound-guided biopsy schemes do not predict unilateral prostate cancer at radical prostatectomy. <i>BJU International</i> , 2012 , 110, E64-8	5.6	27
254	Extent of lymphadenectomy does not improve the survival of patients with renal cell carcinoma and nodal metastases: biases associated with the handling of missing data. <i>BJU International</i> , 2014 , 113, 36-42	5.6	27
253	Propensity-score matched comparison of complications, blood transfusions, length of stay, and in-hospital mortality between open and laparoscopic partial nephrectomy: a national series. <i>European Journal of Surgical Oncology</i> , 2012 , 38, 80-7	3.6	27
252	External validation of the updated nomogram predicting lymph node invasion in patients with prostate cancer undergoing extended pelvic lymph node dissection. <i>Urologia Internationalis</i> , 2013 , 90, 277-82	1.9	27
251	The optimal rebiopsy prostatic scheme depends on patient clinical characteristics: results of a recursive partitioning analysis based on a 24-core systematic scheme. <i>European Urology</i> , 2011 , 60, 834-41 ^{10.2}	10.2	27
250	Racial Disparity in Delivering Definitive Therapy for Intermediate/High-risk Localized Prostate Cancer: The Impact of Facility Features and Socioeconomic Characteristics. <i>European Urology</i> , 2018 , 73, 445-451	10.2	27
249	Variation in the use of active surveillance for low-risk prostate cancer. <i>Cancer</i> , 2018 , 124, 55-64	6.4	26
248	Cytoreductive nephrectomy in the elderly: a population-based cohort from the USA. <i>BJU International</i> , 2012 , 109, 1807-12	5.6	26
247	Conditional survival after nephrectomy for renal cell carcinoma (RCC): changes in future survival probability over time. <i>BJU International</i> , 2013 , 111, E283-9	5.6	26
246	Tumor grade improves the prognostic ability of American Joint Committee on Cancer stage in patients with penile carcinoma. <i>Journal of Urology</i> , 2011 , 185, 501-7	2.5	26
245	A contemporary population-based assessment of the rate of lymph node dissection for penile carcinoma. <i>Annals of Surgical Oncology</i> , 2011 , 18, 439-46	3.1	26
244	Efficacy of Systemic Chemotherapy Plus Radical Nephroureterectomy for Metastatic Upper Tract Urothelial Carcinoma. <i>European Urology</i> , 2017 , 71, 714-718	10.2	25
243	Is a treatment delay in radical prostatectomy safe in individuals with low-risk prostate cancer?. <i>Journal of Sexual Medicine</i> , 2012 , 9, 2961-9	1.1	25
242	Preoperative sex steroids are significant predictors of early biochemical recurrence after radical prostatectomy. <i>World Journal of Urology</i> , 2013 , 31, 275-80	4	25
241	First North American validation and head-to-head comparison of four preoperative nomograms for prediction of lymph node invasion before radical prostatectomy. <i>BJU International</i> , 2018 , 121, 592-599	5.6	24
240	An Evaluation of the Timing of Surgical Complications Following Radical Cystectomy: Data From the American College of Surgeons National Surgical Quality Improvement Program. <i>Urology</i> , 2017 , 103, 91-98 ^{1.6}	1.6	22
239	The Association between Mortality and Distance to Treatment Facility in Patients with Muscle Invasive Bladder Cancer. <i>Journal of Urology</i> , 2018 , 199, 424-429	2.5	22
238	Influence of obesity on tumour volume in patients with prostate cancer. <i>BJU International</i> , 2012 , 109, 678-84	5.6	22

237	Impact of caseload on total hospital charges: a direct comparison between minimally invasive and open radical prostatectomy—a population based study. <i>Journal of Urology</i> , 2011 , 185, 855-61	2.5	22
236	Application of ice cold irrigation during vascular pedicle control of robot-assisted radical prostatectomy: EnSeal instrument cooling to reduce collateral thermal tissue damage. <i>Journal of Endourology</i> , 2010 , 24, 1991-6	2.7	22
235	Cytoreductive Nephrectomy: Assessing the Generalizability of the CARMENA Trial to Real-world National Cancer Data Base Cases. <i>European Urology</i> , 2019 , 75, 352-353	10.2	22
234	The influence of physician recommendation on prostate-specific antigen screening. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 424.e1-7	2.8	21
233	Gonadotropin-releasing hormone agonists and acute kidney injury in patients with prostate cancer. <i>European Urology</i> , 2014 , 66, 1125-32	10.2	21
232	Clinical nodal staging scores for prostate cancer: a proposal for preoperative risk assessment. <i>British Journal of Cancer</i> , 2014 , 111, 213-9	8.7	21
231	Benefit in regionalisation of care for patients treated with radical cystectomy: a nationwide inpatient sample analysis. <i>BJU International</i> , 2014 , 113, 733-40	5.6	21
230	Competing-risks mortality after radiotherapy vs. observation for localized prostate cancer: a population-based study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 84, 95-103	4	21
229	An evaluation of the timing of surgical complications following nephrectomy: data from the American College of Surgeons National Surgical Quality Improvement Program (ACS-NSQIP). <i>World Journal of Urology</i> , 2015 , 33, 2031-8	4	20
228	Early radiotherapy after radical prostatectomy improves cancer-specific survival only in patients with highly aggressive prostate cancer: validation of recently released criteria. <i>International Journal of Urology</i> , 2015 , 22, 89-95	2.3	20
227	Determinants of Prostate Specific Antigen Screening among Black Men in the United States in the Contemporary Era. <i>Journal of Urology</i> , 2016 , 195, 913-8	2.5	20
226	Head-to-head comparison of lymph node density and number of positive lymph nodes in stratifying the outcome of patients with lymph node-positive prostate cancer submitted to radical prostatectomy and extended lymph node dissection. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 23-31	2.8	20
225	Population-Based External Validation of the Updated 2012 Partin Tables in Contemporary North American Prostate Cancer Patients. <i>Prostate</i> , 2017 , 77, 105-113	4.2	20
224	Indications for pelvic nodal treatment in prostate cancer should change. Validation of the Roach formula in a large extended nodal dissection series. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 83, 624-9	4	20
223	Impact of surgical experience on in-hospital complication rates in patients undergoing minimally invasive prostatectomy: a population-based study. <i>Annals of Surgical Oncology</i> , 2011 , 18, 839-47	3.1	20
222	Prostate saturation biopsy following a first negative biopsy: state of the art. <i>Urologia Internationalis</i> , 2012 , 89, 126-35	1.9	20
221	Long-term survival in patients with germ cell testicular cancer: a population-based competing-risks regression analysis. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 103-12	3.6	19
220	National Comprehensive Cancer Network practice guidelines 2011: Need for more accurate recommendations for pelvic lymph node dissection in prostate cancer. <i>Journal of Urology</i> , 2012 , 188, 423-8	2.5	19

219	Effect of number and location of distant metastases on renal cell carcinoma mortality in candidates for cytoreductive nephrectomy: implications for multimodal therapy. <i>International Journal of Urology</i> , 2013 , 20, 572-9	2.3	19
218	Contemporary Role of the Decipher [®] Test in Prostate Cancer Management: Current Practice and Future Perspectives. <i>Reviews in Urology</i> , 2016 , 18, 1-9	1	19
217	A Comparison of 30-Day Perioperative Outcomes in Open Versus Minimally Invasive Nephroureterectomy for Upper Tract Urothelial Carcinoma: Analysis of 896 Patients from the American College of Surgeons-National Surgical Quality Improvement Program Database. <i>Journal of Endourology</i> , 2015 , 29, 1052-8	2.7	18
216	Pathologic nodal staging scores in patients treated with radical prostatectomy: a postoperative decision tool. <i>European Urology</i> , 2014 , 66, 439-46	10.2	18
215	A population-based competing-risks analysis of survival after nephrectomy for renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 46.e1-7	2.8	18
214	Diagnosis of isolated high-grade prostatic intra-epithelial neoplasia: proposal of a nomogram for the prediction of cancer detection at saturation re-biopsy. <i>BJU International</i> , 2012 , 109, 1329-34	5.6	18
213	Pelvic lymph node dissection for prostate cancer: adherence and accuracy of the recent guidelines. <i>International Journal of Urology</i> , 2013 , 20, 405-10	2.3	18
212	Percentage of high-grade tumour volume does not meaningfully improve prediction of early biochemical recurrence after radical prostatectomy compared with Gleason score. <i>BJU International</i> , 2014 , 113, 399-407	5.6	18
211	Critical assessment of the European Association of Urology guideline indications for pelvic lymph node dissection at radical prostatectomy. <i>BJU International</i> , 2011 , 108, 1769-75	5.6	18
210	A critical assessment of the value of lymph node dissection at radical prostatectomy: A population-based study. <i>Prostate</i> , 2011 , 71, 1587-94	4.2	18
209	Racial differences in prostate-specific antigen-based prostate cancer screening: State-by-state and region-by-region analyses. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 460.e9-460.e20	2.8	17
208	Extended pelvic lymph node dissection does not affect erectile function recovery in patients treated with bilateral nerve-sparing radical prostatectomy. <i>Journal of Sexual Medicine</i> , 2012 , 9, 2187-94	1.1	17
207	Postoperative phosphodiesterase type 5 inhibitor administration increases the rate of urinary continence recovery after bilateral nerve-sparing radical prostatectomy. <i>International Journal of Urology</i> , 2013 , 20, 413-9	2.3	17
206	Survival after nephroureterectomy for upper tract urothelial carcinoma: a population-based competing-risks analysis. <i>International Journal of Urology</i> , 2014 , 21, 249-56	2.3	17
205	The extent of lymphadenectomy does affect cancer specific survival in pathologically confirmed T4 renal cell carcinoma. <i>Urologia</i> , 2012 , 79, 109-15	1.2	17
204	A population-based analysis of temporal perioperative complication rates after minimally invasive radical prostatectomy. <i>European Urology</i> , 2011 , 60, 564-71	10.2	17
203	Efficacy of post-operative radiation in a prostatectomy cohort adjusted for clinical and genomic risk. <i>Prostate Cancer and Prostatic Diseases</i> , 2016 , 19, 277-82	6.2	17
202	Prostate Cancer Screening in Early Medicaid Expansion States. <i>Journal of Urology</i> , 2018 , 199, 81-88	2.5	17

201	Racial disparity in quality of care and overall survival among black vs. white patients with muscle-invasive bladder cancer treated with radical cystectomy: A national cancer database analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 469.e1-469.e11	2.8	16
200	Blood transfusions in radical prostatectomy: a contemporary population-based analysis. <i>Urology</i> , 2012 , 79, 332-8	1.6	16
199	Nodal involvement at nephrectomy is associated with worse survival: a stage-for-stage and grade-for-grade analysis. <i>International Journal of Urology</i> , 2013 , 20, 372-80	2.3	16
198	Dose-dependent effect of androgen deprivation therapy for localized prostate cancer on adverse cardiac events. <i>BJU International</i> , 2016 , 118, 221-9	5.6	16
197	The effect of age at diagnosis on prostate cancer mortality: a grade-for-grade and stage-for-stage analysis. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 1706-15	3.6	15
196	Staging lymphadenectomy in renal cell carcinoma must be extended: a sensitivity curve analysis. <i>BJU International</i> , 2013 , 111, 412-8	5.6	15
195	Assessing the most accurate formula to predict the risk of lymph node metastases from prostate cancer in contemporary patients treated with radical prostatectomy and extended pelvic lymph node dissection. <i>Radiotherapy and Oncology</i> , 2013 , 109, 211-6	5.3	15
194	An evidence-based guide to the selection of sequential therapies in metastatic renal cell carcinoma. <i>Therapeutic Advances in Urology</i> , 2013 , 5, 121-8	3.2	15
193	The Impact of Insurance Status on Tumor Characteristics and Treatment Selection in Contemporary Patients With Prostate Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015 , 13, 1351-8	7.3	15
192	Head-to-head comparison of three commonly used preoperative tools for prediction of lymph node invasion at radical prostatectomy. <i>Urology</i> , 2011 , 78, 1363-7	1.6	15
191	Does educational status affect a patient's behavior toward erectile dysfunction?. <i>Journal of Sexual Medicine</i> , 2008 , 5, 1941-8	1.1	15
190	Tumor volume improves the long-term prediction of biochemical recurrence-free survival after radical prostatectomy for localized prostate cancer with positive surgical margins. <i>World Journal of Urology</i> , 2017 , 35, 199-206	4	14
189	Medical androgen deprivation therapy and increased non-cancer mortality in non-metastatic prostate cancer patients aged ≥ 66 years. <i>European Journal of Surgical Oncology</i> , 2015 , 41, 1529-39	3.6	14
188	Survival benefit of definitive therapy in patients with clinically advanced prostate cancer: estimations of the number needed to treat based on competing-risks analysis. <i>BJU International</i> , 2014 , 114, E62-E69	5.6	14
187	Generalizability of the Prostate Cancer Intervention Versus Observation Trial (PIVOT) Results to Contemporary North American Men with Prostate Cancer. <i>European Urology</i> , 2017 , 71, 511-514	10.2	14
186	Is sperm banking of interest to patients with nongerm cell urological cancer before potentially fertility damaging treatments?. <i>Journal of Urology</i> , 2009 , 182, 1101-7	2.5	14
185	North American Population-Based Validation of the National Comprehensive Cancer Network Practice Guideline Recommendation of Pelvic Lymphadenectomy in Contemporary Prostate Cancer. <i>Prostate</i> , 2017 , 77, 542-548	4.2	13
184	Are Caucasian-European men delaying fatherhood? Results of a 7 year observational study of infertile couples with male factor infertility. <i>Journal of Developmental and Physical Disabilities</i> , 2012 , 35, 125-32		13

183	Venous thromboembolism after radical prostatectomy: the effect of surgical caseload. <i>BJU International</i> , 2012 , 110, 828-33	5.6	13
182	A novel tool to assess the risk of urinary incontinence after nerve-sparing radical prostatectomy. <i>BJU International</i> , 2013 , 111, 905-13	5.6	13
181	A Systematic Review of the Role of Definitive Local Treatment in Patients with Clinically Lymph Node-positive Prostate Cancer. <i>European Urology Oncology</i> , 2019 , 2, 294-301	6.7	13
180	The Impact of Lymph Node Metastases Burden at Radical Prostatectomy. <i>European Urology Focus</i> , 2019 , 5, 399-406	5.1	13
179	COVID-19 Infection in Men on Testosterone Replacement Therapy. <i>Journal of Sexual Medicine</i> , 2021 , 18, 215-218	1.1	13
178	10-Year Outcomes in Localized Prostate Cancer. <i>New England Journal of Medicine</i> , 2017 , 376, 180	59.2	12
177	Contemporary Management of Prostate Cancer Patients Suitable for Active Surveillance: A North American Population-based Study. <i>European Urology Focus</i> , 2018 , 4, 68-74	5.1	12
176	Variation in Locoregional Prostate Cancer Care and Treatment Trends at Commission on Cancer Designated Facilities: A National Cancer Data Base Analysis 2004 to 2013. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e955-e968	3.3	12
175	Contemporary rates of pathological features and mortality for adenocarcinoma of the urinary bladder in the USA. <i>International Journal of Urology</i> , 2017 , 24, 117-123	2.3	12
174	Trends of retroperitoneal lymphadenectomy use in patients with nonseminomatous germ cell tumor of the testis: a population-based study. <i>Annals of Surgical Oncology</i> , 2011 , 18, 2997-3004	3.1	12
173	Optimizing postoperative sexual function after radical prostatectomy. <i>Therapeutic Advances in Urology</i> , 2012 , 4, 347-65	3.2	12
172	Evaluation of a genomic classifier in radical prostatectomy patients with lymph node metastasis. <i>Research and Reports in Urology</i> , 2016 , 8, 77-84	1.3	12
171	Effect of preoperative angina pectoris on cardiac outcomes in patients with previous myocardial infarction undergoing major noncardiac surgery (data from ACS-NSQIP). <i>American Journal of Cardiology</i> , 2015 , 115, 1080-4	3	11
170	A contemporary analysis of radiotherapy effect in surgically treated retroperitoneal sarcoma. <i>Radiotherapy and Oncology</i> , 2018 , 127, 318-325	5.3	11
169	Rate and Extent of Pelvic Lymph Node Dissection in the US Prostate Cancer Patients Treated With Radical Prostatectomy. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e451-e467	3.3	11
168	A population-based assessment of the National Comprehensive Cancer Network practice guideline indications for pelvic lymph node dissection at radical prostatectomy. <i>BJU International</i> , 2012 , 109, 1177-82	5.6	11
167	The number of cores taken in patients diagnosed with a single microfocus at initial biopsy is a major predictor of insignificant prostate cancer. <i>Journal of Urology</i> , 2013 , 189, 854-9	2.5	11
166	Presence of positive surgical margin in patients with organ-confined prostate cancer equals to extracapsular extension negative surgical margin. A plea for TNM staging system reclassification. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1497-503	2.8	11

165	There is no way to identify patients who will harbor small volume, unilateral prostate cancer at final pathology. implications for focal therapies. <i>Prostate</i> , 2012 , 72, 925-30	4.2	11
164	Role of robot-assisted radical prostatectomy in the management of high-risk prostate cancer. <i>Indian Journal of Urology</i> , 2014 , 30, 410-7	0.8	11
163	Therapeutic Value of Standard Versus Extended Pelvic Lymph Node Dissection During Radical Prostatectomy for High-Risk Prostate Cancer. <i>Current Urology Reports</i> , 2017 , 18, 51	2.9	10
162	Preventable mortality after common urological surgery: failing to rescue?. <i>BJU International</i> , 2015 , 115, 666-74	5.6	10
161	Adverse Event Rates, Timing of Complications, and the Impact of Specialty on Outcomes Following Adrenal Surgery: An Analysis of 30-Day Outcome Data From the American College of Surgeons National Surgical Quality Improvement Program (ACS-NSQIP). <i>Urology</i> , 2016 , 90, 62-8	1.6	10
160	The key role of time in predicting progression-free survival in patients with renal cell carcinoma treated with partial or radical nephrectomy: conditional survival analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 43.e9-16	2.8	10
159	Minimally invasive renal autotransplantation. <i>Journal of Surgical Oncology</i> , 2015 , 112, 717-22	2.8	10
158	Annual prostatectomy volume is related to rectal laceration rate after radical prostatectomy. <i>Urology</i> , 2012 , 79, 796-803	1.6	10
157	Assessing the risk of lymph node invasion in patients with intermediate risk prostate cancer treated with extended pelvic lymph node dissection. A novel prediction tool. <i>Prostate</i> , 2012 , 72, 499-506	4.2	10
156	The importance of pelvic lymph node dissection in the elderly population: implications for interpreting the 2010 National Comprehensive Cancer Network practice guidelines for bladder cancer treatment. <i>Journal of Urology</i> , 2011 , 185, 2078-84	2.5	10
155	Surgical caseload is an important determinant of continent urinary diversion rate at radical cystectomy: a population-based study. <i>Annals of Surgical Oncology</i> , 2011 , 18, 2680-7	3.1	10
154	When Should a Positive Surgical Margin Ring a Bell? An Analysis of a Multi-Institutional Robot-Assisted Laparoscopic Radical Prostatectomy Database. <i>Journal of Endourology</i> , 2016 , 30, 201-7	2.7	10
153	Comparison of Partial Versus Radical Nephrectomy Effect on Other-cause Mortality, Cancer-specific Mortality, and 30-day Mortality in Patients Older Than 75 Years. <i>European Urology Focus</i> , 2019 , 5, 467-473	5.1	10
152	Nephroureterectomy with or without Bladder Cuff Excision for Localized Urothelial Carcinoma of the Renal Pelvis. <i>European Urology Focus</i> , 2020 , 6, 298-304	5.1	10
151	Robotic Kidney Transplantation with Regional Hypothermia versus Open Kidney Transplantation for Patients with End Stage Renal Disease: An Ideal Stage 2B Study. <i>Journal of Urology</i> , 2021 , 205, 595-602	2.5	10
150	Development and Validation of a Prostate Cancer Genomic Signature that Predicts Early ADT Treatment Response Following Radical Prostatectomy. <i>Clinical Cancer Research</i> , 2018 , 24, 3908-3916	12.9	10
149	Could lead-time bias explain the apparent benefits of early salvage radiotherapy?. <i>Nature Reviews Urology</i> , 2017 , 14, 193-194	5.5	9
148	Comparison of 30-day perioperative outcomes in adults undergoing open versus minimally invasive pyeloplasty for ureteropelvic junction obstruction: analysis of 593 patients in a prospective national database. <i>World Journal of Urology</i> , 2015 , 33, 2107-13	4	9

147	Postoperative sepsis prediction in patients undergoing major cancer surgery. <i>Journal of Surgical Research</i> , 2017 , 209, 60-69	2.5	9
146	Robot-assisted partial cystectomy with intraoperative frozen section examination: Evolution and evaluation of a novel technique. <i>Investigative and Clinical Urology</i> , 2016 , 57, 221-8	1.9	9
145	Understanding the Use of Prostate Biopsy Among Men with Limited Life Expectancy in a Statewide Quality Improvement Collaborative. <i>European Urology</i> , 2016 , 70, 854-861	10.2	9
144	Contemporary Trends and Survival Outcomes After Aborted Radical Prostatectomy in Lymph Node Metastatic Prostate Cancer Patients. <i>European Urology Focus</i> , 2019 , 5, 381-388	5.1	9
143	Calculating life expectancy to inform prostate cancer screening and treatment decisions. <i>BJU International</i> , 2017 , 120, 9-11	5.6	8
142	Robot-assisted hepatic mobilization and control of suprahepatic infradiaphragmatic inferior vena cava for level 3 vena caval thrombectomy: An IDEAL stage 0 study. <i>Journal of Surgical Oncology</i> , 2015 , 112, 741-5	2.8	8
141	Preoperative erectile function is the only predictor of the use of a high number of phosphodiesterase type-5 inhibitors after bilateral nerve-sparing radical prostatectomy. <i>International Journal of Impotence Research</i> , 2014 , 26, 201-4	2.3	8
140	Obesity does not increase the risk of lymph node metastases in patients with clinically localized prostate cancer undergoing radical prostatectomy and extended pelvic lymph node dissection. <i>International Journal of Urology</i> , 2009 , 16, 676-81	2.3	8
139	Gleason 6 prostate cancer in one or two biopsy cores can harbor more aggressive disease. <i>Journal of Endourology</i> , 2011 , 25, 699-703	2.7	8
138	Rates of Kidney Transplantation From Living and Deceased Donors for Blacks and Whites in the United States, 1998 to 2011. <i>JAMA Internal Medicine</i> , 2015 , 175, 1716-8	11.5	7
137	Contemporary nationwide patterns of self-reported prostate-specific antigen screening in US veterans. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 503.e7-15	2.8	7
136	Testing the external validity of the EORTC randomized trial 30904 comparing overall survival after radical nephrectomy vs nephron-sparing surgery in contemporary North American patients with renal cell cancer. <i>BJU International</i> , 2018 , 121, 345-347	5.6	7
135	An evaluation of the Weekend effect On patients admitted with metastatic prostate cancer. <i>BJU International</i> , 2015 , 116, 911-9	5.6	7
134	Intensity-modulated radiation therapy leads to survival benefit only in patients with high-risk prostate cancer: a population-based study. <i>Annals of Oncology</i> , 2014 , 25, 979-86	10.3	7
133	The effect of annual surgical caseload on the rates of in-hospital pneumonia and other in-hospital outcomes after radical prostatectomy. <i>International Urology and Nephrology</i> , 2012 , 44, 799-806	2.3	7
132	Competing-risks analysis in patients with T1 squamous cell carcinoma of the penis. <i>BJU International</i> , 2013 , 111, E174-9	5.6	7
131	Impact of annual surgical volume on length of stay in patients undergoing minimally invasive prostatectomy: a population-based study. <i>European Journal of Surgical Oncology</i> , 2011 , 37, 429-34	3.6	7
130	Hospital and surgical caseload are predictors of comprehensive surgical treatment for bladder cancer: a population based study. <i>Journal of Urology</i> , 2011 , 186, 824-8	2.5	7

129	The impact of surgical experience on total hospital charges for minimally invasive prostatectomy: a population-based study. <i>BJU International</i> , 2011 , 108, 888-93	5.6	7
128	Management of upper urinary tract urothelial carcinoma. <i>Expert Review of Anticancer Therapy</i> , 2010 , 10, 1955-65	3.5	7
127	Intermediate-term cancer control outcomes in prostate cancer patients treated with robotic-assisted laparoscopic radical prostatectomy: a multi-institutional analysis. <i>World Journal of Urology</i> , 2016 , 34, 1357-66	4	7
126	Minimally Invasive or Abdominal Radical Hysterectomy for Cervical Cancer. <i>New England Journal of Medicine</i> , 2019 , 380, 793	59.2	7
125	Ten-year disease progression and mortality rates in men who experience biochemical recurrence versus persistence after radical prostatectomy and undergo salvage radiation therapy: A post-hoc analysis of RTOG 9601 trial data. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 599.e1-599.e8	2.8	6
124	Variation in Positive Surgical Margin Status After Radical Prostatectomy for pT2 Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e1060-e1068	3.3	6
123	The number of cores at first biopsy may suggest the need for a confirmatory biopsy in patients eligible for active surveillance-implication for clinical decision making in the real-life setting. <i>Urology</i> , 2014 , 84, 634-41	1.6	6
122	Predicting pathological outcomes in patients undergoing robot-assisted radical prostatectomy for high-risk prostate cancer: a preoperative nomogram. <i>BJU International</i> , 2015 , 116, 703-12	5.6	6
121	The Role of Biomarkers and Genetics in the Diagnosis of Prostate Cancer. <i>European Urology Focus</i> , 2015 , 1, 99-108	5.1	6
120	Preoperative circulating sex hormones are not predictors of positive surgical margins at open radical prostatectomy. <i>World Journal of Urology</i> , 2012 , 30, 533-9	4	6
119	Predicting the risk of lymph node invasion during radical prostatectomy using the European Association of Urology guideline nomogram: a validation study. <i>European Journal of Surgical Oncology</i> , 2012 , 38, 624-9	3.6	6
118	Single stage Xi robotic radical nephroureterectomy for upper tract urothelial carcinoma: surgical technique and outcomes. <i>Minerva Urology and Nephrology</i> , 2021 ,	2.3	6
117	Rare Histological Variants of Prostate Adenocarcinoma: A National Cancer Database Analysis. <i>Journal of Urology</i> , 2020 , 204, 260-266	2.5	6
116	Endocrine, Sexual Function, and Infertility Side Effects of Immune Checkpoint Inhibitor Therapy for Genitourinary Cancers. <i>Current Urology Reports</i> , 2018 , 19, 68	2.9	6
115	Risk Factors for Intravesical Recurrence after Minimally Invasive Nephroureterectomy for Upper Tract Urothelial Cancer (ROBUUST Collaboration). <i>Journal of Urology</i> , 2021 , 206, 568-576	2.5	6
114	Adjuvant Radiotherapy in Prostate Cancer Patients Treated with Surgery: The Impact of Age and Tumor Characteristics. <i>European Urology Focus</i> , 2015 , 1, 191-199	5.1	5
113	Impact of Baseline Characteristics on the Survival Benefit of High-Intensity Local Treatment in Metastatic Urothelial Carcinoma of the Bladder. <i>European Urology Focus</i> , 2018 , 4, 568-571	5.1	5
112	Prevalence of Nonrecommended Screening for Prostate Cancer and Breast Cancer in the United States: A Nationwide Survey Analysis. <i>JAMA Oncology</i> , 2016 , 2, 543-5	13.4	5

111	Robot-Assisted Laparoscopic Repair of Extraperitoneal Ureteral Inguinal Hernia with Mesh Placement. <i>Journal of Endourology Case Reports</i> , 2017 , 3, 97-100	0.3	5
110	Circulating sex steroids and prostate cancer: introducing the time-dependency theory. <i>World Journal of Urology</i> , 2013 , 31, 267-73	4	5
109	Long-term Risk of Recurrence in Surgically Treated Renal Cell Carcinoma: A Post Hoc Analysis of the Eastern Cooperative Oncology Group-American College of Radiology Imaging Network E2805 Trial Cohort. <i>European Urology</i> , 2020 , 77, 277-281	10.2	5
108	Extended pelvic lymph-node dissection is independently associated with improved overall survival in patients with prostate cancer at high-risk of lymph-node invasion. <i>BJU International</i> , 2020 , 125, 756-758 ^{5,6}	5.6	5
107	Increasing Rate of Noninterventional Treatment Management in Localized Prostate Cancer Candidates for Active Surveillance: A North American Population-Based Study. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 72-78.e4	3.3	5
106	Salvage Radiation Therapy for Biochemical Recurrence After Radical Prostatectomy: Is Earlier Always Better?. <i>Journal of Clinical Oncology</i> , 2017 , 35, 1489-1490	2.2	4
105	The Precision Prostatectomy: "Waiting for Godot". <i>European Urology Focus</i> , 2020 , 6, 227-230	5.1	4
104	Facility Level Variation in Rates of Definitive Therapy for Low Risk Prostate Cancer in Men with Limited Life Expectancy: An Opportunity for Value Based Care Redesign. <i>Journal of Urology</i> , 2019 , 201, 728-734	2.5	4
103	Treatment patterns, testicular loss and disparities in inpatient surgical management of testicular torsion in boys: a population-based study 1998-2010. <i>BJU International</i> , 2016 , 118, 969-979	5.6	4
102	The diminishing returns of robotic diffusion: complications after robot-assisted radical prostatectomy. <i>BJU International</i> , 2016 , 117, 211-2	5.6	4
101	State-by-state Variation in Prostate-specific Antigen Screening Trends Following the 2011 United States Preventive Services Task Force Panel Update. <i>Urology</i> , 2018 , 112, 56-65	1.6	4
100	Surgically Treated Retroperitoneal Sarcoma: A Population-based Competing Risks Analysis. <i>European Urology Oncology</i> , 2018 , 1, 346-351	6.7	4
99	Re: AR-V7 and Resistance to Enzalutamide and Abiraterone in Prostate Cancer. <i>European Urology</i> , 2015 , 68, 162-3	10.2	3
98	An analysis of patients with T2 renal cell carcinoma (RCC) according to tumour size: a population-based analysis. <i>BJU International</i> , 2013 , 111, 1184-90	5.6	3
97	Prevention and Management of Postprostatectomy Erectile Dysfunction. <i>European Urology Supplements</i> , 2009 , 8, 80-87	0.9	3
96	VALIDATION OF THE CRITERIA SUGGESTED BY CURRENT GUIDELINES TO INDICATE THE NEED FOR BASELINE STAGING BONE SCAN IN PATIENTS WITH NEWLY DIAGNOSED PROSTATE CANCER. <i>Journal of Urology</i> , 2009 , 181, 782-782	2.5	3
95	Improving the stratification of intermediate risk prostate cancer. <i>Minerva Urology and Nephrology</i> , 2021 ,	2.3	3
94	Impact of timing on salvage radiation therapy adverse events following radical prostatectomy: A secondary analysis of the RTOG 9601 cohort. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 38.e17-38.e22	2.8	3

93	PD43-12 URINARY CONTINENCE OUTCOMES AFTER RETZIUS-SPARING ROBOT-ASSISTED RADICAL PROSTATECTOMY: A PROSPECTIVE, NON-RANDOMIZED, IDEAL STAGE 2B (EXPLORATION) STUDY.. <i>Journal of Urology</i> , 2016 , 195,	2.5	3
92	Surgery and erectile dysfunction. <i>Archivos Espanoles De Urologia</i> , 2010 , 63, 640-8	0.4	3
91	Trends in Prostate-Specific Antigen Screening Since the Implementation of the 2012 US Preventive Services Task Force Recommendations. <i>European Urology Focus</i> , 2018 , 4, 1002-1004	5.1	2
90	MP02-06 EVALUATION OF A GENOMIC CLASSIFIER IN RADICAL PROSTATECTOMY PATIENTS WITH LYMPH NODE METASTASIS. <i>Journal of Urology</i> , 2016 , 195,	2.5	2
89	PD12-11 SURVIVAL BENEFIT OF RADICAL PROSTATECTOMY IN PATIENTS WITH CLINICALLY ADVANCED PROSTATE CANCER: ESTIMATIONS OF THE NUMBER NEEDED TO TREAT BASED ON COMPETING-RISKS ANALYSIS. <i>Journal of Urology</i> , 2014 , 191,	2.5	2
88	1831 THE NUMBER OF LYMPH NODES REMOVED IN RENAL CELL CARCINOMA DOES AFFECT CANCER SPECIFIC SURVIVAL IN SPECIFIC SUBGROUPS OF PATIENTS: RESULTS FROM A SYSTEMATIC ANALYSIS. <i>Journal of Urology</i> , 2013 , 189,	2.5	2
87	1634 MANAGEMENT OF LOCALIZED KIDNEY CANCER: CALCULATING CANCER-SPECIFIC MORTALITY AND COMPETING-RISKS OF DEATH TRADEOFFS BETWEEN SURGERY AND ACTIVE SURVEILLANCE. <i>Journal of Urology</i> , 2013 , 189,	2.5	2
86	Classification of Partial Nephrectomy as an Outpatient Surgery under CMS'Part B Reimbursement Program Does the Evidence Justify the Recommendation?. <i>Urology Practice</i> , 2017 , 4, 444-447	0.8	2
85	MP51-15 TIME FROM SURGERY TO URINARY CONTINENCE SIGNIFICANTLY INFLUENCES THE SUBSEQUENT RECOVERY OF ERECTILE FUNCTION IN PATIENTS TREATED WITH BILATERAL NERVE-SPARING RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 2014 , 191,	2.5	2
84	Robotic vs laparoscopic nephroureterectomy for upper tract urothelial carcinoma: a multicenter propensity-score matched pair "tetrafecta" analysis (ROBUUST collaborative group).. <i>Journal of Endourology</i> , 2022 ,	2.7	2
83	462. Prevalence and Outcome of Asymptomatic Procedural Patients with COVID-19 Infection. <i>Open Forum Infectious Diseases</i> , 2020 , 7, S298-S298	1	2
82	Pelvic lymph node dissection at robot-assisted radical prostatectomy: Assessing utilization and nodal metastases within a statewide quality improvement consortium. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 198-203	2.8	2
81	A Nationwide Persistent Underutilization of Adjuvant Radiotherapy in North American Prostate Cancer Patients. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 489-499.e6	3.3	2
80	PD15-01 THE IMPACT OF 2011 UNITED STATES PREVENTIVE SERVICES TASK FORCE PANEL UPDATE ON PSA SCREENING PRACTICE: A NATIONWIDE, AND STATE-BY-STATE LEVEL ANALYSES.. <i>Journal of Urology</i> , 2016 , 195,	2.5	2
79	A Preoperative Nomogram to Predict Renal Function Insufficiency for Cisplatin-based Adjuvant Chemotherapy Following Minimally Invasive Radical Nephroureterectomy (ROBUUST Collaborative Group). <i>European Urology Focus</i> , 2021 ,	5.1	2
78	Re: Follow-up of Prostatectomy Versus Observation for Early Prostate Cancer. <i>European Urology</i> , 2018 , 73, 302-303	10.2	2
77	Predicting lymph node invasion in patients treated with robot-assisted radical prostatectomy. <i>Canadian Journal of Urology</i> , 2016 , 23, 8141-50	0.8	2
76	Improved Survival With Local Treatment of Prostate Cancer in Men With Metastatic Disease: Look Before You Leap. <i>Journal of Clinical Oncology</i> , 2017 , 35, 914-915	2.2	1

75	Androgen Deprivation Therapy and Dose-Escalated Radiotherapy for Intermediate- and High-Risk Prostate Cancer: Sign of Changing Times?. <i>JAMA Oncology</i> , 2017 , 3, 280-281	13.4	1
74	Regression Discontinuity Analysis of Salvage Radiotherapy in Prostate Cancer. <i>European Urology Oncology</i> , 2021 , 4, 817-820	6.7	1
73	Reply to Jovo Bogdanovic and Vuk Sekulic Letter to the Editor re: Firas Abdollah, Giorgio Gandaglia, Nazareno Suardi, et al. More Extensive Pelvic Lymph Node Dissection Improves Survival in Patients with Node-positive Prostate Cancer. <i>Eur Urol</i> 2015;67:212-9. <i>European Urology</i> , 2015 , 68, e37-8	10.2	1
72	Reply to C.G. Rusthoven et al. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1989	2.2	1
71	MP21-11 AGE DEPENDENT VARIATION IN THE EFFECT OF PHYSICIAN RECOMMENDATIONS TO UNDERGO PROSTATE SPECIFIC ANTIGEN (PSA) SCREENING FOLLOWING THE UNITED STATES PREVENTIVE SERVICES TASK FORCE 2012 STATEMENT AGAINST PSA SCREENING.. <i>Journal of Urology</i> , 2016 , 195,	2.5	1
70	MP39-14 IMPACT OF THE 2012 UNITED STATES PREVENTIVE SERVICES TASK FORCE RECOMMENDATION AGAINST PROSTATE SPECIFIC ANTIGEN SCREENING ON PROSTATE CANCER RISK GROUP STRATIFICATION. <i>Journal of Urology</i> , 2016 , 195,	2.5	1
69	PD15-03 DIFFERENCES IN PROSTATE SPECIFIC ANTIGEN TESTING AMONG UROLOGISTS AND PRIMARY CARE PROVIDERS IN THE UNITED STATES FOLLOWING THE 2011 USPSTF RECOMMENDATIONS. <i>Journal of Urology</i> , 2016 , 195,	2.5	1
68	Re: Massimiliano Spaliviero, Nicholas E. Power, Katie S. Murray, et al. Intravenous Mannitol Versus Placebo During Partial Nephrectomy in Patients with Normal Kidney Function: A Double-blind, Clinically-integrated, Randomized Trial. <i>Eur Urol</i> 2018;73:53-9. <i>European Urology</i> , 2018 , 74, e48-e49	10.2	1
67	PD12-12 ADJUVANT RADIOTHERAPY IMPROVES CANCER-SPECIFIC SURVIVAL ONLY IN PATIENTS WITH HIGHLY AGGRESSIVE PROSTATE CANCER. VALIDATION OF RECENTLY RELEASED CRITERIA. <i>Journal of Urology</i> , 2014 , 191,	2.5	1
66	MP32-08 READMISSIONS AFTER MAJOR UROLOGIC CANCER SURGERY. <i>Journal of Urology</i> , 2015 , 193,	2.5	1
65	774 HEAD-TO-HEAD COMPARISON OF LYMPH NODE DENSITY AND NUMBER OF POSITIVE LYMPH NODES IN STRATIFYING THE OUTCOME OF PATIENTS WITH LYMPH NODE POSITIVE PROSTATE CANCER SUBMITTED TO RADICAL PROSTATECTOMY AND EXTENDED PELVIC LYMPH NODE DISSECTION. <i>Journal of Urology</i> , 2013 , 189,	2.5	1
64	1838 WHEN TO PERFORM LYMPH NODE DISSECTION IN RENAL CELL CARCINOMA PATIENTS: A NOVEL APPROACH TO PREOPERATIVELY ASSESS THE RISK OF LYMPH NODE INVASION AT SURGERY AND NODAL PROGRESSION DURING FOLLOW UP. <i>Journal of Urology</i> , 2013 , 189,	2.5	1
63	961 PREDICTORS OF EARLY BIOCHEMICAL RECURRENCE AFTER RADICAL PROSTATECTOMY AND ADJUVANT RADIOTHERAPY IN MEN WITH PT3N0 PROSTATE CANCER. IMPLICATIONS FOR MULTI-MODAL THERAPIES. <i>Journal of Urology</i> , 2013 , 189,	2.5	1
62	Reply to Chris Parker, Matthew R. Sydes and Howard Kynaston letter to the editor re: Firas Abdollah, Nazareno Suardi, Cesare Cozzarini, et al. Selecting the optimal candidate for adjuvant radiotherapy after radical prostatectomy for prostate cancer: a long-term survival analysis. <i>Eur Urol</i> 2013;63:200-1006. <i>European Urology</i> , 2013 , 64, e100-4	10.2	1
61	PD58-12 PSA SCREENING AT THE INTERSECTION OF POLITICS AND POLICY. <i>Journal of Urology</i> , 2017 , 197,	2.5	1
60	PD32-05 PROSTATE CANCER SCREENING: EFFECT OF EARLY MEDICAID EXPANSION. <i>Journal of Urology</i> , 2017 , 197,	2.5	1
59	PD6-12 DIMINISHING RETURNS OF ROBOTIC DIFFUSION: COMPLICATIONS FOLLOWING ROBOT-ASSISTED RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 2015 , 193,	2.5	1
58	Should all men having a radical prostatectomy have a pelvic lymph node dissection? No. <i>Canadian Urological Association Journal</i> , 2010 , 4, 425-6	1.2	1

57	982 STAGING LYMPHADENECTOMY IN RENAL CELL CARCINOMA MUST BE EXTENDED: A SENSITIVITY CURVE ANALYSES. <i>Journal of Urology</i> , 2012 , 187,	2.5	1
56	771 SHOULD AN EXTENDED NODAL TEMPLATE FOR HIGH RISK PROSTATE CANCER ALWAYS INCLUDE REMOVAL OF COMMON ILIAC LYMPH NODES?. <i>Journal of Urology</i> , 2012 , 187,	2.5	1
55	Response to Re: Lymph node count threshold for optimal pelvic lymph node staging in prostate cancer. <i>International Journal of Urology</i> , 2013 , 20, 845-6	2.3	1
54	Spatial distribution of positive cores improves the selection of patients with low-risk prostate cancer as candidates for active surveillance. <i>BJU International</i> , 2013 , 112, E234-42	5.6	1
53	Re: Orgasm associated incontinence (climacturia) following radical pelvic surgery: rates of occurrence and predictors. J. M. Choi, C. J. Nelson, J. Stasi and J. P. Mulhall. <i>J Urol</i> 2007; 177: 2223-2226. <i>Journal of Urology</i> , 2008 , 180, 1187; author reply 1187-8	2.5	1
52	Comparative effectiveness of radical cystectomy versus bladder-sparing treatment for muscle-invasive urothelial carcinoma: A population-based report.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 334-334	2.2	1
51	Development and validation of genomic signature to predict ADT treatment failure.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 5018-5018	2.2	1
50	The Technique of Robotic Nerve-Sparing Prostatectomy 2016 , 315-326		1
49	Efficacy of local treatment in patients with prostate cancer with clinically pelvic lymph node-positive disease at initial diagnosis.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 164-164	2.2	1
48	Omission of Cortical Renorrhaphy During Robotic Partial Nephrectomy: A Vattikuti Collective Quality Initiative Database Analysis. <i>Urology</i> , 2020 , 146, 125-132	1.6	1
47	MP14-12 EFFICACY OF EARLY AND DELAYED RADIATION IN A PROSTATECTOMY COHORT ADJUSTED FOR GENOMIC AND CLINICAL RISK. <i>Journal of Urology</i> , 2016 , 195,	2.5	1
46	Generalizability of Prostate-Specific Antigen (PSA) Screening Trials in a "Real World" Setting: A Nationwide Survey Analysis. <i>Urology</i> , 2021 , 148, 1-3	1.6	1
45	Comparing Adjuvant vs Early-Salvage Radiotherapy After Radical Prostatectomy. <i>JAMA Oncology</i> , 2018 , 4, 1618-1619	13.4	1
44	Oncological and functional efficacy of nephron-sparing surgery versus radical nephrectomy in renal cell carcinoma stages T1b: a single institution, matched analysis. <i>Central European Journal of Urology</i> , 2018 , 71, 48-57	0.9	1
43	Robotic Urologic Surgery: How to Make an Effective Robotic Program 2018 , 77-82		1
42	The effect of race on survival after local therapy in metastatic prostate cancer patients. <i>Canadian Urological Association Journal</i> , 2019 , 13, 175-181	1.2	1
41	Subtotal surgical therapy for localized prostate cancer: a single-center precision prostatectomy experience in 25 patients, and SEER-registry data analysis. <i>Translational Andrology and Urology</i> , 2021 , 10, 3155-3166	2.3	1
40	Evaluation of lymphovascular invasion as a prognostic predictor of overall survival after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 495.e1-495.e6	2.8	1

21	Testing the impact of adjuvant radiotherapy (aRT) after radical prostatectomy (RP) on overall mortality (OM) in prostate cancer patients with pathologically node positive disease: A nationwide analysis.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 5035-5035	2.2
20	A genomic classifier to identify men with adverse pathology post radical prostatectomy who benefit from adjuvant radiation therapy.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 168-168	2.2
19	Prevalence of non-recommended screening for prostate cancer and breast cancer in the United States.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e17528-e17528	2.2
18	Development and validation of an ADT resistance signature to predict adjuvant hormone treatment failure.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 106-106	2.2
17	Efficacy of early and delayed radiation in a prostatectomy cohort adjusted for genomic and clinical risk.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 12-12	2.2
16	Genomic classifier to augment the role of pathological features in identifying optimal candidates for adjuvant radiation therapy in patients with prostate cancer: Development and internal validation of a multivariable prognostic model.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 142-142	2.2
15	Is neoadjuvant chemotherapy beneficial before radical cystectomy? Examining the external validity of the SWOG-8710 trial.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 331-331	2.2
14	The importance of pelvic lymph node dissection in the elderly population: implications for interpreting the 2010 national comprehensive cancer network practice guidelines for bladder cancer treatment. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2011 , 37, 413-414	2
13	Using adjuvant radiotherapy to improve cancer-specific survival in patients with highly aggressive prostate cancer: Examining recently released criteria.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 30-30	2.2
12	Population-based comparison of surgical margin status for robotic versus open radical prostatectomy.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 51-51	2.2
11	The Authors Respond. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2016 , 14, 117-22	7.3
10	The importance of frailty: Know thy patient. <i>BJU International</i> , 2016 , 117, 716-7	5.6
9	Reply to Michael Froehner, Rainer Koch, Manfred P. Wirth Letter to the Editor re: Jesse D. Sammon, Firas Abdollah, Anthony D'Amico, et al. Predicting Life Expectancy in Men Diagnosed with Prostate Cancer. <i>Eur Urol</i> 2015;68:756-65. <i>European Urology</i> , 2016 , 69, e129	10.2
8	The importance of adjuvant therapy in patients with node-positive prostate cancer: A nationwide validation study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 577-578	2.8
7	Impact of treatment modality on overall survival in localized ductal prostate adenocarcinoma: A national cancer database analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 366.e11-366.e18	2.8
6	Development of the Vattikuti Institute Prostatectomy: Historical Perspective and Technical Nuances 2018 , 255-273	
5	Functional and Oncological Outcomes of Robotic Radical Prostatectomy 2018 , 409-425	
4	Robot-Assisted Laparoscopic Radical Prostatectomy in Patients with Clinically High-Risk Prostate Cancer 2018 , 363-373	

3	Author Reply. <i>Urology</i> , 2021 , 153, 361-362	1.6
2	High-intensity local treatment of clinical node-positive urothelial carcinoma of the bladder alongside systemic chemotherapy improves overall survival. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 40, 62.e1-62.e1	2.8
1	AUTHOR REPLY.. <i>Urology</i> , 2021 , 158, 115-116	1.6