

# Dejiang Ni

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7802774/publications.pdf>

Version: 2024-02-01

69  
papers

2,697  
citations

185998

28  
h-index

197535

49  
g-index

69  
all docs

69  
docs citations

69  
times ranked

2199  
citing authors

#	ARTICLE	IF	CITATIONS
1	Optimum synthesis of cactus-inspired SERS substrate with high roughness for paraquat detection. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022, 268, 120703.	2.0	3
2	A rapid and efficient transient expression system for gene function and subcellular localization studies in the tea plant ( <i>Camellia sinensis</i> ) leaves. <i>Scientia Horticulturae</i> , 2022, 297, 110927.	1.7	17
3	Effects of different tea tree varieties on the color, aroma, and taste of Chinese Enshi green tea. <i>Food Chemistry: X</i> , 2022, 14, 100289.	1.8	17
4	Dynamic Changes in Volatile Compounds of Shaken Black Tea during Its Manufacture by GC-TOFMS and Multivariate Data Analysis. <i>Foods</i> , 2022, 11, 1228.	1.9	10
5	Dynamic changes of color, volatile, and non-volatile components during mechanized processing of green tea. <i>Journal of Food Processing and Preservation</i> , 2022, 46, .	0.9	6
6	Pile-fermentation of dark tea: Conditions optimization and quality formation mechanism. <i>LWT - Food Science and Technology</i> , 2022, 166, 113753.	2.5	15
7	The relationship between fluoride accumulation in tea plant and changes in leaf cell wall structure and composition under different fluoride conditions. <i>Environmental Pollution</i> , 2021, 270, 116283.	3.7	14
8	Study on mechanism of low bioavailability of black tea theaflavins by using Caco-2 cell monolayer. <i>Drug Delivery</i> , 2021, 28, 1737-1747.	2.5	8
9	A mycovirus modulates the endophytic and pathogenic traits of a plant associated fungus. <i>ISME Journal</i> , 2021, 15, 1893-1906.	4.4	49
10	Relationship between Secondary Metabolism and miRNA for Important Flavor Compounds in Different Tissues of Tea Plant ( <i>Camellia sinensis</i> ) As Revealed by Genome-Wide miRNA Analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 2001-2012.	2.4	21
11	Biochemical characterization of specific Alanine Decarboxylase (AlaDC) and its ancestral enzyme Serine Decarboxylase (SDC) in tea plants ( <i>Camellia sinensis</i> ). <i>BMC Biotechnology</i> , 2021, 21, 17.	1.7	6
12	Ectopic Overexpression of Histone H3K4 Methyltransferase CsSDG36 from Tea Plant Decreases Hyperosmotic Stress Tolerance in <i>Arabidopsis thaliana</i> . <i>International Journal of Molecular Sciences</i> , 2021, 22, 5064.	1.8	5
13	Changes of fungal community and non-volatile metabolites during pile-fermentation of dark green tea. <i>Food Research International</i> , 2021, 147, 110472.	2.9	36
14	Comparative studies on the physicochemical profile and potential hypoglycemic activity of different tea extracts: Effect on sucrase-isomaltase activity and glucose transport in Caco-2 cells. <i>Food Research International</i> , 2021, 148, 110604.	2.9	16
15	Controllable Self-Assembly of SERS Hotspots in Liquid Environment. <i>Langmuir</i> , 2021, 37, 939-948.	1.6	18
16	Rapid field trace detection of pesticide residue in food based on surface-enhanced Raman spectroscopy. <i>Mikrochimica Acta</i> , 2021, 188, 370.	2.5	29
17	Metabolomics Analysis Reveals Major Differential Metabolites and Metabolic Alterations in Tea Plant Leaves ( <i>Camellia sinensis</i> L.) Under Different Fluorine Conditions. <i>Journal of Plant Growth Regulation</i> , 2021, 40, 798-810.	2.8	8
18	Different Withering Times Affect Sensory Qualities, Chemical Components, and Nutritional Characteristics of Black Tea. <i>Foods</i> , 2021, 10, 2627.	1.9	14

#	ARTICLE	IF	CITATIONS
19	Exploring the Effects of Magnesium Deficiency on the Quality Constituents of Hydroponic-Cultivated Tea ( <i>Camellia sinensis</i> L.) Leaves. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 14278-14286.	2.4	10
20	Characterization of a Novel Mitovirus Infecting <i>Melanconiella theae</i> Isolated From Tea Plants. <i>Frontiers in Microbiology</i> , 2021, 12, 757556.	1.5	11
21	A facile seed growth method to prepare stable Ag@ZrO <sub>2</sub> core-shell SERS substrate with high stability in extreme environments. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 228, 117676.	2.0	10
22	Self-assembled "bridge" substance for organochlorine pesticides detection in solution based on Surface Enhanced Raman Scattering. <i>Journal of Hazardous Materials</i> , 2020, 382, 121023.	6.5	29
23	Vibrational (FT-IR, Raman) analysis of tea catechins based on both theoretical calculations and experiments. <i>Biophysical Chemistry</i> , 2020, 256, 106282.	1.5	30
24	Dehydroascorbic Acid Affects the Stability of Catechins by Forming Conjunctions. <i>Molecules</i> , 2020, 25, 4076.	1.7	8
25	Genome-Wide Identification of CsATGs in Tea Plant and the Involvement of CsATG8e in Nitrogen Utilization. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7043.	1.8	9
26	Genome assembly of wild tea tree DASZ reveals pedigree and selection history of tea varieties. <i>Nature Communications</i> , 2020, 11, 3719.	5.8	108
27	Identification of MTP gene family in tea plant ( <i>Camellia sinensis</i> L.) and characterization of CsMTP8.2 in manganese toxicity. <i>Ecotoxicology and Environmental Safety</i> , 2020, 202, 110904.	2.9	30
28	Inhibition of the facilitative sugar transporters (GLUTs) by tea extracts and catechins. <i>FASEB Journal</i> , 2020, 34, 9995-10010.	0.2	30
29	Transcriptome-Wide Analysis of Nitrogen-Regulated Genes in Tea Plant ( <i>Camellia sinensis</i> L. O. Kuntze) and Characterization of Amino Acid Transporter CsCAT9.1. <i>Plants</i> , 2020, 9, 1218.	1.6	10
30	Genome-wide characterization of tea plant ( <i>Camellia sinensis</i> ) Hsf transcription factor family and role of CsHsfA2 in heat tolerance. <i>BMC Plant Biology</i> , 2020, 20, 244.	1.6	26
31	Transcriptomic analysis reveals mechanism of light-sensitive albinism in tea plant <i>Camellia sinensis</i> "Huangjinju". <i>BMC Plant Biology</i> , 2020, 20, 216.	1.6	24
32	Withering degree affects flavor and biological activity of black tea: A non-targeted metabolomics approach. <i>LWT - Food Science and Technology</i> , 2020, 130, 109535.	2.5	36
33	Identification and distribution of a single nucleotide polymorphism responsible for the catechin content in tea plants. <i>Horticulture Research</i> , 2020, 7, 24.	2.9	25
34	An RNA-Seq transcriptome analysis revealing novel insights into fluorine absorption and transportation in the tea plant. <i>Botany</i> , 2020, 98, 249-259.	0.5	4
35	(Z)-3-Hexen-1-ol accumulation enhances hyperosmotic stress tolerance in <i>Camellia sinensis</i> . <i>Plant Molecular Biology</i> , 2020, 103, 287-302.	2.0	11
36	Parallel Metabolomic and Transcriptomic Analysis Reveals Key Factors for Quality Improvement of Tea Plants. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 5483-5495.	2.4	9

#	ARTICLE	IF	CITATIONS
37	Nonvolatile metabolism in postharvest tea ( <i>Camellia sinensis</i> L.) leaves: Effects of different withering treatments on nonvolatile metabolites, gene expression levels, and enzyme activity. <i>Food Chemistry</i> , 2020, 327, 126992.	4.2	42
38	Identification of Aroma Composition and Key Odorants Contributing to Aroma Characteristics of White Teas. <i>Molecules</i> , 2020, 25, 6050.	1.7	35
39	Novel insight into the role of withering process in characteristic flavor formation of teas using transcriptome analysis and metabolite profiling. <i>Food Chemistry</i> , 2019, 272, 313-322.	4.2	133
40	Detection of systemic pesticide residues in tea products at trace level based on SERS and verified by GC-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 7187-7196.	1.9	24
41	Chlorophyll Metabolism in Postharvest Tea ( <i>Camellia sinensis</i> L.) Leaves: Variations in Color Values, Chlorophyll Derivatives, and Gene Expression Levels under Different Withering Treatments. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 10624-10636.	2.4	69
42	Influence of exogenous calcium on the physiological, biochemical, phytochemical and ionic homeostasis of tea plants ( <i>Camellia sinensis</i> (L.) O. Kuntze) subjected to fluorine stress. <i>Plant Growth Regulation</i> , 2019, 87, 455-465.	1.8	6
43	Facile Reduction Method Synthesis of Defective MoO <sub>2</sub> Nanospheres Used for SERS Detection with High Chemical Enhancement. <i>Analytical Chemistry</i> , 2019, 91, 8683-8690.	3.2	43
44	Isolation and Characterization of CsWRKY7, a Subgroup IId WRKY Transcription Factor from <i>Camellia sinensis</i> , Linked to Development in <i>Arabidopsis</i> . <i>International Journal of Molecular Sciences</i> , 2019, 20, 2815.	1.8	14
45	Comparison of the Effects of Green and Black Tea Extracts on Na <sup>+</sup> /K <sup>+</sup> -ATPase Activity in Intestine of Type 1 and Type 2 Diabetic Mice. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1801039.	1.5	16
46	SERS based determination of vanillin and its methyl and ethyl derivatives using flower-like silver nanoparticles on a silicon wafer. <i>Mikrochimica Acta</i> , 2019, 186, 302.	2.5	9
47	Effect of Stereochemical Configuration on the Transport and Metabolism of Catechins from Green Tea across Caco-2 Monolayers. <i>Molecules</i> , 2019, 24, 1185.	1.7	12
48	Cloning and expression patterns of VQ-motif-containing proteins under abiotic stress in tea plant. <i>Plant Growth Regulation</i> , 2019, 87, 277-286.	1.8	7
49	Highly sensitivity and homogeneous SERS platforms based on 3D-GNF/AgNPs hybrid structures. <i>Materials Research Express</i> , 2019, 6, 055033.	0.8	6
50	Aroma formation and dynamic changes during white tea processing. <i>Food Chemistry</i> , 2019, 274, 915-924.	4.2	124
51	Variation patterns in the content of glycosides during green tea manufacturing by a modification-specific metabolomics approach: Enzymatic reaction promoting an increase in the glycosidically bound volatiles at the pan firing stage. <i>Food Chemistry</i> , 2019, 279, 80-87.	4.2	52
52	Metabolomic analysis reveals the composition differences in 13 Chinese tea cultivars of different manufacturing suitabilities. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 1153-1161.	1.7	53
53	The effect of solvent environment toward optimization of SERS sensors for pesticides detection from chemical enhancement aspects. <i>Sensors and Actuators B: Chemical</i> , 2018, 256, 721-728.	4.0	51
54	Rapid qualitative and quantitative determination of food colorants by both Raman spectra and Surface-enhanced Raman Scattering (SERS). <i>Food Chemistry</i> , 2018, 241, 427-433.	4.2	120

#	ARTICLE	IF	CITATIONS
55	Differences in the Characteristics and Pathogenicity of <i>Colletotrichum camelliae</i> and <i>C. fructicola</i> Isolated From the Tea Plant [ <i>Camellia sinensis</i> (L.) O. Kuntze]. <i>Frontiers in Microbiology</i> , 2018, 9, 3060.	1.5	44
56	Transcriptome and metabolome analysis reveal candidate genes and biochemicals involved in tea geometrid defense in <i>Camellia sinensis</i> . <i>PLoS ONE</i> , 2018, 13, e0201670.	1.1	38
57	Natural variation of <i>CsSTOP1</i> in tea plant ( <i>Camellia sinensis</i> ) related to aluminum tolerance. <i>Plant and Soil</i> , 2018, 431, 71-87.	1.8	11
58	Impact of light irradiation on black tea quality during withering. <i>Journal of Food Science and Technology</i> , 2017, 54, 1212-1227.	1.4	34
59	The Tea Tree Genome Provides Insights into Tea Flavor and Independent Evolution of Caffeine Biosynthesis. <i>Molecular Plant</i> , 2017, 10, 866-877.	3.9	563
60	Effect of steeping temperature on antioxidant and inhibitory activities of green tea extracts against $\alpha$ -amylase, $\alpha$ -glucosidase and intestinal glucose uptake. <i>Food Chemistry</i> , 2017, 234, 168-173.	4.2	65
61	Characterization of Causal Agents of a Novel Disease Inducing Brown-Black Spots on Tender Tea Leaves in China. <i>Plant Disease</i> , 2017, 101, 1802-1811.	0.7	16
62	Design of a silver nanoparticle for sensitive surface enhanced Raman spectroscopy detection of carmine dye. <i>Food Chemistry</i> , 2017, 237, 974-980.	4.2	61
63	An RNA-Seq transcriptome analysis revealing novel insights into aluminum tolerance and accumulation in tea plant. <i>Planta</i> , 2017, 246, 91-103.	1.6	47
64	Transcriptional profiling of catechins biosynthesis genes during tea plant leaf development. <i>Planta</i> , 2017, 246, 1139-1152.	1.6	65
65	Preparation of SERS-active substrates based on graphene oxide/silver nanocomposites for rapid z-detection of L-Theanine. <i>Food Chemistry</i> , 2017, 217, 511-516.	4.2	56
66	Rapid Determination of the Monosaccharide Composition and Contents in Tea Polysaccharides from Yingshuang Green Tea by Pre-Column Derivatization HPLC. <i>Journal of Chemistry</i> , 2016, 2016, 1-5.	0.9	28
67	Transcriptome analysis reveals self-incompatibility in the tea plant ( <i>Camellia sinensis</i> ) might be under gametophytic control. <i>BMC Genomics</i> , 2016, 17, 359.	1.2	50
68	In vitro antioxidant and pancreatic $\alpha$ -amylase inhibitory activity of isolated fractions from water extract of Qingzhuang tea. <i>Journal of Food Science and Technology</i> , 2015, 52, 928-935.	1.4	45
69	Effects of aluminium on ultrastructure and antioxidant activity in leaves of tea plant. <i>Acta Physiologiae Plantarum</i> , 2011, 33, 973-978.	1.0	46