

Mohsen Sharifpur

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7804305/mohsen-sharifpur-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

181
papers

2,753
citations

29
h-index

46
g-index

198
ext. papers

3,819
ext. citations

4.1
avg, IF

6.37
L-index

#	Paper	IF	Citations
181	Evaluation of Thermochemical Characteristics and Pyrolysis of Fish Processing Waste for Renewable Energy Feedstock. <i>Sustainability</i> , 2022 , 14, 1203	3.6	2
180	Investigation and Optimization of the Performance of Energy Systems in the Textile Industry by Using CHP Systems. <i>Sustainability</i> , 2022 , 14, 1551	3.6	2
179	Numerical simulation of the effect of battery distance and inlet and outlet length on the cooling of cylindrical lithium-ion batteries and overall performance of thermal management system. <i>Journal of Energy Storage</i> , 2022 , 45, 103714	7.8	27
178	The impact of employing a magnetic field as well as Fe ₃ O ₄ nanoparticles on the performance of phase change materials. <i>Engineering Applications of Computational Fluid Mechanics</i> , 2022 , 16, 196-214	4.5	1
177	Comparative Analysis of Five Widely-Used Multi-Criteria Decision-Making Methods to Evaluate Clean Energy Technologies: A Case Study. <i>Sustainability</i> , 2022 , 14, 1403	3.6	4
176	Utilization of a solar system to charge lithium-ion batteries and using the heat generated in an in-line lithium-ion battery to heat a guard room. <i>Journal of Energy Storage</i> , 2022 , 49, 104134	7.8	8
175	Using nanoparticles in solar collector to enhance solar-assisted hot process stream usefulness. <i>Sustainable Energy Technologies and Assessments</i> , 2022 , 52, 101992	4.7	5
174	The influence of the geometric shape of the symmetrical twisted turbulator on the performance of parabolic solar collector having hybrid nanofluid: Numerical approach using two-phase model. <i>Sustainable Energy Technologies and Assessments</i> , 2022 , 51, 101882	4.7	2
173	The effect of using tubes filled with phase change materials in the air conditioning system of a residential building. <i>Journal of Building Engineering</i> , 2022 , 49, 104079	5.2	0
172	A study on the effects of forced air-cooling enhancements on a 150W solar photovoltaic thermal collector for green cities. <i>Sustainable Energy Technologies and Assessments</i> , 2022 , 49, 101782	4.7	2
171	Improvement of the energy and exergy efficiencies of the parabolic solar collector equipped with a twisted turbulator using SWCNT-Cu/water two-phase hybrid nanofluid. <i>Sustainable Energy Technologies and Assessments</i> , 2022 , 49, 101705	4.7	1
170	Incorporating nano-scale material in solar system to reduce domestic hot water energy demand. <i>Sustainable Energy Technologies and Assessments</i> , 2022 , 49, 101735	4.7	8
169	Application of hybrid nanofluid and a twisted turbulator in a parabolic solar trough collector: Energy and exergy models. <i>Sustainable Energy Technologies and Assessments</i> , 2022 , 49, 101708	4.7	4
168	A hydrophobic-hydrophilic MXene/PVDF composite hollow fiber membrane with enhanced antifouling properties for seawater desalination. <i>Journal of Membrane Science</i> , 2022 , 644, 120146	9.6	3
167	Study of the effect of the aspect ratio of a cylindrical lithium-ion battery enclosure in an air-cooled thermal management system. <i>Journal of Energy Storage</i> , 2022 , 45, 103684	7.8	6
166	Effect of nanoparticles shape on turbulent nanofluids flow within a solar collector by using hexagonal cross-section tubes. <i>Sustainable Energy Technologies and Assessments</i> , 2022 , 51, 101843	4.7	0
165	Influence of using innovative turbulators on the exergy and energy efficacy of flat plate solar collector with DWCNTs-TiO ₂ /water nanofluid. <i>Sustainable Energy Technologies and Assessments</i> , 2022 , 51, 101855	4.7	8

164	The Influence of Forced Convective Heat Transfer on Hybrid Nanofluid Flow in a Heat Exchanger with Elliptical Corrugated Tubes: Numerical Analyses and Optimization. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 2780	2.6	1
163	Research trends in nanofluid and its applications: a bibliometric analysis. <i>Journal of Nanoparticle Research</i> , 2022 , 24, 1	2.3	0
162	Fracture Analysis of Compressor Impellers in Olefin Units: Numerical and Metallurgical Approach. <i>Advances in Materials Science and Engineering</i> , 2022 , 2022, 1-16	1.5	
161	The effect of the zigzag arrangement of lithium-ion batteries inside the air duct of an office building for heating and evaluation of the impact of the number of air outlets in different seasons of the year. <i>Journal of Energy Storage</i> , 2022 , 50, 104204	7.8	2
160	Assessment of loading phase change material into net meter building to boost excess electricity generation. <i>Journal of Building Engineering</i> , 2022 , 52, 104386	5.2	0
159	Assessment of CO2 emissions associated with HVAC system in buildings equipped with phase change materials. <i>Journal of Building Engineering</i> , 2022 , 51, 104236	5.2	2
158	Influence of artificial roughness parametric variation on thermal performance of solar thermal collector: An experimental study, response surface analysis and ANN modelling. <i>Sustainable Energy Technologies and Assessments</i> , 2022 , 52, 102047	4.7	3
157	Improving the thermal-hydraulic performance of parabolic solar collectors using absorber tubes equipped with perforated twisted tape containing nanofluid. <i>Sustainable Energy Technologies and Assessments</i> , 2022 , 52, 102099	4.7	1
156	Investigation of the Effect of Physical Factors on Exergy Efficiency of a Photovoltaic Thermal (PV/T) with Air Cooling. <i>International Journal of Photoenergy</i> , 2022 , 2022, 1-6	2.1	1
155	Numerical study on performance of double-fluid parabolic trough solar collector occupied with hybrid non-Newtonian nanofluids: Investigation of effects of helical absorber tube using deep learning. <i>Engineering Analysis With Boundary Elements</i> , 2022 , 140, 562-580	2.6	8
154	Annual energy analysis of a building equipped with CaCl ₂ ·6H ₂ O as PCM and . <i>Journal of Building Engineering</i> , 2022 , 53, 104527	5.2	2
153	Effect of simultaneous use of water-alumina nanofluid and phase change nanomaterial in a lithium-ion battery with a specific geometry connected solar system. <i>Journal of Power Sources</i> , 2022 , 539, 231570	8.9	1
152	The effect of using non-Newtonian nanofluid on pressure drop and heat transfer in a capillary cooling system connected to a pouch lithium-ion battery connected to a solar system. <i>Journal of Power Sources</i> , 2022 , 539, 231540	8.9	3
151	Numerical study of the placement and thickness of blocks equipped with phase change materials in a Trombe wall in a room- thermal performance prediction using ANN. <i>Engineering Analysis With Boundary Elements</i> , 2022 , 141, 91-116	2.6	2
150	Loading phase change material in a concrete based wall to enhance concrete thermal properties. <i>Journal of Building Engineering</i> , 2022 , 104765	5.2	0
149	The effect of using multichannel twisted tape and nanofluid on the absorber tube's heat transfer and the efficiency of a linear parabolic solar collector. <i>Sustainable Energy Technologies and Assessments</i> , 2022 , 52, 102329	4.7	1
148	Impact of Fusion Temperature on Hydrothermal Features of Flow within an Annulus Loaded with Nanoencapsulated Phase Change Materials (NEPCMs) during Natural Convection Process. <i>Mathematical Problems in Engineering</i> , 2021 , 2021, 1-14	1.1	4
147	Energy/Economic Analysis and Optimization of On-Grid Photovoltaic System Using CPSO Algorithm. <i>Sustainability</i> , 2021 , 13, 12420	3.6	11

146	Investigation of mixed convection of non-Newtonian fluid in the cooling process of lithium-ion battery with different outlet position. <i>Journal of Energy Storage</i> , 2021 , 46, 103621	7.8	0
145	Simulation of Nanofluid Flow in a Micro-Heat Sink With Corrugated Walls Considering the Effect of Nanoparticle Diameter on Heat Sink Efficiency. <i>Frontiers in Energy Research</i> , 2021 , 9,	3.8	2
144	An appraisal of air quality, thermal comfort, acoustic, and health risk of household kitchens in a developing country. <i>Environmental Science and Pollution Research</i> , 2021 , 29, 26202	5.1	0
143	Thermal boundary condition analysis of cooling objects exposed to a free impinging jet using the heatline concept. <i>Engineering Applications of Computational Fluid Mechanics</i> , 2021 , 15, 1919-1931	4.5	0
142	Efficiency Enhancement in Double-Pass Perforated Glazed Solar Air Heaters with Porous Beds: Taguchi-Artificial Neural Network Optimization and Cost-Benefit Analysis. <i>Sustainability</i> , 2021 , 13, 11654	3.6	0
141	Study on the Effect of Hole Size of Trombe Wall in the Presence of Phase Change Material for Different Times of a Day in Winter and Summer. <i>Processes</i> , 2021 , 9, 1886	2.9	1
140	Outdoor Thermal Comfort Optimization through Vegetation Parameterization: Species and Tree Layout. <i>Sustainability</i> , 2021 , 13, 11791	3.6	3
139	Numerical Study of Natural Convection of Biological Nanofluid Flow Prepared from Tea Leaves under the Effect of Magnetic Field. <i>Processes</i> , 2021 , 9, 1824	2.9	0
138	Applying Artificial Neural Network and Response Surface Method to Forecast the Rheological Behavior of Hybrid Nano-Antifreeze Containing Graphene Oxide and Copper Oxide Nanomaterials. <i>Sustainability</i> , 2021 , 13, 11505	3.6	1
137	Energy, exergy and economics study of a solar/thermal panel cooled by nanofluid. <i>Case Studies in Thermal Engineering</i> , 2021 , 28, 101481	5.6	6
136	Impact of phase change material on the amount of emission in the double-glazed window frame for different window angles. <i>Journal of Energy Storage</i> , 2021 , 44, 103320	7.8	4
135	Simulation of melting and solidification of graphene nanoparticles-PCM inside a dual tube heat exchanger with extended surface. <i>Journal of Energy Storage</i> , 2021 , 44, 103265	7.8	7
134	Experimental investigation of heat transfer performance of novel bio-extract doped mono and hybrid nanofluids in a radiator. <i>Case Studies in Thermal Engineering</i> , 2021 , 28, 101494	5.6	6
133	Correlations for Total Entropy Generation and Bejan Number for Free Convective Heat Transfer of an Eco-Friendly Nanofluid in a Rectangular Enclosure under Uniform Magnetic Field. <i>Processes</i> , 2021 , 9, 1930	2.9	
132	Turbulent Flow Heat Transfer through a Circular Tube with Novel Hybrid Grooved Tape Inserts: Thermohydraulic Analysis and Prediction by Applying Machine Learning Model. <i>Sustainability</i> , 2021 , 13, 3068	3.6	8
131	On the specific heat capacity estimation of metal oxide-based nanofluid for energy perspective [A comprehensive assessment of data analysis techniques. <i>International Communications in Heat and Mass Transfer</i> , 2021 , 123, 105217	5.8	32
130	Application of Cylindrical Fin to Improve Heat Transfer Rate in Micro Heat Exchangers Containing Nanofluid under Magnetic Field. <i>Processes</i> , 2021 , 9, 1278	2.9	1
129	Natural Convection and Entropy Generation of MgO/Water Nanofluids in the Enclosure under a Magnetic Field and Radiation Effects. <i>Processes</i> , 2021 , 9, 1277	2.9	18

128	The computational study of nanoparticles shape effects on thermal behavior of H ₂ O-Fe nanofluid: A molecular dynamics approach. <i>Journal of Molecular Liquids</i> , 2021 , 346, 117093	6	4
127	A review of magnetic field influence on natural convection heat transfer performance of nanofluids in square cavities. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 145, 2581-2623	4.1	59
126	Thermal-hydraulic efficiency management of spiral heat exchanger filled with CuZnO/water hybrid nanofluid. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 143, 1569-1582	4.1	5
125	Influence of nanoparticles size, per cent mass ratio, and temperature on the thermal properties of water-based MgOZnO nanofluid: an experimental approach. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 143, 1063-1079	4.1	14
124	Influence of base fluid, temperature, and concentration on the thermophysical properties of hybrid nanofluids of alumina-ferrofluid: experimental data, modeling through enhanced ANN, ANFIS, and curve fitting. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 143, 4149-4167	4.1	107
123	Convection Heat Transfer, Entropy Generation Analysis and Thermodynamic Optimization of Nanofluid Flow in Spiral Coil Tube. <i>Heat Transfer Engineering</i> , 2021 , 42, 1573-1589	1.7	2
122	Experimental measurement of viscosity and electrical conductivity of water-based Al ₂ O ₃ /MWCNT hybrid nanofluids with various particle mass ratios. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 143, 1037-1050	4.1	18
121	An extensive review on thermodynamic aspect based solar desalination techniques. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 145, 1103-1119	4.1	11
120	Exergetic and economic optimization of a solar-based cogeneration system applicable for desalination and power production. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 145, 993-1003	4.1	9
119	RAM analysis and availability optimization of thermal power plant water circulation system using PSO. <i>Energy Reports</i> , 2021 , 7, 1133-1153	4.6	8
118	Coupling LES with soot model for the study of soot volume fraction in a turbulent diffusion jet flames at various Reynolds number configurations. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2021 , 31, 2246-2278	4.5	1
117	Thermodynamic and exergoeconomic analyses and performance assessment of a new configuration of a combined cooling and power generation system based on ORC/CR. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 145, 1163-1189	4.1	6
116	4E assessment of power generation systems for a mobile house in emergency condition using solar energy: a case study. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 145, 751-767	4.1	0
115	Experimental investigation of heat transfer and exergy loss in heat exchanger with air bubble injection technique. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 145, 727-737	4.1	6
114	Heat transfer and exergy analysis of solar air heater tube with helical corrugation and perforated circular disc inserts. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 145, 1019-1034	4.1	12
113	Modelling of Nicotiana Tabacum L. Oil Biodiesel Production: Comparison of ANN and ANFIS. <i>Frontiers in Energy Research</i> , 2021 , 8,	3.8	9
112	Effects of in-line deflectors on the overall performance of a channel heat exchanger. <i>Engineering Applications of Computational Fluid Mechanics</i> , 2021 , 15, 512-529	4.5	5
111	Experimental Investigation on Stability, Viscosity, and Electrical Conductivity of Water-Based Hybrid Nanofluid of MWCNT-FeO. <i>Nanomaterials</i> , 2021 , 11,	5.4	34

110	Heat transfer and fluid flow analysis using nanofluids in diamond-shaped cavities with novel obstacles. <i>Engineering Applications of Computational Fluid Mechanics</i> , 2021 , 15, 1034-1056	4.5	5
109	Experimental and numerical investigation on convective heat transfer in actively heated bundle-pipe. <i>Engineering Applications of Computational Fluid Mechanics</i> , 2021 , 15, 848-864	4.5	2
108	Energy, exergy and economic investigation of passive and active inclined solar still: experimental study. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 145, 1091-1102	4.1	15
107	Heat transfer enhancement in an modified cylindrical thermosyphon using environmental friendly refrigerant water. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2021 , 43, 3101-3118	1.6	0
106	Exergy approach in decision-based design of absorption refrigeration system using artificial intelligence and simulink. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 145, 1227-1253	4.1	2
105	Assessment of a solar-driven cogeneration system for electricity and desalination. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 145, 1711-1731	4.1	3
104	Computational and sensitivity analysis of a dual purpose solar chimney for buildings. <i>Materials Today: Proceedings</i> , 2021 , 47, 4126-4126	1.4	1
103	Effects of Different Wall Shapes on Thermal-Hydraulic Characteristics of Different Channels Filled with Water Based Graphite-SiO ₂ Hybrid Nanofluid. <i>Processes</i> , 2021 , 9, 1253	2.9	19
102	Effect of Straight, Inclined and Curved Fins on Natural Convection and Entropy Generation of a Nanofluid in a Square Cavity Influenced by a Magnetic Field. <i>Processes</i> , 2021 , 9, 1339	2.9	0
101	Predicting Parameters of Heat Transfer in a Shell and Tube Heat Exchanger Using Aluminum Oxide Nanofluid with Artificial Neural Network (ANN) and Self-Organizing Map (SOM). <i>Sustainability</i> , 2021 , 13, 8824	3.6	5
100	Effect of Inclined Magnetic Field on the Entropy Generation in an Annulus Filled with NEPCM Suspension. <i>Mathematical Problems in Engineering</i> , 2021 , 2021, 1-14	1.1	11
99	Effect of Various Surfactants on the Viscosity, Thermal and Electrical Conductivity of Graphene Nanoplatelets Nanofluid. <i>International Journal of Thermophysics</i> , 2021 , 42, 1	2.1	3
98	The effect of nanoparticle shape on alumina/EG-water (50:50) nanofluids flow within a solar collector: Entropy and exergy investigation. <i>Case Studies in Thermal Engineering</i> , 2021 , 101510	5.6	7
97	Optimal Load Frequency Control of Island Microgrids via a PID Controller in the Presence of Wind Turbine and PV. <i>Sustainability</i> , 2021 , 13, 10728	3.6	17
96	Experimental investigation of thermo-convection behaviour of aqueous binary nanofluids of MgO-ZnO in a square cavity. <i>Thermal Science and Engineering Progress</i> , 2021 , 101057	3.6	4
95	Nanofluids: Physical phenomena, applications in thermal systems and the environment effects- a critical review. <i>Journal of Cleaner Production</i> , 2021 , 320, 128573	10.3	88
94	Impact of micro-fins on a heated cylinder submerged in a nanofluid saturated medium. <i>International Journal of Heat and Mass Transfer</i> , 2021 , 177, 121551	4.9	1
93	Effect of the non-electrically conductive spindle on the viscosity measurements of nanofluids subjected to the magnetic field. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 628, 127252	5.1	5

92	Numerical study of the effect of graphene nanoparticles in calcium chloride hexahydrate -based phase change material on melting and freezing time in a circular cavity with a triangular obstacle. <i>Journal of Energy Storage</i> , 2021 , 43, 103243	7.8	6
91	Heat transfer and pressure drop in turbulent nanofluid flow in a pin-fin heat sink: Fin and nanoparticles shape effects. <i>Case Studies in Thermal Engineering</i> , 2021 , 28, 101378	5.6	3
90	Experimental investigations to improve the electrical efficiency of photovoltaic modules using different convection mode. <i>Sustainable Energy Technologies and Assessments</i> , 2021 , 48, 101582	4.7	2
89	Nanofluid flow and shear layers between two parallel plates: a simulation approach. <i>Engineering Applications of Computational Fluid Mechanics</i> , 2020 , 14, 1536-1545	4.5	6
88	Magnetohydrodynamic convection behaviours of nanofluids in non-square enclosures: A comprehensive review. <i>Mathematical Methods in the Applied Sciences</i> , 2020 ,	2.3	22
87	Effect of U-shaped absorber tube on thermal-hydraulic performance and efficiency of two-fluid parabolic solar collector containing two-phase hybrid non-Newtonian nanofluids. <i>International Journal of Mechanical Sciences</i> , 2020 , 185, 105832	5.5	35
86	Experimental investigation into heat transfer performance of water-based magnetic hybrid nanofluids in a rectangular cavity exposed to magnetic excitation. <i>International Communications in Heat and Mass Transfer</i> , 2020 , 116, 104698	5.8	14
85	Heat transfer characteristics and flow visualization of anodized flat thermosiphon. <i>Proceedings of the Institution of Mechanical Engineers, Part E: Journal of Process Mechanical Engineering</i> , 2020 , 234, 182-192	1.5	2
84	Natural convective heat transfer and entropy generation of alumina/water nanofluid in a tilted enclosure with an elliptic constant temperature: Applying magnetic field and radiation effects. <i>International Journal of Mechanical Sciences</i> , 2020 , 174, 105470	5.5	102
83	The Effects of Fin Parameters on the Solidification of PCMs in a Fin-Enhanced Thermal Energy Storage System. <i>Energies</i> , 2020 , 13, 198	3.1	19
82	Using of artificial neural networks (ANNs) to predict the rheological behavior of magnesium oxide-water nanofluid in a different volume fraction of nanoparticles, temperatures, and shear rates. <i>Mathematical Methods in the Applied Sciences</i> , 2020 ,	2.3	7
81	Solid-Liquid Two-Component Flow: Discrete Phase and Mixture Approaches for Nanoscale Heat Transfer 2020 , 1-54		
80	Effects of uniform magnetic induction on heat transfer performance of aqueous hybrid ferrofluid in a rectangular cavity. <i>Applied Thermal Engineering</i> , 2020 , 170, 115004	5.8	37
79	Experimental study of thermo-convection performance of hybrid nanofluids of Al ₂ O ₃ -MWCNT/water in a differentially heated square cavity. <i>International Journal of Heat and Mass Transfer</i> , 2020 , 148, 119072	4.9	53
78	Augmentation of heat transfer in a microtube and a wavy microchannel using hybrid nanofluid: A numerical investigation. <i>Mathematical Methods in the Applied Sciences</i> , 2020 ,	2.3	3
77	Numerical calculations of the thermal-aerodynamic characteristics in a solar duct with multiple V-baffles. <i>Engineering Applications of Computational Fluid Mechanics</i> , 2020 , 14, 1173-1197	4.5	17
76	Fluid flow and heat transfer analysis of nanofluid jet cooling on a hot surface with various roughness. <i>International Communications in Heat and Mass Transfer</i> , 2020 , 118, 104842	5.8	13
75	Experimental Investigation into Natural Convection of Zinc Oxide/Water Nanofluids in a Square Cavity. <i>Heat Transfer Engineering</i> , 2020 , 1-13	1.7	7

74	Effects of interphase momentum exchange models on simulation of subcooled flow boiling. <i>International Communications in Heat and Mass Transfer</i> , 2020 , 118, 104863	5.8	2
73	Thermal analysis of a nanofluid free jet impingement on a rotating disk using volume of fluid in combination with discrete modelling. <i>International Journal of Thermal Sciences</i> , 2020 , 158, 106532	4.1	10
72	Heat transfer through converging-diverging channels using Adomian decomposition method. <i>Engineering Applications of Computational Fluid Mechanics</i> , 2020 , 14, 1373-1384	4.5	5
71	Magneto-fluid dynamic and second law analysis in a hot porous cavity filled by nanofluid and nano-encapsulated phase change material suspension with different layout of cooling channels. <i>Journal of Energy Storage</i> , 2020 , 31, 101720	7.8	24
70	Experimental Research and Development on the Natural Convection of Suspensions of Nanoparticles-A Comprehensive Review. <i>Nanomaterials</i> , 2020 , 10,	5.4	14
69	Combination of baffling technique and high-thermal conductivity fluids to enhance the overall performances of solar channels. <i>Engineering With Computers</i> , 2020 , 1	4.5	22
68	Estimating the Heat Capacity of Non-Newtonian Ionanofluid Systems Using ANN, ANFIS, and SGB Tree Algorithms. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 6432	2.6	25
67	Heat Transfer and Flow Characteristics of Al ₂ O ₃ /Water Nanofluid in Various Heat Exchangers: Experiments on Counter Flow. <i>Heat Transfer Engineering</i> , 2020 , 41, 220-234	1.7	29
66	Electrical conductivity and pH modelling of magnesium oxide-ethylene glycol nanofluids. <i>Bulletin of Materials Science</i> , 2019 , 42, 1	1.7	
65	Thermal characteristics of CPU cooling by using a novel porous heat sink and nanofluids. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019 , 138, 805-817	4.1	20
64	3D experimental visualization of water flooding in proton exchange membrane fuel cells. <i>Energy</i> , 2019 , 175, 967-977	7.9	31
63	Study of particle migration and deposition in mixed convective pipe flow of nanofluids at different inclination angles. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019 , 135, 1563-1575	4.1	23
62	Thermodynamic and economic analysis of performance evaluation of all the thermal power plants: A review. <i>Energy Science and Engineering</i> , 2019 , 7, 30-65	3.4	48
61	Experimental investigation of convection heat transfer in the transition flow regime of aluminium oxide-water nanofluids in a rectangular channel. <i>International Journal of Heat and Mass Transfer</i> , 2019 , 133, 895-902	4.9	38
60	Investigation into the Electrical Conductivity of Carbon Nanosphere-Based Green Nanofluids 2019 , 71-82		
59	Aggregation study of Brownian nanoparticles in convective phenomena. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019 , 135, 111-121	4.1	22
58	Numerical investigation into mutual effects of soil thermal and isothermal properties on heat and moisture transfer in unsaturated soil applied as thermal storage system. <i>Numerical Heat Transfer; Part A: Applications</i> , 2018 , 73, 466-481	2.3	23
57	Experimental and Numerical Investigation on a Water-Filled Cavity Natural Convection to Find the Proper Thermal Boundary Conditions for Simulations. <i>Heat Transfer Engineering</i> , 2018 , 39, 359-373	1.7	7

56	Discrete modelling of nanoparticles in mixed convection flows. <i>Powder Technology</i> , 2018 , 338, 243-252	5.2	13
55	HEAT TRANSFER ENHANCEMENT OF DILUTE AL ₂ O ₃ -MWCNT WATER BASED HYBRID NANOFLUIDS IN A SQUARE CAVITY 2018 ,		6
54	Mathematical modeling of orifice downstream flow under flow-accelerated corrosion. <i>Nuclear Engineering and Design</i> , 2018 , 326, 285-289	1.8	8
53	Experimental investigations into viscosity, pH and electrical conductivity of nanofluid prepared from palm kernel fibre and a mixture of water and ethylene glycol. <i>Bulletin of Materials Science</i> , 2018 , 41, 1	1.7	10
52	Optimum concentration of nanofluids for heat transfer enhancement under cavity flow natural convection with TiO ₂ /Water. <i>International Communications in Heat and Mass Transfer</i> , 2018 , 98, 297-303	5.8	39
51	Exploration of nanofluid pool boiling and deposition on a horizontal cylinder in Eulerian and Lagrangian frames. <i>International Journal of Heat and Mass Transfer</i> , 2018 , 125, 959-971	4.9	12
50	Characterisation of a grooved heat pipe with an anodised surface. <i>Heat and Mass Transfer</i> , 2017 , 53, 753-763	2.63	23
49	Implementation of diffusion and electrostatic forces to produce a new slip velocity in the multiphase approach to nanofluids. <i>Powder Technology</i> , 2017 , 307, 153-162	5.2	10
48	A new combination of nanoparticles mass diffusion flux and slip mechanism approaches with electrostatic forces in a natural convective cavity flow. <i>International Journal of Heat and Mass Transfer</i> , 2017 , 106, 980-988	4.9	13
47	Natural convection enhancement in a porous cavity with Al ₂ O ₃ -Ethylene glycol/water nanofluids. <i>International Journal of Heat and Mass Transfer</i> , 2017 , 108, 1324-1334	4.9	31
46	Performance enhancement of a two-phase closed thermosiphon with a thin porous copper coating. <i>International Communications in Heat and Mass Transfer</i> , 2017 , 82, 9-19	5.8	39
45	Experimental investigation and model development for thermal conductivity of Al ₂ O ₃ -glycerol nanofluids. <i>International Communications in Heat and Mass Transfer</i> , 2017 , 85, 12-22	5.8	44
44	Experimental study on the influence of the aspect ratio of square cavity on natural convection heat transfer with Al ₂ O ₃ /Water nanofluids. <i>International Communications in Heat and Mass Transfer</i> , 2017 , 88, 254-261	5.8	31
43	Thermodynamic evaluation and multi-objective optimization of molten carbonate fuel cell-supercritical CO ₂ Brayton cycle hybrid system. <i>Energy Conversion and Management</i> , 2017 , 153, 538-556	10.6	55
42	Experimental study on natural convection of MWCNT-water nanofluids in a square enclosure. <i>International Communications in Heat and Mass Transfer</i> , 2017 , 88, 1-8	5.8	54
41	A novel combined model of discrete and mixture phases for nanoparticles in convective turbulent flow. <i>Physics of Fluids</i> , 2017 , 29, 082005	4.4	11
40	Enhancement in heat transfer of a ferrofluid in a differentially heated square cavity through the use of permanent magnets. <i>Journal of Magnetism and Magnetic Materials</i> , 2017 , 443, 149-158	2.8	25
39	The Viscosity of Nanofluids: A Review of the Theoretical, Empirical, and Numerical Models. <i>Heat Transfer Engineering</i> , 2016 , 37, 387-421	1.7	139

38	Experimental investigation on cavity flow natural convection of Al ₂ O ₃ /water nanofluids. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 76, 316-324	5.8	76
37	Influence of ultrasonication energy on the dispersion consistency of Al ₂ O ₃ /glycerol nanofluid based on viscosity data, and model development for the required ultrasonication energy density. <i>Journal of Experimental Nanoscience</i> , 2016 , 11, 630-649	1.9	39
36	Experimental investigation and model development for effective viscosity of MgO/ethylene glycol nanofluids by using dimensional analysis, FCM-ANFIS and GA-PNN techniques. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 72, 71-83	5.8	54
35	Experimental Investigation and Model Development for Thermal Conductivity of Glycerol/MgO Nanofluids. <i>Heat Transfer Engineering</i> , 2016 , 37, 1538-1553	1.7	12
34	Simulation study of convective and hydrodynamic turbulent nanofluids by turbulence models. <i>International Journal of Thermal Sciences</i> , 2016 , 110, 36-51	4.1	10
33	Experimental and numerical study of the thermal and hydrodynamic characteristics of laminar natural convective flow inside a rectangular cavity with water, ethylene glycol/water and air. <i>Experimental Thermal and Fluid Science</i> , 2016 , 78, 50-64	3	13
32	A new model for density of nanofluids including nanolayer. <i>International Communications in Heat and Mass Transfer</i> , 2016 , 78, 168-174	5.8	63
31	Investigation Into Effective Viscosity, Electrical Conductivity, and pH of Al ₂ O ₃ -Glycerol Nanofluids in Einstein Concentration Regime. <i>Heat Transfer Engineering</i> , 2015 , 36, 1241-1251	1.7	28
30	Experimental investigation and model development for effective viscosity of Al ₂ O ₃ /glycerol nanofluids by using dimensional analysis and GMDH-NN methods. <i>International Communications in Heat and Mass Transfer</i> , 2015 , 68, 208-219	5.8	57
29	Factors affecting the pH and electrical conductivity of MgO/ethylene glycol nanofluids. <i>Bulletin of Materials Science</i> , 2015 , 38, 1345-1357	1.7	28
28	A Review of Thermal Conductivity Models for Nanofluids. <i>Heat Transfer Engineering</i> , 2015 , 36, 1085-1110	1.7	145
27	CFD modelling of heat transfer and pressure drops for nanofluids through vertical tubes in laminar flow by Lagrangian and Eulerian approaches. <i>International Journal of Heat and Mass Transfer</i> , 2015 , 88, 803-813	4.9	55
26	Nanofluid Viscosity: A simple model selection algorithm and parametric evaluation. <i>Computers and Fluids</i> , 2014 , 101, 241-249	2.8	24
25	A Review and Parametric Investigation Into Nanofluid Viscosity Models. <i>Journal of Nanotechnology in Engineering and Medicine</i> , 2014 , 5,		19
24	Viscosity of nanofluids based on an artificial intelligence model. <i>International Communications in Heat and Mass Transfer</i> , 2013 , 43, 16-21	5.8	51
23	Modelling and multi-objective optimisation of the convective heat transfer characteristics and pressure drop of low concentration TiO ₂ /water nanofluids in the turbulent flow regime. <i>International Journal of Heat and Mass Transfer</i> , 2013 , 67, 646-653	4.9	17
22	Application of the FCM-based neuro-fuzzy inference system and genetic algorithm-polynomial neural network approaches to modelling the thermal conductivity of alumina/water nanofluids. <i>International Communications in Heat and Mass Transfer</i> , 2012 , 39, 971-977	5.8	61
21	Parametric Analysis of Effective Viscosity Models for Nanofluids 2012 ,		2

20	Parametric Analysis of Effective Thermal Conductivity Models for Nanofluids 2012 ,		4
19	Adaptive Neuro-Fuzzy Modeling of the Thermal Conductivity of Alumina-Water Nanofluids 2012 ,		3
18	Modeling of Proton Exchange Membrane Fuel Cell (PEMFC) Performance by Using Genetic Algorithm-Polynomial Neural Network (GA-PNN) Hybrid System 2012 ,		2
17	Experimental Investigation of Conditions of Water Diffusion before Cooking within Production Line of Red Beans. <i>Defect and Diffusion Forum</i> , 2009 , 283-286, 220-224	0.7	
16	Experimental Investigation of Pressure Drop in One Phase Flow, Particle-Liquid Two-Phase Flow, and Porous Media Consisting of the Same Particle Size. <i>Defect and Diffusion Forum</i> , 2009 , 283-286, 599-603	0.7	
15	Experimental Study of Free Convection from a Vertical Flat Plate in Porous Media. <i>Defect and Diffusion Forum</i> , 2008 , 273-276, 796-801	0.7	1
14	Simplification of Ensemble Averaged Two-Phase Flow with Heat and Mass Transfer Equations for Boiling in a Channel. <i>Defect and Diffusion Forum</i> , 2008 , 273-276, 616-621	0.7	
13	Hydrogen Production from Water Splitting through Photocatalytic Activity of Carbon-Based Materials. <i>Chemical Engineering and Technology</i> ,	2	4
12	Turbulent magnetohydrodynamic natural convection in a heat pipe-assisted cavity using disk-shaped magnesium ferrite nanoparticles. <i>Applied Nanoscience (Switzerland)</i> ,1	3.3	0
11	Focusing on summer setpoint temperature to intensify PCM effectiveness in building: energy saving in Jeddah climate. <i>Chemical Engineering Communications</i> ,1-12	2.2	
10	The influence of high-porosity nickel foam on the transition flow regime for heat transfer and pressure drop characteristics in a rectangular channel. <i>Journal of Thermal Analysis and Calorimetry</i> ,1	4.1	
9	Optimization of heat transfer in shell-and-tube heat exchangers using MOGA algorithm: adding nanofluid and changing the tube arrangement. <i>Chemical Engineering Communications</i> ,1-15	2.2	0
8	Fault diagnosis of a nonlinear hybrid system using adaptive unscented Kalman filter bank. <i>Engineering With Computers</i> ,1	4.5	1
7	Simulation of a parabolic trough solar collector containing hybrid nanofluid and equipped with compound turbulator to evaluate exergy efficacy and thermal-hydraulic performance. <i>Energy Science and Engineering</i> ,	3.4	2
6	Sensitivity of pin-fin configuration to pin diameter: heat transfer enhancement. <i>Chemical Engineering Communications</i> ,1-15	2.2	
5	Using neural network and RSM to evaluate improvement in thermal conductivity of nanodiamond-iron oxide/antifreeze. <i>Chemical Engineering Communications</i> ,1-11	2.2	
4	The effects of pin-fin shapes on heat sink effectiveness in the presence of a turbulent nanofluid regime. <i>Chemical Engineering Communications</i> ,1-16	2.2	0
3	Competition of ANN and RSM techniques in predicting the behavior of the CuO-liquid paraffin. <i>Chemical Engineering Communications</i> ,1-13	2.2	0

2	Thermal performance enhancement in heat exchangers using active and passive techniques: a detailed review. <i>Journal of Thermal Analysis and Calorimetry</i> ,1	4-1	3
1	Numerical investigation of heat transfer in a tube equipped with twisted tape with different angles and under constant heat flux with copper nanofluid and evaluation of the results obtained using perceptron artificial neural networks. <i>Numerical Heat Transfer; Part A: Applications</i> ,1-24	2-3	2