
Daniel Pilsgaard Henriksen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7804969/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Point-of-care ultrasonography in patients admitted with respiratory symptoms: a single-blind, randomised controlled trial. Lancet Respiratory Medicine,the, 2014, 2, 638-646.	10.7	235
2	Focused Sonography of the Heart, Lungs, and Deep Veins Identifies Missed Life-Threatening Conditions in Admitted Patients With Acute Respiratory Symptoms. Chest, 2013, 144, 1868-1875.	0.8	124
3	Hypoalbuminemia Is a Strong Predictor of 30-Day All-Cause Mortality in Acutely Admitted Medical Patients: A Prospective, Observational, Cohort Study. PLoS ONE, 2014, 9, e105983.	2.5	107
4	Comparison of the Five Danish Regions Regarding Demographic Characteristics, Healthcare Utilization, and Medication Use—A Descriptive Cross-Sectional Study. PLoS ONE, 2015, 10, e0140197.	2.5	95
5	Incidence Rate of Community-Acquired Sepsis Among Hospitalized Acute Medical Patients—A Population-Based Survey*. Critical Care Medicine, 2015, 43, 13-21.	0.9	73
6	Prognosis and Risk Factors for Deterioration in Patients Admitted to a Medical Emergency Department. PLoS ONE, 2014, 9, e94649.	2.5	48
7	Nontraumatic Hypotension and Shock in the Emergency Department and the Prehospital setting, Prevalence, Etiology, and Mortality: A Systematic Review. PLoS ONE, 2015, 10, e0119331.	2.5	48
8	Efficacy, adverse events, and inter-drug comparison of mepolizumab and reslizumab anti-IL-5 treatments of severe asthma – a systematic review and meta-analysis. European Clinical Respiratory Journal, 2018, 5, 1536097.	1.5	47
9	How Well Do Discharge Diagnoses Identify Hospitalised Patients with Community-Acquired Infections? – A Validation Study. PLoS ONE, 2014, 9, e92891.	2.5	39
10	Drug Dosing in Patients with Renal Insufficiency in a Hospital Setting using Electronic Prescribing and Automated Reporting of Estimated Glomerular Filtration Rate. Basic and Clinical Pharmacology and Toxicology, 2014, 114, 407-413.	2.5	37
11	Methimazole and risk of acute pancreatitis. Lancet Diabetes and Endocrinology,the, 2020, 8, 187-189.	11.4	35
12	Antimicrobial resistance in the Bacteroides fragilis group in faecal samples from patients receiving broad-spectrum antibiotics. Anaerobe, 2017, 47, 79-85.	2.1	32
13	Risk of lactic acidosis in type 2 diabetes patients using metformin: A case control study. PLoS ONE, 2018, 13, e0196122.	2.5	32
14	Combined use of the National Early Warning Score and D-dimer levels to predict 30-day and 365-day mortality in medical patients. Resuscitation, 2016, 106, 49-52.	3.0	28
15	Risk Factors for Hospitalization Due to Community-Acquired Sepsis – A Population-Based Case-Control Study. PLoS ONE, 2015, 10, e0124838.	2.5	27
16	An acute hospital admission greatly increases one year mortality – Getting sick and ending up in hospital is bad for you: A multicentre retrospective cohort study. European Journal of Internal Medicine, 2017, 45, 5-7.	2.2	25
17	Efficacy of omalizumab in children, adolescents, and adults with severe allergic asthma: a systematic review, meta-analysis, and call for new trials using current guidelines for assessment of severe asthma. Allergy, Asthma and Clinical Immunology, 2020, 16, 49.	2.0	25
18	Etiology of Shock in the Emergency Department: A 12-Year Population-Based Cohort Study. Shock, 2019, 51, 60-67.	2.1	24

#	Article	IF	CITATIONS
19	Increasing emergency hospital activity in Denmark, 2005–2016: a nationwide descriptive study. BMJ Open, 2020, 10, e031409.	1.9	24
20	Sodium–glucose cotransporter 2 inhibitors and risk of nephrolithiasis. Diabetologia, 2021, 64, 1563-1571.	6.3	24
21	Low-dose oral corticosteroids in asthma associates with increased morbidity and mortality. European Respiratory Journal, 2022, 60, 2103054.	6.7	20
22	Change in International Normalized Ratio Among Patients Treated With Dicloxacillin and Vitamin K Antagonists. JAMA - Journal of the American Medical Association, 2015, 314, 296.	7.4	19
23	Sodiumâ€glucose cotransporterâ€2 inhibitors and the risk of gout: A Danish population based cohort study and symmetry analysis. Pharmacoepidemiology and Drug Safety, 2021, 30, 1391-1395.	1.9	19
24	CURB-65 Score is Equal to NEWS for Identifying Mortality Risk of Pneumonia Patients: An Observational Study. Lung, 2018, 196, 359-361.	3.3	17
25	Sixteen years of creatinine measurements among 460Â000 individuals—The Funen Laboratory Cohort (FLaC), a populationâ€based pharmacoepidemiological resource to study drugâ€induced kidney disease. Basic and Clinical Pharmacology and Toxicology, 2019, 124, 582-590.	2.5	17
26	Does point-of-care ultrasonography cause discomfort in patients admitted with respiratory symptoms?. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 23, 46.	2.6	16
27	Shock in the emergency department; a 12Âyear population based cohort study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2016, 24, 87.	2.6	16
28	Patient Characteristics and Risk of Bleeding With Dabigatran in Atrial Fibrillation. JAMA Internal Medicine, 2015, 175, 1245.	5.1	15
29	Prevalence of organ failure and mortality among patients in the emergency department: a population-based cohort study. BMJ Open, 2019, 9, e032692.	1.9	15
30	Second-generation antipsychotics and the risk of chronic kidney disease: a population-based case-control study. BMJ Open, 2020, 10, e038247.	1.9	15
31	The potential drug–drug interaction between proton pump inhibitors and warfarin. Pharmacoepidemiology and Drug Safety, 2015, 24, 1337-1340.	1.9	14
32	Interaction potential between clarithromycin and individual statins—A systematic review. Basic and Clinical Pharmacology and Toxicology, 2020, 126, 307-317.	2.5	14
33	Time to initial antibiotic administration, and short-term mortality among patients admitted with community-acquired severe infections with and without the presence of systemic inflammatory response syndrome: a follow-up study. Emergency Medicine Journal, 2015, 32, 846-853.	1.0	12
34	Intermediate-term and long-term mortality among acute medical patients hospitalized with community-acquired sepsis: a population-based study. European Journal of Emergency Medicine, 2017, 24, 404-410.	1.1	12
35	Lung ultrasound has limited diagnostic value in rare cystic lung diseases: a cross-sectional study. European Clinical Respiratory Journal, 2017, 4, 1330111.	1.5	12
36	Treatment with montelukast and antidepressive medication—a symmetry analysis. Pharmacoepidemiology and Drug Safety, 2018, 27, 1409-1415.	1.9	12

#	Article	IF	CITATIONS
37	Lung Ultrasound in the Assessment of Pulmonary Complications After Lung Transplantation. Ultraschall in Der Medizin, 2020, 41, 148-156.	1.5	12
38	Development and Validation of a Nordic Multimorbidity Index Based on Hospital Diagnoses and Filled Prescriptions. Clinical Epidemiology, 2022, Volume 14, 567-579.	3.0	11
39	Dispatch and prehospital transport for acute septic patients: an observational study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2017, 25, 51.	2.6	10
40	Selective serotonin reuptake inhibitors and the risk of restless legs syndrome: a symmetry analysis. European Journal of Clinical Pharmacology, 2020, 76, 719-722.	1.9	10
41	Lung Ultrasound to Phenotype Chronic Lung Allograft Dysfunction in Lung Transplant Recipients. A Prospective Observational Study. Journal of Clinical Medicine, 2021, 10, 1078.	2.4	10
42	Initiation of glucoseâ€lowering treatment decreases international normalized ratio levels among users of vitamin K antagonists: a selfâ€controlled register study. Journal of Thrombosis and Haemostasis, 2016, 14, 129-133.	3.8	9
43	Inhaled Corticosteroids and Systemic or Topical Antifungal Therapy: A Symmetry Analysis. Annals of the American Thoracic Society, 2017, 14, 1045-1047.	3.2	8
44	Nationwide study on trends in unplanned hospital attendance and deaths during the 7 weeks after the onset of the COVID-19 pandemic in Denmark. BMJ Quality and Safety, 2021, 30, 986-995.	3.7	8
45	Hospitalized acute patients with fever and severe infection have lower mortality than patients with hypo- or normothermia: a follow-up study. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 473-479.	O.5	7
46	Montelukast use—a 19-year nationwide drug utilisation study. European Journal of Clinical Pharmacology, 2017, 73, 1297-1304.	1.9	7
47	Prevalence and prognosis of acutely ill patients with organ failure at arrival to hospital: A systematic review. PLoS ONE, 2018, 13, e0206610.	2.5	6
48	Nationwide use of theophylline among adults-A 20-year Danish drug utilisation study. Respiratory Medicine, 2018, 140, 57-62.	2.9	6
49	A Long-Time Follow-Up Study of a Single-Center Endovascular Aneurysm Repair (Evar) Endoleak Outcomes. Vascular and Endovascular Surgery, 2018, 52, 505-511.	0.7	6
50	Efficacy of bronchial thermoplasty in patients with severe asthma. Journal of Asthma, 2021, 58, 216-222.	1.7	6
51	Increasing incidence of hypotension in the emergency department; a 12 year population-based cohort study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2016, 24, 20.	2.6	5
52	Appropriate selection for omalizumab treatment in patients with severe asthma?. European Clinical Respiratory Journal, 2017, 4, 1359477.	1.5	5
53	Prevalence and prognosis of acutely ill patients with organ failure at arrival to hospital: protocol for a systematic review. Systematic Reviews, 2017, 6, 227.	5.3	5
54	Seventeen‥ear Nationwide Trends in Use of Longâ€acting Bronchodilators and Inhaled Corticosteroids among Adults – A Danish Drug Utilization Study. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 58-64.	2.5	5

#	Article	IF	CITATIONS
55	Indirect comparison of efficacy of dupilumab <i>versus</i> mepolizumab and omalizumab for severe type 2 asthma. ERJ Open Research, 2021, 7, 00306-2021.	2.6	5
56	Level of vital and laboratory values on arrival, and increased risk of 7-day mortality among adult patients in the emergency department: a population-based cohort study. BMJ Open, 2020, 10, e038516.	1.9	5
57	Arterial blood gas analysis: as safe as we think? A multicentre historical cohort study. ERJ Open Research, 2022, 8, 00535-2021.	2.6	5
58	Lithium and the risk of chronic kidney disease: A populationâ€based case–control study. Basic and Clinical Pharmacology and Toxicology, 2022, 131, 129-137.	2.5	5
59	Statin use before and after the KDIGO Lipids in chronic kidney disease guideline: A populationâ€based interrupted time series analysis. Basic and Clinical Pharmacology and Toxicology, 0, , .	2.5	5
60	Roflumilast Usage from 2010 to 2016: A Danish Nationwide Drug Utilization Study. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 314-319.	2.5	4
61	Progressionâ€free survival in oncology: Caveat emptor!. Basic and Clinical Pharmacology and Toxicology, 2019, 124, 240-244.	2.5	4
62	Changes in oral corticosteroid use in asthma treatment – a 20â€year Danish nationwide drug utilization study. Basic and Clinical Pharmacology and Toxicology, 2021, , .	2.5	4
63	Mortality before and after reconfiguration of the Danish hospital-based emergency healthcare system: a nationwide interrupted time series analysis. BMJ Quality and Safety, 2023, 32, 202-213.	3.7	4
64	Focused sonographic examination of the heart, lungs and deep veins in an unselected population of acute admitted patients with respiratory symptoms: a protocol for a prospective, blinded, randomised controlled trial: Figure 1. BMJ Open, 2012, 2, e001369.	1.9	3
65	Association between presenting complaints of acutely admitted medical patients and mortality: A cohort study. European Journal of Internal Medicine, 2018, 54, e29-e32.	2.2	3
66	Dynamics in diagnoses and pharmacotherapy before and after diagnosing idiopathic pulmonary fibrosis. ERJ Open Research, 2020, 6, 00479-2020.	2.6	3
67	Intended and unintended changes in length of stay following reconfiguration of emergency care departments. International Journal for Quality in Health Care, 2021, 33, .	1.8	3
68	Level of vital and laboratory values on arrival, and increased risk of 7-day mortality among adult patients in the emergency department: a population-based cohort study. BMJ Open, 2020, 10, e038516.	1.9	3
69	Association between gabapentinoids and oedema treated with loop diuretics: A pooled sequence symmetry analysis from the USA and Denmark. British Journal of Clinical Pharmacology, 2022, 88, 5269-5294.	2.4	3
70	In Utero SSRI Exposure and Risk of Clubfoot. Epidemiology, 2015, 26, e34-e35.	2.7	2
71	Discontinuation of therapy among COPD patients who experience an improvement in exacerbation status. European Journal of Clinical Pharmacology, 2019, 75, 1025-1032.	1.9	2
72	Use of dipeptidyl peptidaseâ€4 inhibitors and risk of splanchnic vein thrombosis: A <scp>Danish</scp> nationwide newâ€user active comparator cohort study. Diabetes, Obesity and Metabolism, 2021, 23, 648-652.	4.4	2

#	Article	IF	CITATIONS
73	Pulmonary function test values due to a diaphragmatic hernia. BMJ Case Reports, 2016, 2016, bcr2016216542.	0.5	1
74	The Methodology of Assessing Long-Term Mortality and Cardiovascular Risks in Survivors of Sepsis. American Journal of Respiratory and Critical Care Medicine, 2016, 194, 245-246.	5.6	1
75	Organ failure, aetiology and 7-day all-cause mortality among acute adult patients on arrival to an emergency department. European Journal of Emergency Medicine, 2021, Publish Ahead of Print, 448-455.	1.1	1
76	Early Discontinuation of Montelukast Treatment; A Danish Nationwide Utilization Study. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 78-83.	2.5	0
77	<scp>RE</scp> : Gout and sodiumâ€glucose cotransporterâ€2 inhibitors. Pharmacoepidemiology and Drug Safety, 2022, 31, 114-115.	1.9	0
78	Diagnoses and mortality in a population without acute myocardial infarction, but with elevated high-sensitive troponin I - a retrospective register-based single center study. Acute Medicine, 2021, 20, 18-24.	0.3	0