

Daniel Pilsgaard Henriksen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7804969/daniel-pilsgaard-henriksen-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69
papers

1,013
citations

15
h-index

29
g-index

79
ext. papers

1,297
ext. citations

4.5
avg, IF

4.48
L-index

#	Paper	IF	Citations
69	Development and Validation of a Nordic Multimorbidity Index Based on Hospital Diagnoses and Filled Prescriptions.. <i>Clinical Epidemiology</i> , 2022 , 14, 567-579	5.9	
68	RE: Gout and sodium-glucose cotransporter-2 inhibitors. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 31, 114	2.6	
67	Sodium-glucose cotransporter 2 inhibitors and risk of nephrolithiasis. <i>Diabetologia</i> , 2021 , 64, 1563-1571	10.3	7
66	Lung Ultrasound to Phenotype Chronic Lung Allograft Dysfunction in Lung Transplant Recipients. A Prospective Observational Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
65	Nationwide study on trends in unplanned hospital attendance and deaths during the 7 weeks after the onset of the COVID-19 pandemic in Denmark. <i>BMJ Quality and Safety</i> , 2021 , 30, 986-995	5.4	4
64	Sodium-glucose cotransporter-2 inhibitors and the risk of gout: A Danish population based cohort study and symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1391-1395	2.6	6
63	Use of dipeptidyl peptidase-4 inhibitors and risk of splanchnic vein thrombosis: A Danish nationwide new-user active comparator cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 648-652	6.7	1
62	Efficacy of bronchial thermoplasty in patients with severe asthma. <i>Journal of Asthma</i> , 2021 , 58, 216-222	1.9	3
61	Organ failure, aetiology and 7-day all-cause mortality among acute adult patients on arrival to an emergency department: a hospital-based cohort study. <i>European Journal of Emergency Medicine</i> , 2021 , 28, 448-455	2.3	1
60	Diagnoses and mortality in a population without acute myocardial infarction, but with elevated high-sensitive troponin I - a retrospective register-based single center study. <i>Acute Medicine</i> , 2021 , 20, 18-24	0.7	
59	Efficacy of omalizumab in children, adolescents, and adults with severe allergic asthma: a systematic review, meta-analysis, and call for new trials using current guidelines for assessment of severe asthma. <i>Allergy, Asthma and Clinical Immunology</i> , 2020 , 16, 49	3.2	6
58	Methimazole and risk of acute pancreatitis. <i>Lancet Diabetes and Endocrinology</i> , 2020 , 8, 187-189	18.1	17
57	Selective serotonin reuptake inhibitors and the risk of restless legs syndrome: a symmetry analysis. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 719-722	2.8	3
56	Level of vital and laboratory values on arrival, and increased risk of 7-day mortality among adult patients in the emergency department: a population-based cohort study. <i>BMJ Open</i> , 2020 , 10, e038516	3	5
55	Level of vital and laboratory values on arrival, and increased risk of 7-day mortality among adult patients in the emergency department: a population-based cohort study. <i>BMJ Open</i> , 2020 , 10, e038516	3	1
54	Interaction potential between clarithromycin and individual statins-A systematic review. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020 , 126, 307-317	3.1	4
53	Dynamics in diagnoses and pharmacotherapy before and after diagnosing idiopathic pulmonary fibrosis. <i>ERJ Open Research</i> , 2020 , 6,	3.5	2

52	Increasing emergency hospital activity in Denmark, 2005-2016: a nationwide descriptive study. <i>BMJ Open</i> , 2020 , 10, e031409	3	14
51	Second-generation antipsychotics and the risk of chronic kidney disease: a population-based case-control study. <i>BMJ Open</i> , 2020 , 10, e038247	3	3
50	Lung Ultrasound in the Assessment of Pulmonary Complications After Lung Transplantation. <i>Ultraschall in Der Medizin</i> , 2020 , 41, 148-156	3.8	9
49	Sixteen years of creatinine measurements among 460000 individuals-The Funen Laboratory Cohort (FLaC), a population-based pharmacoepidemiological resource to study drug-induced kidney disease. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 124, 582-590	3.1	5
48	Discontinuation of therapy among COPD patients who experience an improvement in exacerbation status. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 1025-1032	2.8	0
47	Prevalence of organ failure and mortality among patients in the emergency department: a population-based cohort study. <i>BMJ Open</i> , 2019 , 9, e032692	3	6
46	Progression-free survival in oncology: Caveat emptor!. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019 , 124, 240-244	3.1	3
45	Etiology of Shock in the Emergency Department: A 12-Year Population-Based Cohort Study. <i>Shock</i> , 2019 , 51, 60-67	3.4	13
44	Roflumilast Usage from 2010 to 2016: A Danish Nationwide Drug Utilization Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 123, 314-319	3.1	2
43	Early Discontinuation of Montelukast Treatment; A Danish Nationwide Utilization Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 123, 78-83	3.1	
42	Seventeen-Year Nationwide Trends in Use of Long-acting Bronchodilators and Inhaled Corticosteroids among Adults - A Danish Drug Utilization Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 123, 58-64	3.1	4
41	CURB-65 Score is Equal to NEWS for Identifying Mortality Risk of Pneumonia Patients: An Observational Study. <i>Lung</i> , 2018 , 196, 359-361	2.9	12
40	Risk of lactic acidosis in type 2 diabetes patients using metformin: A case control study. <i>PLoS ONE</i> , 2018 , 13, e0196122	3.7	22
39	Treatment with montelukast and antidepressive medication-a symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1409-1415	2.6	5
38	Nationwide use of theophylline among adults-A 20-year Danish drug utilisation study. <i>Respiratory Medicine</i> , 2018 , 140, 57-62	4.6	2
37	A Long-Time Follow-Up Study of a Single-Center Endovascular Aneurysm Repair (Evar) Endoleak Outcomes. <i>Vascular and Endovascular Surgery</i> , 2018 , 52, 505-511	1.4	6
36	Prevalence and prognosis of acutely ill patients with organ failure at arrival to hospital: A systematic review. <i>PLoS ONE</i> , 2018 , 13, e0206610	3.7	3
35	Efficacy, adverse events, and inter-drug comparison of mepolizumab and reslizumab anti-IL-5 treatments of severe asthma - a systematic review and meta-analysis. <i>European Clinical Respiratory Journal</i> , 2018 , 5, 1536097	2	32

34	Association between presenting complaints of acutely admitted medical patients and mortality: A cohort study. <i>European Journal of Internal Medicine</i> , 2018 , 54, e29-e32	3.9	2
33	Intermediate-term and long-term mortality among acute medical patients hospitalized with community-acquired sepsis: a population-based study. <i>European Journal of Emergency Medicine</i> , 2017 , 24, 404-410	2.3	7
32	Antimicrobial resistance in the <i>Bacteroides fragilis</i> group in faecal samples from patients receiving broad-spectrum antibiotics. <i>Anaerobe</i> , 2017 , 47, 79-85	2.8	19
31	Inhaled Corticosteroids and Systemic or Topical Antifungal Therapy: A Symmetry Analysis. <i>Annals of the American Thoracic Society</i> , 2017 , 14, 1045-1047	4.7	4
30	An acute hospital admission greatly increases one year mortality - Getting sick and ending up in hospital is bad for you: A multicentre retrospective cohort study. <i>European Journal of Internal Medicine</i> , 2017 , 45, 5-7	3.9	15
29	Prevalence and prognosis of acutely ill patients with organ failure at arrival to hospital: protocol for a systematic review. <i>Systematic Reviews</i> , 2017 , 6, 227	3	2
28	Appropriate selection for omalizumab treatment in patients with severe asthma?. <i>European Clinical Respiratory Journal</i> , 2017 , 4, 1359477	2	5
27	Lung ultrasound has limited diagnostic value in rare cystic lung diseases: a cross-sectional study. <i>European Clinical Respiratory Journal</i> , 2017 , 4, 1330111	2	8
26	Dispatch and prehospital transport for acute septic patients: an observational study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017 , 25, 51	3.6	7
25	Montelukast use-a 19-year nationwide drug utilisation study. <i>European Journal of Clinical Pharmacology</i> , 2017 , 73, 1297-1304	2.8	4
24	Pulmonary function test values due to a diaphragmatic hernia. <i>BMJ Case Reports</i> , 2016 , 2016,	0.9	1
23	The Methodology of Assessing Long-Term Mortality and Cardiovascular Risks in Survivors of Sepsis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016 , 194, 245-6	10.2	1
22	Hospitalized acute patients with fever and severe infection have lower mortality than patients with hypo- or normothermia: a follow-up study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2016 , 109, 473-479	2.7	6
21	Shock in the emergency department; a 12-year population based cohort study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016 , 24, 87	3.6	11
20	Increasing incidence of hypotension in the emergency department; a 12 year population-based cohort study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016 , 24, 20	3.6	3
19	Combined use of the National Early Warning Score and D-dimer levels to predict 30-day and 365-day mortality in medical patients. <i>Resuscitation</i> , 2016 , 106, 49-52	4	21
18	Initiation of glucose-lowering treatment decreases international normalized ratio levels among users of vitamin K antagonists: a self-controlled register study. <i>Journal of Thrombosis and Haemostasis</i> , 2016 , 14, 129-33	15.4	6
17	Change in International Normalized Ratio Among Patients Treated With Dicloxacillin and Vitamin K Antagonists. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 296-7	27.4	13

16	Incidence rate of community-acquired sepsis among hospitalized acute medical patients-a population-based survey. <i>Critical Care Medicine</i> , 2015 , 43, 13-21	1.4	58
15	Time to initial antibiotic administration, and short-term mortality among patients admitted with community-acquired severe infections with and without the presence of systemic inflammatory response syndrome: a follow-up study. <i>Emergency Medicine Journal</i> , 2015 , 32, 846-53	1.5	10
14	Patient Characteristics and Risk of Bleeding With Dabigatran in Atrial Fibrillation. <i>JAMA Internal Medicine</i> , 2015 , 175, 1245	11.5	15
13	The potential drug-drug interaction between proton pump inhibitors and warfarin. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 1337-40	2.6	11
12	Does point-of-care ultrasonography cause discomfort in patients admitted with respiratory symptoms?. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015 , 23, 46	3.6	13
11	In utero SSRI exposure and risk of clubfoot. <i>Epidemiology</i> , 2015 , 26, e34-5	3.1	1
10	Comparison of the Five Danish Regions Regarding Demographic Characteristics, Healthcare Utilization, and Medication Use--A Descriptive Cross-Sectional Study. <i>PLoS ONE</i> , 2015 , 10, e0140197	3.7	67
9	Nontraumatic hypotension and shock in the emergency department and the prehospital setting, prevalence, etiology, and mortality: a systematic review. <i>PLoS ONE</i> , 2015 , 10, e0119331	3.7	40
8	Risk factors for hospitalization due to community-acquired sepsis - a population-based case-control study. <i>PLoS ONE</i> , 2015 , 10, e0124838	3.7	23
7	Point-of-care ultrasonography in patients admitted with respiratory symptoms: a single-blind, randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2014 , 2, 638-46	35.1	165
6	Hypoalbuminemia is a strong predictor of 30-day all-cause mortality in acutely admitted medical patients: a prospective, observational, cohort study. <i>PLoS ONE</i> , 2014 , 9, e105983	3.7	81
5	Drug dosing in patients with renal insufficiency in a hospital setting using electronic prescribing and automated reporting of estimated glomerular filtration rate. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014 , 114, 407-13	3.1	30
4	How well do discharge diagnoses identify hospitalised patients with community-acquired infections?--a validation study. <i>PLoS ONE</i> , 2014 , 9, e92891	3.7	31
3	Prognosis and risk factors for deterioration in patients admitted to a medical emergency department. <i>PLoS ONE</i> , 2014 , 9, e94649	3.7	28
2	Focused sonography of the heart, lungs, and deep veins identifies missed life-threatening conditions in admitted patients with acute respiratory symptoms. <i>Chest</i> , 2013 , 144, 1868-1875	5.3	94
1	Focused sonographic examination of the heart, lungs and deep veins in an unselected population of acute admitted patients with respiratory symptoms: a protocol for a prospective, blinded, randomised controlled trial. <i>BMJ Open</i> , 2012 , 2,	3	3