Rossella Pistocchi

List of Publications by Citations

Source: https://exaly.com/author-pdf/7805461/rossella-pistocchi-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62 46 2,245 27 g-index h-index citations papers 62 2,432 5.1 4.39 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
62	Growth and nitrogen removal capacity of Desmodesmus communis and of a natural microalgae consortium in a batch culture system in view of urban wastewater treatment: part I. <i>Water Research</i> , 2013 , 47, 791-801	12.5	159
61	Extraction of hydrocarbons from microalga Botryococcus braunii with switchable solvents. <i>Bioresource Technology</i> , 2010 , 101, 3274-9	11	143
60	Complex palytoxin-like profile of Ostreopsis ovata. Identification of four new ovatoxins by high-resolution liquid chromatography/mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 2735-44	2.2	119
59	Comparative growth and toxin profile of cultured Ostreopsis ovata from the Tyrrhenian and Adriatic Seas. <i>Toxicon</i> , 2010 , 55, 211-20	2.8	109
58	Isolation and structure elucidation of ovatoxin-a, the major toxin produced by Ostreopsis ovata. Journal of the American Chemical Society, 2012 , 134, 1869-75	16.4	99
57	Complex yessotoxins profile in Protoceratium reticulatum from north-western Adriatic sea revealed by LC-MS analysis. <i>Toxicon</i> , 2003 , 42, 7-14	2.8	92
56	Influence of temperature and salinity on Ostreopsis cf. ovata growth and evaluation of toxin content through HR LC-MS and biological assays. <i>Water Research</i> , 2012 , 46, 82-92	12.5	83
55	Toxin profile of Alexandrium ostenfeldii (Dinophyceae) from the Northern Adriatic Sea revealed by liquid chromatography-mass spectrometry. <i>Toxicon</i> , 2006 , 47, 597-604	2.8	76
54	Toxin levels and profiles in microalgae from the north-Western Adriatic Sea15 years of studies on cultured species. <i>Marine Drugs</i> , 2012 , 10, 140-62	6	71
53	METABOLIC RESPONSES OF THE DIATOM ACHNANTHES BREVIPES (BACILLARIOPHYCEAE) TO NUTRIENT LIMITATION . <i>Journal of Phycology</i> , 2000 , 36, 882-890	3	67
52	INVESTIGATION OF 4-METHYL STEROLS FROM CULTURED DINOFLAGELLATE ALGAL STRAINS. Journal of Phycology, 1997 , 33, 61-67	3	64
51	Transport and subcellular localization of polyamines in carrot protoplasts and vacuoles. <i>Plant Physiology</i> , 1988 , 87, 514-8	6.6	60
50	Nitrogen and phosphorus limitation effects on cell growth, biovolume, and toxin production in Ostreopsis cf. ovata. <i>Harmful Algae</i> , 2012 , 15, 78-90	5.3	59
49	Spermidine-preferential uptake system in Escherichia coli. Identification of amino acids involved in polyamine binding in PotD protein. <i>Journal of Biological Chemistry</i> , 1996 , 271, 12205-8	5.4	58
48	Polyamine uptake in carrot cell cultures. <i>Plant Physiology</i> , 1987 , 84, 374-80	6.6	54
47	Influence of temperature, salinity and nutrient limitation on yessotoxin production and release by the dinoflagellate Protoceratium reticulatum in batch-cultures. <i>Harmful Algae</i> , 2007 , 6, 707-717	5.3	48
46	Gonyaulax spinifera from the Adriatic sea: Toxin production and phylogenetic analysis. <i>Harmful Algae</i> , 2009 , 8, 279-290	5.3	45

(2011-2007)

45	Spirolide toxin profile of Adriatic Alexandrium ostenfeldii cultures and structure elucidation of 27-hydroxy-13,19-didesmethyl spirolide C. <i>Journal of Natural Products</i> , 2007 , 70, 1878-83	4.9	44	
44	Effects of different levels of N- and P-deficiency on cell yield, okadaic acid, DTX-1, protein and carbohydrate dynamics in the benthic dinoflagellate Prorocentrum lima. <i>Harmful Algae</i> , 2010 , 9, 590-59	95.3	40	
43	Effects of imidazolium ionic liquids on growth, photosynthetic efficiency, and cellular components of the diatoms Skeletonema marinoi and Phaeodactylum tricornutum. <i>Chemical Research in Toxicology</i> , 2011 , 24, 392-401	4	38	
42	Modeling of photosynthesis and respiration rate for Isochrysis galbana (T-Iso) and its influence on the production of this strain. <i>Bioresource Technology</i> , 2016 , 203, 71-9	11	36	
41	Putrescine uptake in saintpaulia petals. <i>Plant Physiology</i> , 1985 , 77, 398-402	6.6	34	
40	Putrescine uptake and translocation in higher plants. <i>Physiologia Plantarum</i> , 1989 , 77, 225-230	4.6	33	
39	Effect of salinity, temperature, organic and inorganic nutrients on growth of cultured Fibrocapsa japonica (Raphidophyceae) from the northern Adriatic Sea. <i>Harmful Algae</i> , 2008 , 7, 405-414	5.3	32	
38	POLYAMINE TRANSPORT IN THE SEAWEED ULVA RIGIDA (CHLOROPHYTA)1. <i>Journal of Phycology</i> , 1994 , 30, 599-605	3	31	
37	Characterization of 27-hydroxy-13-desmethyl spirolide C and 27-oxo-13,19-didesmethyl spirolide C. Further insights into the complex Adriatic Alexandrium ostenfeldii toxin profile. <i>Toxicon</i> , 2010 , 56, 1327	7- 3 3	29	
36	Correlation between the presence of Gonyaulax fragilis (Dinophyceae) and the mucilage phenomena of the Emilia-Romagna coast (northern Adriatic Sea). <i>Harmful Algae</i> , 2003 , 2, 301-316	5.3	28	
35	Allelopathic effects of diatom filtrates on the toxic benthic dinoflagellate Ostreopsis cf. ovata. <i>Marine Environmental Research</i> , 2017 , 131, 116-122	3.3	27	
34	Spermidine Uptake by Mitochondria of Helianthus tuberosus. <i>Plant Physiology</i> , 1990 , 92, 690-5	6.6	27	
33	Growth dynamics in relation to the production of the main cellular components in the toxic dinoflagellate Ostreopsis cf. ovata. <i>Harmful Algae</i> , 2014 , 36, 1-10	5.3	26	
32	Relevance of the dinoflagellate Gonyaulax fragilis in mucilage formations of the Adriatic Sea. <i>Science of the Total Environment</i> , 2005 , 353, 307-16	10.2	26	
31	Polyamine Uptake, Kinetics, and Competition among Polyamines and between Polyamines and Inorganic Cations. <i>Plant Physiology</i> , 1986 , 80, 556-60	6.6	24	
30	Distribution of Cadaverine and Lysine Decarboxylase Activity in Nicotiana glauca Plants. <i>Journal of Plant Physiology</i> , 1986 , 125, 9-15	3.6	24	
29	Ovatoxin-a, A Palytoxin Analogue Isolated from Ostreopsis cf. ovata Fukuyo: Cytotoxic Activity and ELISA Detection. <i>Environmental Science & Elisa Detection</i> , 2016, 50, 1544-51	10.3	23	
28	Chemical and biological indicators of water quality in three agricultural watersheds of the Po valley, Italy. Italian Journal of Agronomy, 2011 , 6, 36	1.4	23	

27	The dawn of dentistry in the late upper Paleolithic: An early case of pathological intervention at Riparo Fredian. <i>American Journal of Physical Anthropology</i> , 2017 , 163, 446-461	2.5	22
26	Subcellular localization of dinoflagellate polyketide synthases and fatty acid synthase activity. Journal of Phycology, 2013 , 49, 1118-27	3	21
25	Outdoor production of Tisochrysis lutea in pilot-scale tubular photobioreactors. <i>Journal of Applied Phycology</i> , 2016 , 28, 3159-3166	3.2	19
24	Inhibitory effect of polyunsaturated aldehydes (PUAs) on the growth of the toxic benthic dinoflagellate Ostreopsis cf. ovata. <i>Aquatic Toxicology</i> , 2016 , 179, 125-33	5.1	19
23	Toxicity evaluation of Fibrocapsa japonica from the Northern Adriatic Sea through a chemical and toxicological approach. <i>Harmful Algae</i> , 2010 , 9, 504-514	5.3	17
22	PUFAs and PUAs production in three benthic diatoms from the northern Adriatic Sea. <i>Phytochemistry</i> , 2017 , 142, 85-91	4	14
21	Effect of auxins on spermidine uptake into carrot protoplasts. <i>Physiologia Plantarum</i> , 1991 , 82, 19-23	4.6	14
20	Modelling the Stoichiometric Regulation of C-Rich Toxins in Marine Dinoflagellates. <i>PLoS ONE</i> , 2015 , 10, e0139046	3.7	14
19	Photobioreactor cultivation and catalytic pyrolysis of the microalga Desmodesmus communis (Chlorophyceae) for hydrocarbons production by HZSM-5 zeolite cracking. <i>Bioresource Technology</i> , 2016 , 222, 148-155	11	14
18	Cell Growth and Toxins' Content ofOstreopsiscf.Ovatain Presence and Absence of Associated Bacteria. <i>Cryptogamie, Algologie</i> , 2012 , 33, 105-112	0.7	13
17	Effects of N and P availability on carbon allocation in the toxic dinoflagellate Ostreopsis cf. ovata. <i>Harmful Algae</i> , 2016 , 55, 202-212	5.3	13
16	Phylogenetic structure of bacterial assemblages co-occurring with Ostreopsis cf. ovata bloom. <i>Harmful Algae</i> , 2016 , 55, 259-271	5.3	12
15	Nutrient removal efficiency and physiological responses of Desmodesmus communis at different HRTs and nutrient stress condition using different sources of urban wastewater effluents. <i>Applied Biochemistry and Biotechnology</i> , 2014 , 173, 74-89	3.2	12
14	Effect of Calcium on Spermine uptake in Carrot Cell Cultures and Protoplasts. <i>Journal of Plant Physiology</i> , 1990 , 136, 728-733	3.6	12
13	Pyrolysis of spirulina and zeolite cracking over HZSM-5. An analytical investigation on the chemical route of bio-oil from cultivation to combustion. <i>Journal of Analytical and Applied Pyrolysis</i> , 2017 , 126, 230-238	6	11
12	Combined effects of the herbicide terbuthylazine and temperature on different flagellates from the Northern Adriatic Sea. <i>Aquatic Toxicology</i> , 2013 , 128-129, 79-90	5.1	11
11	Flocculation induced by homogeneous and heterogeneous acid treatments in Desmodesmus communis. <i>Algal Research</i> , 2015 , 10, 145-151	5	10
10	Resting cysts of Fibrocapsa japonica (Raphidophyceae) from coastal sediments of the northern Adriatic Sea (Mediterranean Sea). <i>Harmful Algae</i> , 2010 , 10, 81-87	5.3	10

LIST OF PUBLICATIONS

9	Gonyaulax hyalina and Gonyaulax fragilis (Dinoflagellata), two names associated with thare sporcol indicate the same species. <i>Phycologia</i> , 2018 , 57, 453-464	2.7	9
8	Skeletonema marinoi (Bacillariophyceae) sensitivity to herbicides and effects of temperature increase on cellular responses to terbuthylazine exposure. <i>Aquatic Toxicology</i> , 2014 , 147, 112-20	5.1	8
7	Polyamines as growth substances in higher plants. <i>Advances in Experimental Medicine and Biology</i> , 1988 , 250, 547-58	3.6	8
6	Calcium ion transport in higher plant mitochondria (Helianthus tuberosus). <i>Physiologia Plantarum</i> , 1990 , 79, 297-302	4.6	5
5	A new approach to assess the effects of oil spills on phytoplankton community during the Berious Gamelexperiment (MEDESS-4MS Project). <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2016 , 133, 76-87	2.3	3
4	Assimilation of inorganic nitrogen for scaling up Desmodesmus communis (Scenedesmaceae) biomass production. <i>Journal of Applied Phycology</i> , 2019 , 31, 2833-2844	3.2	2
3	Survey of the allelopathic potential of Mediterranean macroalgae: production of long-chain polyunsaturated aldehydes (PUAs). <i>Phytochemistry</i> , 2021 , 189, 112826	4	1
2	Letter to the editor: Reply to Hardy & Buckley: Earliest evidence of bitumen from Homo sp. teeth is from El Sidro'n. <i>American Journal of Physical Anthropology</i> , 2017 , 164, 214-215	2.5	
1	Allelopathic interactions between phytobenthos and meiofaunal community in an Adriatic benthic ecosystem: Understanding the role of aldehydes and macroalgal structural complexity. <i>Science of the Total Environment</i> , 2021 , 807, 150827	10.2	