
## Bas B Van Rijn

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7805821/publications.pdf Version: 2024-02-01



RAS R VAN RUN

#	Article	IF	CITATIONS
1	A prospective population-based multicentre study on the impact of maternal body mass index on adverse pregnancy outcomes: Focus on normal weight. PLoS ONE, 2021, 16, e0257722.	1.1	6
2	The timing of interventions in early life and long-term consequences: The example of gestational diabetes. Current Opinion in Endocrine and Metabolic Research, 2020, 13, 7-12.	0.6	0
3	Early Onset of Coronary Artery Calcification in Women With Previous Preeclampsia. Circulation: Cardiovascular Imaging, 2020, 13, e010340.	1.3	32
4	The cardiovascular risk profile of middle age women previously diagnosed with premature ovarian insufficiency: A case-control study. PLoS ONE, 2020, 15, e0229576.	1.1	21
5	Circulating Neutrophils Do Not Predict Subclinical Coronary Artery Disease in Women with Former Preeclampsia. Cells, 2020, 9, 468.	1.8	5
6	Increased plasma CD14 levels 1 year postpartum in women with pre-eclampsia during pregnancy: a case–control plasma proteomics study. Nutrition and Diabetes, 2020, 10, 2.	1.5	0
7	Human Tregs at the materno-fetal interface show site-specific adaptation reminiscent of tumor Tregs. JCI Insight, 2020, 5, .	2.3	21
8	Association of Maternal Prepregnancy Body Mass Index With Placental Histopathological Characteristics in Uncomplicated Term Pregnancies. Pediatric and Developmental Pathology, 2019, 22, 45-52.	0.5	25
9	Platelet RNA modules point to coronary calcification in asymptomatic women with former preeclampsia. Atherosclerosis, 2019, 291, 114-121.	0.4	5
10	SUGAR-DIP trial: oral medication strategy versus insulin for diabetes in pregnancy, study protocol for a multicentre, open-label, non-inferiority, randomised controlled trial. BMJ Open, 2019, 9, e029808.	0.8	6
11	Pre-Conception Characteristics Predict Obstetrical and Neonatal Outcomes in Women With Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 809-818.	1.8	34
12	Association between parity and persistent weight gain at age 40–60 years: a longitudinal prospective cohort study. BMJ Open, 2019, 9, e024279.	0.8	21
13	Role of Endoplasmic Reticulum Stress in Proinflammatory Cytokine–Mediated Inhibition of Trophoblast Invasion in Placenta-Related Complications of Pregnancy. American Journal of Pathology, 2019, 189, 467-478.	1.9	56
14	Prevalence of Subclinical Coronary Artery Disease Assessed by Coronary Computed Tomography Angiography in 45- to 55-Year-Old Women With a History of Preeclampsia. Circulation, 2018, 137, 877-879.	1.6	51
15	Neonatal Hypoglycemia Following Diet-Controlled and Insulin-Treated Gestational Diabetes Mellitus. Diabetes Care, 2018, 41, 1385-1390.	4.3	52
16	Long-Term Effects of Oral Antidiabetic Drugs During Pregnancy on Offspring: A Systematic Review and Meta-analysis of Follow-up Studies of RCTs. Diabetes Therapy, 2018, 9, 1811-1829.	1.2	37
17	Preeclampsia and coronary plaque erosion: Manifestations of endothelial dysfunction resulting in cardiovascular events in women. European Journal of Pharmacology, 2017, 816, 129-137.	1.7	29
18	Preventing cardiovascular disease after hypertensive disorders of pregnancy: Searching for the how and when. European Journal of Preventive Cardiology, 2017, 24, 1735-1745.	0.8	46

Bas B Van Rijn

#	Article	IF	CITATIONS
19	Stroke after pregnancy disorders. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 215, 264-266.	0.5	7
20	Cardiovascular RiskprofilE - IMaging and gender-specific disOrders (CREw-IMAGO): rationale and design of a multicenter cohort study. BMC Women's Health, 2017, 17, 60.	0.8	16
21	Sex differences in cardiovascular risk factors and disease prevention. Atherosclerosis, 2015, 241, 211-218.	0.4	399
22	Cardiovascular Disease Risk Factors After Early-Onset Preeclampsia, Late-Onset Preeclampsia, and Pregnancy-Induced Hypertension. Hypertension, 2015, 65, 600-606.	1.3	239
23	Determinants of future cardiovascular health in women with a history of preeclampsia. Maturitas, 2015, 82, 153-161.	1.0	55
24	Placental characteristics in women with polycystic ovary syndrome. Human Reproduction, 2015, 30, dev265.	0.4	42
25	Earlier Age of Onset of Chronic Hypertension and Type 2 Diabetes Mellitus After a Hypertensive Disorder of Pregnancy or Gestational Diabetes Mellitus. Hypertension, 2015, 66, 1116-1122.	1.3	109
26	C-reactive protein and fibrinogen levels as determinants of recurrent preeclampsia. Journal of Hypertension, 2014, 32, 408-414.	0.3	22
27	Cardiovascular Disease Risk Factors in Women With a History of Early-Onset Preeclampsia. Obstetrics and Gynecology, 2013, 121, 1040-1048.	1.2	70
28	Evaluation of 7 Serum Biomarkers and Uterine Artery Doppler Ultrasound for First-Trimester Prediction of Preeclampsia: A Systematic Review. Obstetrical and Gynecological Survey, 2011, 66, 225-239.	0.2	156
29	Reproductive outcome after early-onset pre-eclampsia. Human Reproduction, 2011, 26, 391-397.	0.4	10
30	A Model for Preconceptional Prediction of Recurrent Early-Onset Preeclampsia: Derivation and Internal Validation. Reproductive Sciences, 2011, 18, 1154-1159.	1.1	18
31	Subsequent Pregnancy Outcome after First Pregnancy with Normotensive Early-Onset Intrauterine Growth Restriction at <34 Weeks of Gestation. Hypertension in Pregnancy, 2011, 30, 37-44.	0.5	5
32	Polycystic ovary syndrome and early-onset preeclampsia. Menopause, 2010, 17, 990-996.	0.8	26
33	454: Differential placental pathology in 185 pregnancies complicated by early-onset intrauterine growth restriction at <34 weeks gestation, with and without maternal hypertensive disease. American Journal of Obstetrics and Gynecology, 2008, 199, S135.	0.7	0
34	738: C-reactive protein and fibrinogen levels at >6 months after early-onset preeclampsia are associated with recurrence risk in a subsequent pregnancy. American Journal of Obstetrics and Gynecology, 2008, 199, S210.	0.7	0
35	Ischemia Modified Albumin in Normal Pregnancy and Preeclampsia. Hypertension in Pregnancy, 2008, 27, 159-167.	0.5	51
36	Maternal TLR4 and NOD2 Gene Variants, Pro-Inflammatory Phenotype and Susceptibility to Early-Onset Preeclampsia and HELLP Syndrome. PLoS ONE, 2008, 3, e1865.	1.1	69

Bas B Van Rijn

#	Article	IF	CITATIONS
37	Inflammatory Changes in Preeclampsia: Current Understanding of the Maternal Innate and Adaptive Immune Response. Obstetrical and Gynecological Survey, 2007, 62, 191-201.	0.2	73
38	18: Classic risk factors predictive of first cardiovascular events in women with a history of early-onset preeclampsia: Opportunities for primary prevention. American Journal of Obstetrics and Gynecology, 2007, 197, S10.	0.7	0
39	High-throughput genotyping with infrared fluorescence allele specific hybridization (iFLASH): A simple, reliable and low-cost alternative. Clinical Biochemistry, 2006, 39, 739-745.	0.8	1
40	Outcomes of subsequent pregnancy after first pregnancy with early-onset preeclampsia. American Journal of Obstetrics and Gynecology, 2006, 195, 723-728.	0.7	152
41	Single step high-throughput determination of Toll-like receptor 4 polymorphisms. Journal of Immunological Methods, 2004, 289, 81-87.	0.6	19