## Wenhui Li

## List of Publications by Citations

Source: https://exaly.com/author-pdf/7806002/wenhui-li-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85 papers 13,835 th-index 87 g-index 87 g-index 87 ext. papers ext. citations 9.6 avg, IF 5.92 L-index

#	Paper	IF	Citations
85	Angiotensin-converting enzyme 2 is a functional receptor for the SARS coronavirus. <i>Nature</i> , <b>2003</b> , 426, 450-4	50.4	3969
84	Structure of SARS coronavirus spike receptor-binding domain complexed with receptor. <i>Science</i> , <b>2005</b> , 309, 1864-8	33.3	1383
83	Sodium taurocholate cotransporting polypeptide is a functional receptor for human hepatitis B and D virus. <i>ELife</i> , <b>2012</b> , 1, e00049	8.9	1216
82	Receptor and viral determinants of SARS-coronavirus adaptation to human ACE2. <i>EMBO Journal</i> , <b>2005</b> , 24, 1634-43	13	710
81	A 193-amino acid fragment of the SARS coronavirus S protein efficiently binds angiotensin-converting enzyme 2. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 3197-201	5.4	528
80	Potent neutralization of severe acute respiratory syndrome (SARS) coronavirus by a human mAb to S1 protein that blocks receptor association. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2004</b> , 101, 2536-41	11.5	481
79	SARS-CoV-2 spike-protein D614G mutation increases virion spike density and infectivity. <i>Nature Communications</i> , <b>2020</b> , 11, 6013	17.4	450
78	Receptor-binding domain of SARS-CoV spike protein induces highly potent neutralizing antibodies: implication for developing subunit vaccine. <i>Biochemical and Biophysical Research Communications</i> , <b>2004</b> , 324, 773-81	3.4	316
77	Transferrin receptor 1 is a cellular receptor for New World haemorrhagic fever arenaviruses. <i>Nature</i> , <b>2007</b> , 446, 92-6	50.4	314
76	SARS coronavirus, but not human coronavirus NL63, utilizes cathepsin L to infect ACE2-expressing cells. <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 3198-203	5.4	261
75	TIM-family proteins promote infection of multiple enveloped viruses through virion-associated phosphatidylserine. <i>PLoS Pathogens</i> , <b>2013</b> , 9, e1003232	7.6	223
74	Animal origins of the severe acute respiratory syndrome coronavirus: insight from ACE2-S-protein interactions. <i>Journal of Virology</i> , <b>2006</b> , 80, 4211-9	6.6	206
73	Retroviruses pseudotyped with the severe acute respiratory syndrome coronavirus spike protein efficiently infect cells expressing angiotensin-converting enzyme 2. <i>Journal of Virology</i> , <b>2004</b> , 78, 10628	3-35	197
72	A global scientific strategy to cure hepatitis B. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2019</b> , 4, 545-558	18.8	187
71	Human Coronavirus HKU1 Spike Protein Uses O-Acetylated Sialic Acid as an Attachment Receptor Determinant and Employs Hemagglutinin-Esterase Protein as a Receptor-Destroying Enzyme. <i>Journal of Virology</i> , <b>2015</b> , 89, 7202-13	6.6	166
70	Viral entry of hepatitis B and D viruses and bile salts transportation share common molecular determinants on sodium taurocholate cotransporting polypeptide. <i>Journal of Virology</i> , <b>2014</b> , 88, 3273-8	34.6	166
69	Tyrosine sulfation of human antibodies contributes to recognition of the CCR5 binding region of HIV-1 gp120. <i>Cell</i> , <b>2003</b> , 114, 161-70	56.2	166

## (2017-2006)

68	Antibody responses against SARS coronavirus are correlated with disease outcome of infected individuals. <i>Journal of Medical Virology</i> , <b>2006</b> , 78, 1-8	19.7	152
67	Efficient replication of severe acute respiratory syndrome coronavirus in mouse cells is limited by murine angiotensin-converting enzyme 2. <i>Journal of Virology</i> , <b>2004</b> , 78, 11429-33	6.6	139
66	Evaluation of human monoclonal antibody 80R for immunoprophylaxis of severe acute respiratory syndrome by an animal study, epitope mapping, and analysis of spike variants. <i>Journal of Virology</i> , <b>2005</b> , 79, 5900-6	6.6	129
65	Molecular determinants of hepatitis B and D virus entry restriction in mouse sodium taurocholate cotransporting polypeptide. <i>Journal of Virology</i> , <b>2013</b> , 87, 7977-91	6.6	127
64	The S proteins of human coronavirus NL63 and severe acute respiratory syndrome coronavirus bind overlapping regions of ACE2. <i>Virology</i> , <b>2007</b> , 367, 367-74	3.6	119
63	Sulphated tyrosines mediate association of chemokines and Plasmodium vivax Duffy binding protein with the Duffy antigen/receptor for chemokines (DARC). <i>Molecular Microbiology</i> , <b>2005</b> , 55, 1413	3 <del>-2</del> -2	118
62	Alpha-interferon suppresses hepadnavirus transcription by altering epigenetic modification of cccDNA minichromosomes. <i>PLoS Pathogens</i> , <b>2013</b> , 9, e1003613	7.6	112
61	DNA Polymerase IIs a Key Cellular Factor for the Formation of Covalently Closed Circular DNA of Hepatitis B Virus. <i>PLoS Pathogens</i> , <b>2016</b> , 12, e1005893	7.6	112
60	Influenza A virus neuraminidase limits viral superinfection. <i>Journal of Virology</i> , <b>2008</b> , 82, 4834-43	6.6	104
59	Conserved receptor-binding domains of Lake Victoria marburgvirus and Zaire ebolavirus bind a common receptor. <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 15951-8	5.4	104
58	NTCP and beyond: opening the door to unveil hepatitis B virus entry. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , 15, 2892-905	6.3	100
57	Molecular determinants of enterovirus 71 viral entry: cleft around GLN-172 on VP1 protein interacts with variable region on scavenge receptor B 2. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 6406	5- <del>2</del> 2 <del>0</del>	99
56	Conformational states of the severe acute respiratory syndrome coronavirus spike protein ectodomain. <i>Journal of Virology</i> , <b>2006</b> , 80, 6794-800	6.6	96
55	Cross-neutralization of human and palm civet severe acute respiratory syndrome coronaviruses by antibodies targeting the receptor-binding domain of spike protein. <i>Journal of Immunology</i> , <b>2006</b> , 176, 6085-92	5.3	93
54	Hepatitis D Virus Infection of Mice Expressing Human Sodium Taurocholate Co-transporting Polypeptide. <i>PLoS Pathogens</i> , <b>2015</b> , 11, e1004840	7.6	78
53	Entry of hepatitis B and hepatitis D virus into hepatocytes: Basic insights and clinical implications. Journal of Hepatology, <b>2016</b> , 64, S32-S40	13.4	76
52	Dual-targeting nanoparticle vaccine elicits a therapeutic antibody response against chronic hepatitis B. <i>Nature Nanotechnology</i> , <b>2020</b> , 15, 406-416	28.7	71
51	HBV core protein allosteric modulators differentially alter cccDNA biosynthesis from de novo infection and intracellular amplification pathways. <i>PLoS Pathogens</i> , <b>2017</b> , 13, e1006658	7.6	71

50	Structural basis for activation and inhibition of the secreted chlamydia protease CPAF. <i>Cell Host and Microbe</i> , <b>2008</b> , 4, 529-42	23.4	62
49	Receptor Usage of a Novel Bat Lineage C Betacoronavirus Reveals Evolution of Middle East Respiratory Syndrome-Related Coronavirus Spike Proteins for Human Dipeptidyl Peptidase 4 Binding. <i>Journal of Infectious Diseases</i> , <b>2018</b> , 218, 197-207	7	59
48	Nonmuscle myosin heavy chain IIA is a critical factor contributing to the efficiency of early infection of severe fever with thrombocytopenia syndrome virus. <i>Journal of Virology</i> , <b>2014</b> , 88, 237-48	6.6	59
47	The SARS-CoV-2 receptor-binding domain elicits a potent neutralizing response without antibody-dependent enhancement		59
46	NTCP opens the door for hepatitis B virus infection. <i>Antiviral Research</i> , <b>2015</b> , 121, 24-30	10.8	55
45	Sodium taurocholate cotransporting polypeptide mediates woolly monkey hepatitis B virus infection of Tupaia hepatocytes. <i>Journal of Virology</i> , <b>2013</b> , 87, 7176-84	6.6	53
44	A potent human neutralizing antibody Fc-dependently reduces established HBV infections. <i>ELife</i> , <b>2017</b> , 6,	8.9	50
43	Tyrosine-sulfated peptides functionally reconstitute a CCR5 variant lacking a critical amino-terminal region. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 40397-402	5.4	48
42	Site-specific engineering of chemical functionalities on the surface of live hepatitis D virus. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 13970-4	16.4	47
41	The hepatitis B virus receptor. Annual Review of Cell and Developmental Biology, 2015, 31, 125-47	12.6	44
40	NTCP-Reconstituted In Vitro HBV Infection System. <i>Methods in Molecular Biology</i> , <b>2017</b> , 1540, 1-14	1.4	36
39	Development and effectiveness of pseudotyped SARS-CoV-2 system as determined by neutralizing efficiency and entry inhibition test. <i>Biosafety and Health</i> , <b>2020</b> , 2, 226-231	4.7	33
38	Severe fever with thrombocytopenia syndrome phlebovirus non-structural protein activates TPL2 signalling pathway for viral immunopathogenesis. <i>Nature Microbiology</i> , <b>2019</b> , 4, 429-437	26.6	29
37	Modification of Three Amino Acids in Sodium Taurocholate Cotransporting Polypeptide Renders Mice Susceptible to Infection with Hepatitis D Virus In Vivo. <i>Journal of Virology</i> , <b>2016</b> , 90, 8866-74	6.6	26
36	Silencing Retinoid X Receptor Alpha Expression Enhances Early-Stage Hepatitis B Virus Infection In Cell Cultures. <i>Journal of Virology</i> , <b>2018</b> , 92,	6.6	25
35	Enforced PGC-1lexpression promotes CD8 T cell fitness, memory formation and antitumor immunity. <i>Cellular and Molecular Immunology</i> , <b>2021</b> , 18, 1761-1771	15.4	24
34	Sleep Duration and Cardiometabolic Risk Among Chinese School-aged Children: Do Adipokines Play a Mediating Role?. <i>Sleep</i> , <b>2017</b> , 40,	1.1	22
33	Development and evaluation of a pseudovirus-luciferase assay for rapid and quantitative detection of neutralizing antibodies against enterovirus 71. <i>PLoS ONE</i> , <b>2013</b> , 8, e64116	3.7	21

## (2016-2006)

32	SARS-CoV, but not HCoV-NL63, utilizes cathepsins to infect cells: viral entry. <i>Advances in Experimental Medicine and Biology</i> , <b>2006</b> , 581, 335-8	3.6	21	
31	Increased sulfation of bile acids in mice and human subjects with sodium taurocholate cotransporting polypeptide deficiency. <i>Journal of Biological Chemistry</i> , <b>2019</b> , 294, 11853-11862	5.4	17	
30	miR-375 and miR-30d in the effect of chromium-containing Chinese medicine moderating glucose metabolism. <i>Journal of Diabetes Research</i> , <b>2014</b> , 2014, 862473	3.9	16	
29	Insights from the association of SARS-CoV S-protein with its receptor, ACE2. <i>Advances in Experimental Medicine and Biology</i> , <b>2006</b> , 581, 209-18	3.6	16	
28	The History and Challenges of Blood Donor Screening in China. <i>Transfusion Medicine Reviews</i> , <b>2017</b> , 31, 89-93	7.4	15	
27	Lack of antibody-mediated cross-protection between SARS-CoV-2 and SARS-CoV infections. <i>EBioMedicine</i> , <b>2020</b> , 58, 102890	8.8	15	
26	microRNA expression in hepatitis B virus infected primary treeshrew hepatocytes and the independence of intracellular miR-122 level for de novo HBV infection in culture. <i>Virology</i> , <b>2014</b> , 448, 247-54	3.6	14	
25	Woodchuck sodium taurocholate cotransporting polypeptide supports low-level hepatitis B and D virus entry. <i>Virology</i> , <b>2017</b> , 505, 1-11	3.6	12	
24	Severe Acute Respiratory Syndrome Coronavirus Entry as a Target of Antiviral Therapies. <i>Antiviral Therapy</i> , <b>2007</b> , 12, 639-650	1.6	12	
23	Sodium taurocholate cotransporting polypeptide acts as a receptor for hepatitis B and D virus. <i>Digestive Diseases</i> , <b>2015</b> , 33, 388-96	3.2	11	
22	The SARS Coronavirus receptor ACE 2 A potential target for antiviral therapy <b>2006</b> , 397-418		11	
21	Interactions between SARS coronavirus and its receptor. <i>Advances in Experimental Medicine and Biology</i> , <b>2006</b> , 581, 229-34	3.6	11	
20	The p.Ser267Phe variant of sodium taurocholate cotransporting polypeptide (NTCP) supports HBV infection with a low efficiency. <i>Virology</i> , <b>2018</b> , 522, 168-176	3.6	9	
19	Site-Specific Engineering of Chemical Functionalities on the Surface of Live Hepatitis D Virus. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 14220-14224	3.6	9	
18	The immune response of rhesus macaques to novel vaccines comprising hepatitis B virus S, PreS1, and Core antigens. <i>Vaccine</i> , <b>2018</b> , 36, 3740-3746	4.1	7	
17	An Engineered Receptor-Binding Domain Improves the Immunogenicity of Multivalent SARS-CoV-2 Vaccines. <i>MBio</i> , <b>2021</b> , 12,	7.8	6	
16	Recombinant vaccinia vector-based vaccine (Tiantan) boosting a novel HBV subunit vaccine induced more robust and lasting immunity in rhesus macaques. <i>Vaccine</i> , <b>2017</b> , 35, 3347-3353	4.1	5	
15	A rapid and quantitative assay for measuring neutralizing antibodies of Coxsackievirus B3. <i>Journal of Virological Methods</i> , <b>2016</b> , 232, 1-7	2.6	5	

14	Animal models for the study of human hepatitis B and D virus infection: New insights and progress. <i>Antiviral Research</i> , <b>2020</b> , 182, 104898	10.8	5
13	Novel Abs targeting the N-terminus of fibroblast growth factor 19 inhibit hepatocellular carcinoma growth without bile-acid-related side-effects. <i>Cancer Science</i> , <b>2020</b> , 111, 1750-1760	6.9	4
12	An engineered receptor-binding domain improves the immunogenicity of multivalent SARS-CoV-2 vaccines <b>2020</b> ,		4
11	NTCP Deficiency Causes Gallbladder Abnormalities in Mice and Human Beings. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , <b>2021</b> , 11, 831-839	7.9	4
10	Role of high-risk variants in the development of impaired glucose metabolism was modified by birth weight in Han Chinese. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2015</b> , 31, 790-5	7.5	3
9	Potent and Specific Inhibition of NTCP-Mediated HBV/HDV Infection and Substrate Transporting by a Novel, Oral-Available Cyclosporine A Analogue. <i>Journal of Medicinal Chemistry</i> , <b>2021</b> , 64, 543-565	8.3	3
8	Transcriptionally inactive hepatitis B virus episome DNA preferentially resides in the vicinity of chromosome 19 in 3D host genome upon infection. <i>Cell Reports</i> , <b>2021</b> , 35, 109288	10.6	3
7	Mitochondrial Damage and the Road to Exhaustion. <i>Cell Metabolism</i> , <b>2020</b> , 32, 905-907	24.6	2
6	Design of Dimeric Bile Acid Derivatives as Potent and Selective Human NTCP Inhibitors. <i>Journal of Medicinal Chemistry</i> , <b>2021</b> , 64, 5973-6007	8.3	2
5	Animal Models for Hepatitis B: Does the Supply Meet the Demand?. <i>Gastroenterology</i> , <b>2021</b> , 160, 1437-	1 <u>44.2</u>	1
4	DExD/H-box helicase 9 intrinsically controls CD8 T cell-mediated antiviral response through noncanonical mechanisms <i>Science Advances</i> , <b>2022</b> , 8, eabk2691	14.3	1
3	Entry of hepatitis B virus: going beyond NTCP to the nucleus. <i>Current Opinion in Virology</i> , <b>2021</b> , 50, 97-1	<b>02</b> 5	O
	Phenotypic and functional characterizations of CD8 T cell populations in malignant pleural		
2	effusion Experimental Cell Research, <b>2022</b> , 113212	4.2	0